

**Records of the
Zoological Survey of India**

**List of valid Rodent taxa (Class : Mammalia, Order : Rodentia)
from Indian Subcontinent including Myanmar**

M.S. PRADHAN AND S.S. TALMALE

OCCASIONAL PAPER No. 297

**RECORDS
OF THE
ZOOLOGICAL SURVEY OF INDIA**

**List of valid Rodent taxa (Class : Mammalia, Order : Rodentia)
from Indian Subcontinent including Myanmar**

M.S. PRADHAN¹ AND S.S. TALMALE²

Zoological Survey of India

Western Regional Centre, Vidyanagar, Sector 29, Rawet Road

PCNTDA Post, Pune, Maharashtra 411 044

Email : 1. wspradhan@yahoo.com 2. s_talmale@yahoo.co.in

Edited by the Director, Zoological Survey of India, Kolkata



**Zoological Survey of India
Kolkata**

CITATION

Pradhan, M.S. and Talmale, S.S. 2009. List of valid Rodent taxa (Class : Mammalia; Order : Rodentia) from Indian Subcontinent including Myanmar, *Rec. zool. Surv. India, Occ. Paper No. 297* : 1-239. (Published by the Director, *Zool. Surv. India*, Kolkata)

Published : October, 2009

ISBN 978-81-8171-224-0

© Govt. of India, 2009

ALL RIGHTS RESERVED

- No Part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission of the publisher.
- This book is sold subject to the condition that it shall not, by way of trade, be lent, resold, hired out or otherwise disposed off without the publisher's consent, in a form of binding or cover other than that in which, it is published.
- The correct price of this publication is the price printed on this page. Any revised price indicated by a rubber stamp or by a sticker or by any other means is incorrect and should be unacceptable.

PRICE

Indian Rs. 400.00

Foreign \$ 30 £ 20

Published at the Publication Division, by the Director, Zoological Survey of India, 234/4 A.J.C. Bose Road, 2nd MSO Building, Nizam Palace (13th floor), Kolkata 700 020 and printed at Typographia, Kolkata 700 012.

**RECORDS
OF THE
ZOOLOGICAL SURVEY OF INDIA
OCCASIONAL PAPER**

No. 297

2009

Page 1-239

CONTENTS

INTRODUCTION	1
TABLE 1. Number of valid rodent genera, species and subspecies from Indian Subcontinent including Myanmar	2
TABLE 2. List of Rodents from Indian Subcontinent including Myanmar	3
TABLE 3. List of valid Rodent Taxa from Indian Subcontinent including Myanmar	206
ACKNOWLEDGEMENTS	236
REFERENCES	236

INTRODUCTION

Order Rodentia is the largest order of mammals both worldwide and in the Indomalayan region (Corbet & Hill, 1992). They are all comparatively smaller animals with great diversity in habits and modes of life. Rodents naturally display great diversity of form and structure.

Ellerman and Morrison-Scott (1951) reported a list of mammal species including rodents in “Checklist of Palaearctic and Indian mammals, 1758-1946”. He could give a list of valid taxa and their synonyms up to subspecies level. Ellerman’s (1961) revisionary work gives details of each taxon under Rodent fauna of India including Pakistan, Burma (now Myanmar) and Ceylon (now Sri Lanka). Corbet and Hill (1992) revived Rodentia classification and gave a systematic list of species with their synonyms and kept subspecies names under variation with comments. Wilson and Reeder (2005) consolidated and compiled a huge list of global mammalian species in which they have reported classified systematic list of recognized species with valid subspecies. Agrawal (2000) has provided a detailed account on the murids along with hystricids of India. However considering the complexity of the taxonomic problems, he has not dealt with Genus *Rattus* up to subspecies level. Further, the comments of Musser and Carleton in Wilson and Reeder (1993) that most of the species including African species need careful systematic review before recognizing *Mus* subgenera appeared to be more practical. Therefore it seems that authors like Agrawal (2000) and Alfred *et al.* (2002) did not recognize the subgenera and tried to simplify the classification directly at species level. However, subgenus *Mus* has been retained and considered valid in the latest version of Wilson and Reeder (2005). Srinivasulu and Pradhan, 2003 (Checklist of Murids); Srinivasulu and Jordan, 2004 (Checklist of Dipodids, Myoxids and Hystricids); Srinivasulu *et al.*, 2004 (Checklist of Sciuridae) reported a list of rodents species of South Asian countries with some comments on subspecies validity.

It has been observed that lot of changes have occurred in the rodent systematics while reviewing the above cited literature. Table-1 clearly indicates significant changes in number of valid genera, species and subspecies in all the countries of this subcontinent. Under these circumstances it was strongly felt necessary to give systematic/classified list of rodent taxa considered to be currently valid up to the subspecies level of the then British India region which includes India, Pakistan, Nepal, Bhutan, Bangladesh, Sri Lanka and Myanmar in a tabular form (Table 3). The present article is outcome of the same. Current taxonomic status and a validity of each and every taxon from family to subspecies described in past and recent years from each country has been highlighted in Table-2 under the column “Present valid name” with a support of the bibliographic reference.

Table 1 : Number of valid rodent genera, species and subspecies from Indian Subcontinent including Myanmar as reported in Ellerman and Morrison-Scott (1951), Wilson and Reeder (2005) and present article

		Indian Subcontinent including Myanmar (Total)	India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Ellerman and Morrison-Scott, 1951	Genera	49	40	28	13	22	11	17	28
	Species	123	88	40	21	34	17	32	61
	Subspecies	280	146	40	30	36	16	18	132
Wilson and Reeder, 2005	Genera	62	47	29	14	25	13	19	34
	Species	156	102	50	23	39	20	35	73
	Subspecies	86	45	9	7	11	8	6	50
Present observations	Genera	62	47	29	14	25	13	19	34
	Species	158	104	50	23	40	20	35	73
	Subspecies	141	89	18	16	24	15	14	62

Table 2 : List of Rodents from Indian Subcontinent including Myanmar

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Ord : Rodentia S.Order : Sciuromorpha Sup. Fam. : Sciuroidea Fam : Sciuridae	Ord : Rodentia Fam : Sciuridae	Ord : Rodentia Fam : Pteromyidae	Ord : Rodentia S.Order : Sciuromorpha Fam : Sciuridae Sub Fam : Sciurinae Tribe : Pteromyini	—	Ord: Rodentia S.Order : Sciuromorpha Fam : Sciuridae Sub Fam : Sciurinae Tribe : Pteromyini	Thorington & Hoffmann, In Wilson & Reeder, 2005
1					Genus : <i>Belomys</i> Thomas, 1908	Genus : <i>Belomys</i> Thomas	Genus : <i>Belomys</i> Synonymised under genus <i>Trogopterus</i>	Genus : <i>Belomys</i> Thomas, 1908	—	Genus : <i>Belomys</i> Thomas, 1908	Thorington & Hoffmann, In Wilson & Reeder, 2005
	1		Hairy footed flying squirrel	India; Bhutan; Bangladesh (Cittagong hill tracts); North Myanmar	<i>Belomys pearsoni</i> Gray, 1842	<i>Belomys pearsoni</i> (Gray)	<i>Sciuropterus pearsonii</i> Gray, 1842 synonymised under species <i>Trogopterus pearsoni</i>	<i>Belomys pearsonii</i> (Gray)	—	<i>Belomys pearsonii</i> (Gray)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		1		India (Darjeeling, Sikkim, Naga Hills (Nagaland), Assam).	<i>Belomys pearsoni pearsoni</i> Gray, 1842	<i>Belomys pearsoni pearsoni</i> (Gray)	<i>Belomys pearsoni pearsoni</i> Gray, 1842 synonymised under <i>Trogopterus pearsonii</i>	<i>Belomys pearsoni pearsoni</i> (Gray)	i) Agrawal & Chakraborty, 1979 and ii) Srinivasulu <i>et al.</i> , 2004: <i>Belomys pearsonii pearsonii</i> (Gray)	<i>Belomys pearsonii pearsonii</i> Gray, 1942	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Machi, Manipur); Myanmar (Yin, Lower Chindwin; 40 miles west of Kalewa, Chindwin	<i>Belomys pearsoni trichotis</i> , Thomas, 1908	<i>Belomys pearsoni trichotis</i> , Thomas	<i>Belomys trichotis</i> , Thomas, 1908 synonymised under <i>Trogopterus pearsoni</i>	<i>Belomys trichotis</i> , Thomas, 1908 synonymised under <i>Belomys pearsonii</i>	i) Agrawal & Chakraborty, 1979: <i>Belomys pearsoni trichotis</i> Thomas	<i>Belomys trichotis</i> , Thomas, 1908 synonymised under <i>Belomys pearsonii</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
2			Giant flying squirrel		Genus : <i>Petaurista</i> Link, 1795	Genus : <i>Petaurista</i> Link, 1795	Genus : <i>Petaurista</i> Link, 1795	Genus : <i>Petaurista</i> Link, 1795	—	Genus : <i>Petaurista</i> Link, 1795	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	2		Lesser Giant flying squirrel	India; Nepal; Myanmar	<i>Petaurista elegans</i> Muller, 1839	<i>Petaurista elegans</i> (Muller)	<i>Petaurista elegans</i> Muller, 1839	<i>Petaurista elegans</i> Muller, 1839	—	<i>Petaurista elegans</i> Muller, 1839	Corbet & Hill, 1992
		2	Gray Headed flying squirrel	India (Sikkim); Nepal	<i>Petaurista elegans caniceps</i> Gray, 1842.	<i>Petaurista elegans caniceps</i> Gray	Raised to species level <i>Petaurista caniceps</i>	<i>Petaurista elegans caniceps</i> Gray, 1842	—	<i>Petaurista elegans caniceps</i> Gray, 1842	Thorington & Hoffmann, In Wilson & Reeder, 2005
		3	The spotted flying squirrel	Namhsan, 40 miles East of Mogok, North Shan States	<i>Petaurista elegans marica</i> Thomas, 1912	<i>Petaurista elegans marica</i> Thomas	<i>Petaurista elegans marica</i> Thomas, 1912	<i>Petaurista elegans marica</i> Thomas, 1912	—	<i>Petaurista elegans marica</i> Thomas, 1912	Thorington & Hoffmann, In Wilson & Reeder, 2005
		4		Fifty miles west of Kindat, Chin hills, Western Myanmar (Mountains of Myanmar)	<i>Petaurista elegans sybilla</i> Thomas, 1916	<i>Petaurista elegans sybilla</i> Thomas	<i>Petaurista elegans sybilla</i> Thomas & Wroughton, 1916	<i>Petaurista elegans sybilla</i> Thomas & Wroughton, 1916	—	<i>Petaurista elegans sybilla</i> Thomas & Wroughton, 1916	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Northern Myanmar	<i>Petaurista elegans clarkei</i> Thomas, 1922	<i>Petaurista elegans clarkei</i> Thomas	<i>Petaurista clarkei</i> Thomas, 1922 synonymised under species <i>Petaurista caniceps</i>	<i>Petaurista clarkei</i> Thomas, 1922 synonymised under species <i>Petaurista elegans</i>	—	<i>Petaurista clarkei</i> Thomas, 1922 synonymised under species <i>Petaurista elegans</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Apoon Sottidanda, & Barpak Gorkha	<i>Petaurista elegans gorkhali</i> Lindsay, 1929	<i>Petaurista elegans gorkhali</i> Lindsay, 1929	<i>Sciuropterus gorkhali</i> Lindsay, 1929 synonymised under species <i>Petaurista caniceps</i>	<i>Sciuropterus gorkhali</i> Lindsay, 1929 synonymised under species <i>Petaurista elegans</i>	—	<i>Sciuropterus gorkhali</i> Lindsay, 1929 Synonymised under species <i>Petaurista elegans</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	3		Red flying squirrel/ Common Giant flying squirrel	India; Pakistan; Nepal, Bangladesh, Myanmar	<i>Petaurista petaurista</i> Pallas, 1766	<i>Petaurista petaurista</i> (Pallas)	<i>Petaurista petaurista</i> Pallas, 1766	<i>Petaurista petaurista</i> Pallas, 1766	—	<i>Petaurista petaurista</i> Pallas, 1766	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		5		Northern India, Kashmir, Punjab, N.E.India (Assam); Pakistan (Islamabad, Muree Hills, Hazara, Punjab); Nepal	<i>Petaurista petaurista albiventer</i> Gray, 1834	<i>Petaurista petaurista albiventer</i> (Gray)	<i>Petaurista petaurista albiventer</i> (Gray)	<i>Petaurista petaurista albiventer</i> (Gray, 1834)	i) Roberts, 1997: <i>Petaurista petaurista albiventer</i> Gray, 1834	<i>Petaurista petaurista albiventer</i> (Gray, 1834)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Pakistan : Murree, Hazara, Punjab	<i>Petaurista birrelli</i> Wroughton, 1911	<i>Petaurista birrelli</i> Wroughton, 1911 synonymised under species <i>Petaurista petaurista</i>	<i>Petaurista birrelli</i> Wroughton, 1911 synonymised under species <i>Petaurista petaurista</i>	<i>Petaurista birrelli</i> Wroughton, 1911 synonymised under species <i>Petaurista petaurista</i>	—	<i>Petaurista birrelli</i> Wroughton, 1911 Synonymised under species <i>Petaurista petaurista</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		6		Bankasun Southern Tenasserim	<i>Petaurista taylori</i> Thomas, 1914 synonymised under	<i>Petaurista taylori</i> Thomas, 1914 synonymised under subspecies	<i>Petaurista taylori</i> Thomas, 1914 synonymised under species <i>Petaurista</i>	<i>Petaurista petaurista taylori</i> Thomas, 1914	—	<i>Petaurista petaurista taylori</i> Thomas, 1914	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					subspecies <i>Petaurista alborufus candidulus</i> Wroughton, 1911	<i>Petaurista alborufus candidulus</i> Wroughton, 1911	<i>petaurista</i>				
		7		Kindat, West Myanmar	<i>Petaurista alborufus candidulus</i> Wroughton, 1911	<i>Petaurista alborufus candidulus</i> Wroughton, 1911	<i>Petaurista candidula</i> Wroughton, 1911 synonymised under species <i>Petaurista petaurista</i>	<i>Petaurista petaurista candidula</i> Wroughton, 1911	—	<i>Petaurista petaurista candidula</i> Wroughton, 1911	Thorington & Hoffmann, In Wilson & Reeder, 2005
	4		The Large Brown flying squirrel	Peninsular India; Sri Lanka; Myanmar	<i>Petaurista petaurista philippensis</i> Elliot, 1839	<i>Petaurista petaurista philippensis</i> (Elliot)	<i>Petaurista philippensis</i> Elliot, 1839	<i>Petaurista philippensis</i> (Elliot, 1839)	—	<i>Petaurista philippensis</i> (Elliot, 1839)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		8		India, Sri Lanka	<i>Petaurista petaurista philippensis</i> Elliot, 1839	<i>Petaurista petaurista philippensis</i> (Elliot)	<i>Petaurista philippensis philippensis</i>	<i>Petaurista philippensis philippensis</i>	—	<i>Petaurista philippensis philippensis</i> (Elliot, 1839)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	—			Gammadewa, Kumbukkan, Kandy, Mousekande, Sri Lanka	<i>Petaurista petaurista lanka</i> Wroughton, 1911	<i>Petaurista petaurista lanka</i> Wroughton, 1911	<i>Petaurista lanka</i> Wroughton, 1911 synonymised under species <i>Petaurista philippensis</i>	<i>Petaurista lanka</i> Wroughton, 1911 synonymised under species <i>Petaurista philippensis</i>	—	<i>Petaurista lanka</i> Wroughton, 1911 synonymised under species <i>Petaurista philippensis</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		9		India (North Assam); Myanmar (Mishmi)	<i>Petaurista petaurista yunanensis</i> Anderson, 1875	<i>Petaurista petaurista yunanensis</i> Anderson, 1875	<i>Pteromys yunanensis</i> Anderson, 1875 Synonymised under <i>Petaurista philippensis</i>	<i>Petaurista philippensis yunanensis</i> (Anderson, 1875)	i) Agrawal & Chakraborty, 1979: <i>Petaurista petaurista yunanensis</i> (Anderson)	<i>Petaurista philippensis yunanensis</i> Anderson, 1875	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Kalaw, Southern Shan States, Myanmar	<i>Petaurista lylei venningi</i> Thomas, 1914 synonymised under subspecies <i>Petaurista petaurista lylei</i>	<i>Petaurista lylei venningi</i> Thomas, 1914 synonymised under subspecies <i>Petaurista petaurista lylei</i>	<i>Petaurista lylei venningi</i> Thomas, 1914	<i>Petaurista lylei venningi</i> Thomas, 1914 synonymised under species <i>Petaurista philippensis</i>	—	<i>Petaurista lylei venningi</i> Thomas, 1914 synonymised under species <i>Petaurista philippensis</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		10		Arakan, Myanmar; Tenasserim	<i>Petaurista petaurista cineraceous</i> Blyth, 1847	<i>Petaurista petaurista cineraceous</i> (Blyth)	<i>Petaurista philippensis cineraceous</i> Blyth, 1847	<i>Petaurista philippensis cineraceous</i> (Blyth, 1847)	—	<i>Petaurista philippensis cineraceous</i> (Blyth, 1847)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		11		Shan states, Myanmar	<i>Petaurista petaurista lylei</i> Bonhote, 1900	<i>Petaurista petaurista lylei</i> Bonhote	<i>Petaurista lylei</i> Bonhote, 1900 synonymised under species <i>Petaurista philippensis</i>	<i>Petaurista philippensis lylei</i> Bonhote, 1900	—	<i>Petaurista philippensis lylei</i> Bonhote, 1900	Thorington & Hoffmann, In Wilson & Reeder, 2005
		12		Ross Island, Tavoy Islands, Mergui Archipelago, Myanmar	<i>Petaurista petaurista mergulus</i> Thomas, 1922	<i>Petaurista petaurista mergulus</i> Thomas, 1922	<i>Petaurista mergulus</i> Thomas, 1922 synonymised under species <i>Petaurista philippensis</i>	<i>Petaurista philippensis mergulus</i> (Thomas, 1922)	—	<i>Petaurista philippensis mergulus</i> (Thomas, 1922)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		King Island & Malcom Island, Mergui Archipelago,	<i>Petaurista petaurista reguli</i> Thomas, 1926	<i>Petaurista petaurista reguli</i> Thomas	<i>Petaurista mergulus reguli</i> Thomas, 1926	<i>Petaurista petaurista reguli</i> Thomas, 1926 synonymised	—	<i>Petaurista petaurista reguli</i> Thomas, 1926 synonymised	Thorington & Hoffmann, In Wilson & Reeder,

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
				Myanmar				under species <i>Petaurista philippensis</i>		under species <i>Petaurista philippensis</i>	2005
		—		Sullivan Island, Mergui Islands, Myanmar	<i>Petaurista petaurista primrosei</i> Thomas, 1926	<i>Petaurista petaurista primrosei</i> Thomas	<i>Petaurista mergulus primrosei</i> Thomas, 1926	<i>Petaurista petaurista primrosei</i> Thomas, 1926 synonymised under species <i>Petaurista philippensis</i>	—	<i>Petaurista petaurista primrosei</i> Thomas, 1926 synonymised under species <i>Petaurista philippensis</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Yunnan, Myanmar	—	—	<i>Petaurista philippensis nigra</i> Wang, 1981 Synonymised under species <i>Petaurista philippensis</i>	<i>Petaurista philippensis nigra</i> Wang, 1981 Synonymised under species <i>Petaurista philippensis</i>	—	<i>Petaurista philippensis nigra</i> Wang, 1981 Synonymised under species <i>Petaurista philippensis</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
	5		Red & White Flying squirrel	India; Bangladesh; Myanmar	<i>Petaurista alborufus</i> Milne-Edwards, 1870	<i>Petaurista alborufus</i> (Milne-Edwards, 1870)	<i>Petaurista alborufus</i> (Milne-Edwards, 1870)	<i>Petaurista alborufus</i> (Milne-Edwards, 1870)	—	<i>Petaurista alborufus</i> (Milne-Edwards, 1870)	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	6			India; Nepal (Sathar Hills, Gorkhā, Naivacot); Bhutan (Paro, West Bhutan; Gomchu, Mithangar, East Bhutan); Bangladesh (Chittagong Hill tracts)	<i>Petaurista magnificus</i> Hodgson, 1836	<i>Petaurista magnificus</i> (Hodgson, 1836)	<i>Petaurista magnificus</i> (Hodgson, 1836)	<i>Petaurista magnificus</i> (Hodgson, 1836)	—	<i>Petaurista magnificus</i> (Hodgson, 1836)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—	Hodgson's flying squirrel	India (Ghoombhanjang Darjeeling Dist. West Bengal; Sikkim)	—	—	<i>Petaurista magnificus hodgsoni</i> Ghose & Saha, 1981	<i>Petaurista magnificus hodgsoni</i> Ghose & Saha, 1981 synonymised under species <i>Petaurista magnificus</i>	—	<i>Petaurista magnificus hodgsoni</i> Ghose & Saha, 1981 synonymised under species <i>Petaurista magnificus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	7		Bhutan Giant Flying Squirrel	India (Darjeeling); Central Nepal; Bhutan	<i>Petaurista nobilis</i> Gray, 1842 synonymised under species <i>Petaurista magnificus</i>	<i>Petaurista nobilis</i> Gray, 1842 synonymised under species <i>Petaurista magnificus</i>	<i>Petaurista nobilis</i> Gray, 1842	<i>Petaurista nobilis</i> (Gray, 1842)	—	<i>Petaurista nobilis</i> (Gray, 1842)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		13		India (Sikkim); Central Nepal	—	—	—	<i>Petaurista nobilis nobilis</i> (Gray, 1842)	—	<i>Petaurista nobilis nobilis</i> (Gray, 1842)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		14		Bhutan (Gomchu, Gomchu valley)	—	—	<i>Petaurista nobilis singhei</i> Saha, 1977	<i>Petaurista nobilis singhei</i> Saha, 1977	—	<i>Petaurista nobilis singhei</i> Saha, 1977	Corbet & Hill, 1992
3					—	—	—	Genus : <i>Eoglaucromys</i> Howell, 1915	—	Genus : <i>Eoglaucromys</i> Howell, 1915	Thorington & Hoffmann, In Wilson & Reeder, 2005
	8		The smaller Kashmir Flying squirrel	India (Simla, Punjab and Kashmir); Pakistan (North Punjab)	<i>Hylopetus fimbriatus</i> Gray, 1837.	<i>Hylopetus fimbriatus</i> (Gray)	<i>Hylopetus fimbriatus</i> Gray, 1837	<i>Eoglaucromys fimbriatus</i> (Gray, 1837)	i) Roberts, 1997: <i>Hylopetus fimbriatus</i> Gray, 1837	<i>Eoglaucromys fimbriatus</i> (Gray, 1837)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		15		Pakistan	<i>Hylopetus fimbriatus fimbriatus</i> Gray, 1837	<i>Hylopetus fimbriatus fimbriatus</i> (Gray)	—	<i>Eoglaucomyx fimbriatus fimbriatus</i> Gray, 1837	i) Roberts, 1997: has considered Pakistan population as <i>Hylopetus fimbriatus</i> Gray, 1837 only.	<i>Eoglaucomyx fimbriatus fimbriatus</i> (Gray, 1837)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		16		India (Kashmir); North Pakistan (Hazara)	<i>Hylopetus fimbriatus baberi</i> Blyth, 1847	<i>Hylopetus fimbriatus baberi</i> (Blyth)	<i>Hylopetus baberi</i> Blyth, 1847	<i>Eoglaucomyx fimbriatus baberi</i> (Blyth, 1847)	i) Chakraborty, 1983: <i>Hylopetus baberi</i> (Blyth)	<i>Eoglaucomyx fimbriatus baberi</i> (Blyth, 1847)	Thorington & Hoffmann, In Wilson & Reeder, 2005
4					Genus : <i>Hylopetus</i> Thomas, 1908	Genus : <i>Hylopetus</i> Thomas, 1908	Genus : <i>Hylopetus</i> Thomas, 1908	Genus : <i>Hylopetus</i> Thomas, 1908	i) Roberts, 1997: Genus: <i>Hylopetus</i> Thomas, 1908	Genus : <i>Hylopetus</i> Thomas, 1908	Corbet & Hill, 1992
	9		Phayre's Flying squirrel	India; Myanmar	<i>Hylopetus phayrei</i> Blyth, 1859	<i>Hylopetus phayrei</i> (Blyth)	<i>Hylopetus phayrei</i> Blyth, 1859	<i>Hylopetus phayrei</i> Blyth, 1859	—	<i>Hylopetus phayrei</i> Blyth, 1859	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		17		India (Manipur : Haingyan)	<i>Hylopetus phayrei phayrei</i> Blyth, 1859	<i>Hylopetus phayrei phayrei</i> Blyth, 1859	<i>Hylopetus phayrei phayrei</i> Blyth, 1859 synonymised under species <i>Hylopetus phayrei</i> Blyth, 1859	<i>Hylopetus phayrei phayrei</i> Blyth, 1859	—	<i>Hylopetus phayrei phayrei</i> Blyth, 1859	Thorington & Hoffmann, In Wilson & Reeder, 2005
	10		The Parti-Coloured flying squirrel	India; Nepal; Bhutan; Myanmar	<i>Hylopetus alboniger</i> Hodgson, 1836	<i>Hylopetus alboniger</i> (Hodgson)	<i>Hylopetus alboniger</i> Hodgson, 1836	<i>Hylopetus alboniger</i> (Hodgson, 1836)	—	<i>Hylopetus alboniger</i> (Hodgson, 1836)	Corbet & Hill, 1992
		18		India (Assam, Manipur, Sikkim, Darjeeling); Nepal (Sipuri); Bhutan; Myanmar (Kindat, Kachin, Nam Tamai Valley)	<i>Hylopetus alboniger alboniger</i> Hodgson, 1836	<i>Hylopetus alboniger alboniger</i> (Hodgson)	No comments offered on the subspecific status of <i>Hylopetus alboniger alboniger</i> Hodgson, 1836	<i>Hylopetus alboniger alboniger</i> (Hodgson)	—	<i>Hylopetus alboniger alboniger</i> (Hodgson, 1836)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Kachin Province, Northern Myanmar	<i>Hylopetes alboniger leonardi</i> Thomas, 1921	<i>Hylopetes alboniger leonardi</i> (Thomas)	<i>Pteromys (Hylopetes) leonardi</i> Thomas, 1921 synonymised under species <i>Hylopetes alboniger</i>	<i>Hylopetes alboniger leonardi</i> Thomas, 1921 synonymised under species <i>Hylopetes alboniger</i>	—	<i>Pteromys (Hylopetes) leonardi</i> Thomas, 1921 synonymised under species <i>Hylopetes alboniger</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
	11		Red-Checked flying squirrel	Bangladesh (Forest tracts); Myanmar (Maymyo, Arakan)	<i>Hylopetes spadiceus</i> Blyth, 1857	<i>Hylopetes spadiceus</i> (Blyth)	<i>Hylopetes spadiceus</i> Blyth, 1857	<i>Hylopetes spadiceus</i> (Blyth, 1857)	—	<i>Hylopetes spadiceus</i> (Blyth, 1857)	Corbet & Hill, 1992
		—		M. Banlaw, Tenasserim	<i>Hylopetes sagitta belone</i> Thomas, 1908	<i>Hylopetes lepidus belone</i> (Thomas)	<i>Sciuropterus (H.) belone</i> Thomas, 1908 synonymised under species <i>Hylopetes spadiceus</i>	<i>Sciuropterus (H.) belone</i> Thomas, 1908 synonymised under species <i>Hylopetes spadiceus</i>	—	<i>Sciuropterus (H.) belone</i> Thomas, 1908 synonymised under species <i>Hylopetes spadiceus</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
5					Genus : <i>Petinomys</i> Thomas, 1908	Genus : <i>Petinomys</i> Thomas, 1908	Genus : <i>Petinomys</i> Thomas, 1908	Genus : <i>Petinomys</i> Thomas, 1908	—	Genus : <i>Petinomys</i> Thomas, 1908	Corbet & Hill, 1992
	12		Travancore flying squirrel	South India; Sri Lanka	<i>Petinomys fuscocapillus</i> Jerdon, 1847	<i>Petinomys fuscocapillus</i> (Jerdon)	<i>Petinomys fuscocapillus</i> Jerdon, 1847	<i>Petinomys fuscocapillus</i> (Jerdon, 1847)	—	<i>Petinomys fuscocapillus</i> (Jerdon, 1847)	Corbet & Hill, 1992
		—		Travancore, South India	<i>Petinomys fuscocapillus fuscocapillus</i> Jerdon, 1847	<i>Petinomys fuscocapillus fuscocapillus</i> (Jerdon)	No comments offered on the subspecific status of <i>Petinomys fuscocapillus fuscocapillus</i> (Jerdon)	—	—	No comments offered on the subspecific status of <i>Petinomys fuscocapillus fuscocapillus</i> (Jerdon)	Corbet & Hill, 1992
		—		Sri Lanka	<i>Petinomys fuscocapillus layardi</i> Kelaart, 1850	<i>Petinomys fuscocapillus layardi</i> Kelaart, 1850	<i>Sciurus layardi</i> Kelaart, 1850 synonymised under species <i>Petinomys fuscocapillus</i>	<i>Sciurus layardi</i> Kelaart, 1850 synonymised under species <i>Petinomys fuscocapillus</i>	—	<i>Petinomys fuscocapillus layardi</i> Kelaart, 1850 Synonymised under species <i>Petinomys fuscocapillus</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	13		Temminck's flying squirrel	Myanmar	<i>Petinomys setosus</i> Temminck, 1845	<i>Petinomys setosus</i> (Temminck)	<i>Petinomys setosus</i> Temminck, 1845	<i>Petinomys setosus</i> (Temminck, 1845)	—	<i>Petinomys setosus</i> (Temminck, 1845)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Taro, Northern Myanmar	<i>Petinomys morrisoni</i> Carter, 1942	<i>Petinomys morrisoni</i> (Carter, 1942)	<i>Petinomys setosus morrisoni</i> Carter, 1942	<i>Petinomys morrisoni</i> Carter, 1942 synonymised under species <i>Petinomys setosus</i>	—	<i>Petinomys morrisoni</i> Carter, 1942 synonymised under species <i>Petinomys setosus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	14		Vordermann's flying squirrel	Myanmar	—	—	<i>Petinomys vordermanni</i> Jemtink, 1890	<i>Petinomys vordermanni</i> Jemtink, 1890	—	<i>Petinomys vordermanni</i> Jemtink, 1890	Corbet & Hill, 1992
		—		Tenasserim, South Myanmar	<i>Petinomys setosus phipsoni</i> Thomas, 1916	<i>Petinomys setosus phipsoni</i> (Thomas)	<i>Pteromys (Petinomys) phipsoni</i> Thomas, 1916 synonymised under species <i>Petinomys vordermanni</i>	<i>Pteromys (Petinomys) phipsoni</i> Thomas, 1916 synonymised under species <i>Petinomys vordermanni</i>	—	<i>Petinomys setosus phipsoni</i> Thomas, 1916 synonymised under species <i>Petinomys vordermanni</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
6					Genus : <i>Eupetaurus</i> Thomas, 1888	Genus : <i>Eupetaurus</i> Thomas	Genus : <i>Eupetaurus</i> Thomas, 1888	Genus : <i>Eupetaurus</i> Thomas, 1888	—	Genus : <i>Eupetaurus</i> Thomas, 1888	Corbet & Hill, 1992
	15		Wooly flying squirrel	India (Kashmir, N. Sikkim); N. Pakistan (Gilgit vally, Chitral)	<i>Eupetaurus cinereus</i> Thomas, 1888	<i>Eupetaurus cinereus</i> Thomas	<i>Eupetaurus cinereus</i> Thomas, 1888	<i>Eupetaurus cinereus</i> Thomas, 1888	i) Roberts, 1997: <i>Eupetaurus cinereus</i> Thomas, 1888	<i>Eupetaurus cinereus</i> Thomas, 1888	Corbet & Hill, 1992
7					—	—	<i>Biswamoyopterus</i> Saha, 1981	<i>Biswamoyopterus</i> Saha, 1981	—	<i>Biswamoyopterus</i> Saha, 1981	Corbet & Hill, 1992
	16		Namdhapa flying squirrel	India (Deban, Namdhapa, Tirap dist. Arunachal Pradesh)	—	—	<i>Biswamoyopterus biswasi</i> Saha, 1981	<i>Biswamoyopterus biswasi</i> Saha, 1981	—	<i>Biswamoyopterus biswasi</i> Saha, 1981	Corbet & Hill, 1992
							Subfamily : Callosciurinae	Subfamily : Callosciurinae	—	Subfamily : Callosciurinae	Corbet & Hill, 1992
8					Genus : <i>Callosciurus</i> Gray, 1867	Genus : <i>Callosciurus</i> Gray, 1867	Genus : <i>Callosciurus</i> Gray, 1867	Genus : <i>Callosciurus</i> Gray, 1867	—	Genus : <i>Callosciurus</i> Gray, 1867	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	17		Pallas's squirrel	India; Bhutan; Bangladesh; Myanmar	<i>Callosciurus erythraeus</i> Pallas, 1779	<i>Callosciurus erythraeus</i> (Pallas)	<i>Callosciurus erythraeus</i> Pallas, 1779	<i>Callosciurus erythraeus</i> Pallas, 1779	—	<i>Callosciurus erythraeus</i> Pallas, 1779	Corbet & Hill, 1992
		19		India (Assam, Meghalaya); Bangladesh (Sylhet)	<i>Callosciurus erythraeus erythraeus</i> Pallas, 1779	<i>Callosciurus erythraeus erythraeus</i> (Pallas)	<i>Callosciurus erythraeus erythraeus</i> Pallas, 1779	<i>Callosciurus erythraeus erythraeus</i> Pallas, 1779	i) Moore & Tate, 1965: <i>Callosciurus erythraeus erythraeus</i> Pallas, 1779	<i>Callosciurus erythraeus erythraeus</i> Pallas, 1779	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		20		India (Manipur, Assam, Arunachal Pradesh, Nagaland); Myanmar (Kindat, Haingyan, Tamanthe, West of Chindwin, Myanmar)	<i>Callosciurus erythraeus erythrogaster</i> Blyth, 1842.	<i>Callosciurus erythraeus erythrogaster</i> (Blyth)	<i>Sciurus erythrogaster</i> Blyth, 1843 synonymised under species <i>Callosciurus erythraeus</i>	<i>Callosciurus erythraeus erythrogaster</i> (Blyth, 1842)	i) Moore & Tate, 1965 and ii) Chakraborty, 1985: <i>Callosciurus erythraeus erythrogaster</i> (Blyth)	<i>Callosciurus erythraeus erythrogaster</i> Blyth, 1842.	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		21		India (Arunachal Pradesh, Assam); North Myanmar.	<i>Callosciurus erythraeus intermedius</i> Anderson, 1879	<i>Callosciurus erythraeus intermedius</i> (Anderson)	<i>Sciurus gordonii</i> var. <i>intermedia</i> described under <i>Callosciurus erythraeus erythraeus</i> (Group)	<i>Callosciurus erythraeus intermedius</i> (Anderson, 1879)	i) Moore & Tate, 1965 and ii) Chakraborty, 1985: <i>Callosciurus erythraeus intermedius</i> (Anderson)	<i>Callosciurus erythraeus intermedius</i> (Anderson, 1879)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Sadiya, Assam	<i>Callosciurus erythraeus nagarum</i> Thomas & Wroughton, 1916 synonymised under subsps. <i>Callosciurus erythraeus erythrogaster</i>	<i>Callosciurus erythraeus nagarum</i> Thomas & Wroughton, 1916 synonymised under subsps. <i>Callosciurus erythraeus erythrogaster</i>	<i>Callosciurus erythraeus nagarum</i> Thomas & Wroughton, 1916	<i>Callosciurus erythraeus nagarum</i> Thomas & Wroughton, 1916 synonymised under subsps. <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus erythraeus nagarum</i> synonymised under subsps. <i>Callosciurus erythraeus erythrogaster</i>	<i>Callosciurus erythraeus nagarum</i> Thomas & Wroughton, 1916 synonymised under subsps. <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		22		Putlibir, West Bhutan; Phuntsholing, West Bhutan; Gaylegphug, Central Bhutan,	<i>Callosciurus erythraeus bhutanensis</i> Bonhote, 1901	<i>Callosciurus erythraeus bhutanensis</i> (Bonhote)	<i>Sciurus erythraeus bhutanensis</i> Bonhote, 1901 (Described under species	<i>Callosciurus erythraeus bhutanensis</i> (Bonhote, 1901)	i) Moore & Tate, 1965; ii) Chakraborty, 1975 and iii) Saha, 1977:	<i>Callosciurus erythraeus bhutanensis</i> (Bonhote, 1901)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
				Mithangar, East Bhutan.			<i>Callosciurus erythraeus</i>		<i>Callosciurus erythraeus bhutanensis</i> (Bonhote)		
		—		Dibong R, Adiya, Assam 600 ft.	<i>Callosciurus castoneoventris aquilo</i> synonymised under subspecies <i>Callosciurus erythraeus intermedius</i>	<i>Callosciurus castoneoventris aquilo</i> Wroughton, 1921	<i>Callosciurus castoneoventris aquilo</i> Wroughton, 1921	<i>Callosciurus castoneoventris aquilo</i> synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus castoneoventris aquilo</i> synonymised under subspecies <i>Callosciurus erythraeus intermedius</i>	<i>Callosciurus castoneoventris aquilo</i> synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Shangpung, Jantia Hills (Meghalaya), Assam	<i>Callosciurus erythraeus wellsi</i> synonymised under subsp. <i>Callosciurus erythraeus erathraeus</i>	<i>Callosciurus erythraeus wellsi</i> synonymised under subsp. <i>Callosciurus erythraeus erathraeus</i>	<i>Callosciurus erythraeus wellsi</i> Wroughton, 1921	<i>Callosciurus erythraeus wellsi</i> synonymised under subsp. <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965 : <i>Callosciurus erythraeus wellsi</i> synonymised under subsp. <i>Callosciurus erythraeus erathraeus</i>	<i>Callosciurus erythraeus wellsi</i> synonymised under subsp. <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		23		Myanmar (Tenasserim: Sitangi valley and Sungeibalik)	<i>Callosciurus erythraeus hyperythrus</i> Blyth, 1855	<i>Callosciurus erythraeus hyperythrus</i> (Blyth)	<i>Sciurus hyperythrus</i> Blyth, 1856 synonymised under species <i>Callosciurus erythraeus</i>	<i>Callosciurus erythraeus hyperythrus</i> (Blyth, 1856)	i) Moore & Tate, 1965: <i>Callosciurus flavimanus hyperythrus</i>	<i>Callosciurus erythraeus hyperythrus</i> Blyth, 1855	Thorington & Hoffmann, In Wilson & Reeder, 2005
		24		Myanmar	<i>Callosciurus erythraeus atrodorsalis</i> Gray, 1842	<i>Callosciurus erythraeus atrodorsalis</i> (Gray)	<i>Sciurus atrodorsalis</i> Gray, 1842 synonymised under species <i>Callosciurus erythraeus</i>	<i>Callosciurus erythraeus atrodorsalis</i> (Gray, 1842)	i) Moore & Tate, 1965: <i>Callosciurus flavimanus atrodorsalis</i> (Gray)	<i>Callosciurus erythraeus atrodorsalis</i> (Gray, 1842)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		25		Myanmar: Watu, Bhamo	<i>Callosciurus erythraeus gordonii</i> Anderson, 1871	<i>Callosciurus erythraeus gordonii</i> (Anderson, 1871)	<i>Sciurus gordonii</i> Anderson Described under <i>Callosciurus erythraeus erythraeus</i> (Group)	<i>Callosciurus erythraeus gordonii</i> (Anderson, 1871)	i) Moore & Tate, 1965: <i>Callosciurus flavimanus gordonii</i> (Anderson)	<i>Callosciurus erythraeus gordonii</i> (Anderson, 1871)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Hkamti, West bank of Chindwin River, South of Hukong vally Western Myanmar	<i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton, 1916	<i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton	<i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton, 1916	<i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus erythraeus erythrogaster</i>	<i>Callosciurus erythraeus crotalius</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		40 miles of West of Kindat; Nanthalet and Tatkon, West of Chindwin, Myanmar	<i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton, 1916	<i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton	<i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton, 1916	<i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus erythraeus erythrogaster</i>	<i>Callosciurus erythraeus kinneari</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		26		Gokteik, North Shan States, Myanmar, 2133ft	<i>Callosciurus caniceps shanicus</i> Ryley, 1914	<i>Callosciurus caniceps shanicus</i> Ryley, 1914	<i>Sciurus atrodorsalis shanicus</i> Ryley, 1914	<i>Callosciurus erythraeus shanicus</i> (Ryley, 1914)	i) Moore & Tate, 1965: <i>Callosciurus flavimanus shanicus</i> (Ryley)	<i>Callosciurus erythraeus shanicus</i> (Ryley, 1914)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Myitkyina, Myanmar	<i>Sciurus sladeni midas</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus sladeni</i>	<i>Sciurus sladeni midas</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus sladeni</i>	<i>Sciurus sladeni midas</i> Thomas, 1914	<i>Callosciurus erythraeus midas</i> (Thomas, 1914) synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Sciurus sladeni midas</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus erythraeus sladeni</i>	<i>Callosciurus erythraeus midas</i> (Thomas, 1914) synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Yin, Youngbintha, Lower Chindwin, Myanmar	<i>Callosciurus flavimanus rubex</i> Thomas, 1914	<i>Callosciurus flavimanus rubex</i> Thomas, 1914	<i>Sciurus sladeni rubex</i> Thomas, 1914 Subspecies described under	<i>Callosciurus erythraeus rubex</i> (Thomas, 1914) synonymised under species	i) Moore & Tate, 1965: <i>Sciurus sladeni rubex</i> Thomas, 1914	<i>Callosciurus erythraeus rubex</i> (Thomas, 1914) synonymised under species	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							<i>Callosciurus erythraeus</i>	<i>Callosciurus erythraeus</i>	synonymised under subspecies <i>Callosciurus erythraeus sladeni</i>	<i>Callosciurus erythraeus</i>	
		27		Myanmar (Uyu River 50 miles East of Homalin, Upper Chindwin)	<i>Sciurus sladeni bartoni</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus sladeni</i>	<i>Sciurus sladeni bartoni</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus sladeni</i>	<i>Sciurus sladeni bartoni</i> Thomas, 1914	<i>Callosciurus erythraeus bartoni</i> (Thomas, 1914)	i) Moore & Tate, 1965: <i>Callosciurus erythraeus bartoni</i> (Thomas, 1914)	<i>Callosciurus erythraeus bartoni</i> (Thomas, 1914)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		---		Homalin, Upper Chindwin, Myanmar	<i>Sciurus harringtoni solatus</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus harringtoni</i>	<i>Sciurus harringtoni solatus</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus flavimanus harringtoni</i>	<i>Sciurus harringtoni solatus</i> Thomas, 1914	<i>Sciurus harringtoni solatus</i> Thomas, 1914 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus solatus</i> Thomas, 1914 synonymised under subspecies <i>Callosciurus erythraeus harringtoni</i>	<i>Sciurus harringtoni solatus</i> Thomas, 1914 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Hkmati, Upper Chindwin, Myanmar	<i>Callosciurus flavimanus shortridgei</i> Thomas & Wroughton, 1916	<i>Callosciurus flavimanus shortridgei</i> Thomas & Wroughton, 1916	<i>Callosciurus sladeni shortridgei</i> Thomas & Wroughton, 1916	<i>Callosciurus sladeni shortridgei</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus sladeni shortridgei</i> synonymised under subspecies <i>Callosciurus erythraeus bartoni</i>	<i>Callosciurus sladeni shortridgei</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Minsin, Upper Chindwin, Myanmar	<i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus flavimanus shortridgei</i>	<i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus flavimanus shortridgei</i>	<i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916	<i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus erythraeus bartoni</i>	<i>Callosciurus sladeni fryanus</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Tamanthe, Upper Chindwin	<i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus flavimanus haringtoni</i>	<i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus flavimanus haringtoni</i>	<i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916	<i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus erythraeus bartoni</i>	<i>Callosciurus sladeni careyi</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Pyauungbyin, Kindat	<i>Callosciurus flavimanus millardi</i> Thomas & Wroughton, 1916	<i>Callosciurus flavimanus millardi</i> Thomas & Wroughton, 1916	<i>Callosciurus sladeni millardi</i> subsp. Described under <i>Callosciurus erythraeus</i>	<i>Callosciurus sladeni millardi</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus sladeni millardi</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Callosciurus erythraeus bartoni</i>	<i>Callosciurus sladeni millardi</i> Thomas & Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		28		Thizyain, Katha, Upper Irrawaddy, Myitkyima, Upper Myanmar	<i>Callosciurus flavimanus sladeni</i> Anderson, 1871	<i>Callosciurus flavimanus sladeni</i> (Anderson)	<i>Callosciurus erythraeus sladeni</i>	<i>Callosciurus erythraeus sladeni</i> (Anderson, 1871)	i) Moore & Tate, 1965: <i>Callosciurus erythraeus sladeni</i> (Anderson)	<i>Callosciurus erythraeus sladeni</i> (Anderson, 1871)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Tapa Hka, North Myanmar	<i>Callosciurus flavimanus vernayi</i> Carter, 1942	Probably a synonym of <i>Callosciurus flavimanus rubex</i>	<i>Callosciurus sladeni vernayi</i> Carter, 1942 synonymised under subspecies <i>Callosciurus erythraeus sladeni</i> (Group)	<i>Callosciurus sladeni vernayi</i> Carter, 1942 synonymised under species <i>Callosciurus erythraeus</i>	i) Moore & Tate, 1965: <i>Callosciurus sladeni vernayi</i> Carter, 1942 synonymised under subspecies <i>Callosciurus erythraeus sladeni</i>	<i>Callosciurus sladeni vernayi</i> Carter, 1942 synonymised under species <i>Callosciurus erythraeus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		29	Yellow headed squirrel	Bangladesh (Chittagong hill tracts); Myanmar	<i>Callosciurus flavimanus</i> I.Geoffroy, 1831	<i>Callosciurus flavimanus</i> (Geoffroy)	<i>Callosciurus erythraeus flavimanus</i> (I.Geoffroy, 1831)	<i>Callosciurus erythraeus flavimanus</i> (I.Geoffroy, 1831)	i) Moore & Tate, 1965: <i>Callosciurus flavimanus</i> (Geoffroy St. Hillaire)	<i>Callosciurus erythraeus flavimanus</i> (I.Geoffroy, 1831)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		30		Moungkan, Homalin, Tamanthe, Upper Chindwin, Myanmar	<i>Callosciurus flavimanus haringtoni</i> Thomas, 1905	<i>Callosciurus flavimanus haringtoni</i> (Thomas)	<i>Sciurus haringtoni</i> Thomas, 1905 synonymised under subspecies <i>Callosciurus erythraeus sladeni</i> (Group)	<i>Callosciurus erythraeus haringtoni</i> (Thomas, 1905)	i) Moore & Tate, 1965: <i>Callosciurus erythraeus haringtoni</i> (Thomas)	<i>Callosciurus erythraeus haringtoni</i> (Thomas, 1905)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Sedonchen, Sikkim	<i>Callosciurus caniceps crumpi</i> Wroughton, 1916	<i>Callosciurus caniceps crumpi</i> Wroughton	<i>Callosciurus crumpi</i> Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	<i>Callosciurus crumpi</i> Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	i) Chakraborty, 1985: <i>Callosciurus caniceps crumpi</i> Wroughton, 1916 Treated as distinct subsp.	<i>Callosciurus crumpi</i> Wroughton, 1916 synonymised under species <i>Callosciurus erythraeus</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
	18		Golden-backed squirrel / Grey-bellied squirrel	Myanmar	<i>Callosciurus caniceps</i> Gray, 1842.	<i>Callosciurus caniceps</i> (Gray)	<i>Callosciurus caniceps</i> Gray, 1842.	<i>Callosciurus caniceps</i> (Gray, 1842)	—	<i>Callosciurus caniceps</i> (Gray, 1842)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		31		Northern Tenasserim (Adjacent part of Myanmar)	<i>Callosciurus caniceps caniceps</i> Gray, 1842	<i>Callosciurus caniceps caniceps</i> (Gray)	<i>Callosciurus caniceps caniceps</i> Gray, 1842	<i>Callosciurus caniceps caniceps</i> Gray, 1842	i) Moore & Tate, 1965: <i>Callosciurus caniceps caniceps</i> (Gray)	<i>Callosciurus caniceps caniceps</i> (Gray, 1842)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Tenasserim, Mergui Archipelago	<i>Callosciurus caniceps davisoni</i> Bonhote, 1901	<i>Callosciurus caniceps davisoni</i> (Bonhote)	<i>Sciurus epomophorus davisoni</i> Bonhote, 1901 synonymised under subspecies <i>Callosciurus caniceps bimaculatus</i>	<i>Sciurus epomophorus davisoni</i> Bonhote, 1901 synonymised under species <i>Callosciurus caniceps bimaculatus</i>	i) Moore & Tate, 1965: <i>Sciurus davisoni</i> Bonhote, 1901 synonymised under subspecies <i>Callosciurus caniceps bimaculatus</i>	<i>Sciurus epomophorus davisoni</i> Bonhote, 1901 synonymised under species <i>Callosciurus caniceps</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Sullivan Island, Mergui Archipelago	<i>Callosciurus caniceps sullivanus</i> Miller, 1903	<i>Callosciurus caniceps sullivanus</i> (Miller)	<i>Sciurus sullivanus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	<i>Sciurus sullivanus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	i) Moore & Tate, 1965: <i>Sciurus sullivanus</i> Miller, 1903 synonymised under subspecies <i>Callosciurus caniceps bimaculatus</i>	<i>Sciurus sullivanus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		32		Domel Island, Mergui Archipelago	<i>Callosciurus caniceps domelicus</i> Miller, 1903	—	<i>Callosciurus caniceps domelicus</i> Miller, 1903	<i>Callosciurus caniceps domelicus</i> Miller, 1903	i) Moore & Tate, 1965: <i>Callosciurus caniceps domelicus</i> Miller, 1903	<i>Callosciurus caniceps domelicus</i> Miller, 1903	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Bentinck Island, Mergui Archipelago	<i>Callosciurus caniceps bentinicanus</i> Miller, 1903	—	<i>Sciurus bentinicanus</i> Miller, 1903 synonymised under <i>Callosciurus caniceps</i>	<i>Sciurus bentinicanus</i> Miller, 1903 synonymised under <i>Callosciurus caniceps</i>	i) Moore & Tate, 1965: <i>Sciurus bentinicanus</i> Miller, 1903 synonymised under <i>Callosciurus caniceps</i>	<i>Sciurus bentinicanus</i> Miller, 1903 synonymised under <i>Callosciurus caniceps</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Matthew Island, Mergui Archipelago	<i>Callosciurus caniceps matthaeus</i> Miller, 1903	—	<i>Sciurus matthaeus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	<i>Sciurus matthaeus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	i) Moore & Tate, 1965: <i>Sciurus matthaeus</i> Miller, 1903 synonymised under subspecies <i>Callosciurus caniceps bimaculatus</i>	<i>Sciurus matthaeus</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		St. luke Island, Mergui Archipelago	<i>Callosciurus caniceps lucas</i> Miller, 1903	—	<i>Sciurus lucas</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	<i>Sciurus lucas</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	i) Moore & Tate, 1965: <i>Sciurus lucas</i> Miller, 1903 synonymised under subspecies <i>Callosciurus caniceps bimaculatus</i>	<i>Sciurus lucas</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		High Island, Mergui Archipelago	<i>Callosciurus caniceps altinsularis</i> Miller, 1903	—	<i>Sciurus altinsularis</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	<i>Sciurus altinsularis</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	i) Moore & Tate, 1965: <i>Callosciurus caniceps altinsularis</i> (Miller)	<i>Sciurus altinsularis</i> Miller, 1903 synonymised under species <i>Callosciurus caniceps</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		33		Peninsular Myanmar	—	—	<i>Callosciurus caniceps bimaculatus</i> Temminck, 1853	<i>Callosciurus caniceps bimaculatus</i> (Temminck, 1853)	i) Moore & Tate, 1965: <i>Callosciurus caniceps bimaculatus</i> (Temminck)	<i>Callosciurus caniceps bimaculatus</i> (Temminck, 1853)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	19		Irrawaddy squirrel	India; Nepal; Bhutan; Bangladesh; Myanmar	<i>Callosciurus pygerythrus</i> Geoffroy, 1831	<i>Callosciurus pygerythrus</i> (Geoffroy)	<i>Callosciurus pygerythrus</i> Geoffroy, 1831	<i>Callosciurus pygerythrus</i> Geoffroy, 1831	—	<i>Callosciurus pygerythrus</i> Geoffroy, 1831	Corbet & Hill, 1992
		34		Pegu, Rangoon, Toungoo district of Myanmar, Lower Irrawaddy	<i>Callosciurus pygerythrus pygerythrus</i> Geoffroy, 1831	<i>Callosciurus pygerythrus pygerythrus</i> (Geoffroy)	<i>Callosciurus pygerythrus pygerythrus</i> Geoffroy, 1831	<i>Callosciurus pygerythrus pygerythrus</i> Geoffroy St. Hilaire, 1831	i) Moore & Tate, 1965: <i>Callosciurus pygerythrus pygerythrus</i> (Geoffroy St. Hilaire)	<i>Callosciurus pygerythrus pygerythrus</i> Geoffroy St. Hilaire, 1831	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		35		India (Sikkim, Manipur, Northern Bengal); Nepal; Bhutan; Bangladesh (Dacca)	<i>Callosciurus pygerythrus lokroides</i> Hodgson, 1836	<i>Callosciurus pygerythrus lokroides</i> (Hodgson)	<i>Callosciurus pygerythrus lokroides</i> Hodgson, 1836	<i>Callosciurus pygerythrus lokroides</i> (Hodgson, 1836)	—	<i>Callosciurus pygerythrus lokroides</i> Hodgson, 1836	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		36		India (Assam: Naga Hills); Western Myanmar	<i>Callosciurus pygerythrus blythi</i> Tytler, 1854.	<i>Callosciurus pygerythrus blythi</i> (Tytler)	<i>Callosciurus pygerythrus blythi</i> Tytler, 1854.	<i>Callosciurus pygerythrus blythii</i> (Tytler, 1854)	—	<i>Callosciurus pygerythrus blythii</i> Tytler, 1854.	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		37		India (Assam: Benichang, Abormisi Hills); Myanmar (South of Hukong valley; 150 miles north of Myitkyina, Northern Myanmar)	<i>Callosciurus pygerythrus stevensi</i> Thomas, 1908	<i>Callosciurus pygerythrus stevensi</i> (Thomas)	<i>Callosciurus pygerythrus stevensi</i> Thomas, 1908	<i>Callosciurus pygerythrus stevensi</i> (Thomas, 1908)	—	<i>Callosciurus pygerythrus stevensi</i> Thomas, 1908	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		38		India (Manipur, Nagaland); Myanmar (West of Chindwin)	<i>Sciurus lokroides mearsi</i> synonymised under <i>Callosciurus pygerythrus blythi</i>	<i>Sciurus lokroides mearsi</i> synonymised under <i>Callosciurus pygerythrus blythi</i>	<i>Callosciurus pygerythrus mearsi</i> (Bonhote)	<i>Callosciurus pygerythrus mearsi</i> (Bonhote, 1906)	i) Moore & Tate, 1965: <i>Callosciurus pygerythrus mearsi</i> (Bonhote)	<i>Callosciurus pygerythrus mearsi</i> (Bonhote, 1906)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		39		Between Irrawaddy & lower Chindwin, Myanmar	<i>Callosciurus pygerythrus janetta</i> Thomas, 1914	<i>Callosciurus pygerythrus janetta</i> (Thomas)	<i>Callosciurus pygerythrus janetta</i> Thomas, 1914	<i>Callosciurus pygerythrus janetta</i> (Thomas, 1914)	i) Moore & Tate, 1965: <i>Callosciurus pygerythrus janetta</i> (Thomas)	<i>Callosciurus pygerythrus janetta</i> (Thomas, 1914)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		40		Between Irrawaddy and Upper Chindwin	<i>Callosciurus pygerythrus owensi</i> Thomas and Wroughton, 1916	<i>Callosciurus pygerythrus owensi</i> (Thomas and Wroughton)	<i>Callosciurus pygerythrus owensi</i> Thomas and Wroughton, 1916	<i>Callosciurus pygerythrus owensi</i> (Thomas and Wroughton, 1916)	i) Moore & Tate, 1965: <i>Callosciurus pygerythrus owensi</i> (Thomas and Wroughton)	<i>Callosciurus pygerythrus owensi</i> (Thomas and Wroughton, 1916)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Kin, West side Chindwin River	<i>Callosciurus pygerythrus bellona</i> Thomas and Wroughton, 1916	<i>Callosciurus pygerythrus bellona</i> (Thomas and Wroughton)	<i>Tomeutes mearsi bellona</i> Thomas and Wroughton, 1916 synonymised under subspecies <i>Callosciurus pygerythrus mearsi</i>	<i>Tomeutes mearsi bellona</i> Thomas and Wroughton, 1916 synonymised under species <i>Callosciurus pygerythrus mearsi</i>	i) Moore & Tate, 1965: <i>Tomeutes mearsi bellona</i> synonymised under subspecies <i>Callosciurus pygerythrus mearsi</i>	<i>Tomeutes mearsi bellona</i> Thomas and Wroughton, 1916 synonymised under species <i>Callosciurus pygerythrus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	20		Anderson's squirrel	Myanmar	<i>Callosciurus quinquestriatus</i> Anderson, 1871	<i>Callosciurus quinquestriatus</i> (Anderson)	<i>Callosciurus quinquestriatus</i> Anderson, 1871	<i>Callosciurus quinquestriatus</i> (Anderson, 1871)	—	<i>Callosciurus quinquestriatus</i> (Anderson, 1871)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		41		Northern Myanmar	<i>Callosciurus quinquestriatus</i> Anderson, 1871	<i>Callosciurus quinquestriatus</i> (Anderson)	—	<i>Callosciurus quinquestriatus</i> Anderson, 1871	i) Moore & Tate, 1965: <i>Callosciurus flavimanus quinquestriatus</i> (Anderson)	<i>Callosciurus quinquestriatus</i> Anderson, 1871	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Myanmar border / West Yunan	<i>Callosciurus quinquestriatus sylvester</i> Thomas, 1926	—	<i>Callosciurus quinquestriatus sylvester</i> Thomas, 1926	<i>Callosciurus quinquestriatus sylvester</i> Thomas, 1926 synonymised under species <i>Callosciurus quinquestriatus</i>	i) Moore & Tate, 1965: <i>Callosciurus quinquestriatus sylvester</i> Thomas, 1926 synonymised under subspecies <i>Callosciurus flavimanus quinquestriatus</i>	<i>Callosciurus quinquestriatus sylvester</i> Thomas, 1926 synonymised under species <i>Callosciurus quinquestriatus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		42		West flank of Mt. Imaw Bum, Kachin, North Myanmar	<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926 synonymised under subspecies <i>Callosciurus quinquestriatus quinquestriatus</i>	<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926 synonymised under subspecies <i>Callosciurus quinquestriatus quinquestriatus</i>	<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926	<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926	i) Moore & Tate, 1965: <i>Callosciurus quinquestriatus imarius</i> Thomas, 1926 synonymised under subspecies <i>Callosciurus flavimanus quinquestriatus</i>	<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	21		Phayre's Squirrel	Martaban, Upper Irrawaddy river & Sittang river eastwards to Salween river, South Myanmar	<i>Callosciurus flavimanus phayrei</i> Blyth, 1855	<i>Callosciurus flavimanus phayrei</i> (Blyth)	<i>Callosciurus phayrei</i> Blyth, 1856	<i>Callosciurus phayrei</i> (Blyth, 1856)	i) Moore & Tate, 1965: <i>Callosciurus phayrei</i> (Blyth)	<i>Callosciurus phayrei</i> (Blyth, 1856)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Ava, Upper Myanmar	<i>Callosciurus flavimanus blanfordi</i> Blyth, 1862	<i>Callosciurus flavimanus blanfordi</i> (Blyth)	<i>Sciurus blanfordi</i> Blyth, 1862 synonymised under species <i>Callosciurus phayrei</i>	<i>Sciurus blanfordi</i> Blyth, 1862 synonymised under species <i>Callosciurus phayrei</i>	i) Moore & Tate, 1965: <i>Sciurus blanfordi</i> Blyth, 1862 synonymised under species <i>Callosciurus phayrei</i>	<i>Sciurus blanfordi</i> Blyth, 1862 synonymised under species <i>Callosciurus phayrei</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—	Heinrich's squirrel	Maymyo, Mandalay district, Upper Myanmar	—	<i>Callosciurus flavimanus heinrichi</i> Tate, 1954	<i>Callosciurus griseimanus heinrichi</i> Tate, 1954 synonymised under species <i>Callosciurus phayrei</i>	<i>Callosciurus griseimanus heinrichi</i> Tate, 1954 synonymised under species <i>Callosciurus phayrei</i>	i) Moore & Tate, 1965: <i>Callosciurus griseimanus heinrichi</i> Tate, 1954 synonymised under species <i>Callosciurus phayrei</i>	<i>Callosciurus griseimanus heinrichi</i> Tate, 1954 synonymised under species <i>Callosciurus phayrei</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	22		Finlayson's squirrel	Myanmar	<i>Callosciurus finlaysoni</i> Horsfield, 1823	<i>Callosciurus finlaysoni</i> (Horsfield)	<i>Callosciurus finlaysonii</i> Horsfield, 1823	<i>Callosciurus finlaysonii</i> (Horsfield, 1824)	i) Moore & Tate, 1965: <i>Callosciurus finlaysoni</i> (Horsfield, 1824)	<i>Callosciurus finlaysonii</i> (Horsfield, 1824)	Thorington & Hoffmann. In Wilson & Reeder. 2005
		43		Myanmar	<i>Callosciurus finlaysoni ferrugineus</i> F. Cuvier, 1829	<i>Callosciurus finlaysoni ferrugineus</i> (F. Cuvier)	<i>Callosciurus finlaysonii ferrugineus</i> F. Cuvier, 1829	<i>Callosciurus finlaysonii ferrugineus</i> (F. Cuvier, 1829)	i) Moore & Tate, 1965: <i>Callosciurus ferrugineus</i> (F. Cuvier)	<i>Callosciurus finlaysoni ferrugineus</i> (F. Cuvier, 1829)	Thorington & Hoffmann. In Wilson & Reeder. 2005
9					Subgenus : <i>Tamiops</i> J.Allen, 1906	Subgenus : <i>Tamiops</i> J.Allen, 1906	Genus : <i>Tamiops</i> J.Allen, 1906	Genus : <i>Tamiops</i> J.Allen, 1906	i) Moore & Tate, 1965: Genus: <i>Tamiops</i> J.Allen, 1906	Genus : <i>Tamiops</i> J.Allen, 1906	Corbet & Hill, 1992
	23		The Himalayan striped squirrel	India; Nepal; Bhutan; Myanmar	<i>Callosciurus macclellandi</i> Horsfield, 1839	<i>Callosciurus macclellandi</i> (Horsfield)	<i>Tamiops macclellandi</i>	<i>Tamiops macclellandii</i> (Horsfield, 1840)	i) Moore & Tate, 1965: <i>Tamiops macclellandi</i> (Horsfield)	<i>Tamiops macclellandii</i> (Horsfield, 1840)	Thorington & Hoffmann. In Wilson & Reeder. 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		44		India (Sikkim, Assam); Nepal; Bhutan (Susuna, c.2350m. West Bhutan; NE of Shimtokha c.3200m. West Bhutan; Shamgong, c.1960m. Central Bhutan; Bulfai c.2800m, East Bhutan.); Myanmar (North and West Myanmar)	<i>Callosciurus maclellandi maclellandi</i> Horsfield, 1839	<i>Callosciurus maclellandi maclellandi</i> (Horsfield)	<i>Tamiops maclellandi maclellandi</i> Horsfield, 1839	<i>Tamiops maclellandii maclellandii</i> Horsfield, 1839	i) Moore & Tate, 1965: <i>Tamiops maclellandi maclellandi</i> (Horsfield)	<i>Tamiops maclellandii maclellandii</i> (Horsfield, 1839)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Manipur)	<i>Sciurus maclellandi manipurensis</i> Bonhote, 1900 synonymised	<i>Sciurus maclellandi manipurensis</i> Bonhote, 1900 synonymised	<i>Tamiops maclellandi manipurensis</i> (Bonhote, 1900)	<i>Sciurus maclellandii manipurensis</i> Bonhote, 1900 synonymised	i) Moore & Tate, 1965: <i>Maclellandi manipurensis</i> synonymised under	<i>Sciurus maclellandii manipurensis</i> Bonhote, 1900 synonymised	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					under subspecies <i>Callosciurus macclellandi macclellandi</i>	under subspecies <i>Callosciurus macclellandi macclellandi</i>		under species <i>Tamiops macclellandii</i>	subspecies <i>Tamiops macclellandi macclellandi</i>	under species <i>Tamiops macclellandii</i>	
		45		Tennaserim, Southern Myanmar	<i>Callosciurus macclellandi barbei</i> Blyth, 1847	<i>Callosciurus macclellandi barbei</i> (Blyth)	<i>Tamiops macclellandi barbei</i> Blyth	<i>Tamiops macclellandii barbei</i> (Blyth, 1847)	i) Moore & Tate, 1965: <i>Tamiops macclellandi barbei</i> (Blyth)	<i>Tamiops macclellandii barbei</i> (Blyth, 1847)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		46	Moore's squirrel	Maymyo, Mandalay district, Upper Myanmar	—	<i>Callosciurus macclellandi collinus</i> (Moore, 1958)	<i>Tamiops macclellandi collinus</i> Moore, 1958	<i>Tamiops macclellandi collinus</i> Moore, 1958	i) Moore & Tate, 1965: <i>Tamiops macclellandi collinus</i> Moore, 1958	<i>Tamiops macclellandi collinus</i> Moore, 1958	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
	24		Swinhoe's striped squirrel	North Myanmar	<i>Callosciurus swinhoi</i> Milne-Edwards, 1874	<i>Callosciurus swinhoi</i> (Milne-Edwards, 1874)	<i>Tamiops swinhoi</i> Milne-Edwards, 1874	<i>Tamiops swinhoi</i> (Milne-Edwards, 1874)	i) Moore & Tate, 1965: <i>Tamiops swinhoi</i> (Milne-Edwards)	<i>Tamiops swinhoi</i> (Milne-Edwards, 1874)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		47		North Myanmar	<i>Callosciurus</i> (?) <i>swinhoei</i> <i>spencei</i> Thomas, 1921	—	<i>Tamiops swinhoei</i> <i>spencei</i> Thomas, 1921	<i>Tamiops swinhoei</i> <i>spencei</i> Thomas, 1921	i) Moore & Tate, 1965: <i>Tamiops spencei</i> Thomas, 1921 synonymised under subspecies <i>Tamiops swinhoei swinhoei</i>	<i>Tamiops swinhoei</i> <i>spencei</i> Thomas, 1921	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
10			Red Cheeked squirrel		Genus : <i>Dremomys</i> Heude, 1898	Genus : <i>Dremomys</i> Heude	Genus : <i>Dremomys</i> Heude, 1898	Genus : <i>Dremomys</i> Heude, 1898	i) Moore & Tate, 1965: Genus : <i>Dremomys</i> Heude	Genus : <i>Dremomys</i> Heude, 1898	Corbet & Hill, 1992
	25		Orange bellied Himalayan squirrel	India; Nepal; Bhutan; Myanmar	<i>Dremomys lokriah</i> Hodgson, 1836	<i>Dremomys lokriah</i> (Hodgson)	<i>Dremomys lokriah</i> Hodgson, 1836	<i>Dremomys lokriah</i> (Hodgson, 1836)	i) Moore & Tate, 1965: <i>Dremomys lokriah</i> (Hodgson)	<i>Dremomys lokriah</i> (Hodgson, 1836)	Corbet & Hill, 1992
		48		India (Sikkim); Nepal; Bhutan; Myanmar (Adung valley, North Myanmar)	<i>Dremomys lokriah</i> <i>lokriah</i> Hodgson, 1836	<i>Dremomys lokriah</i> <i>lokriah</i> (Hodgson)	Do not offer any comment on status of subspecies <i>Dremomys lokriah lokriah</i>	<i>Dremomys lokriah</i> <i>lokriah</i> (Hodgson)	i) Moore & Tate, 1965: <i>Dremomys lokriah lokriah</i> (Hodgson)	<i>Dremomys lokriah</i> <i>lokriah</i> (Hodgson, 1836)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		49		India (Assam: Mokokchuy, Naga Hills; Garo Hills, Jaintia Hill, South Kamrup; Rajapara); Western Myanmar	<i>Dremomys lokriah macmillani</i> Thomas, 1916	<i>Dremomys lokriah macmillani</i> Thomas	<i>Dremomys lokriah macmillani</i> synonymised under species <i>Dremomys lokriah</i>	<i>Dremomys lokriah macmillani</i> Thomas & Wroughton, 1916	i) Moore & Tate, 1965: <i>Dremomys lokriah macmillani</i> (Thomas & Wroughton)	<i>Dremomys lokriah macmillani</i> Thomas & Wroughton, 1916	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Sedonchen, Sikkim); Bhutan (Menchuna vally c.2377m. West Bhutan; Panjurmane, c.1525m. Central Bhutan; Gomchu c.2500m., East Bhutan)	<i>Dremomys lokriah bhotia</i> Wroughton, 1916 synonymised under subspecies <i>Dremomys lokriah lokriah</i> Hodgson	<i>Dremomys lokriah bhotia</i> Wroughton, 1916 synonymised under subspecies <i>Dremomys lokriah lokriah</i>	<i>Dremomys lokriah bhotia</i> Thomas & Wroughton, 1916	<i>Dremomys lokriah bhotia</i> Wroughton, 1916 synonymised under species <i>Dremomys lokriah lokriah</i>	i) Moore & Tate, 1965: <i>Dremomys lokriah bhotia</i> Wroughton, 1916 synonymised under subspecies <i>Dremomys lokriah lokriah</i>	<i>Dremomys lokriah bhotia</i> Wroughton, 1916 synonymised under species <i>Dremomys lokriah lokriah</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Assam	<i>Sciurus subflaviventris</i> Gray 1843 (Thomas 1922) Synonymised under subspecies <i>Dremomys lokriah lokriah</i> Hodgson	<i>Sciurus subflaviventris</i> Gray 1843 (Thomas 1922) synonymised under subspecies <i>Dremomys lokriah lokriah</i> Hodgson	<i>Dremomys lokriah subflaviventris</i> Thomas, 1922	<i>Sciurus subflaviventris</i> Thomas 1922 Synonymised under species <i>Dremomys lokriah</i>	i) Moore & Tate, 1965: <i>Dremomys lokriah subflaviventris</i> Thomas, 1922 synonymised under subspecies <i>Dremomys lokriah lokriah</i>	<i>Sciurus subflaviventris</i> Thomas 1922 Synonymised under species <i>Dremomys lokriah</i> .	Thorington & Hoffmann, In Wilson & Reeder, 2005
		50		India (Assam: Tura, Garo Hills)	<i>Dremomys lokriah garonum</i> Thomas, 1922 synonymised under subspecies <i>Dremomys lokriah macmillani</i> Thomas	<i>Dremomys lokriah garonum</i> Thomas, 1922 synonymised under subspecies <i>Dremomys lokriah macmillani</i> Thomas	<i>Dremomys lokriah garonum</i> Thomas, 1922	<i>Dremomys lokriah garonum</i> Thomas, 1922	i) Moore & Tate, 1965: <i>Dremomys lokriah garonum</i> Thomas, 1922	<i>Dremomys lokriah garonum</i> Thomas, 1922	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	26		Perny's Long nosed squirrel	Noth-East India; North Myanmar	<i>Dremomys pernyi</i> Milne-Edwards, 1867	<i>Dremomys pernyi</i> (Milne-Edwards)	<i>Dremomys pernyi</i> Milne-Edwards, 1867	<i>Dremomys pernyi</i> (Milne-Edwards, 1867)	i) Moore & Tate, 1965: <i>Dremomys pernyi</i> (Milne-Edwards, 1867)	<i>Dremomys pernyi</i> (Milne-Edwards, 1867)	Corbet & Hill, 1992
		51		India (Manipur, Nagaland); Upper Myanmar	<i>Dremomys pernyi howelli</i> Thomas, 1922 synonymised under subspecies <i>Dremomys pernyi pernyi</i>	—	<i>Dremomys pernyi howelli</i> Thomas, 1922	<i>Dremomys pernyi howelli</i> Thomas, 1922	i) Moore & Tate, 1965: <i>Dremomys pernyi howelli</i> Thomas, 1922	<i>Dremomys pernyi howelli</i> Thomas, 1922	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		52		Myanmar (West side of Mt. Imaw Bum., North Myanmar)	<i>Dremomys pernyi imus</i> Thomas, 1922	<i>Dremomys pernyi imus</i> Thomas, 1922	<i>Dremomys pernyi imus</i> Thomas, 1922	<i>Dremomys pernyi imus</i> Thomas, 1922	i) Moore & Tate, 1965: <i>Dremomys pernyi imus</i> Thomas, 1922 synonymised under subspecies <i>Dremomys pernyi howelli</i>	<i>Dremomys pernyi imus</i> Thomas, 1922	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Myanmar (6 miles West of Kindat, West Myanmar 6000ft.)	<i>Dremomys pernyi mentosus</i> Thomas, 1922 synonymised under subspecies <i>Dremomys pernyi pernyi</i>	<i>Dremomys pernyi mentosus</i> Thomas, 1922 synonymised under subspecies <i>Dremomys pernyi pernyi</i>	<i>Dremomys pernyi mentosus</i> Thomas, 1922	<i>Dremomys pernyi mentosus</i> Thomas, 1922 synonymised under species <i>Dremomys pernyi</i>	i) Moore & Tate, 1965: <i>Dremomys pernyi mentosus</i> Thomas, 1922 synonymised under subspecies <i>Dremomys pernyi howelli</i>	<i>Dremomys pernyi mentosus</i> Thomas, 1922 synonymised under species <i>Dremomys pernyi</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	27		Red-Cheeked squirrel	North-East India; North and Central Myanmar	<i>Dremomys rufigenis</i> Blanford, 1878	<i>Dremomys rufigenis</i> (Blanford)	<i>Dremomys rufigenis</i> Blanford, 1878	<i>Dremomys rufigenis</i> (Blanford, 1878)	i) Moore & Tate, 1965: <i>Dremomys rufigenis</i> (Blanford, 1878)	<i>Dremomys rufigenis</i> (Blanford, 1878)	Corbet & Hill, 1992
		53		India (Assam: Mokokchung, Naga Hills); Myanmar (Hkamti, Upper Chindwin)	<i>Dremomys rufigenis rufigenis</i> Blanford, 1878	<i>Dremomys rufigenis rufigenis</i> (Blanford)	<i>Dremomys rufigenis rufigenis</i> Blanford, 1878	<i>Dremomys rufigenis rufigenis</i> Blanford, 1878	i) Moore & Tate, 1965: <i>Dremomys rufigenis rufigenis</i> (Blanford)	<i>Dremomys rufigenis rufigenis</i> (Blanford, 1878)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		54		Maymyo, Myanmar	<i>Dremomys rufigenis adamsoni</i> Thomas, 1914	<i>Dremomys rufigenis adamsoni</i> Thomas	<i>Dremomys rufigenis adamsoni</i> Thomas, 1914	<i>Dremomys rufigenis adamsoni</i> Thomas, 1914	i) Moore & Tate, 1965: <i>Dremomys rufigenis adamsoni</i> Thomas, 1914 synonymised under subspecies <i>Dremomys rufigenis rufigenis</i>	<i>Dremomys rufigenis adamsoni</i> Thomas, 1914	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Hkamti, Upper Chindwin, Myanmar	<i>Dremomys rufigenis opimus</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Dremomys rufigenis rufigenis</i>	<i>Dremomys rufigenis opimus</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Dremomys rufigenis rufigenis</i>	<i>Dremomys rufigenis opimus</i> Thomas & Wroughton, 1916	<i>Dremomys rufigenis opimus</i> Thomas & Wroughton, 1916 synonymised under species <i>Dremomys rufigenis</i>	i) Moore & Tate, 1965: <i>Dremomys rufigenis opimus</i> Thomas & Wroughton	<i>Dremomys rufigenis opimus</i> Thomas & Wroughton, 1916 synonymised under species <i>Dremomys rufigenis</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							Subfam : Funambulinae	Subfam. : Callosciurinae	Aswathanarayana, 1987: Subfam : Funambulinae	Subfam. : <i>Callosciurinae</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
11					Genus : <i>Funambulus</i> Lesson, 1835	Genus : <i>Funambulus</i> Lesson, 1835	Genus : <i>Funambulus</i> Lesson, 1835	Genus : <i>Funambulus</i> Lesson, 1835	—	Genus : <i>Funambulus</i> Lesson, 1835	Thorington & Hoffmann, In Wilson & Reeder, 2005
					—	—	—	Subgenus : <i>Funambulus</i> Lesson, 1835	—	Subgenus : <i>Funambulus</i> Lesson, 1835	Thorington & Hoffmann, In Wilson & Reeder, 2005
	28		The Palm-Squirrel/ Common Indian striped squirrel	India: Sri Lanka; Bangladesh?	<i>Funambulus palmarum</i> Linnaeus, 1766	<i>Funambulus palmarum</i> (Linnaeus)	<i>Funambulus palmarum</i> Linnaeus, 1766	<i>Funambulus palmarum</i> Linnaeus, 1766	i) Moore & Tate, 1965: <i>Funambulus palmarum</i> (Linnaeus, 1766)	<i>Funambulus palmarum</i> (Linnaeus, 1766)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's. if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		55		Madras, Trivendrum, Travancore, Kotagiri, Nilgiri Hills, Southern India	<i>Funambulus palmarum palmarum</i> Linnaeus, 1766	<i>Funambulus palmarum palmarum</i> (Linnaeus)	No comments on subspecific level of <i>Funambulus palmarum palmarum</i>	<i>Funambulus palmarum palmarum</i> (Linnaeus)	i) Moore & Tate, 1965: <i>Funambulus palmarum palmarum</i> (Linnaeus, 1766)	<i>Funambulus palmarum palmarum</i> (Linnaeus, 1766)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		56		Vijaynagar, Bellary, Dharwar and Mysore Districts, Peninsular India	<i>Funambulus palmarum bellaricus</i> Wroughton, 1916	<i>Funambulus palmarum bellaricus</i> (Wroughton)	<i>Funambulus palmarum bellaricus</i> Wroughton, 1916	<i>Funambulus palmarum bellaricus</i> Wroughton, 1916 synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965; Srinivasulu et al., 2004: <i>Funambulus palmarum bellaricus</i> Wroughton, 1916	<i>Funambulus palmarum bellaricus</i> Wroughton, 1916	Ellerman, 1961; Moore & Tate, 1965; Corbet & Hill, 1992; Srinivasulu et al., 2004
		57		Pachmarhi, Hoshangabad, Kolkaz	<i>Funambulus palmarum robertsoni</i> Wroughton, 1916	<i>Funambulus palmarum robertsoni</i> Wroughton	<i>Funambulus robertsoni</i> Wroughton, 1916 synonymised under species <i>Funambulus palmarum</i>	<i>Funambulus palmarum robertsoni</i> Wroughton, 1916	i) Moore & Tate, 1965 and ii) Alfred et al. 2002: <i>Funambulus palmarum robertsoni</i> Wroughton	<i>Funambulus palmarum robertsoni</i> Wroughton, 1916	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Trivendrum, Travancore	<i>Funambulus palmarum comorinus</i> Wroughton, 1905 Synonymised under subspecies <i>Funambulus palmarum palmarum</i>	<i>Funambulus palmarum comorinus</i> Wroughton, 1905 Synonymised under subspecies <i>Funambulus palmarum palmarum</i>	<i>Funambulus palmarum comorinus</i> Wroughton, 1905	<i>Funambulus palmarum comorinus</i> Wroughton, 1905 Synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum comorinus</i> Wroughton, 1905 ii) Agrawal & Chakraborty, 1979: Synonymised under subspecies <i>Funambulus palmarum palmarum</i>	<i>Funambulus palmarum comorinus</i> Wroughton, 1905 Synonymised under species <i>Funambulus palmarum</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Hazaribaug, Bihar	<i>Funambulus bengalensis</i> Wroughton, 1916 synonymised under subspecies <i>Funambulus palmarum palmarum</i>	<i>Funambulus bengalensis</i> Wroughton, 1916 synonymised under subspecies <i>Funambulus palmarum palmarum</i>	<i>Funambulus bengalensis</i> Wroughton, 1916 synonymised under species <i>Funambulus palmarum</i>	<i>Funambulus bengalensis</i> Wroughton, 1916 synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum bengalensis</i> Wroughton	<i>Funambulus bengalensis</i> Wroughton, 1916 synonymised under species <i>Funambulus palmarum</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		58		Point Pedro Northern Sri Lanka	<i>Funambulus palmarum brodiei</i> Blyth, 1849	<i>Funambulus palmarum brodiei</i> (Blyth)	<i>Sciurus brodiei</i> synonymised under species <i>Funambulus palmarum</i>	<i>Funambulus palmarum brodiei</i> Blyth, 1849	i) Moore & Tate, 1965: <i>Funambulus palmarum brodiei</i> (Blyth)	<i>Funambulus palmarum brodiei</i> Blyth, 1849	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Hambanotte, Sri Lanka	<i>Funambulus palmarum kelaarti</i> Layard, 1851	<i>Funambulus palmarum kelaarti</i> (Layard)	<i>Sciurus kelaarti</i> Synonymised under species <i>Funambulus palmarum</i>	<i>Sciurus kelaarti</i> (Layard, in Blyth 1851) synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum kelaarti</i> (Blyth)	<i>Sciurus kelaarti</i> (Layard, in Blyth 1851) synonymised under species <i>Funambulus palmarum</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Anasigalla, Matugama, West Province, Sri Lanka	<i>Funambulus palmarum matugamensis</i> Lindsay, 1926	<i>Funambulus palmarum matugamensis</i> Lindsay, 1926	<i>Funambulus palmarum matugamensis</i> Lindsay, 1926	<i>Funambulus palmarum matugamensis</i> Lindsay, 1926 synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum matugamensis</i> synonymised under subspecies <i>Funambulus palmarum favonicus</i>	<i>Funambulus palmarum matugamensis</i> Lindsay, 1926 synonymised under species <i>Funambulus palmarum</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Urugama, South Province, Sri Lanka	<i>Funambulus palmarum favonicus</i> synonymised under subspecies <i>Funambulus palmarum kelaarti</i>	<i>Funambulus palmarum favonicus</i> synonymised under subspecies <i>Funambulus palmarum kelaarti</i>	<i>Funambulus palmarum favonicus</i> Thomas & Wroughton, 1915	<i>Funambulus palmarum favonicus</i> synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum favonicus</i> Thomas & Wroughton	<i>Funambulus palmarum favonicus</i> synonymised under species <i>Funambulus palmarum</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Urugalla, Central Sri Lanka	<i>Funambulus palmarum olympius</i> synonymised under subspecies <i>Funambulus palmarum kelaarti</i>	<i>Funambulus palmarum olympius</i> synonymised under subspecies <i>Funambulus palmarum kelaarti</i>	<i>Funambulus palmarum olympius</i> Thomas & Wroughton, 1915	<i>Funambulus palmarum olympius</i> Thomas & Wroughton, 1915 synonymised under species <i>Funambulus palmarum</i>	i) Moore & Tate, 1965: <i>Funambulus palmarum olympius</i> Thomas & Wroughton, 1915	<i>Funambulus palmarum olympius</i> Thomas & Wroughton, 1915 synonymised under species <i>Funambulus palmarum</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	29		Jungle striped squirrel	Range: West coast of India from below 20° N to Southern tip	<i>Funambulus tristriatus</i> Waterhouse, 1837	<i>Funambulus tristriatus</i> (Waterhouse)	<i>Funambulus tristriatus</i> Waterhouse, 1837	<i>Funambulus tristriatus</i> (Waterhouse, 1837)	i) Moore & Tate, 1965: <i>Funambulus tristriatus</i> (Waterhouse)	<i>Funambulus tristriatus</i> (Waterhouse, 1837)	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		59		Southern Kerala (Western Ghats South of 12° N Latitude)	<i>Funambulus tristriatus</i> <i>tristriatus</i> Waterhouse, 1837	<i>Funambulus tristriatus</i> <i>tristriatus</i> (Waterhouse)	No comments offered on the subspecific status of <i>Funambulus tristriatus</i>	<i>Funambulus tristriatus</i> <i>tristriatus</i> (Waterhouse)	i) Moore & Tate, 1965: <i>Funambulus tristriatus</i> <i>tristriatus</i>	<i>Funambulus tristriatus</i> <i>tristriatus</i> Waterhouse, 1837	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Srimangala, Coorg)	<i>Funambulus tristriatus</i> <i>wroughtoni</i> Ryley, 1913	<i>Funambulus wroughtoni</i> <i>wroughtoni</i> Ryley, 1913	<i>Funambulus wroughtoni</i> Ryley Synonymised under species <i>Funambulus tristriatus</i>	<i>Funambulus wroughtoni</i> Ryley Synonymised under species <i>Funambulus tristriatus</i>	i) Moore & Tate, 1965 and ii) Agrawal & Chakraborty, 1979) <i>Funambulus tristriatus</i> <i>wroughtoni</i> Ryley	<i>Funambulus wroughtoni</i> Ryley Synonymised under species <i>Funambulus tristriatus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		60		Helwak, Satara (Maharashtra)	<i>Funambulus tristriatus</i> <i>numarius</i> Wroughton,	<i>Funambulus tristriatus</i> <i>numarius</i> Wroughton,	<i>Funambulus tristriatus</i> <i>numarius</i> Wroughton,	<i>Funambulus tristriatus</i> <i>numarius</i> Wroughton,	i) Moore & Tate, 1965: <i>Funambulus tristriatus</i>	<i>Funambulus tristriatus</i> <i>numarius</i> Wroughton,	Corbet and Hill, (1992) and Thorington

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					1916 Synonymised under subsps. <i>Funambulus tristriatus tristriatus</i>	1916 synonymised under subsps. <i>Funambulus tristriatus tristriatus</i>	1916	1916	<i>numarius</i> Wroughton ii) Agrawal & Chakraborty, 1979 : <i>Funambulus tristriatus numarius</i> Wroughton, 1916, Synonymised under subspecies <i>Funambulus tristriatus tristriatus</i>	1916	& Hoffmann, In Wilson and Reeder (2005) * See comments given below

* Retained tentatively in *Funambulus tristriatus* as per the comments of Corbet and Hill (1992) and Thorington & Hoffmann, In Wilson and Reeder (2005). However, Talmale (2007) has recorded number of variations in the northern Western Ghats populations. His studies based on morphological characters of freshly collected as well as museum specimens of ZSI and BNHS specimens shows overlapping of measurements in no. of key characters of *numarius* and *tristriatus*. Therefore detailed taxonomic studies of *numarius* population from northern W. Ghats are strongly recomended to assess its validity.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Sasthancotta West side Western Ghats Travancore)	<i>Funambulus tristriatus annandalei</i> Robinson, 1917 synonymised under subspecies <i>Funambulus tristriatus tristriatus</i>	<i>Funambulus tristriatus annandalei</i> Robinson, 1917 synonymised under subspecies <i>Funambulus tristriatus tristriatus</i>	<i>Funambulus tristriatus annandalei</i> Robinson, 1917	<i>Funambulus tristriatus annandalei</i> Robinson, 1917 synonymised under species <i>Funambulus tristriatus</i>	i) Moore & Tate, 1965 and ii) Agrawal and Chakraborty, 1979: <i>Funambulus tristriatus annandalei</i> Robinson, 1917 synonymised under subspecies <i>Funambulus tristriatus tristriatus</i>	<i>Funambulus tristriatus annandalei</i> Robinson, 1917 synonymised under species <i>Funambulus tristriatus</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
	30		Layard's striped squirrel	India; Sri Lanka	<i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> Blyth, 1849	i) Moore & Tate, 1965: <i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> Blyth, 1849	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		61		Central Highlands of Sri Lanka	<i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> (Blyth)	<i>Funambulus layardi</i> Blyth, 1849	<i>Funambulus layardi</i> Blyth, 1849	i) Moore & Tate, 1965: <i>Funambulus layardi</i> (Blyth)	<i>Funambulus layardi</i> (Blyth, 1849)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Sri Lanka	<i>Funambulus layardi signatus</i> synonymised under subspecies <i>Funambulus layardi layardi</i>	<i>Funambulus layardi signatus</i> synonymised under subspecies <i>Funambulus layardi layardi</i>	<i>Funambulus layardi signatus</i> Thomas, 1924	<i>Funambulus layardi signatus</i> synonymised under species <i>Funambulus layardi</i>	i) Moore & Tate, 1965: <i>Funambulus layardi signatus</i> Thomas, 1924	<i>Funambulus layardi signatus</i> synonymised under species <i>Funambulus layardi</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		62		Western Ghats, Trawancore, Southern India	<i>Funambulus layardi dravidianus</i> Robinson, 1917	—	<i>Funambulus layardi dravidianus</i> Robinson, 1917	<i>Funambulus layardi dravidianus</i> Robinson, 1917	i) Moore & Tate, 1965: <i>Funambulus layardi dravidianus</i> Robinson, 1917	<i>Funambulus layardi dravidianus</i> Robinson, 1917	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	31		Dusky striped squirrel	India; Sri Lanka	<i>Funambulus sublineatus</i> Waterhouse, 1838	<i>Funambulus sublineatus</i> (Waterhouse)	<i>Funambulus sublineatus</i> Waterhouse	<i>Funambulus sublineatus</i> (Waterhouse, 1838)	i) Moore & Tate, 1965: <i>Funambulus sublineatus</i> (Waterhouse)	<i>Funambulus sublineatus</i> (Waterhouse, 1838)	Corbet & Hill, 1992
		63		Coorg, Nilgiri Hills, Travancore, Southern India	<i>Funambulus sublineatus sublineatus</i> Waterhouse, 1838	<i>Funambulus sublineatus sublineatus</i> (Waterhouse)	<i>Funambulus sublineatus sublineatus</i> Waterhouse	<i>Funambulus sublineatus sublineatus</i> (Waterhouse, 1838)	i) Moore & Tate, 1965: <i>Funambulus sublineatus sublineatus</i> Waterhouse	<i>Funambulus sublineatus sublineatus</i> (Waterhouse, 1838)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		64		Uplands of Ceylon Kottawa, Southern Province, Sri Lanka	<i>Funambulus sublineatus obscurus</i> Pelzeln & Kohl, 1885	<i>Funambulus sublineatus obscurus</i> (Pelzeln & Kohl, 1885)	<i>Funambulus sublineatus obscurus</i> Pelzeln & Kohl, 1885	<i>Funambulus sublineatus obscurus</i> (Pelzeln & Kohl, 1886)	i) Moore & Tate, 1965: <i>Funambulus sublineatus obscurus</i> Pelzeln & Kohl, 1886	<i>Funambulus sublineatus obscurus</i> (Pelzeln & Kohl, 1886)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
					—	—	—	Subgenus : <i>Prasadsciurus</i> Moore and Tate, 1965	—	Subgenus : <i>Prasadsciurus</i> Moore and Tate, 1965	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	32		Northern palm squirrel	India; Pakistan; Nepal; Parts of Bangladesh	<i>Funambulus pennanti</i> Wroughton, 1905	<i>Funambulus pennanti</i> Wroughton, 1905	<i>Funambulus pennanti</i> Wroughton, 1905	<i>Funambulus pennantii</i> Wroughton, 1905	i) Moore & Tate, 1965: <i>Funambulus pennanti</i> Wroughton, 1905	<i>Funambulus pennantii</i> Wroughton, 1905	Thorington & Hoffmann, In Wilson & Reeder, 2005
		65		Maharashtra; Gujarat : Surendranagar, Rajkot, Junagadh, Surat districts; Madhya Pradesh : East Nimar district	—	—	No comments offered on the subspecific status of <i>Funambulus pennanti pennanti</i>	<i>Funambulus pennantii pennantii</i> Wroughton, 1905	i) Moore & Tate, 1965 and ii) Ghose et al, 2004: <i>Funambulus pennanti pennanti</i> Wroughton	<i>Funambulus pennantii pennantii</i> Wroughton, 1905	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Gujarat : Deesa, Palanpur Rajasthan : Ganganagar, Ajmer, Udaipur districts. Himachal	<i>Funambulus pennanti lutescens</i> Wroughton, 1916 Synonymised under species <i>Funambulus pennanti</i>	<i>Funambulus pennanti lutescens</i> Wroughton, 1916 Synonymised under species <i>Funambulus pennanti</i> .	Doubtful about the differentiation in the subspecies	<i>Funambulus pennanti lutescens</i> Wroughton, 1916 Synonymised under species <i>Funambulus pennantii</i>	i) Moore & Tate, 1965 and ii) Ghose et al, 2004 : <i>Funambulus pennanti lutescens</i> Wroughton iii) Agrawal	<i>Funambulus pennanti lutescens</i> Wroughton, 1916 Synonymised under species <i>Funambulus pennantii</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
				Pradesh : Kangra district. Punjab : Gurudaspur district); Pakistan (Rawalpindi Division : Kalar Kahar, Sodhi, Chakri (Salt Range)					& Chakraborty, 1979 and iv) Alfred et al, 2002: synonymised under species <i>Funambulus pennanti</i>		
		66		India (Gujarat : Kachchh district : Bhuj); Pakistan (Rawalpindi, North Punjab)	<i>Funambulus pennanti argentiscens</i> Wroughton, 1905 synonymised under species <i>Funambulus pennanti</i>	<i>Funambulus pennanti argentiscens</i> Wroughton, 1905 synonymised under species <i>Funambulus pennant</i>	Doubtful about the differentiation in the subspecies	<i>Funambulus pennantii argentiscens</i> Wroughton, 1905	i) Moore & Tate, 1965 and ii) Ghose et al, 2004 : <i>Funambulus pennanti argentiscens</i> Wroughton, 1905	<i>Funambulus pennantii argentiscens</i> Wroughton, 1905	Moore & Tate, 1965; Ghose et al, 2004; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		67		Madhya Pradesh : Balaghat; Orissa : Puri, Cuttck, Mayurbhanj, Dhenkanal, Bolangir, Kalahandi, Sambalpur, districts; West Bengal : Purulia district; Bihar : Singhbhum, Hazaribagh, Palamalu districts	—	—	—	—	i) Ghose <i>et al</i> , 2004) <i>Funambulus pennantii chhattisgarhi</i> Ghose <i>et al</i> , 2004.	<i>Funambulus pennantii chhattisgarhi</i> Ghose <i>et al</i> , 2004.	Ghose <i>et al</i> , 2004 * See comments given below

* Ghose *et al.* (2004) records the distribution of *Funambulus pennanti chhattisgarhii* upto East Maharashtra region including Chandrapur and Nagpur districts. However Talmale (2007) has recorded overlapping of measurements in number of key characters and colour variations in the specimens from entire Maharashtra population, and has strongly recommended that whole population from Maharashtra State should be considered as *Funambulus pennantii pennantii* only. It is, therefore, strongly recommended to conduct more surveys and collect fresh specimens to resolve the taxonomic validity upto subspecies level.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		68		India (West Bengal; Bihar; Madhya Pradesh; Uttar Pradesh; Punjab); Nepal	—	—	—	—	i) Ghose <i>et al</i> , 2004 : <i>Funambulus pennantii gangutrianus</i> Ghose <i>et al</i> , 2004	<i>Funambulus pennantii gangutrianus</i> Ghose <i>et al</i> , 2004	Ghose <i>et al</i> , 2004
12					Genus : <i>Menetes</i> Thomas, 1908	Genus : <i>Menetes</i> Thomas, 1908	Genus : <i>Menetes</i> Thomas, 1908	Genus : <i>Menetes</i> Thomas, 1908	i) Moore & Tate, 1965 : Genus: <i>Menetes</i> Thomas, 1908	Genus : <i>Menetes</i> Thomas, 1908	Thorington & Hoffmann, In Wilson & Reeder, 2005
	33		Berdmore's squirrel/ Indo-chinese ground squirrel	Myanmar	<i>Menetes berdmorei</i> Blyth, 1849	<i>Menetes berdmorei</i> (Blyth)	<i>Menetes berdmorei</i> Blyth, 1849	<i>Menetes berdmorei</i> (Blyth, 1849)	—	<i>Menetes berdmorei</i> (Blyth, 1849)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		69		Thoungyeen district, lower Myanmar, Domel Island, Mergui Archipelago	<i>Menetes berdmorei</i> Blyth, 1849	<i>Menetes berdmorei</i> Blyth, 1849	—	<i>Menetes berdmorei</i> Blyth, 1849	i) Moore & Tate, 1965 : <i>Menetes berdmorei</i> Blyth (Blyth)	<i>Menetes berdmorei</i> (Blyth, 1849)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		70		Mount Popa, Myanmar	<i>Menetes berdmorei decoratus</i> Thomas, 1914	<i>Menetes berdmorei decoratus</i> Thomas, 1914	<i>Menetes berdmorei decoratus</i> Thomas, 1914	<i>Menetes berdmorei decoratus</i> Thomas, 1914	i) Moore & Tate, 1965 : <i>Menetes berdmorei decoratus</i> Thomas	<i>Menetes berdmorei decoratus</i> Thomas, 1914	Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Domel Island, Mergui Island, Myanmar	(?) <i>Lariscus berdmorei amotus</i> Miller, 1913 synonymised under subspecies <i>Menetes berdmorei berdmorei</i>	<i>Lariscus berdmorei amotus</i> synonymised under subspecies <i>Menetes berdmorei berdmorei</i>	<i>Lariscus berdmorei amotus</i> Miller, 1913	<i>Menetes berdmorei amotus</i> (Miller, 1913) synonymised under species <i>Menetes berdmorei</i>	i) Moore & Tate, 1965: <i>Lariscus berdmorei amotus</i> syn. under subspecies <i>Menetes berdmorei berdmorei</i>	<i>Menetes berdmorei amotus</i> (Miller, 1913) synonymised under species <i>Menetes berdmorei</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
							Subfamily : Ratufinae	Subfamily : Ratufinae	—	Subfamily : Ratufinae	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
13			Giant Squirrels		Genus : <i>Ratufa</i> Gray, 1867	Genus : <i>Ratufa</i> Gray	Genus : <i>Ratufa</i> Gray, 1867	Genus : <i>Ratufa</i> Gray, 1867	—	Genus : <i>Ratufa</i> Gray, 1867	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	34			India; Sri Lanka	<i>Ratufa macroura</i> Pennant, 1769	<i>Ratufa macroura</i> (Pennant)	<i>Ratufa macroura</i> Pennant, 1769	<i>Ratufa macroura</i> (Pennant, 1769)	—	<i>Ratufa macroura</i> Pennant, 1769	Corbet & Hill, 1992
		71		Highlands of Sri Lanka	<i>Ratufa macroura macroura</i> Pennant, 1769	<i>Ratufa macroura macroura</i> (Pennant)	<i>Ratufa macroura macroura</i> Pennant, 1769	<i>Ratufa macroura macroura</i> Pennant, 1769	i) Moore & Tate, 1965: <i>Ratufa macroura macroura</i> (Pennant)	<i>Ratufa macroura macroura</i> (Pennant, 1769)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		72		Lowlands of SW Sri Lanka	<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	i) Moore & Tate, 1965: <i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915	Thorington & Hoffmann, In Wilson & Reeder, 2005
		73		India (South India: Nilgiri and Palni Hills, Eastern Ghats); Sri Lanka	<i>Ratufa macroura dendolena</i> Thomas & Wroughton, 1915	<i>Ratufa macroura dendolena</i> Thomas & Wroughton	<i>Ratufa macroura dendolena</i> Thomas & Wroughton, 1915	<i>Ratufa macroura dendolena</i> Thomas & Wroughton, 1915	i) Moore & Tate, 1965: <i>Ratufa macroura dendolena</i> Thomas & Wroughton	<i>Ratufa macroura dendolena</i> Thomas & Wroughton, 1915	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	35		Indian Giant Squirrel	India	<i>Ratufa indica</i> Erxleben, 1777	<i>Ratufa indica</i> (Erxleben)	<i>Ratufa indica</i> Erxleben, 1777	<i>Ratufa indica</i> (Erxleben, 1777)	i) Moore & Tate, 1965: <i>Ratufa indica</i> (Erxleben)	<i>Ratufa indica</i> Erxleben, 1777	Corbet & Hill, 1992
		74		Western Ghats from about 18°30' to 10°N (Part of Gujarat, Maharashtra, Dharwar and Kanara dists. Karnataka)	<i>Ratufa indica indica</i> Erxleben, 1777	<i>Ratufa indica indica</i> (Erxleben)	<i>Ratufa indica indica</i> Erxleben, 1777	<i>Ratufa indica indica</i> (Erxleben, 1777)	i) Moore & Tate, 1965: <i>Ratufa indica indica</i> (Erxleben)	<i>Ratufa indica indica</i> (Erxleben, 1777)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		75		Mahal dang, Surat district, NW India.	<i>Sciurus indicus</i> var. <i>delbatus</i> Blanford Synonymised under subspecies <i>Ratufa indica indica</i>	<i>Sciurus indicus</i> var. <i>delbatus</i> Blanford synonymised under subspecies <i>Ratufa indica indica</i>	<i>Ratufa indica delbata</i> Blanford, 1897	<i>Ratufa indica delbata</i> (Blanford, 1897)	i) Moore & Tate, 1965) <i>Ratufa indica delbata</i> Blanford	<i>Ratufa indica delbata</i> Blanford, 1897	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		76		South of 10°N Southern India: Nilgiri Hills, Palni Hills, Travancore, Malabar.	<i>Ratufa indica maxima</i> Schreber, 1784	<i>Ratufa indica maxima</i> (Schreber, 1784)	<i>Ratufa indica maxima</i> Schreber, 1784	<i>Ratufa indica maxima</i> (Schreber, 1784)	i) Moore & Tate, 1965) <i>Ratufa indica maxima</i> Schreber, 1784	<i>Ratufa indica maxima</i> Schreber, 1784	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		India (Coorg, Kutta, Mysore: Barampaddy forest)	<i>Ratufa indica bengalensis</i> Blanford, 1897	<i>Ratufa indica bengalensis</i> (Blanford)	<i>Ratufa indica bengalensis</i> Blanford, 1897	<i>Ratufa indica bengalensis</i> (Blanford, 1897) synonymised under species <i>Ratufa indica</i>	i) Moore & Tate, 1965: <i>Sciurus indicus</i> var. <i>bengalensis</i> Blanford, 1897 synonymised under subspecies <i>Ratufa indica maxima</i> ii) Agrawal & Chakraborty, 1979 : <i>Ratufa indica bengalensis</i> (Blanford, 1897)	<i>Ratufa indica bengalensis</i> (Blanford, 1897) synonymised under species <i>Ratufa indica</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Wote kolli, South Coorg)	<i>Ratufa indica superans</i> Ryley, 1913	<i>Ratufa indica superans</i> Ryley	<i>Ratufa indica superans</i> Ryley, 1913	<i>Ratufa indica superans</i> Ryley, 1913 synonymised under species <i>Ratufa indica</i>	i) Moore & Tate, 1965: <i>Ratufa indica superans</i> Ryley synonymised under subspecies <i>Ratufa indica indica</i> ii) Agrawal & Chakraborty, 1979: <i>Ratufa indica superans</i> Ryley	<i>Ratufa indica superans</i> Ryley, 1913 synonymised under species <i>Ratufa indica</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		77		Central and Eastern India	<i>Ratufa indica centralis</i> Ryley, 1913	<i>Ratufa indica centralis</i> Ryley	<i>Ratufa indica centralis</i> Ryley, 1913	<i>Ratufa indica centralis</i> Ryley, 1913	i) Moore & Tate, 1965: <i>Ratufa indica centralis</i> Ryley, 1913	<i>Ratufa indica centralis</i> Ryley, 1913	Corbet & Hill, 1992
	36		Malayan Giant Squirrel/ Black Giant Squirrel	India; Nepal; Bhutan; Bangladesh; Myanmar	<i>Ratufa bicolor</i> Sparrmann, 1778	<i>Ratufa bicolor</i> (Sparrmann)	<i>Ratufa bicolor</i> Sparrmann, 1778	<i>Ratufa bicolor</i> (Sparrmann, 1778)	i) Moore & Tate, 1965: <i>Ratufa bicolor</i> (Sparrmann, 1778)	<i>Ratufa bicolor</i> Sparrmann, 1778	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		78		India (Assam, Sikkim, Bengal); Nepal; Bhutan; Bangladesh; Myanmar (Including Chindwin region, Shan States, Northern Myanmar)	<i>Ratufa bicolor gigantea</i> M'Clelland, 1839	<i>Ratufa bicolor gigantea</i> (M'Clelland)	<i>Ratufa bicolor gigantea</i> M'Clelland, 1839	<i>Ratufa bicolor gigantea</i> (M'Clelland, 1839)	i) Moore & Tate, 1965: <i>Ratufa bicolor gigantea</i> (M'Clelland)	<i>Ratufa bicolor gigantea</i> (M'Clelland, 1839)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		79		North East Myanmar	<i>Ratufa bicolor hainana</i> Allen, 1906 synonymised under subspecies <i>Ratufa bicolor gigantea</i>	—	<i>Ratufa bicolor hainana</i> Allen, 1906	<i>Ratufa bicolor hainana</i> J.Allen, 1906	i) Moore & Tate, 1965: <i>Ratufa bicolor hainana</i> (J.Allen)	<i>Ratufa bicolor hainana</i> (J.Allen, 1906)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		80		Central & South Myanmar	<i>Ratufa bicolor phaeopepla</i> Miller, 1913	<i>Ratufa bicolor phaeopepla</i> Miller	<i>Ratufa bicolor phaeopepla</i> Miller, 1913	<i>Ratufa bicolor phaeopepla</i> Miller, 1913	i) Moore & Tate, 1965: <i>Ratufa bicolor phaeopepla</i> (Miller)	<i>Ratufa bicolor phaeopepla</i> (Miller, 1913)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Domel Island, Mergui Archipelago, Myanmar	<i>Ratufa bicolor celanopepla</i> Miller, 1913	<i>Ratufa bicolor celanopepla</i> Miller, 1913	<i>Ratufa celanopepla</i> synonymised under species <i>Ratufa bicolor</i>	<i>Ratufa celanopepla</i> synonymised under species <i>Ratufa bicolor</i>	i) Moore & Tate, 1965: <i>Ratufa celanopepla</i> synonymised under subspecies <i>Ratufa bicolor phaeopepla</i>	<i>Ratufa celanopepla</i> Miller, 1913 synonymised under species <i>Ratufa bicolor</i>	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005
		—		Tatkon, near Kindat, upper Chindwin river, Myanmar	<i>Ratufa bicolor lutrina</i> Thomas & Wroughton, 1916	<i>Ratufa bicolor lutrina</i> Thomas & Wroughton, 1916	Subspecies proposed as <i>Ratufa gigantea lutrina</i>	<i>Ratufa bicolor lutrina</i> Thomas & Wroughton, 1916 synonymised under species <i>Ratufa bicolor</i>	i) Moore & Tate, 1965: <i>Ratufa gigantea lutrina</i> synonymised under subspecies <i>Ratufa bicolor gigantea</i>	<i>Ratufa bicolor lutrina</i> Thomas & Wroughton, 1916 synonymised under species <i>Ratufa bicolor</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
		81		Central Myanmar (West of River Irrawaddy)	<i>Ratufa bicolor felli</i> Thomas & Wroughton, 1916	<i>Ratufa bicolor felli</i> Thomas & Wroughton	<i>Ratufa bicolor felli</i> Thomas & Wroughton, 1916	<i>Ratufa bicolor felli</i> Thomas & Wroughton, 1916	i) Moore & Tate, 1965: <i>Ratufa bicolor felli</i> (Thomas & Wroughton, 1916)	<i>Ratufa bicolor felli</i> (Thomas & Wroughton, 1916)	Corbet & Hill, 1992; Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Mt. Popa, Myanmar	<i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Ratufa bicolor phaeopepla</i>	<i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Ratufa bicolor phaeopepla</i>	<i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916	<i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916 synonymised under species <i>Ratufa bicolor</i>	i) Moore & Tate, 1965: <i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916 synonymised under subspecies <i>Ratufa bicolor phaeopepla</i>	<i>Ratufa phaeopepla marana</i> Thomas & Wroughton, 1916 synonymised under species <i>Ratufa bicolor</i>	Thorington & Hoffmann, In Wilson & Reeder, 2005
					—	—	—	Subfamily : Xerinae Tribe: Marmotini	—	Subfamily : Xerinae Tribe: Marmotini	Thorington & Hoffmann, In Wilson & Reeder, 2005
14					Genus : <i>Mormota</i> Blumenbach, 1779	Genus : <i>Mormota</i> Blumenbach, 1779	—	Genus : <i>Mormota</i> Blumenbach, 1779	—	Genus : <i>Mormota</i> Blumenbach, 1779	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					—	—	—	Subgenus : <i>Mormota</i> Blumenbach, 1779	—	Subgenus : <i>Mormota</i> Blumenbach, 1779	Thorington & Hoffmann, In Wilson & Reeder, 2005
	37		The Himalayan Marmot	India (North India to Ladak); Pakistan (Northern part of Baltistan); Nepal	<i>Marmota bobak himalayana</i> Hodgson, 1841	<i>Marmota bobak himalayana</i> (Hodgson)	—	<i>Marmota himalayana</i> (Hodgson, 1841)	i) Roberts, 1997: <i>Marmota himalayana</i> Hodgson, 1841	<i>Marmota himalayana</i> (Hodgson, 1841)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		82		India; Pakistan; Nepal	—	—	—	<i>Marmota himalayana himalayana</i> (Hodgson, 1841)	i) Alfred et al, 2002 : <i>Marmota himalayana himalayana</i> Hodgson, 1841	<i>Marmota himalayana himalayana</i> (Hodgson, 1841)	Thorington & Hoffmann, In Wilson & Reeder, 2005
	38		Long Tailed Marmot	India; Pakistan	<i>Mormota caudata</i> Jacquemont, 1844	<i>Mormota caudata</i> Jacquemont, 1844	—	<i>Mormota caudata</i> (Geoffroy, In Jacquemont, 1844)	—	<i>Mormota caudata</i> (Geoffroy, In Jacquemont, 1844)	Thorington & Hoffmann, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		83		Kashmir	<i>Mormota caudata caudata</i> Jacquemont, 1844	<i>Mormota caudata caudata</i> (Jacquemont)	—	<i>Mormota caudata caudata</i> (Geoffroy, In Jacquemont, 1844)	i) Alfred et al, 2002 : <i>Mormota caudata caudata</i> (Jacquemont)	<i>Mormota caudata caudata</i> (Geoffroy, In Jacquemont, 1844)	Thorington & Hoffmann, In Wilson & Reeder, 2005
		84		India (North West Frontier, India); Pakistan (Chitral)	<i>Mormota caudata aurea</i> Blanford, 1875	<i>Mormota caudata aurea</i> (Blanford)	—	<i>Mormota caudate aurea</i> (Blanford, 1875)	i) Roberts, 1997 and Alfred et al, 2002: <i>Mormota caudata aurea</i> Blanford, 1875	<i>Mormota caudata aurea</i> (Blanford, 1875)	Thorington & Hoffmann, In Wilson & Reeder, 2005
			Dormice		Family : Muscardinidae	Family : Muscardinidae	Family : Gliridae	Family : Gliridae	i) Roberts, 1997: Family: Gliridae (Myoxidae)	Family : Gliridae	Holden, in Wilson and Reeder, 2005
					Subfamily : Muscardininae	Subfamily : Muscardininae	—	Subfamily : Leithiinae	—	Subfamily : Leithiinae	Holden, in Wilson and Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
15					Genus : <i>Dryomys</i> Thomas, 1906	Genus : <i>Dryomys</i> Thomas	Genus : <i>Dryomys</i> Thomas, 1906	Genus : <i>Dryomys</i> Thomas, 1906	i) Roberts, 1997: Genus : <i>Dryomys</i> Thomas, 1906	Genus : <i>Dryomys</i> Thomas, 1906	Corbet & Hill, 1992
	39		Forest Dormice	India; North West Pakistan	<i>Dryomys nitedula</i> Pallas, 1779	<i>Dryomys nitedula</i> (Pallas)	<i>Dryomys nitedula</i> Pallas, 1779	<i>Dryomys nitedula</i> (Pallas, 1779)	i) Roberts, 1997: <i>Dryomys nitedula</i> Pallas, 1779	<i>Dryomys nitedula</i> Pallas, 1779	Corbet & Hill, 1992
		—	Blanford's Dormice	North West Frontier, Kurrum Valley (India)	<i>Dryomys nitedula pictus</i> Blanford, 1875	<i>Dryomys nitedula pictus</i> (Blanford)	<i>Dryomys nitedula pictus</i> Blanford, 1875	<i>Dryomys nitedula pictus</i> (Blanford, 1875) Synonymised under species <i>Dryomys nitedula</i>	—	<i>Dryomys nitedula pictus</i> (Blanford, 1875) Synonymised under species <i>Dryomys nitedula</i>	Holden, in Wilson and Reeder, 2005
								Suborder : Hystricomorpha Infraorder : Hystricognathi	—	Suborder : Hystricomorpha Infraorder : Hystricognathi	Woods and Kilpatrick, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
			Old World Porcupine		Family : Hystricidae	Family : Hystricidae	Family : Hystricidae	Family : Hystricidae	—	Family : Hystricidae	Corbet & Hill, 1992
16			Bush tailed porcupine		Genus : <i>Atherurus</i> Cuvier, 1829	Genus : <i>Atherurus</i> Cuvier, 1829	Genus : <i>Atherurus</i> Cuvier, 1829	Genus : <i>Atherurus</i> Cuvier, 1829	i) Agrawal, 2000: Genus: <i>Atherurus</i> Cuvier, 1829	Genus : <i>Atherurus</i> Cuvier, 1829	Corbet & Hill, 1992; Agrawal, 2000
	40		The Asiatic Bush tailed porcupine	India (Arunachal Pradesh, Meghalaya); Bangladesh; North Myanmar	<i>Atherurus macrourus</i> Linnaeus, 1758	<i>Atherurus macrourus</i> (Linnaeus)	<i>Atherurus macrourus</i> (Linnaeus, 1758)	<i>Atherurus macrourus</i> (Linnaeus, 1758)	i) Agrawal, 2000: <i>Atherurus macrourus</i> Linnaeus, 1758	<i>Atherurus macrourus</i> Linnaeus, 1758	Corbet & Hill, 1992; Agrawal, 2000
		—		Myanmar (North to Tenasserim)	<i>Atherurus macrourus macrourus</i> Linnaeus, 1758	<i>Atherurus macrourus macrourus</i> (Linnaeus)	<i>Atherurus macrourus macrourus</i> Linnaeus, 1758 synonymised under species <i>Atherurus macrourus</i>	—	—	<i>Atherurus macrourus macrourus</i> Linnaeus, 1758 synonymised under species <i>Atherurus macrourus</i>	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Cherapunji, Khasi Hills, Assam.	<i>Atherurus macrourus assamensis</i> Thomas, 1921	<i>Atherurus macrourus assamensis</i> Thomas	<i>Atherurus assamensis</i> Thomas, 1921 synonymised under species <i>Atherurus macrourus</i>	<i>Atherurus assamensis</i> Thomas, 1921 synonymised under species <i>Atherurus macrourus</i>	i) Agrawal, 2000: <i>Atherurus assamensis</i> Thomas, 1921 synonymised under species <i>Atherurus macrourus</i>	<i>Atherurus assamensis</i> Thomas, 1921 synonymised under species <i>Atherurus macrourus</i>	Corbet & Hill, 1992; Agrawal, 2000
17					Genus : <i>Hystrix</i> Linnaeus, 1758	Genus : <i>Hystrix</i> Linnaeus, 1758	Genus : <i>Hystrix</i> Linnaeus, 1758	Genus : <i>Hystrix</i> Linnaeus, 1758	i) Agrawal, 2000: Genus : <i>Hystrix</i> Linnaeus, 1758	Genus : <i>Hystrix</i> Linnaeus, 1758	Corbet & Hill, 1992; Agrawal, 2000
					Subgenus : <i>Acanthion</i> Cuvier, 1823	Subgenus : <i>Acanthion</i> Cuvier, 1823	—	Subgenus : <i>Acanthion</i> Cuvier, 1823	—	Subgenus : <i>Acanthion</i> Cuvier, 1823	Woods and Kilpatrick, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	41			India; Nepal; Bhutan; Bangladesh; Myanmar	<i>Hystrix brachyura</i> Linnaeus, 1758	—	<i>Hystrix brachyura</i> Linnaeus, 1758	<i>Hystrix brachyura</i> Linnaeus, 1758	i) Agrawal, 2000: <i>Hystrix brachyura</i> Linnaeus, 1758	<i>Hystrix brachyura</i> Linnaeus, 1758	Corbet & Hill, 1992; Agrawal, 2000
		85		India (Arunachal Pradesh, Nagaland, Meghalaya, Manipur, Mizoram); Myanmar (Tennaserim town)	<i>Hystrix hodgsoni subcristata</i> Swinhoe, 1870	<i>Hystrix hodgsoni subcristata</i> Swinhoe, 1870	<i>Hystrix brachyura subcristata</i> Swinhoe, 1871	<i>Hystrix brachyura subcristata</i> Swinhoe	i) Agrawal, 2000: <i>Hystrix brachyura subcristata</i> Swinhoe	<i>Hystrix brachyura subcristata</i> Swinhoe, 1870	Corbet & Hill, 1992; Agrawal, 2000
		86		India (Sikkim, West Bengal (Darjiling Dist.); ? Nepal; Bhutan; Bangladesh (Sunderbans)	<i>Hystrix hodgsoni</i> Gray, 1847	<i>Hystrix hodgsoni</i> (Gray)	<i>Hystrix brachyura hodgsoni</i> Gray, 1847	<i>Hystrix brachyura hodgsoni</i> (Gray, 1847)	i) Agrawal, 2000: <i>Hystrix brachyura hodgsoni</i> (Gray)	<i>Hystrix brachyura hodgsoni</i> (Gray, 1847)	Agrawal, 2000; Woods and Kilpatrick, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—			<i>Hystrix hodgsoni hodgsoni</i> Gray, 1847	<i>Hystrix hodgsoni hodgsoni</i> (Gray)	Described as an independent subspecies under species <i>Hystrix brachyura</i>	Described as an independent subspecies under species <i>Hystrix brachyura</i>	—	Described as an independent subspecies under species <i>Hystrix brachyura</i>	Corbet & Hill, 1992; Woods and Kilpatrick, In Wilson & Reeder, 2005
		—		Bengal	<i>Hystrix bengalensis</i> Blyth, 1851 synonymised under subspecies <i>Hystrix hodgsoni hodgsoni</i>	<i>Hystrix bengalensis</i> Blyth, 1851 synonymised under subspecies <i>Hystrix hodgsoni hodgsoni</i>	<i>Hystrix bengalensis</i> Blyth, 1851 synonymised under subspecies <i>Hystrix brachyura subcristata</i>	<i>Hystrix brachyura bengalensis</i> Blyth, 1851	i) Agrawal, 2000: <i>Hystrix bengalensis</i> Blyth, 1851 synonymised under subspecies <i>Hystrix brachyura hodgsoni</i>	<i>Hystrix bengalensis</i> Blyth, 1851 synonymised under subspecies <i>Hystrix brachyura hodgsoni</i>	Agrawal, 2000
					Subgenus : <i>Hystrix</i> Linnaeus, 1758	Subgenus : <i>Hystrix</i> Linnaeus, 1758	—	Subgenus : <i>Hystrix</i> Linnaeus, 1758	—	Subgenus : <i>Hystrix</i> Linnaeus, 1758	Woods and Kilpatrick, In Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	42		Indian creasted porcupine	Throughout Peninsular India, NE to Bihar, Jammu & Kashmir, Himachal Pradesh, Uttar Pradesh, Madhya Pradesh, Rajasthan, Gujarat, Maharashtra, Karnataka, Kerala Tamil Nadu, West Bengal; Pakistan; Sri Lanka; Bangladesh	<i>Hystrix indica</i> Kerr, 1792	<i>Hystrix indica</i> Kerr, 1792	<i>Hystrix indica</i> Kerr, 1792	<i>Hystrix indica</i> Kerr, 1792	i) Agrawal, 2000: <i>Hystrix indica</i> Kerr, 1792	<i>Hystrix indica</i> Kerr, 1792	Corbet & Hill, 1992; Agrawal, 2000
		—			<i>Hystrix indica indica</i> Kerr, 1792	—	<i>Hystrix indica indica</i> Kerr, 1792 Synonymised under species <i>Hystrix indica</i>	—	—	<i>Hystrix indica indica</i> Kerr, 1792 synonymised under species <i>Hystri indica</i>	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Pakistan (Jalk, Baluchistan)	<i>Hystrix hirsutirostris blanfordi</i> Muller, 1911 synonymised under subspecies <i>Hystrix indica indica</i>	<i>Hystrix hirsutirostris blanfordi</i> Muller, 1911 synonymised under subspecies <i>Hystrix indica indica</i>	<i>Hystrix hirsutirostris blanfordi</i> Muller, 1911	<i>Hystrix hirsutirostris blanfordi</i> Muller, 1911 synonymised under species <i>Hystrix indica</i>	i) Roberts, 1997: <i>Hystrix indica blanfordi</i> Muller, 1911	<i>Hystrix hirsutirostris blanfordi</i> Muller, 1911 synonymised under species <i>Hystrix indica</i>	Woods and Kilpatrick, In Wilson & Reeder, 2005
					—	—	—	Suborder : Myomorpha	—	Suborder : Myomorpha	Wilson and Reeder, 2005
			Jerboas, Birch mice, Jumping mice		Family : Dipodidae	Family : Dipodidae	Family : Zapodidae	Family : Dipodidae	i) Roberts, 1997: Family : Zapodidae	Family : Dipodidae	Holden and Musser, in Wilson and Reeder, 2005
					Subfamily : Sicistinae	Subfamily : Sicistinae		Subfamily : Sicistinae		Subfamily : Sicistinae	Holden and Musser, in Wilson and Reeder, 2005.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
18					Genus : <i>Sicista</i> Gray, 1827	Genus : <i>Sicista</i> Gray	Genus : <i>Sicista</i> Gray	Genus : <i>Sicista</i> Gray, 1827	i) Roberts, 1997: Genus: <i>Sicista</i> Gray, 1827	Genus : <i>Sicista</i> Gray, 1827	Corbet & Hill, 1992
	43		Chinese Birch mouse	India (Kashmir); North Pakistan	<i>Sicista concolor</i> Buchner, 1892	<i>Sicista concolor</i> (Buchner)	<i>Sicista concolor</i> Buchner, 1892	<i>Sicista concolor</i> (Buchner, 1892)	i) Roberts, 1997: <i>Sicista concolor</i> Buchner, 1892	<i>Sicista concolor</i> Buchner, 1892	Corbet & Hill, 1992
		—		India (Krishnye valley, Wardwan, Kashmir); East Pakistan	<i>Sicista concolor leathemi</i> Thomas, 1893	<i>Sicista concolor leathemi</i> (Thomas)	<i>Sminthus leathemi</i> Thomas, 1893 synonymised under species <i>Sicista concolor</i>	<i>Sicista concolor leathemi</i> (Thomas, 1893) synonymised under species <i>Sicista concolor</i>	i) Roberts, 1997: <i>Sicista concolor leathemi</i> Thomas, 1893 synonymised under species <i>Sicista concolor</i>	<i>Sicista concolor leathemi</i> Thomas, 1893 synonymised under species <i>Sicista concolor</i>	Corbet & Hill, 1992; Holden and Musser, in Wilson and Reeder, 2005
		—		Central Kashmir, 11,000 ft	<i>Sicista concolor flavus</i> True, 1894	<i>Sicista concolor flavus</i> (True)	<i>Sminthus flavus</i> True, 1894 synonymised under species <i>Sicista concolor</i>	<i>Sicista concolor flavus</i> (True, 1894) synonymised under species <i>Sicista concolor</i>	i) Roberts, 1997: <i>Sicista concolor flavus</i> True, 1894 synonymised under species <i>Sicista concolor</i>	<i>Sicista concolor flavus</i> (True, 1894) synonymised under species <i>Sicista concolor</i>	Corbet & Hill, 1992; Holden and Musser, in Wilson and Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					—	—	—	Subfamily : Cardiocraniinae	i) Roberts, 1997: Subfamily : Cardiocraniinae	Subfamily : Cardiocraniinae	Holden and Musser, in Wilson and Reeder, 2005
19			Pygmy Jerboas		—	—	—	Genus : <i>Salpingotulus</i> Pavlinov, 1980	i) Roberts, 1997: Genus: <i>Salpingotulus</i> Pavlinov, 1980	Genus : <i>Salpingotulus</i> Pavlinov, 1980	Holden and Musser, in Wilson and Reeder, 2005
	44		Baluchistan Pygmy Jerboa	Baluchistan, NW Baluchistan, W. Pakistan	—	—	<i>Salpingotus michaelis</i> Fitzgibbon, 1966	<i>Salpingotulus michaelis</i> Fitzgibbon, 1966	i) Roberts, 1997: <i>Salpingotus michaelis</i> Fitzgibbon, 1966	<i>Salpingotulus michaelis</i> Fitzgibbon, 1966	Holden and Musser, in Wilson and Reeder, 2005
					Subfamily : Dipodinae			Subfamily : Dipodinae		Subfamily : Dipodinae	Holden and Musser, in Wilson and Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
20					Genus : <i>Jaculus</i> Erxleben, 1777	—	Genus : <i>Jaculus</i> Erxleben, 1777	Genus : <i>Jaculus</i> Erxleben, 1777	i) Roberts, 1997: Genus : <i>Jaculus</i> Erxleben, 1777	Genus : <i>Jaculus</i> Erxleben, 1777	Holden and Musser, in Wilson and Reeder, 2005
	45		Greater three-toad Jerboa	Pakistan	<i>Jaculus blanfordi</i> Murray, 1884	—	<i>Jaculus blanfordi</i> Murray, 1884	<i>Jaculus blanfordi</i> (Murray, 1884)	i) Roberts, 1997: <i>Jaculus blanfordi</i> Murray, 1884	<i>Jaculus blanfordi</i> Murray, 1884	Holden and Musser, in Wilson and Reeder, 2005
					Subfamily : Dipodinae	Subfamily : Dipodinae	Family : Dipodidae	Subfamily : Allactaginae	i) Roberts, 1997: Family : Dipodidae Subfamily : Cardiocraniinae	Subfamily : Allactaginae	Holden and Musser, in Wilson and Reeder, 2005
21			Dwarf or Pygmy Jerboas		Genus : <i>Allactaga</i> Cuvier, 1836	Genus : <i>Allactaga</i> Cuvier, 1836	Genus : <i>Allactaga</i> Cuvier, 1836	Genus : <i>Allactaga</i> F.Cuvier, 1836	i) Roberts, 1997: Genus : <i>Allactaga</i> Cuvier, 1836	Genus : <i>Allactaga</i> F.Cuvier, 1836	Holden and Musser, in Wilson and Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Subgenus: <i>Allactaga</i> F.Cuvier, 1836	—	—	Subgenus: <i>Allactaga</i> F.Cuvier, 1836	—	Subgenus: <i>Allactaga</i> F.Cuvier, 1836	Holden and Musser, in Wilson and Reeder, 2005
	46		Small Five toed Jerboa	N. Baluchistan (W. Pakistan)	<i>Allactaga elater</i> Lichstenstein, 1825	<i>Allactaga elater</i> (Lichstenstein, 1825)	<i>Allactaga elater</i> Lichstenstein, 1825	<i>Allactaga elater</i> Lichstenstein, 1825	i) Roberts, 1997: <i>Allactaga elater</i> Lichstenstein, 1825	<i>Allactaga elater</i> Lichstenstein, 1825	Holden and Musser, in Wilson and Reeder, 2005
		—	The smaller Afgan Jerboa	Pakistan	<i>Allactaga elater indica</i> Gray, 1842	<i>Allactaga elater indica</i> Gray, 1842	<i>Allactaga [sic] indica</i> Gray, 1842 synonymised under species <i>Allactaga elater</i>	<i>Allactaga elater indica</i> Gray, 1842 synonymised under species <i>Allactaga elater</i>	—	<i>Allactaga elater indica</i> Gray, 1842 synonymised under species <i>Allactaga elater</i>	Holden and Musser, in Wilson and Reeder, 2005
	47		Hotson's five-toed Jerboa	South-West Pakistan	<i>Allactaga hotsoni</i> Thomas, 1920	<i>Allactaga hotsoni</i> Thomas, 1920	<i>Allactaga hotsoni</i> Thomas, 1920	<i>Allactaga hotsoni</i> Thomas, 1920	i) Roberts, 1997: <i>Allactaga hotsoni</i> Thomas, 1920	<i>Allactaga hotsoni</i> Thomas, 1920	Holden and Musser, in Wilson and Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Subfamily : Platacanthomyinae	Subfamily : Platacanthomyinae	Subfamily : Platacanthomyinae	Family : Platacanthomyidae	i) Agrawal, 2000: Subfamily : Platacanthomyinae	Family : Platacanthomyidae	Musser and Carleton, in Wilson & Reeder, 2005
22				Genus endemic to India	Genus : <i>Platacanthomys</i> Blyth, 1859	Genus : <i>Platacanthomys</i> Blyth, 1859	Genus : <i>Platacanthomys</i> Blyth, 1859	Genus : <i>Platacanthomys</i> Blyth, 1859	i) Agrawal, 2000: Genus : <i>Platacanthomys</i> Blyth, 1859	Genus : <i>Platacanthomys</i> Blyth, 1859	Corbet & Hill, 1992; Agrawal, 2000
	48		Malabar Spiny Dormouse	Species endemic to India. Alipi, Malabar, South India, SW Peninsular India, North upto 14° N Latitude.	<i>Platacanthomys lasiurus</i> Blyth, 1859	<i>Platacanthomys lasiurus</i> Blyth, 1859	<i>Platacanthomys lasiurus</i> Blyth, 1859	<i>Platacanthomys lasiurus</i> Blyth, 1859	i) Agrawal, 2000: <i>Platacanthomys lasiurus</i> Blyth, 1859	<i>Platacanthomys lasiurus</i> Blyth, 1859	Corbet & Hill, 1992; Agrawal, 2000
					Family : Rhizomyidae	Family : Rhizomyidae	Family : Muridae	Family : Spalacidae	i) Agrawal, 2000: Family : Muridae	Family : Spalacidae	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					—	—	Subfamily : Rhizomyinae	Subfamily : Rhizomyinae	i) Agrawal, 2000: Subfamily : Rhizomyinae	Subfamily : Rhizomyinae	Musser and Carleton, in Wilson & Reeder, 2005
23					Genus : <i>Rhizomys</i> Gray, 1831	Genus : <i>Rhizomys</i> Gray	Genus : <i>Rhizomys</i> Gray, 1831	Genus : <i>Rhizomys</i> Gray, 1831	i) Agrawal, 2000: Genus: <i>Rhizomys</i> Gray, 1831	Genus : <i>Rhizomys</i> Gray, 1831	Agrawal, 2000
	49		Hoary Bamboo Rat	India (Meghalaya, Nagaland, Manipur); Myanmar	<i>Rhizomys pruinus</i> Blyth, 1851	<i>Rhizomys pruinus</i> Blyth, 1851	<i>Rhizomys pruinus</i> Blyth, 1851	<i>Rhizomys pruinus</i> Blyth, 1851	i) Agrawal, 2000: <i>Rhizomys pruinus</i> Blyth, 1851	<i>Rhizomys pruinus</i> Blyth, 1851	Agrawal, 2000
		—		India (Cherapunji, Khasi Hills, Assam, Manipur); Myanmar (East of Bhamo, Eastern Myanmar)	<i>Rhizomys pruinus pruinus</i> Blyth, 1851	—	<i>Rhizomys pruinus pruinus</i> Blyth, 1851 synonymised under species <i>Rhizomys pruinus</i>	—	—	<i>Rhizomys pruinus pruinus</i> Blyth, 1851 synonymised under species <i>Rhizomys pruinus</i>	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	50		Chinese Bamboo rat	Myanmar	<i>Rhizomys sinensis</i> Gray, 1831	<i>Rhizomys sinensis</i> Gray, 1831	<i>Rhizomys sinensis</i> Gray, 1831	<i>Rhizomys sinensis</i> Gray, 1831	—	<i>Rhizomys sinensis</i> Gray, 1831	Musser and Carleton, in Wilson & Reeder, 2005
		—		Mt. Imaw Bun Kachin Province, 9000ft, Northern Myanmar	<i>Rhizomys sinensis wardi</i> Thomas, 1921	<i>Rhizomys sinensis wardi</i> Thomas	<i>Rhizomys wardi</i> Thomas, 1921 synonymised under species <i>Rhizomys sinensis</i>	<i>Rhizomys sinensis wardi</i> Thomas, 1921 synonymised under species <i>Rhizomys sinensis</i>	—	<i>Rhizomys sinensis wardi</i> Thomas, 1921 synonymised under species <i>Rhizomys sinensis</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	51		Large Bamboo Rat	Myanmar	<i>Rhizomys sumatrensis</i> Raffles, 1822	<i>Rhizomys sumatrensis</i> Raffles	<i>Rhizomys sumatrensis</i> Raffles, 1821	<i>Rhizomys sumatrensis</i> (Raffles, 1821)	—	<i>Rhizomys sumatrensis</i> (Raffles, 1821)	Corbet & Hill, 1992
		—		Moulmein, Tenasserim, Salween Hill tracts, Myanmar	<i>Rhizomys sumatrensis cinereus</i> M'Clelland, 1842	<i>Rhizomys sumatrensis cinereus</i> M'Clelland, 1842	<i>Rhizomys cinereus</i> M'Clelland, 1842 synonymised under species <i>Rhizomys sumatrensis</i>	<i>Rhizomys sumatrensis cinereus</i> M'Clelland, 1842 synonymised under species <i>Rhizomys sumatrensis</i>	—	<i>Rhizomys sumatrensis cinereus</i> M'Clelland, 1842 Synonymised under species <i>Rhizomys sumatrensis</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
24					Genus : <i>Cannomys</i> Thomas, 1915	Genus : <i>Cannomys</i> Thomas, 1915	Genus : <i>Cannomys</i> Thomas, 1915	Genus : <i>Cannomys</i> Thomas, 1915	i) Agrawal, 2000: Genus : <i>Cannomys</i> Thomas, 1915	Genus : <i>Cannomys</i> Thomas, 1915	Corbet & Hill, 1992; Agrawal, 2000
	52		Bay Bamboo Rat, Lesser Bamboo Rat	India (West Bengal, Assam, Meghalaya, Manipur, Nagaland, Mizoram); Nepal; Bhutan; Bangladesh; Myanmar	<i>Cannomys badius</i> Hodgson, 1842	<i>Cannomys badius</i> (Hodgson)	<i>Cannomys badius</i> Hodgson, 1842	<i>Cannomys badius</i> (Hodgson, 1842)	i) Agrawal, 2000: <i>Cannomys badius</i> (Hodgson, 1842)	<i>Cannomys badius</i> Hodgson, 1842	Corbet & Hill, 1992; Agrawal, 2000
		87		India (Darjiling Dist., Manipur, Assam); Nepal; Bhutan; Bangladesh; West Myanmar	<i>Cannomys badius badius</i> Hodgson, 1842	<i>Cannomys badius badius</i> (Hodgson)	Do not offer any comments on status of subspecies <i>Cannomys badius badius</i> Hodgson, 1842	Do not offer any comments on status of subspecies <i>Cannomys badius badius</i> Hodgson, 1842	i) Agrawal, 2000: <i>Cannomys badius badius</i> (Hodgson, 1841)	<i>Cannomys badius badius</i> (Hodgson, 1841)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Arakan, Gokteik, N.Shan States, Myanmar, Tenasserim: Kokarest	<i>Cannomys badius castaneus</i> Blyth, 1843	<i>Cannomys badius castaneus</i> (Blyth)	<i>Rhizomys castaneus</i> Blyth, 1843 synonymised under species <i>Cannomys badius</i>	<i>Cannomys badius castaneus</i> Blyth, 1843 synonymised under species <i>Cannomys badius</i>	i) Agrawal, 2000: <i>Rhizomys castaneus</i> Blyth, 1843 synonymised under subspecies <i>Cannomys badius badius</i>	<i>Cannomys badius castaneus</i> Blyth, 1843 synonymised under subspecies <i>Cannomys badius badius</i>	Agrawal, 2000
		—		Gokteik, North Shan States, Myanmar	<i>Cannomys badius plumbescens</i> Thomas, 1915 synonymised under subspecies <i>Cannomys badius castaneus</i>	<i>Cannomys badius plumbescens</i> Thomas, 1915 synonymised under subspecies <i>Cannomys badius castaneus</i>	<i>Cannomys badius plumbescens</i> Thomas, 1915	<i>Cannomys badius plumbescens</i> Thomas synonymised under species <i>Cannomys badius</i>	i) Agrawal, 2000: <i>Cannomys badius plumbescens</i> Thomas, 1915 synonymised under subspecies <i>Cannomys badius badius</i>	<i>Cannomys badius plumbescens</i> Thomas, 1915 synonymised under subspecies <i>Cannomys badius badius</i>	Agrawal, 2000
		—		Mount Popa, Myanmar	<i>Cannomys badius pater</i> Thomas, 1915	<i>Cannomys badius pater</i> Thomas, 1915	<i>Cannomys pater</i> Thomas, 1915	<i>Cannomys badius pater</i> Thomas, 1915	i) Agrawal, 2000: <i>Cannomys pater</i>	<i>Cannomys badius pater</i> Thomas, 1915	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							synonymised under species <i>Cannomys badius</i>	synonymised under species <i>Cannomys badius</i>	Thomas, 1915 synonymised under subspecies <i>Cannomys badius badius</i>	Synonymised under subspecies <i>Cannomys badius badius</i>	
					—	—	—	Family : Cricetidae	—	Family : Cricetidae	Musser and Carleton, in Wilson & Reeder, 2005
					Subfamily : Cricetinae	Subfamily : Cricetinae	Subfamily : Cricetinae	Subfamily : Cricetinae	i) Agrawal, 2000: Subfamily : Cricetinae	Subfamily : Cricetinae	Musser and Carleton, in Wilson & Reeder, 2005
25			Dwarf hamsters		Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Genus : <i>Cricetulus</i> Milne-Edwards, 1867	i) Agrawal, 2000: Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	53		Migratory Hamsters, Little gray hamsters	India (Kashmir); Pakistan (Range: N. Pakistan (but only at high altitudes over 3000m); W. Pakistan (W of the Indus) Baluchistan)	<i>Cricetulus migratorius</i> Pallas, 1773	<i>Cricetulus migratorius</i> (Pallas)	<i>Cricetulus migratorius</i> Pallas, 1773	<i>Cricetulus migratorius</i> (Pallas, 1773)	i) Agrawal, 2000: <i>Cricetulus migratorius</i> (Pallas, 1773)	<i>Cricetulus migratorius</i> Pallas, 1773	Corbet & Hill, 1992
		88		Pakistan (Baluchistan : Kelat, North-West Frontier, Lodha, South Waziristan)	<i>Cricetulus migratorius migratorius</i> Pallas, 1773	<i>Cricetulus migratorius migratorius</i> (Pallas, 1773)	—	—	i) Roberts, 1997 and ii) Agrawal, 2000: Does not offer any comments on the status of subspecies <i>Cricetulus migratorius migratorius</i> iii) Srinivasulu & Pradhan,	<i>Cricetulus migratorius migratorius</i> Pallas, 1773	Ellerman, 1961; Srinivasulu & Pradhan, 2003

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									2003 : <i>Cricetulus migratorius migratorius</i> (Pallas, 1773)		
		89		India (Jammu & Kashmir)	<i>Cricetulus migratorius fulvus</i> Blanford, 1875	<i>Cricetulus migratorius fulvus</i> (Blanford)	—	<i>Cricetulus migratorius fulvus</i> (Blanford, 1875) synonymised under species <i>Cricetulus migratorius</i> without offering any comments for this subspecies	i) Agrawal, 2000; Srinivasulu & Pradhan, 2003: <i>Cricetulus migratorius fulvus</i> (Blanford, 1875)	<i>Cricetulus migratorius fulvus</i> (Blanford, 1875)	Agrawal, 2000; Srinivasulu & Pradhan, 2003
	54		Ladak Hamster	India (Jammu & Kashmir); Nepal	<i>Cricetulus alticola</i> Thomas, 1917	<i>Cricetulus alticola</i> Thomas	—	<i>Cricetulus alticola</i> Thomas, 1917	i) Agrawal, 2000: <i>Cricetulus alticola</i> Thomas, 1917	<i>Cricetulus alticola</i> Thomas, 1917	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
			Voles		Subfamily : Microtinae	Subfamily : Microtinae	Subfamily : Arvicolinae	Subfamily : Arvicolinae	i) Agrawal, 2000: Subfamily : Arvicolinae	Subfamily : Arvicolinae	Corbet & Hill, 1992; Agrawal, 2000
26					Genus : <i>Eothenomys</i> Miller, 1896	Genus : <i>Eothenomys</i> Miller	Genus : <i>Eothenomys</i> Miller, 1896	Genus : <i>Eothenomys</i> Miller, 1896	i) Agrawal, 2000: Genus : <i>Eothenomys</i> Miller, 1896	Genus : <i>Eothenomys</i> Miller, 1896	Corbet & Hill, 1992; Agrawal, 2000
	55		Pere Davids Vole	India (Arunachal Pradesh); Myanmar	<i>Eothenomys melanogaster</i> Milne-Edwards, 1871	<i>Eothenomys melanogaster</i> (Milne-Edwards)	<i>Eothenomys melanogaster</i> Milne-Edwards, 1872	<i>Eothenomys melanogaster</i> (Milne-Edwards, 1871)	i) Agrawal, 2000: <i>Eothenomys melanogaster</i> (Milne-Edwards, 1872)	<i>Eothenomys melanogaster</i> (Milne-Edwards, 1872)	Musser and Carleton, in Wilson & Reeder, 2005
		90		India (Mishmi Hills, Assam, Arunachal Pradesh); Myanmar	<i>Eothenomys melanogaster libonotus</i> Hinton, 1923	<i>Eothenomys melanogaster libonotus</i> Hinton	<i>Eothenomys melanogaster libonotus</i> Hinton, 1923	<i>Eothenomys melanogaster libonotus</i> Hinton, 1923 synonymised under species <i>Eothenomys melanogaster</i>	i) Agrawal, 2000: <i>Eothenomys melanogaster libonotus</i> Hinton, 1923	<i>Eothenomys melanogaster libonotus</i> Hinton, 1923	Corbet & Hill, 1992; Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	56			North East Myanmar	<i>Eothenomys melanogaster cacinus</i> Thomas, 1921	<i>Eothenomys melanogaster cacinus</i> (Thomas)	<i>Microtus (E.) cacinus</i> Thomas, 1921 synonymised under species <i>Eothenomys miletus</i>	<i>Eothenomys cacinus</i> (Thomas, 1921)	—	<i>Eothenomys cacinus</i> (Thomas, 1921)	Musser and Carleton, in Wilson & Reeder, 2005
27					Genus : <i>Alticola</i> Blanford, 1881	Genus : <i>Alticola</i> Blanford	—	Genus : <i>Alticola</i> Blanford, 1881	i) Agrawal, 2000: Genus : <i>Alticola</i> Blanford, 1881	Genus : <i>Alticola</i> Blanford, 1881	Agrawal, 2000
					Subgenus : <i>Alticola</i> Blanford, 1881	—	—	Subgenus : <i>Alticola</i> Blanford, 1881	—	Subgenus : <i>Alticola</i> Blanford, 1881	Musser and Carleton, in Wilson & Reeder, 2005
	57		Royle's High Mounta in Vole	India; Pakistan	<i>Alticola roylei</i> Gray, 1842	<i>Alticola roylei</i> (Gray)	—	<i>Alticola roylei</i> (Gray, 1842)	i) Agrawal, 2000: <i>Alticola roylei</i> (Gray, 1842)	<i>Alticola roylei</i> (Gray, 1842)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		91		Western Himalaya from Kulu valley in Himachal Pradesh, Kumaon in Uttar Pradesh (Now in Uttaranchal)	<i>Alticola roylei roylei</i> Gray, 1842	<i>Alticola roylei roylei</i> (Gray)	—	—	i) Agrawal, 2000: <i>Alticola roylei roylei</i> (Gray, 1842)	<i>Alticola roylei roylei</i> (Gray, 1842)	Agrawal, 2000
		—		India (Rahla, Kulu valley, Lahul)	<i>Alticola roylei cautus</i> Hinton, 1926	<i>Alticola roylei cautus</i> Hinton	—	<i>Alticola roylei cautus</i> Hinton, 1926 synonymised under species <i>Alticola roylei</i>	i) Agrawal, 2000: <i>Alticola roylei cautus</i> Hinton, 1926 synonymised under subspecies <i>Alticola roylei roylei</i>	<i>Alticola roylei cautus</i> Hinton, 1926 synonymised under species <i>Alticola roylei</i>	Musser and Carleton, in Wilson & Reeder, 2005
		92		Chago Lungma Glacier, Baltistan, 11,00 ft. Kashmir	<i>Alticola roylei glacialis</i> Miller, 1913	<i>Alticola roylei glacialis</i> Miller	—	—	i) Agrawal, 2000: No comments on taxonomic status since specimen of this taxa have not been examined	<i>Alticola roylei glacialis</i> Miller, 1913 (Tentative)	Ellerman, 1961

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	58		Kashmir Mountain Vole	India (Jammu & Kashmir); Pakistan (North West Frontier)	<i>Alticola roylei montosa</i> True, 1894	<i>Alticola roylei montosa</i> (True, 1894)	—	<i>Alticola montosa</i> (True, 1894)	i) Agrawal, 2000: <i>Alticola montosa</i> (True, 1894)	<i>Alticola montosa</i> (True, 1894)	Musser and Carleton, in Wilson & Reeder, 2005
	59		Silver Mountain Vole	NW India; Hindu Kush of NW Pakistan	<i>Alticola roylei argentata</i> Severtzov, 1879	—	—	<i>Alticola argentatus</i> Severtzov, 1879	—	<i>Alticola argentatus</i> Severtzov, 1879	Musser and Carleton, in Wilson & Reeder, 2005
		—	The Gilgit Vole/ Scully's Vole	India (West Himalaya, Jammu & Kashmir, Himachal Pradesh)	<i>Alticola roylei blanfordi</i> Scully, 1880	<i>Alticola roylei blanfordi</i> (Scully)	—	<i>Alticola roylei blanfordi</i> Scully, 1880 synonymised under species <i>Alticola argentatus</i>	i) Agrawal, 2000: <i>Alticola blanfordi</i> (Scully, 1880)	<i>Alticola roylei blanfordi</i> Scully, 1880 synonymised under species <i>Alticola argentatus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		India (Khyelang, Lahul)	<i>Alticola blanfordi lahulius</i> Hinton, 1926 synonymised under subspecies <i>Alticola roylei blanfordi</i>	<i>Alticola blanfordi lahulius</i> Hinton, 1926 synonymised under subspecies <i>Alticola roylei blanfordi</i>	—	<i>Alticola blanfordi lahulius</i> Hinton, 1926 synonymised under species <i>Alticola argentatus</i>	i) Agrawal, 2000: <i>Alticola blanfordi lahulius</i> (Hinton, 1926)	<i>Alticola blanfordi lahulius</i> Hinton, 1926 synonymised under species <i>Alticola argentatus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	60		White-tailed Mountain Vole	India (Braldu valley, Baltistan, about 12,000 ft. Kashmir)	<i>Alticola roylei albicauda</i> True, 1894	—	—	<i>Alticola albicaudus</i> (True, 1894)	i) Agrawal, 2000: No comments on taxonomic status since specimen of this taxa have not been examined	<i>Alticola albicaudus</i> (True, 1894)	Musser and Carleton, in Wilson & Reeder, 2005
	61		Stoliczka's Mountain Vole	India (Jammu & Kashmir (North Ladakh); Nepal	<i>Alticola stoliczkanus</i> Blanford, 1875	<i>Alticola stoliczkanus</i> (Blanford)	—	<i>Alticola stoliczkanus</i> (Blanford, 1875)	i) Agrawal, 2000: <i>Alticola stoliczkanus</i> (Blanford, 1875)	<i>Alticola stoliczkanus</i> (Blanford, 1875)	Agrawal, 2000
		—		Ladakh side of Karakoram Pass c 5100 m, Jammu & Kashmir	<i>Alticola stoliczkanus acrophilus</i> Miller, 1899	—	—	<i>Alticola stoliczkanus acrophilus</i> Miller, 1899 synonymised under species <i>Alticola stoliczkanus</i>	i) Agrawal, 2000: <i>Alticola stoliczkanus acrophilus</i> Miller, 1899 synonymised under species <i>Alticola stoliczkanus</i>	<i>Alticola stoliczkanus acrophilus</i> Miller, 1899 synonymised under species <i>Alticola stoliczkanus</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	62		Thomas' short-tailed Vole	India (Jammu & Kashmir, Himachal Pradesh); Nepal	<i>Alticola stoliczkanus stracheyi</i> Thomas, 1880	<i>Alticola stoliczkanus stracheyi</i> (Thomas, 1880)	—	<i>Alticola stoliczkanus stracheyi</i> (Thomas, 1880) synonymised under species <i>Alticola stoliczkanus</i> Tentatively with recommendation of detailed taxonomic studies	i) Agrawal, 2000; Srinivasulu & Pradhan, 2003: <i>Alticola stracheyi</i> (Thomas, 1880)	<i>Alticola stracheyi</i> (Thomas, 1880)	Agrawal, 2000; Srinivasulu & Pradhan, 2003
	—		Bhatnagar's Vole	Mingho, Langmoche valley, Khumbu, Nepal	—	<i>Alticola bhatanagari</i> Biswas & Khajuria, 1955	—	<i>Alticola bhatanagari</i> Biswas & Khajuria, 1955 synonymised under species <i>Alticola stoliczkanus</i>	i) Agrawal, 2000: <i>Alticola bhatanagari</i> Biswas & Khajuria, 1955 synonymised under species <i>Alticola stracheyi</i>	<i>Alticola bhatanagari</i> Biswas & Khajuria, 1955 synonymised under species <i>Alticola stracheyi</i>	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
28					Genus : <i>Hyperacrius</i> Miller, 1898	Genus : <i>Hyperacrius</i> Miller	Genus : <i>Hyperacrius</i> Miller, 1898	Genus : <i>Hyperacrius</i> Miller, 1898	i) Roberts, 1997 and Agrawal, 2000 : Genus : <i>Hyperacrius</i> Miller, 1898	Genus : <i>Hyperacrius</i> Miller, 1898	Agrawal, 2000
	63		Murree Vole	India (Jammu & Kashmir); North Pakistan, Murree Hills in the lower kahgan valley east of Indus river and West of the Indus in Swat	<i>Hyperacrius wynnei</i> Blanford, 1881	<i>Hyperacrius wynnei</i> (Blanford)	<i>Hyperacrius wynnei</i> Blanford, 1881	<i>Hyperacrius wynnei</i> (Blanford, 1881)	i) Roberts, 1997 and Agrawal, 2000 : <i>Hyperacrius wynnei</i> (Blanford, 1881)	<i>Hyperacrius wynnei</i> (Blanford, 1881)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—		Yakh Tangai, Swat, Pakistan	—	—	<i>Hyperacrius wynnei traubi</i> Phillips, 1969	<i>Hyperacrius wynnei traubi</i> Phillips, 1969 synonymised under species <i>Hyperacrius wynnei</i>	i) Roberts, 1997 : <i>Hyperacrius wynnei traubi</i> Phillips, 1969	<i>Hyperacrius wynnei traubi</i> Phillips, 1969 synonymised under species <i>Hyperacrius wynnei</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	64		True's Vole	India (Jammu & Kashmir); North Pakistan	<i>Hyperacrius fertilis</i> True, 1894	<i>Hyperacrius fertilis</i> (True)	<i>Hyperacrius fertilis</i> True, 1894	<i>Hyperacrius fertilis</i> (True, 1894)	i) Roberts, 1997 and Agrawal, 2000: <i>Hyperacrius fertilis</i> (True, 1894)	<i>Hyperacrius fertilis</i> (True, 1894)	Musser and Carleton, in Wilson & Reeder, 2005
		—			<i>Hyperacrius fertilis fertilis</i> True, 1894	<i>Hyperacrius fertilis fertilis</i> (True)	<i>Hyperacrius fertilis fertilis</i> True, 1894 synonymised under species <i>Hyperacrius fertilis</i>	—	—	<i>Hyperacrius fertilis fertilis</i> True, 1894 synonymised under species <i>Hyperacrius fertilis</i>	Corbet & Hill, 1992
		—		India (Kashmir)	<i>Hyperacrius fertilis brachelix</i> Miller, 1899	<i>Hyperacrius fertilis brachelix</i> (Miller)	<i>Microtus (H.) brachelix</i> Miller, 1899 synonymised under species <i>Hyperacrius fertilis</i>	<i>Hyperacrius fertilis brachelix</i> Miller, 1899 under species <i>Hyperacrius fertilis</i>	i) Agrawal, 2000: <i>Microtus (H.) brachélix</i> Miller, 1899 synonymised under species <i>Hyperacrius fertilis</i>	<i>Hyperacrius fertilis brachelix</i> Miller, 1899 synonymised under species <i>Hyperacrius fertilis</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Gulmarg, 9000 ft, Kashmir	<i>Microtus (Hyperacrius) aitchisoni</i> Miller, 1897	—	<i>Microtus (Hyperacrius) aitchisoni</i> Miller, 1897 synonymised under species <i>Hyperacrius fertilis</i>	<i>Microtus (Hyperacrius) aitchisoni</i> Miller, 1897 synonymised under species <i>Hyperacrius fertilis</i>	—	<i>Microtus (Hyperacrius) aitchisoni</i> Miller, 1897 synonymised under species <i>Hyperacrius fertilis</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan	—	—	<i>Hyperacrius fertilis zygomaticus</i> Phillips, 1969	<i>Hyperacrius fertilis zygomaticus</i> Phillips, 1969 synonymised under <i>Hyperacrius fertilis</i>	i) Roberts, 1997: <i>Hyperacrius fertilis zygomaticus</i> Phillips, 1969	<i>Hyperacrius fertilis zygomaticus</i> Phillips, 1969 synonymised under <i>Hyperacrius fertilis</i>	Musser and Carleton, in Wilson & Reeder, 2005
29					Subgenus : <i>Phaiomys</i> Blyth, 1863	Subgenus : <i>Phaiomys</i> Blyth, 1863	—	Genus : <i>Phaiomys</i> Blyth, 1863	—	Genus : <i>Phaiomys</i> Blyth, 1863	Musser and Carleton, in Wilson & Reeder, 2005
	65		Blyth's Mountain Vole	India (Jammu & Kashmir (Ladakh) and Himachal Pradesh); Nepal	<i>Pitymys leucurus</i> Blyth, 1863	<i>Pitymys leucurus</i> Blyth	<i>Pitymys leucurus</i> Blyth, 1863	<i>Phaiomys leucurus</i> (Blyth, 1863)	i) Agrawal, 2000: <i>Pitymys leucurus</i> (Blyth, 1863)	<i>Phaiomys leucurus</i> (Blyth, 1863)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—			<i>Pitymys leucurus leucurus</i> Blyth, 1863	<i>Pitymys leucurus leucurus</i> (Blyth)	—	<i>Pitymys leucurus leucurus</i> Blyth, 1863 Synonymised under species <i>Phaiomys leucurus</i>	i) Agrawal, 2000: <i>Pitymys leucurus leucurus</i> Blyth, 1863 Synonymised under species <i>Pitymys leucurus</i>	<i>Pitymys leucurus leucurus</i> Blyth, 1863 Synonymised under species <i>Phaiomys leucurus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Teza, Upper Sutlez Valley, Northern India	<i>Pitymys leucurus petulans</i> Wroughton, 1911	<i>Pitymys leucurus petulans</i> (Wroughton)	—	<i>Pitymys leucurus petulans</i> Wroughton, 1911 Synonymised under species <i>Phaiomys leucurus</i>	i) Agrawal, 2000: <i>Microtus (Phaiomys) waltoni petulan</i> Wroughton, 1911 synonymised under species <i>Pitymys leucurus</i>	<i>Pitymys leucurus petulans</i> Wroughton, 1911 Synonymised under species <i>Phaiomys leucurus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Nepal (East Mount Everest, 17000 ft.)	<i>Pitymys leucurus everesti</i> Thomas & Hinton, 1922	<i>Pitymys leucurus everesti</i> Thomas & Hinton, 1922	—	<i>Pitymys leucurus everesti</i> Thomas & Hinton, 1922 Synonymised under species <i>Phaiomys leucurus</i>	i) Agrawal, 2000: <i>Phaiomys everesti</i> Thomas & Hinton, 1922 synonymised under species <i>Pitymys leucurus</i>	<i>Pitymys leucurus everesti</i> Thomas & Hinton, 1922 Synonymised under species <i>Phaiomys leucurus</i>	Musser and Carleton, in Wilson & Reeder, 2005
30					Subgenus : <i>Neodon</i> Hodgson, 1849	Subgenus : <i>Neodon</i> Hodgson, 1849	—	Genus : <i>Neodon</i> Horsfield, 1841	—	Genus : <i>Neodon</i> Horsfield, 1841	Musser and Carleton, in Wilson & Reeder, 2005
	66		Sikkim Mountain Vole	India (Sikkim, Northern West Bengal); Nepal; East Bhutan	<i>Pitymys sikimensis</i> Hodgson, 1849	<i>Pitymys sikimensis</i> (Hodgson)	<i>Pitymys sikimensis</i> Hodgson, 1849	<i>Neodon sikimensis</i> (Hodgson, 1849)	i) Agrawal, 2000: <i>Pitymys sikimensis</i> Hodgson, 1849	<i>Neodon sikimensis</i> (Hodgson, 1849)	Musser and Carleton, in Wilson & Reeder, 2005
	67		Juniper Mountain Vole	North Pakistan	<i>Pitymys juldaschi</i> Severtzov, 1879	—	—	<i>Neodon juldaschi</i> (Severtzov, 1879)	i) Roberts, 1997: <i>Microtus juldaschi</i> (Severtzov, 1879)	<i>Neodon juldaschi</i> (Severtzov, 1879)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	68		Forrest's Mountain Vole	Nothernmost Myanmar	<i>Pitymys irene forresti</i> Hinton, 1923	<i>Pitymys irene forresti</i> Hinton	—	<i>Neodon forresti</i> (Hinton, 1923)	—	<i>Neodon forresti</i> (Hinton, 1923)	Musser and Carleton, in Wilson & Reeder, 2005
31					Genus : <i>Microtus</i> Schrank, 1798	Genus : <i>Microtus</i> Schrank	Genus : <i>Microtus</i> Schrank	Genus : <i>Microtus</i> Schrank, 1798	—	Genus : <i>Microtus</i> Schrank, 1798	Corbet & Hill, 1992
					Subgenus : <i>Microtus</i> Schrank, 1798	—	—	Subgenus : <i>Alexandromys</i> Ognev, 1914	—	Subgenus : <i>Alexandromys</i> Ognev, 1914	Musser and Carleton, in Wilson & Reeder, 2005
	69		Clarke's Vole	Adung valley, North Myanmar	<i>Microtus clarkei</i> Hinton, 1923	<i>Microtus clarkei</i> Hinton, 1923	<i>Microtus clarkei</i> Hinton, 1923	<i>Microtus clarkei</i> Hinton, 1923	—	<i>Microtus clarkei</i> Hinton, 1923	Musser and Carleton, in Wilson & Reeder, 2005
32					Genus : <i>Ellobius</i> Fischer, 1814	Genus : <i>Ellobius</i> Fischer, 1814	Genus : <i>Ellobius</i> Fischer, 1814	Genus : <i>Ellobius</i> (Fischer, 1814)	i) Roberts, 1997: Genus: <i>Ellobius</i> Fischer, 1814	Genus : <i>Ellobius</i> Fischer, 1814	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					—	—	—	Subgenus : <i>Afganomys</i> Topachevski, 1965	—	Subgenus : <i>Afganomys</i> Topachevski, 1965	Musser and Carleton, in Wilson & Reeder, 2005
	70		Afghan Mole-Vole; Southern Mole Vole	Quetta, Baluchistan, Pakistan	<i>Ellobius fuscocapillus</i> Blyth, 1843	<i>Ellobius fuscocapillus</i> Blyth, 1843	<i>Ellobius fuscocapillus</i> Blyth, 1842	<i>Ellobius fuscocapillus</i> Blyth, 1843	i) Roberts, 1997: <i>Ellobius fuscocapillus</i> Blyth, 1843	<i>Ellobius fuscocapillus</i> Blyth, 1843	Roberts, 1997; Musser and Carleton, in Wilson & Reeder, 2005
					Family : Muridae Subfamily : Cricetinae	Family : Muridae Subfamily : Cricetinae	Subfamily : Cricetinae	Family : Calomyscidae	i) Roberts, 1997: Family : Muridae Subfamily : Murinae	Family : Calomyscidae	Musser and Carleton, in Wilson & Reeder, 2005
33					Genus : <i>Calomyscus</i> Thomas, 1905	Genus : <i>Calomyscus</i> Thomas, 1905	Genus : <i>Calomyscus</i> Thomas, 1905	Genus : <i>Calomyscus</i> Thomas, 1905	i) Roberts, 1997: Genus : <i>Calomyscus</i> Thomas, 1905	Genus : <i>Calomyscus</i> Thomas, 1905	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	71		Mouse like Hamsters	Pakistan, East of Indus	<i>Calomyscus bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi</i> Thomas, 1905	i) Roberts, 1997: <i>Calomyscus bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi</i> Thomas, 1905	Musser and Carleton, in Wilson & Reeder, 2005
		—		Kelat & Harboi, Baluchistan (Pakistan)	<i>Calomyscus bailwardi bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi bailwardi</i> Thomas, 1905	<i>Calomyscus bailwardi bailwardi</i> Thomas, 1905 synonymised under species <i>Calomyscus bailwardi</i>	—	—	<i>Calomyscus bailwardi bailwardi</i> Thomas, 1905 synonymised under species <i>Calomyscus bailwardi</i>	Corbet & Hill, 1992
	72			Kelat, Baluchistan (West Pakistan)	<i>Calomyscus baluchi</i> Thomas, 1920 synonymised under subspecies <i>Calomyscus bailwardi bailwardi</i>	<i>Calomyscus baluchi</i> Thomas, 1920 synonamysed under subspecies <i>Calomyscus bailwardi bailwardi</i>	<i>Calomyscus bailwardi baluchi</i> Thomas, 1920	<i>Calomyscus baluchi</i> Thomas, 1920	—	<i>Calomyscus baluchi</i> Thomas, 1920	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	73			Panjgur dist. Baluchistan (Pakistan)	<i>Calomyscus bailwardi hotsoni</i> Thomas, 1920	<i>Calomyscus bailwardi hotsoni</i> Thomas, 1920	<i>Calomyscus hotsoni</i> Thomas, 1920 synonymised under subspecies <i>Calomyscus bailwardi baluchi</i>	<i>Calomyscus hotsoni</i> Thomas, 1920	—	<i>Calomyscus hotsoni</i> Thomas, 1920	Musser and Carleton, in Wilson & Reeder, 2005
					Family : Muridae	Family : Muridae	Family : Muridae	Family : Muridae	—	Family : Muridae	Musser and Carleton, in Wilson & Reeder, 2005
					Subfamily : Murinae	Subfamily : Murinae	Subfamily : Murinae	Subfamily : Deomyinae Thomas, 1888	—	Subfamily : Deomyinae Thomas, 1888	Musser and Carleton, in Wilson & Reeder, 2005
34			Spiny Mouse		Genus : <i>Acomys</i> Geoffroy, 1838	Genus : <i>Acomys</i> Geoffroy, 1838	Genus : <i>Acomys</i> Geoffroy, 1838	Genus : <i>Acomys</i> I.Geoffroy, 1838	i) Roberts, 1997: Genus: <i>Acomys</i> Geoffroy, 1838	Genus : <i>Acomys</i> Geoffroy, 1838	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					—	—	—	Subgenus : <i>Acomys</i> I. Geoffroy, 1838	—	Subgenus : <i>Acomys</i> I. Geoffroy, 1838	Musser and Carleton, in Wilson & Reeder, 2005
	74		Cairo spiny mouse	SW Pakistan, West of river Indus	<i>Acomys cahirinus</i> Desmarest, 1819	<i>Acomys cahirinus</i> (Desmarest, 1819)	<i>Acomys cahirinus</i> Desmarest, 1819	<i>Acomys cahirinus</i> Desmarest, 1819	i) Roberts, 1997: <i>Acomys cahirinus</i> Desmarest, 1819	<i>Acomys cahirinus</i> Desmarest, 1819	Musser and Carleton, in Wilson & Reeder, 2005
	75		Eastern Spiny Mouse	South Pakistan	<i>Acomys cahirinus dimidiatus</i> Cretzschmar, 1826	—	<i>Acomys dimidiatus</i> Cretzschmar, 1827 synonymised under species <i>Acomys cahirinus</i>	<i>Acomys dimidiatus</i> Cretzschmar, 1826	—	<i>Acomys dimidiatus</i> Cretzschmar, 1826	Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan (Laki Hills, Schwan Sind)	<i>Acomys cahirinus flavidus</i> Thomas, 1917	<i>Acomys cahirinus flavidus</i> Thomas, 1917	<i>Acomys flavidus</i> Thomas, 1917 synonymised	<i>Acomys flavidus</i> Thomas, 1917 synonymised	i) Roberts, 1997: <i>Acomys cahirinus flavidus</i>	<i>Acomys flavidus</i> Thomas, 1917 synonymised	Musser and Carleton, in Wilson & Reeder,

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							under species <i>Acomys cahirinus</i>	under species <i>Acomys dimidiatus</i>	Thomas, 1917 synonymised under species <i>Acomys cahirinus</i>	under species <i>Acomys dimidiatus</i>	2005
			Gerbils & Jirds		Subfamily : Gerbillinae	Subfamily : Gerbillinae	Subfamily : Gerbillinae	Subfamily : Gerbillinae	i) Agrawal, 2000: Subfamily : Gerbillinae	Subfamily : Gerbillinae	Musser and Carleton, in Wilson & Reeder, 2005
35					Genus : <i>Gerbillus</i> Desmarest, 1804	Genus : <i>Gerbillus</i> Desmarest, 1804	Genus : <i>Gerbillus</i> Desmarest, 1804	Genus : <i>Gerbillus</i> Desmarest, 1804	i) Agrawal, 2000: Genus: <i>Gerbillus</i> Desmarest, 1804	Genus : <i>Gerbillus</i> Desmarest, 1804	Corbet & Hill, 1992; Agrawal, 2000.
					Subgenus : <i>Dipodillus</i> Lataste, 1881	Subgenus : <i>Dipodillus</i> Lataste, 1881	—	Subgenus : <i>Hendecapleura</i> Lataste, 1894	—	Subgenus : <i>Hendecapleura</i> Lataste, 1894	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	76		Baluchistan Gerbil, The little gerbil	India (Rajasthan, Gujarat); Pakistan	<i>Gerbillus nanus</i> Blanford, 1875	<i>Gerbillus nanus</i> Blanford	<i>Gerbillus nanus</i> Blanford, 1875	<i>Gerbillus nanus</i> Blanford, 1875	i) Roberts, 1997 and Agrawal, 2000: <i>Gerbillus nanus</i> Blanford, 1875	<i>Gerbillus nanus</i> Blanford, 1875	Musser and Carleton, in Wilson & Reeder, 2005
		93		India; Pakistan (Baluchistan)	<i>Gerbillus nanus nanus</i> Blanford, 1875	<i>Gerbillus nanus nanus</i> Blanford	Do not offer any comments on status of subspecies <i>Gerbillus nanus nanus</i> Blanford, 1875	Do not offer any comments on status of subspecies <i>Gerbillus nanus nanus</i> Blanford, 1875	i) Agrawal, 2000: <i>Gerbillus nanus nanus</i> Blanford, 1875	<i>Gerbillus nanus nanus</i> Blanford, 1875	Agrawal, 2000
		—		India (Rajasthan, Gujarat); Pakistan (Southern Waziristan)	<i>Gerbillus dasyurus Indus</i> Thomas, 1920	<i>Gerbillus dasyurus indus</i> (Thomas)	<i>Dipodillus Indus</i> Thomas, 1920 synonymised under species <i>Gerbillus nanus</i>	<i>Dipodillus indus</i> Thomas, 1920 synonymised under species <i>Gerbillus nanus</i>	i) Roberts, 1997 and Agrawal, 2000: <i>Gerbillus dasyurus indus</i> Thomas, 1920 synonymised under species <i>Gerbillus nanus</i>	<i>Gerbillus dasyurus indus</i> Thomas, 1920 synonymised under species <i>Gerbillus nanus</i>	Corbet & Hill, 1992; Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Subgenus : <i>Gerbillus</i> Desmarest, 1804	Subgenus : <i>Gerbillus</i> Desmarest, 1804	—	Subgenus : <i>Gerbillus</i> Desmarest, 1804	—	Subgenus : <i>Gerbillus</i> Desmarest, 1804	Musser and Carleton, in Wilson & Reeder, 2005
	77		Indian Hairy Footed Gerbil	NW India (West Rajasthan & Gujarat); E. Pakistan (Mostly East of the river Indus)	<i>Gerbillus gleadowi</i> Murray, 1886	<i>Gerbillus gleadowi</i> Murray	<i>Gerbillus gleadowi</i> Murray, 1886	<i>Gerbillus gleadowi</i> Murray, 1886	i) Roberts, 1997 and Agrawal, 2000: <i>Gerbillus gleadowi</i> Murray, 1886	<i>Gerbillus gleadowi</i> Murray, 1886	Musser and Carleton, in Wilson & Reeder, 2005
	78		Cheesman's Gerbil	Baluchistan, Pakistan	—	—	<i>Gerbillus cheesmani</i> Thomas, 1919	<i>Gerbillus cheesmani</i> Thomas, 1919	i) Roberts, 1997: <i>Gerbillus cheesmani</i> Thomas, 1919	<i>Gerbillus cheesmani</i> Thomas, 1919	Roberts, 1997; Corbet & Hill, 1992
	79			West Pakistan	—	—	<i>Gerbillus cheesmani aquilus</i> Schlitter & Setzer, 1972	<i>Gerbillus aquilus</i> Schlitter & Setzer, 1972	i) Roberts, 1997: <i>Gerbillus cheesmani aquilus</i> Schlitter & Setzer, 1972	<i>Gerbillus aquilus</i> Schlitter & Setzer, 1972	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		36km East of Nok kundi, Pakistan	—	—	<i>Gerbillus cheesmani subsolanus</i> Schlitter & Setzer, 1973	<i>Gerbillus cheesmani subsolanus</i> Schlitter & Setzer, 1973 synonymised under species <i>Gerbillus aquilus</i>	—	<i>Gerbillus cheesmani subsolanus</i> Schlitter & Setzer, 1973 synonymised under species <i>Gerbillus aquilus</i>	Musser and Carleton, in Wilson & Reeder, 2005
36					Genus : <i>Tatera</i> Lataste, 1882	Genus : <i>Tatera</i> Lataste	Genus : <i>Tatera</i> Lataste, 1882	Genus : <i>Tatera</i> Lataste, 1882	i) Agrawal, 2000: Genus : <i>Tatera</i> Lataste, 1882	Genus : <i>Tatera</i> Lataste, 1882	Corbet & Hill, 1992; Agrawal, 2000
	80		Indian Gerbil, Antelope Rat	India; Pakistan; Sri Lanka; Nepal	<i>Tatera indica</i> Hardwicke, 1807	<i>Tatera indica</i> (Hardwicke)	<i>Tatera indica</i> Hardwicke, 1807	<i>Tatera indica</i> (Hardwicke, 1807)	i) Agrawal, 2000: <i>Tatera indica</i> (Hardwicke, 1807)	<i>Tatera indica</i> Hardwicke, 1807	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		94		India (Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, Rajasthan, Gujarat, Madhya Pradesh, Maharashtra, Orissa, Uttar Pradesh, Bihar, West Bengal); Pakistan; Terai region of South Nepal	<i>Tatera indica indica</i> Hardwicke, 1807	<i>Tatera indica indica</i> (Hardwicke)	<i>Tatera indica indica</i> Hardwicke, 1807	Retained upto species level i.e. <i>Tatera indica</i>	i) Agrawal, 2000: <i>Tatera indica indica</i> (Hardwicke, 1807)	<i>Tatera indica indica</i> (Hardwicke, 1807)	Corbet & Hill, 1992; Agrawal, 2000; Talmale, 2007 * See comments given below

* Musser and Carleton, in Wilson & Reeder (2005) has merged all the subspecies in *Tatera indica*. However, studies carried out by Agrawal and Chakraborty (1981), Bates (1988), Agrawal (2000) and Talmale (2007 based on study of freshly collected specimens and those deposited in ZSI and BNHS museums) have revealed distinct variations in the Indian *T. indica* populations. Therefore based on these studies *T. indica indica* has been considered, here, as a valid subspecies.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		95		India (Maharashtra (South of Bombay, Satara, Kolaba, Ratnagiri), Goa, Karnataka, Tamil Nadu, Andhra Pradesh); Sri Lanka	<i>Tatera indica cuvieri</i> Waterhouse, 1838	<i>Tatera indica cuvieri</i> Waterhouse	<i>Tatera indica cuvieri</i> Waterhouse, 1838	<i>Tatera indica cuvieri</i> (Waterhouse, 1838) synonymised under species <i>Tatera indica</i>	i) Agrawal, 2000: <i>Tatera indica cuvieri</i> (Waterhouse, 1838)	<i>Tatera indica cuvieri</i> (Waterhouse, 1838)	Corbet and Hill, 1992; Agrawal, 2000; Talmale 2007 * See comments given under <i>Tatera indica indica</i>
		—		India (Dharwad, Coorg, Western Bombay, Mysore)	<i>Tatera indica hardwickei</i> Gray, 1843	<i>Tatera indica hardwickei</i> (Gray)	<i>Gerbillus hardwickei</i> Gray, 1843 synonymised under species <i>Tatera indica</i>	<i>Tatera indica hardwickei</i> (Gray, 1843) synonymised under subspecies <i>Tatera indica</i>	i) Agrawal, 2000) <i>Gerbillus hardwickei</i> Gray, 1843 synonymised under subspecies <i>Tatera indica cuvieri</i>	<i>Tatera indica hardwickei</i> Gray, 1843 synonymised under subspecies <i>Tatera indica cuvieri</i>	Corbet & Hill, 1992; Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Sri Lanka	<i>Tatera indica ceylonica</i> Wroughton, 1906	<i>Tatera indica ceylonica</i> Wroughton, 1906	<i>Tatera ceylonica</i> Wroughton, 1906 Synonymised under species <i>Tatera indica</i>	<i>Tatera ceylonica</i> Wroughton, 1906 Synonymised under species <i>Tatera indica</i>	i) Agrawal, 2000: <i>Tatera ceylonica</i> Wroughton, 1906 synonymised under subspecies <i>Tatera indica cuvieri</i>	<i>Tatera indica ceylonica</i> Wroughton, 1906 synonymised under subspecies <i>Tatera indica cuvieri</i>	Agrawal, 2000
37			Sand Rats		Genus : <i>Meriones</i> Illiger, 1811	Genus : <i>Meriones</i> Illiger	Genus : <i>Meriones</i> Illiger, 1811	Genus : <i>Meriones</i> Illiger, 1811	i) Roberts, 1997 and Agrawal, 2000: Genus : <i>Meriones</i> Illiger, 1811	<i>Meriones</i> Illiger, 1811	Roberts, 1997; Agrawal, 2000.
					Subgenus : <i>Cheliones</i> Thomas, 1919	Subgenus : <i>Cheliones</i> Thomas, 1919	—	Subgenus : <i>Cheliones</i> Thomas, 1919	—	Subgenus : <i>Cheliones</i> Thomas, 1919	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	81		The Indian Desert Gerbil	India (Haryana, Rajasthan & Gujarat); Pakistan	<i>Meriones hurrianae</i> Jerdon, 1867	<i>Meriones hurrianae</i> (Jerdon)	<i>Meriones hurrianae</i> Jerdon, 1867	<i>Meriones hurrianae</i> Jerdon, 1867	i) Roberts, 1997 and Agrawal, 2000: <i>Meriones hurrianae</i> (Jerdon, 1867)	<i>Meriones hurrianae</i> (Jerdon, 1867)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan (Kohat, North-West Frontier Province)	<i>Cheliones hurrianae collinus</i> Thomas 1919 synonymised under species <i>Meriones hurrianae</i>	<i>Cheliones hurrianae collinus</i> Thomas 1919 synonymised under species <i>Meriones hurrianae</i>	<i>Cheliones hurrianae collinus</i> Thomas 1919	<i>Meriones hurrianae collinus</i> Thomas 1919 synonymised under species <i>Meriones hurrianae</i>	i) Agrawal, 2000: <i>Cheliones hurrianae collinus</i> Thomas 1919 synonymised under species <i>Meriones hurrianae</i>	<i>Meriones hurrianae collinus</i> Thomas 1919 synonymised under species <i>Meriones hurrianae</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
					Subgenus : <i>Parameriones</i> Heptner, 1937	Subgenus : <i>Parameriones</i> Heptner, 1937	—	Subgenus : <i>Parameriones</i> Heptner, 1937	—	Subgenus : <i>Parameriones</i> Heptner, 1937	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	82		Persian Jird, Blanford's Jird	Pakistan (Baluchistan)	<i>Meriones persicus</i> Blanford, 1875	<i>Meriones persicus</i> (Blanford, 1875)	<i>Meriones persicus</i> Blanford, 1875	<i>Meriones persicus</i> Blanford, 1875	i) Roberts, 1997: <i>Meriones persicus</i> Blanford, 1875	<i>Meriones persicus</i> Blanford, 1875	Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan (Baluchistan)	<i>Meriones persicus persicus</i> Blanford, 1875	<i>Meriones persicus persicus</i> Blanford, 1875	Offers no comments on subspecific status of <i>Meriones persicus persicus</i>	Offers no comments on subspecific status of <i>Meriones persicus persicus</i>	—	—	Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan (Baluchistan)	<i>Meriones persicus baptistae</i> Thomas, 1920	<i>Meriones persicus baptistae</i> Thomas, 1920	<i>Meriones persicus baptistae</i> Thomas, 1920	<i>Meriones persicus baptistae</i> Thomas, 1920 synonymised under species <i>Meriones persicus</i>	—	<i>Meriones persicus baptistae</i> Thomas, 1920 synonymised under species <i>Meriones persicus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Subgenus : <i>Pallasiomys</i> Heptner, 1933	Subgenus : <i>Pallasiomys</i> Heptner, 1933	—	Subgenus : <i>Pallasiomys</i> Heptner, 1933	—	Subgenus : <i>Pallasiomys</i> Heptner, 1933	Musser and Carleton, in Wilson & Reeder, 2005
	83		The Libyan Jird	Pakistan (Baluchistan, W. Pakistan)	<i>Meriones libycus</i> Lichtensten, 1823	<i>Meriones libycus</i> Lichtensten, 1823	<i>Meriones libycus</i> Lichtensten, 1823	<i>Meriones libycus</i> Lichtensten, 1823	i) Roberts, 1997: <i>Meriones libycus</i> Lichtensten, 1823	<i>Meriones libycus</i> Lichtensten, 1823	Corbet & Hill, 1992; Roberts, 1997
		—	The Afagan Gerbil, Jird	Pakistan (Baluchistan)	<i>Meriones libycus erythrourus</i> Gray, 1842	<i>Meriones libycus erythrourus</i> (Gray, 1842)	<i>Gerbillus erythrourus</i> Gray, 1842 synonymised under species <i>Meriones libycus</i>	<i>Meriones libycus erythrourus</i> (Gray, 1842) synonymised under species <i>Meriones libycus</i>	i) Roberts, 1997: <i>Meriones libycus erythrourus</i> Gray, 1842 synonymised under species <i>Meriones libycus</i>	<i>Meriones libycus erythrourus</i> (Gray, 1842) synonymised under species <i>Meriones libycus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	84		Sundevall's Jird	East Pakistan	<i>Meriones crassus</i> Sundevall, 1842	<i>Meriones crassus</i> Sundevall, 1842	<i>Meriones crassus</i> Sundevall, 1842	<i>Meriones crassus</i> Sundevall, 1842	i) Roberts, 1997: <i>Meriones crassus</i> Sundevall, 1842	<i>Meriones crassus</i> Sundevall, 1842	Corbet & Hill, 1992; Roberts, 1997
		—		Pakistan (Waziristan, NW Frontier)	<i>Meriones crassus swinhoei</i> Scully, 1881	<i>Meriones crassus swinhoei</i> (Scully, 1881)	<i>Gerbillus swinhoei</i> Scully, 1881 synonymised under species <i>Meriones crassus</i>	<i>Meriones crassus swinhoei</i> Scully, 1881 synonymised under species <i>Meriones crassus</i>	—	<i>Meriones crassus swinhoei</i> Scully, 1881 synonymised under species <i>Meriones crassus</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
38					Genus : <i>Rhombomys</i> Wagner, 1841	—	Genus : <i>Rhombomys</i> Wagner, 1841	Genus : <i>Rhombomys</i> Wagner, 1841	i) Roberts, 1997: Genus : <i>Rhombomys</i> Wagner, 1841	Genus : <i>Rhombomys</i> Wagner, 1841	Musser and Carleton, in Wilson & Reeder, 2005
	85		Great Gerbil	Pakistan (North Baluchistan)	<i>Rhombomys opimus</i> Lichtenstein, 1823	—	<i>Rhombomys opimus</i> Lichtenstein, 1823	<i>Rhombomys opimus</i> Lichtenstein, 1823	i) Roberts, 1997: <i>Rhombomys opimus</i> Lichtenstein, 1823	<i>Rhombomys opimus</i> Lichtenstein, 1823	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Subfamily : Murinae	Subfamily : Murinae	Subfamily : Murinae	Subfamily : Murinae	i) Agrawal, 2000: Subfamily : Murinae	Subfamily : Murinae	Musser and Carleton, in Wilson & Reeder, 2005
39			Palearctic Wood Mice		Genus : <i>Apodemus</i> Kaup, 1829	Genus : <i>Apodemus</i> Kaup	Genus : <i>Apodemus</i> Kaup	Genus : <i>Apodemus</i> Kaup, 1829	i) Agrawal, 2000: Genus : <i>Apodemus</i> Kaup, 1829	Genus : <i>Apodemus</i> Kaup, 1829	Corbet & Hill, 1992; Agrawal, 2000.
	86		Common long tailed field mouse, Wood mouse	India; Pakistan; Nepal	<i>Apodemus sylvaticus</i> Linnaeus, 1758	<i>Apodemus sylvaticus</i> (Linnaeus)	<i>Apodemus sylvaticus</i> Linnaeus, 1758	<i>Apodemus sylvaticus</i> Linnaeus, 1758	i) Agrawal, 2000: <i>Apodemus sylvaticus</i> (Linnaeus, 1758)	<i>Apodemus sylvaticus</i> Linnaeus, 1758	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	87		Himalayan Field Mouse	India (Jammu & Kashmir), Pakistan, Nepal	<i>Apodemus sylvaticus pallipes</i> (Barrett-Hamilton, 1900)	—	—	<i>Apodemus pallipes</i> (Barrett-Hamilton, 1900)	—	<i>Apodemus pallipes</i> (Barrett-Hamilton, 1900)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Jammu & Kashmir, Himachal Pradesh, Uttar Pradesh); Pakistan; Nepal	<i>Apodemus flavicollis wardi</i> Wroughton, 1908	<i>Apodemus flavicollis wardi</i> (Wroughton)	<i>Micromys sylvaticus wardi</i> Wroughton, 1908	<i>Micromys sylvaticus wardi</i> Wroughton, 1908 synonymised under species <i>Apodemus pallipes</i>	i) Agrawal, 2000: <i>Apodemus sylvaticus wardi</i> (Wroughton, 1908)	<i>Micromys sylvaticus wardi</i> Wroughton, 1908 synonymised under species <i>Apodemus pallipes</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Thandiani, Punjab, Pakistan	<i>Apodemus sylvaticus pentax</i> Wroughton, 1908	<i>Apodemus sylvaticus pentax</i> Wroughton, 1908	<i>Micromys sylvaticus pentax</i> Wroughton, 1908	<i>Micromys sylvaticus pentax</i> Wroughton, 1908 synonymised under species <i>Apodemus pallipes</i>	i) Agrawal, 2000: <i>Micromys sylvaticus pentax</i> Wroughton, 1908 synonymised under subspecies <i>Apodemus sylvaticus wardi</i>	<i>Micromys sylvaticus pentax</i> Wroughton, 1908 synonymised under species <i>Apodemus pallipes</i>	Musser and Carleton, in Wilson & Reeder, 2005
	88		Kashmir Field Mouse	Pakistan	<i>Apodemus flavicollis rusiges</i> Miller, 1913	<i>Apodemus flavicollis rusiges</i> Miller, 1913	<i>Apodemus flavicollis rusiges</i> Miller, 1913	<i>Apodemus rusiges</i> Miller, 1913	i) Roberts, 1997: <i>Apodemus flavicollis</i>	<i>Apodemus rusiges</i> Miller, 1913	Musser and Carleton, in Wilson

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							synonymised under species <i>Apodemus sylvaticus</i>		<i>rusiges</i> Miller, 1913 ii) Agrawal, 2000: Synonymised under subspecies <i>Apodemus sylvaticus wardi</i>		& Reeder, 2005
	89		South China Field Mouse	India (Northern Assam); North Myanmar	<i>Apodemus sylvaticus draco</i> Barret-Hamilton, 1900	<i>Apodemus sylvaticus draco</i> Barret-Hamilton	<i>Apodemus draco</i> Barret-Hamilton, 1900	<i>Apodemus draco</i> (Barret-Hamilton, 1900)	—	<i>Apodemus draco</i> (Barret-Hamilton, 1900)	Musser and Carleton, in Wilson & Reeder, 2005
		—	Chinese wood mouse	India (Arunachal Pradesh); North Myanmar	<i>Apodemus sylvaticus orestes</i> Thomas, 1908	<i>Apodemus sylvaticus orestes</i> Thomas, 1908	<i>Apodemus orestes</i> Thomas, 1911	<i>Apodemus sylvaticus orestes</i> Thomas, 1908 Synonymised under species <i>Apodemus draco</i>	i) Agrawal, 2000: <i>Apodemus orestes</i> (Thomas, 1911)	<i>Apodemus sylvaticus orestes</i> Thomas, 1908 Synonymised under species <i>Apodemus draco</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	90		Nepalese Field Mouse	Laprak, Gorkha, Nepal	<i>Apodemus flavicollis gurkha</i> Thomas, 1924	<i>Apodemus flavicollis gurkha</i> Thomas, 1924	<i>Apodemus gurkha</i> Thomas, 1924	<i>Apodemus</i> , 1924	i) Agrawal, 2000: <i>Apodemus gurkha</i> Thomas, 1924	<i>Apodemus gurkha</i> Thomas, 1924	Musser and Carleton, in Wilson & Reeder, 2005
	91		Large-eared Field Mouse	North Myanmar	<i>Apodemus flavicollis latronum</i> Thomas, 1911	<i>Apodemus flavicollis latronum</i> Thomas	<i>Apodemus latronum</i> Thomas, 1911	<i>Apodemus latronum</i> Thomas, 1911	—	<i>Apodemus latronum</i> Thomas, 1911	Musser and Carleton, in Wilson & Reeder, 2005
40					Genus : <i>Micromys</i> Dehue, 1841	Genus : <i>Micromys</i> Dehue, 1841	Genus : <i>Micromys</i> Dehue, 1841	Genus : <i>Micromys</i> Dehue, 1841	i) Agrawal, 2000: Genus : <i>Micromys</i> Dehue, 1841	Genus : <i>Micromys</i> Dehue, 1841	Musser and Carleton, in Wilson & Reeder, 2005
	92		The Harvest Mouse	India; North Myanmar	<i>Micromys minutus</i> Pallas, 1771	<i>Micromys minutus</i> (Pallas)	<i>Micromys minutus</i> Pallas, 1771	<i>Micromys minutus</i> (Pallas, 1771)	i) Agrawal, 2000: <i>Micromys minutus</i> (Pallas, 1771)	<i>Micromys minutus</i> Pallas, 1771	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Meghalaya (Cherapunji) & Nagaland); North Myanmar	<i>Micromys minutus erythrotis</i> Blyth, 1855	<i>Micromys minutus erythrotis</i> Blyth, 1855	<i>Mus erythrotis</i> Blyth, 1856 synonymised under species <i>Micromys minutus</i>	<i>Mus erythrotis</i> Blyth, 1856 synonymised under species <i>Micromys minutus</i>	i) Agrawal, 2000: <i>Micromys minutus erythrotis</i> (Blyth, 1855)	<i>Mus erythrotis</i> Blyth, 1856 synonymised under species <i>Micromys minutus</i>	Musser and Carleton, in Wilson & Reeder, 2005
41					Genus : <i>Chiropodomys</i> Peters, 1868	Genus : <i>Chiropodomys</i> Peters	Genus : <i>Chiropodomys</i> Peters, 1868	Genus : <i>Chiropodomys</i> Peters, 1868	i) Agrawal, 2000: Genus : <i>Chiropodomys</i> Peters, 1868	Genus : <i>Chiropodomys</i> Peters, 1868	Corbet & Hill, 1992; Agrawal, 2000
	93		Pencil-tailed tree mouse, The penicillate tree mouse	North East India; Bangladesh; Myanmar	<i>Chiropodomys gliroides</i> Blyth, 1855	<i>Chiropodomys gliroides</i> Blyth	<i>Chiropodomys gliroides</i> Blyth	<i>Chiropodomys gliroides</i> (Blyth, 1856)	i) Agrawal, 2000: <i>Chiropodomys gliroides</i> (Blyth, 1856)	<i>Chiropodomys gliroides</i> (Blyth, 1856)	Musser and Carleton, in Wilson & Reeder, 2005
		96		India (Meghalaya, Manipur); Bangladesh; Myanmar	<i>Chiropodomys gliroides gliroides</i> Blyth, 1855	<i>Chiropodomys gliroides gliroides</i> (Blyth)	<i>Chiropodomys gliroides gliroides</i> Blyth, 1855	—	i) Agrawal, 2000: <i>Chiropodomys gliroides gliroides</i> (Blyth, 1856)	<i>Chiropodomys gliroides gliroides</i> (Blyth, 1856)	Corbet & Hill, 1992; Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
42			Long tailed tree mouse		Genus : <i>Vandeleuria</i> Gray, 1842	Genus : <i>Vandeleuria</i> Gray	Genus : <i>Vandeleuria</i> Gray, 1842	Genus : <i>Vandeleuria</i> Gray, 1842	i) Agrawal, 2000 : Genus: <i>Vandeleuria</i> Gray, 1842	Genus : <i>Vandeleuria</i> Gray, 1842	Corbet & Hill, 1992; Agrawal, 2000.
	94		Palm mouse, Indian long tailed tree mouse	India; Sri Lanka; South Nepal; Bangladesh; Myanmar	<i>Vandeleuria oleracea</i> Bennett, 1832	<i>Vandeleuria oleracea</i> (Bennett)	<i>Vandeleuria oleracea</i> Bennett, 1832	<i>Vandeleuria oleracea</i> (Bennett, 1832)	i) Agrawal, 2000: <i>Vandeleuria oleracea</i> (Bennett, 1832)	<i>Vandeleuria oleracea</i> (Bennett, 1832)	Musser and Carleton, in Wilson & Reeder, 2005
		97		Forested part of Peninsular India and in the Himalayan foot hills, Rajasthan, Gujarat, Madhya Pradesh, Andhra Pradesh, Maharashtra, Karnataka, Tamil Nadu; Sri Lanka	<i>Vandeleuria oleracea oleracea</i> Bennett, 1832	<i>Vandeleuria oleracea oleracea</i> (Bennett)	Do not offer any comments on status of subspecies <i>Vandeleuria oleracea oleracea</i> Bennett, 1832	Do not offer any comments on status of subspecies <i>Vandeleuria oleracea oleracea</i> Bennett, 1832	i) Agrawal, 2000: <i>Vandeleuria oleracea oleracea</i> (Bennett, 1832)	<i>Vandeleuria oleracea oleracea</i> (Bennett, 1832)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	95		Nilgiri long-tailed tree mouse	India : (Maharashtra (Konkan), Andhra Pradesh, Karnataka, Tamil Nadu)	<i>Vandeleuria oleracea nilagirica</i> Jerdon, 1867	<i>Vandeleuria oleracea nilagirica</i> (Jerdon)	<i>Vandeleuria nilagirica</i> Jerdon, 1867	<i>Vandeleuria nilagirica</i> Jerdon, 1867	i) Agrawal, 2000: <i>Mus nilagiricus</i> Jerdon, 1867 synonymised under subspecies <i>Vandeleuria oleracea oleracea</i>	<i>Vandeleuria nilagirica</i> Jerdon, 1867	Corbet and Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—		India : (Lunwa, Palanpur, Gujarat)	<i>Vandeleuria oleracea spadicea</i> Ryley, 1914	<i>Vandeleuria oleracea spadicea</i> Ryley	<i>Vandeleuria oleracea spadicea</i> Ryley, 1914	<i>Vandeleuria oleracea spadicea</i> Ryley, 1914 synonymised under species <i>Vandeleuria oleracea</i>	i) Agrawal, 2000: <i>Vandeleuria oleracea spadicea</i> Ryley, 1914 synonymised under subspecies <i>Vandeleuria oleracea oleracea</i>	<i>Vandeleuria oleracea spadicea</i> Ryley, 1914 synonymised under species <i>Vandeleuria oleracea</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Punjab, Harayana, Rajasthan, Uttar Pradesh, Himachal Pradesh, Bihar, West Bengal, Orissa, Assam, Meghalaya, Nagaland, Mizoram, Manipur & Arunachal Pradesh); Nepal; Bangladesh; Myanmar	<i>Vandeleuria oleracea dumeticola</i> Hodgson, 1845	<i>Vandeleuria oleracea dumeticola</i> (Hodgson)	<i>Mus dumeticola</i> Hodgson, 1845 synonymised under species <i>Vandeleuria oleracea</i>	<i>Vandeleuria oleracea dumeticola</i> Hodgson, 1845 synonymised under species <i>Vandeleuria oleracea</i>	i) Agrawal, 2000: <i>Vandeleuria oleracea dumeticola</i> (Hodgson, 1845)	<i>Vandeleuria oleracea dumeticola</i> Hodgson, 1845 synonymised under species <i>Vandeleuria oleracea</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Koira, Chaibassa, Orissa.	<i>Vandeleuria oleracea marica</i> Thomas, 1915 Synonymised under subspecies <i>Vandeleuria</i>	<i>Vandeleuria oleracea marica</i> Thomas, 1915 synonymised under subspecies <i>Vandeleuria</i>	<i>Vandeleuria oleracea marica</i> Thomas, 1915	<i>Vandeleuria oleracea marica</i> Thomas, 1915 synonymised under species <i>Vandeleuria oleracea</i>	i) Agrawal, 2000: <i>Vandeleuria oleracea marica</i> Thomas, 1915 synonymised	<i>Vandeleuria oleracea marica</i> Thomas, 1915 synonymised under species <i>Vandeleuria oleracea</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					<i>oleracea dumeticola</i>	<i>oleracea dumeticola</i>			under subspecies <i>Vandeleuria oleracea dumeticola</i>		
		—		Bageswar, Kumaon, Northern India	<i>Vandeleuria oleracea rubida</i> Thomas, 1914	<i>Vandeleuria oleracea rubida</i> Thomas, 1914	<i>Vandeleuria rubida</i> Thomas, 1914 synonymised under species <i>Vandeleuria oleracea</i>	<i>Vandeleuria rubida</i> Thomas, 1914 synonymised under species <i>Vandeleuria oleracea</i>	i) Agrawal, 2000: <i>Vandeleuria oleracea rubida</i> Thomas, 1914 synonymised under subspecies <i>Vandeleuria oleracea dumeticola</i>	<i>Vandeleuria rubida</i> Thomas, 1914 synonymised under species <i>Vandeleuria oleracea</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Ramnagar C 330 m, Kumaon, Uttar Pradesh (now in Uttaranchal)	<i>Vandeleuria oleracea modesta</i> Thomas, 1914	<i>Vandeleuria oleracea modesta</i> Thomas	<i>Vandeleuria oleracea modesta</i> Thomas, 1914	<i>Vandeleuria oleracea modesta</i> Thomas, 1914 synonymised under species <i>Vandeleuria oleracea</i>	i) Agrawal, 2000: <i>Vandeleuria oleracea modesta</i> Thomas, 1914 synonymised under	<i>Vandeleuria oleracea modesta</i> Thomas, 1914 synonymised under species <i>Vandeleuria oleracea</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									subspecies <i>Vandeleuria oleracea dumeticola</i>		
	96			West Haputale, Sri Lanka (Endemic to Sri Lanka)	<i>Vandeleuria oleracea nolthenii</i> Phillips, 1929	<i>Vandeleuria oleracea nolthenii</i> Phillips, 1929	<i>Vandeleuria nolthenii</i> Phillips, 1929	<i>Vandeleuria nolthenii</i> Phillips, 1929	i) Srinivasulu & Pradhan, 2003: <i>Vandeleuria nolthenii</i> Phillips, 1929	<i>Vandeleuria nolthenii</i> Phillips, 1929	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
43					Genus : <i>Golunda</i> Gray, 1837	Genus : <i>Golunda</i> Gray	Genus : <i>Golunda</i> Gray, 1837	Genus : <i>Golunda</i> Gray, 1837	i) Agrawal, 2000: Genus: <i>Golunda</i> Gray, 1837	Genus : <i>Golunda</i> Gray, 1837	Corbet & Hill, 1992; Agrawal, 2000
	97		The Indian bush rat	India; Pakistan; Sri Lanka; Nepal; Bangladesh	<i>Golunda ellioti</i> Gray, 1837	<i>Golunda ellioti</i> Gray, 1837	<i>Golunda ellioti</i> Gray, 1837	<i>Golunda ellioti</i> Gray, 1837	i) Agrawal, 2000: <i>Golunda ellioti</i> Gray, 1837	<i>Golunda ellioti</i> Gray, 1837	Musser and Carleton, in Wilson & Reeder, 2005
		98		India; Pakistan; Nepal; Bangladesh	<i>Golunda ellioti ellioti</i> Gray, 1837	<i>Golunda ellioti ellioti</i> Gray, 1837	<i>Golunda ellioti ellioti</i> Gray	—	i) Agrawal, 2000: <i>Golunda ellioti ellioti</i> Gray, 1837	<i>Golunda ellioti ellioti</i> Gray, 1837	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Harrisara near Ambala, Punjab	<i>Golunda ellioti paupera</i> Thomas, 1923	<i>Golunda ellioti paupera</i> Thomas	<i>Golunda ellioti paupera</i> Thomas, 1923	<i>Golunda ellioti paupera</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Golunda ellioti paupera</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti paupera</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Cutch, Rajputana, Gujarat, Kathiawar	<i>Golunda ellioti gujerati</i> Thomas, 1923	<i>Golunda ellioti gujerati</i> Thomas, 1923	<i>Golunda ellioti gujerati</i> Thomas, 1923	<i>Golunda ellioti gujerati</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Golunda ellioti gujerati</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	<i>Golunda ellioti gujerati</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	Agrawal, 2000; Musser and Carleton in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Andheri, Salsette Island, Bombay	<i>Golunda ellioti bombax</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti bombax</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti bombax</i> Thomas, 1923	<i>Golunda ellioti bombax</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Golunda ellioti bombax</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti bombax</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Pakistan (Kirthar Range, Sind, Jacobabad, North West Frontier)	<i>Golunda ellioti watsoni</i> Blanford, 1876	<i>Golunda ellioti watsoni</i> (Blanford, 1876)	<i>Pelomys watsoni</i> Blanford, 1876 synonymised under species <i>Golunda ellioti</i>	<i>Golunda ellioti watsoni</i> (Blanford, 1876) synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Pelomys watsoni</i> Blanford, 1876 synonymised under species <i>Golunda ellioti</i>	<i>Golunda ellioti watsoni</i> (Blanford, 1876) synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Wotekolli, Coorg	<i>Golunda ellioti coraginis</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti coraginis</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti coraginis</i> Thomas, 1923	<i>Golunda ellioti coraginis</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Golunda ellioti coraginis</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti ellioti</i>	<i>Golunda ellioti coraginis</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Kahulia Powa, Nepal	<i>Golunda ellioti myothrinx</i> Hodgson, 1845	<i>Golunda ellioti myothrinx</i> Hodgson, 1845	<i>Mus myothrinx</i> Hodgson, 1845 synonymised under species <i>Golunda ellioti</i>	<i>Golunda ellioti myothrinx</i> (Hodgson, 1845) synonymised under species <i>Golunda ellioti</i>	i) Agrawal, 2000: <i>Mus myothrinx</i> Hodgson, 1845 synonymised under species <i>Golunda ellioti</i>	<i>Golunda ellioti myothrinx</i> (Hodgson, 1845) synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Pakistan (11 miles West of Kohat NW Frontier)	<i>Golunda ellioti limitaris</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti watsoni</i>	<i>Golunda ellioti limitaris</i> Thomas, 1923 synonymised under subspecies <i>Golunda ellioti watsoni</i>	<i>Golunda ellioti limitaris</i> Thomas, 1923	<i>Golunda ellioti limitaris</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	—	<i>Golunda ellioti limitaris</i> Thomas, 1923 synonymised under species <i>Golunda ellioti</i>	Musser and Carleton, in Wilson & Reeder, 2005
		99		Sri Lanka	<i>Golunda ellioti nuwara</i> Kelaart, 1850	<i>Golunda ellioti nuwara</i> (Kelaart)	<i>Golunda ellioti nuwara</i> Kelaart, 1850	<i>Golunda ellioti nuwara</i> (Kelaart, 1850) synonymised under species <i>Golunda ellioti</i> without offering any comment	i) Srinivasulu & Pradhan, 2003 : <i>Golunda ellioti nuwara</i> Kelaart, 1850	<i>Golunda ellioti nuwara</i> (Kelaart, 1850)	Ellerman, 1961; Corbet and Hill, 1992; Srinivasulu & Pradhan, 2003
44					Genus : <i>Nesokia</i> Gray, 1842	Genus : <i>Nesokia</i> Gray	Genus : <i>Nesokia</i> Gray, 1842	Genus : <i>Nesokia</i> Gray, 1842	i) Agrawal, 2000: Genus : <i>Nesokia</i> Gray, 1842	Genus : <i>Nesokia</i> Gray, 1842	Corbet & Hill, 1992; Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	98		The short-tailed mole rat, Bandicoot rat	India (Noth West India, East to Bihar, Punjab, Haryana, Delhi, Uttar Pradesh, Rajasthan, West Bengal); Pakistan; Nepal; Bangladesh	<i>Nesokia indica</i> Gray & Hardwicke, 1832	<i>Nesokia indica</i> (Gray, 1830)	<i>Nesokia indica</i> Gray, 1830	<i>Nesokia indica</i> (Gray, 1830)	i) Agrawal, 2000: <i>Nesokia indica</i> (Gray, 1830)	<i>Nesokia indica</i> (Gray, 1830)	Musser and Carleton, in Wilson & Reeder, 2005
		100		India; Pakistan; Nepal; Bangladesh	<i>Nesokia indica indica</i> Gray & Hardwicke, 1832	<i>Nesokia indica indica</i> (Gray, 1830)	Do not offer any comments on status of subspecies	Do not offer any comments on status of subspecies	i) Agrawal, 2000: <i>Nesokia indica indica</i> (Gray, 1830)	<i>Nesokia indica indica</i> (Gray, 1830)	Agrawal, 2000
		—		Baluchistan (Part)	<i>Nesokia indica huttoni</i> Blyth, 1846	<i>Nesokia indica huttoni</i> (Blyth, 1846)	<i>Mus huttoni</i> Blyth, 1846 synonymised under species <i>Nesokia indica</i>	<i>Nesokia indica huttoni</i> (Blyth, 1846) synonymised under species <i>Nesokia indica</i>	—	<i>Nesokia indica huttoni</i> (Blyth, 1846) synonymised under species <i>Nesokia indica</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		4 miles North of Chitral, Chitral State, Pakistan	—	—	<i>Nesokia indica chitralensis</i> Schlitter & Setzer, 1973	<i>Nesokia indica chitralensis</i> Schlitter & Setzer, 1973 synonymised under species <i>Nesokia indica</i>	—	<i>Nesokia indica chitralensis</i> Schlitter & Setzer, 1973 synonymised under species <i>Nesokia indica</i>	Musser and Carleton, in Wilson & Reeder, 2005
45					Genus : <i>Hapalomys</i> Blyth, 1859	Genus : <i>Hapalomys</i> Blyth	Genus : <i>Hapalomys</i> Blyth, 1859	Genus : <i>Hapalomys</i> Blyth, 1859	—	Genus : <i>Hapalomys</i> Blyth, 1859	Corbet & Hill, 1992
	99		Berdmore's tree rat / Greater Marmoset mouse	South Myanmar	<i>Hapalomys longicaudatus</i> Blyth, 1859	<i>Hapalomys longicaudatus</i> Blyth	<i>Hapalomys longicaudatus</i> Blyth, 1859	<i>Hapalomys longicaudatus</i> Blyth, 1859	—	<i>Hapalomys longicaudatus</i> Blyth, 1859	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		101		Myanmar (Sitang River, Tenasserim)	<i>Hapalomys longicaudatus longicaudatus</i> Blyth, 1859	<i>Hapalomys longicaudatus longicaudatus</i> Blyth	Do not offer any comments on status of subspecies	Do not offer any comments on status of subspecies	—	<i>Hapalomys longicaudatus longicaudatus</i> Blyth, 1859	Ellerman, 1961

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
46					Genus : <i>Chiromyscus</i> Thomas, 1925	Genus : <i>Chiromyscus</i> Thomas, 1925	Genus : <i>Chiromyscus</i> Thomas, 1925	Genus : <i>Chiromyscus</i> Thomas, 1925	—	Genus : <i>Chiromyscus</i> Thomas, 1925	Corbet & Hill, 1992
	100		Fea's tree rat;	Karin Hills, Eastern Myanmar	<i>Chiromyscus chiropus</i> Thomas, 1891	<i>Chiromyscus chiropus</i> (Thomas)	<i>Chiromyscus chiropus</i> Thomas, 1891	<i>Chiromyscus chiropus</i> Thomas, 1891	—	<i>Chiromyscus chiropus</i> Thomas, 1891	Musser and Carleton, in Wilson & Reeder, 2005
47					Genus : <i>Bandicota</i> Gray, 1873	Genus : <i>Bandicota</i> Gray	Genus : <i>Bandicota</i> Gray, 1873	Genus : <i>Bandicota</i> Gray, 1873	i) Agrawal, 2000: Genus : <i>Bandicota</i> Gray, 1873	Genus : <i>Bandicota</i> Gray, 1873	Corbet & Hill, 1992; Agrawal, 2000.
	101		Indian mole rat, Lesser bandicoot rat	Most of India; Pakistan; Sri Lanka; Nepal (Low lands); Bangladesh; Myanmar (Tatkon, Western Myanmar)	<i>Bandicota bengalensis</i> Gray & Hardwicke, 1833	<i>Bandicota bengalensis</i> (Gray, 1835)	<i>Bandicota bengalensis</i> Gray, 1835 (in 1830-1835)	<i>Bandicota bengalensis</i> (Gray, 1835)	i) Agrawal, 2000: <i>Bandicota bengalensis</i> (Gray, 1835)	<i>Bandicota bengalensis</i> (Gray, 1835)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		102		India (Jammu & Kashmir, Punjab, Haryana, Uttar Pradesh, Bihar, Assam, Meghalaya, Tripura, Mizoram, Manipur, Madhya Pradesh, Rajasthan, Gujarat, Maharashtra, Andhra Pradesh, Karnataka, Tamil Nadu, Kerala); Sri Lanka; Myanmar	<i>Bandicota bengalensis bengalensis</i> Gray & Hardwicke, 1833	<i>Bandicota bengalensis bengalensis</i> (Gray, 1835)	<i>Bandicota bengalensis bengalensis</i> Gray, 1835 (in 1830-1835)	—	i) Agrawal, 2000: <i>Bandicota bengalensis bengalensis</i> (Gray, 1835)	<i>Bandicota bengalensis bengalensis</i> (Gray, 1835)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Punjab, Rajasthan, Southwards almost through out Peninsula of India to Travancore	<i>Bandicota bengalensis kok</i> Gray, 1837	<i>Bandicota bengalensis kok</i> (Gray)	<i>Mus kok</i> Gray, 1837 synonymised under species <i>Bandicota bengalensis</i>	<i>Bandicota bengalensis kok</i> (Gray, 1837) synonymised under species <i>Bandicota bengalensis</i>	i) Agrawal, 2000: <i>Mus kok</i> Gray, 1837 synonymised under subspecies <i>Bandicota bengalensis bengalensis</i>	<i>Bandicota bengalensis kok</i> (Gray, 1837) synonymised under subspecies <i>Bandicota bengalensis bengalensis</i>	Agrawal, 2000
		103		India (Jammu & Kashmir, Himachal Pradesh)	<i>Bandicota bengalensis wardi</i> Wroughton, 1908	<i>Bandicota bengalensis wardi</i> (Wroughton)	<i>Bandicota bengalensis wardi</i>	<i>Bandicota bengalensis wardi</i> (Wroughton, 1908) synonymised under species <i>Bandicota bengalensis</i>	i) Agrawal, 2000: <i>Bandicota bengalensis wardi</i> (Wroughton, 1908)	<i>Bandicota bengalensis wardi</i> (Wroughton, 1908)	Agrawal, 2000
		—		Thinney, near Jaffana, North Province, Sri Lanka	<i>Gunomys kok insularis</i> Phillips, 1936 synonymised under subspecies <i>Bandicota</i>	<i>Gunomys kok insularis</i> Phillips, 1936 synonymised under subspecies <i>Bandicota</i>	<i>Gunomys kok insularis</i> Phillips, 1936	<i>Gunomys kok insularis</i> Phillips, 1936 synonymised under species <i>Bandicota bengalensis</i>	i) Agrawal, 2000: <i>Gunomys kok insularis</i> Phillips, 1936 synonymised under	<i>Gunomys kok insularis</i> Phillips, 1936 synonymised under species <i>Bandicota bengalensis</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					<i>bengalensis gracilis</i>	<i>bengalensis gracilis</i>			subspecies <i>Bandicota bengalensis bengalensis</i>		
		—		Daltota, Kandy, Tammanewa, Sri Lanka	<i>Bandicota bengalensis gracilis</i> Nehring, 1902	<i>Bandicota bengalensis gracilis</i> Nehring, 1902	<i>Nesokia gracilis</i> Nehring, 1902 synonymised under species <i>Bandicota bengalensis</i>	<i>Nesokia gracilis</i> Nehring, 1902 synonymised under species <i>Bandicota bengalensis</i>	i) Agrawal, 2000: <i>Nesokia gracilis</i> Nehring, 1902 synonymised under subspecies <i>Bandicota bengalensis bengalensis</i>	<i>Nesokia gracilis</i> Nehring, 1902 synonymised under species <i>Bandicota bengalensis</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		104		India (Kolaba Dist., Konkan, Bombay, Maharashtra)	<i>Gunomys lordi</i> Wroughton, 1908 Synonymised under subspecies <i>Bandicota</i>	<i>Gunomys lordi</i> Wroughton, 1908 Synonymised under subspecies <i>Bandicota</i>	<i>Gunomys lordi</i> Wroughton, 1908 Synonymised under species <i>Bandicota bengalensis</i>	<i>Gunomys lordi</i> Wroughton, 1908 Synonymised under species <i>Bandicota bengalensis</i>	i) Pradhan, 1979 and Pradhan <i>et al.</i> , 2005: <i>Bandicota bengalensis lordi</i> ii) Agrawal,	<i>Bandicota bengalensis lordi</i> Wroughton, 1908	Pradhan, 1979; Pradhan <i>et al.</i> , 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					<i>bengalensis kok</i>	<i>bengalensis kok</i>			2000: <i>Gunomys lordi</i> Wroughton, 1908 synonymised under subspecies <i>Bandicota bengalensis bengalensis</i>		
		—		Myanmar (Tenasserim: Mergui, South Myanmar)	<i>Bandicota bengalensis varius</i> Thomas, 1907	<i>Bandicota bengalensis varius</i> (Thomas)	<i>Bandicota bengalensis varia</i>	<i>Bandicota bengalensis varius</i> Thomas, 1907 Synonymised under species <i>Bandicota bengalensis</i>	—	<i>Bandicota bengalensis varius</i> Thomas, 1907 Synonymised under species <i>Bandicota bengalensis</i>	Musser and Carleton, in Wilson & Reeder, 2005
	102		Large bandicoot rat	India; Sri Lanka; Nepal; Bangladesh; Myanmar	<i>Bandicota indica</i> Bechstein, 1800	<i>Bandicota indica</i> (Bechstein)	<i>Bandicota indica</i> Bechstein, 1800	<i>Bandicota indica</i> (Bechstein, 1800)	i) Agrawal, 2000: <i>Bandicota indica</i> (Bechstein, 1800)	<i>Bandicota indica</i> (Bechstein, 1800)	Corbet & Hill, 1992; Agrawal, 2000.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		105		India (Uttar Pradesh, Delhi, Rajasthan, Punjab, Gujarat, Haryana, Madhya Pradesh, Bihar, Orissa, Andhra Pradesh, Maharashtra, Tamil Nadu, Karnataka, Goa, Kerala); Sri Lanka	<i>Bandicota indica indica</i> Bechstein, 1800	<i>Bandicota indica indica</i> (Bechstein)	—	—	i) Agrawal, 2000: <i>Bandicota indica indica</i> (Bechstein, 1800)	<i>Bandicota indica indica</i> (Bechstein, 1800)	Agrawal, 2000
		106		Malbar, India	<i>Mus malabarica</i> Shaw, 1801 Synonymised under subspecies <i>Bandicota indica indica</i>	<i>Mus malabarica</i> Shaw, 1801 synonymised under subspecies <i>Bandicota indica indica</i>	<i>Mus malabarica</i> Shaw, 1801 synonymised under species <i>Bandicota indica</i>	<i>Mus malabarica</i> Shaw, 1801 synonymised under species <i>Bandicota indica</i>	i) Pradhan <i>et al.</i> 1993, 2005: <i>Bandicota indica malabarica</i> (Shaw, 1801) ii) Agrawal,	<i>Bandicota indica malabarica</i> (Shaw, 1801)	Pradhan <i>et al.</i> 1993 & 2005.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									2000: <i>Mus malabarica</i> Shaw, 1801 synonymised under subspecies <i>Bandicota indica indica</i>		
		107		India (West Bengal, Meghalaya, Assam, Manipur); Nepal (Lowlands); Bangladesh; Myanmar (Toungoo)	<i>Bandicota indica nemorivaga</i> Hodgson, 1836	<i>Bandicota indica nemorivaga</i> (Hodgson)	<i>Mus (Rattus) nemorivagus</i> Hodgson, 1836 synonymised under species <i>Bandicota indica</i>	<i>Bandicota indica nemorivaga</i> Hodgson, 1836 synonymised under species <i>Bandicota indica</i>	i) Pradhan <i>et. al.</i> 1993 and Agrawal, 2000: <i>Bandicota indica nemorivaga</i> (Hodgson, 1836)	<i>Bandicota indica nemorivaga</i> (Hodgson, 1836)	Pradhan <i>et. al.</i> 1993; Agrawal, 2000
	103			Central Myanmar	<i>Bandicota indica savilei</i> Thomas, 1916	<i>Bandicota indica savilei</i> Thomas	<i>Bandicota savilei</i> Thomas, 1916	<i>Bandicota savilei</i> Thomas, 1916	—	<i>Bandicota savilei</i> Thomas, 1916	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	104			India :Pune, Maharashtra; Barisha, 24 Pargana dist. West Bengal	—	—	—	<i>Bandicota maxima</i> Pradhan <i>et al.</i> 1993 synonymised under species <i>Bandicota indica</i>	i) Pradhan <i>et al.</i> 1993 and 2005; Srinivasulu & Pradhan, 2003 : <i>Bandicota maxima</i> Pradhan <i>et al.</i> 1993 ii) Agrawal, 2000: <i>Bandicota maxima</i> Pradhan <i>et al.</i> 1993 synonymised under species <i>Bandicota indica</i>	<i>Bandicota maxima</i> Pradhan <i>et al.</i> 1993	Pradhan <i>et al.</i> 1993 and 2005.; Srinivasulu & Pradhan, 2003
48					Genus : <i>Diomys</i> Thomas, 1917	Genus : <i>Diomys</i> Thomas, 1917	Genus : <i>Diomys</i> Thomas, 1917	Genus : <i>Diomys</i> Thomas, 1917	i) Agrawal, 2000: Genus : <i>Diomys</i> Thomas, 1917	Genus : <i>Diomys</i> Thomas, 1917	Corbet & Hill, 1992; Agrawal, 2000.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	105		Crump's Mouse	India (Bihar & Manipur); Nepal; Myanmar	<i>Diomys crumpi</i> Thomas, 1917	<i>Diomys crumpi</i> Thomas	<i>Diomys crumpi</i> Thomas	<i>Diomys crumpi</i> Thomas, 1917	i) Agrawal, 2000: <i>Diomys crumpi</i> Thomas, 1917	<i>Diomys crumpi</i> Thomas, 1917	Musser and Carleton, in Wilson & Reeder, 2005
49					Genus : <i>Dacnomys</i> Thomas, 1916	Genus : <i>Dacnomys</i> Thomas	Genus : <i>Dacnomys</i> Thomas	Genus : <i>Dacnomys</i> Thomas, 1916	i) Agrawal, 2000: Genus : <i>Dacnomys</i> Thomas, 1916	Genus : <i>Dacnomys</i> Thomas, 1916	Corbet & Hill, 1992; Agrawal, 2000.
	106		Millard's <i>Dacnomys</i>	India; Nepal; ? North Myanmar	<i>Dacnomys millardi</i> Thomas, 1916	<i>Dacnomys millardi</i> Thomas	<i>Dacnomys millardi</i> Thomas, 1916	<i>Dacnomys millardi</i> Thomas, 1916	i) Agrawal, 2000: <i>Dacnomys millardi</i> Thomas, 1916	<i>Dacnomys millardi</i> Thomas, 1916	Musser and Carleton, in Wilson & Reeder, 2005
		108		India (West Bengal (Darjiling), Nagaland); Nepal	<i>Dacnomys millardi millardi</i> Thomas, 1916	<i>Dacnomys millardi millardi</i> Thomas, 1916	—	—	i) Agrawal, 2000: <i>Dacnomys millardi millardi</i> Thomas, 1916	<i>Dacnomys millardi millardi</i> Thomas, 1916	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India : Arunachal Pradesh (Mishmi Hills)	<i>Dacnomys millardi wroughtoni</i> Thomas, 1922	<i>Dacnomys millardi wroughtoni</i> Thomas, 1922	<i>Dacnomys wroughtoni</i> Thomas, 1922 synonymised under species <i>Dacnomys millardi</i>	<i>Dacnomys wroughtoni</i> Thomas, 1922 synonymised under species <i>Dacnomys millardi</i>	i) Agrawal, 2000: <i>Dacnomys millardi wroughtoni</i> Thomas, 1922	<i>Dacnomys wroughtoni</i> Thomas, 1922 synonymised under species <i>Dacnomys millardi</i>	Corbet and Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
50					Genus : <i>Hadromys</i> Thomas, 1911	Genus : <i>Hadromys</i> Thomas	Genus : <i>Hadromys</i> Thomas	Genus : <i>Hadromys</i> Thomas, 1911	i) Agrawal, 2000: Genus : <i>Hadromys</i> Thomas, 1911	Genus : <i>Hadromys</i> Thomas, 1911	Corbet & Hill, 1992; Agrawal, 2000.
	107		Hume's Rat	India (Manipur, Assam)	<i>Hadromys humei</i> Thomas, 1886	<i>Hadromys humei</i> (Thomas)	<i>Hadromys humei</i> Thomas, 1886	<i>Hadromys humei</i> (Thomas, 1886)	i) Agrawal, 2000: <i>Hadromys humei</i> (Thomas, 1886)	<i>Hadromys humei</i> (Thomas, 1886)	Musser and Carleton, in Wilson & Reeder, 2005
51					—	—	Genus : <i>Srilankamys</i> Musser, 1981	Genus : <i>Srilankamys</i> Musser, 1981	—	Genus : <i>Srilankamys</i> Musser, 1981	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	108		Ohiya Rat	West Haputale, Ohiya, Sri Lanka 6000ft	<i>Rattus ohiensis</i> Phillips, 1929	<i>Rattus ohiensis</i> Phillips	<i>Srilankamys ohiensis</i> Phillips, 1929	<i>Srilankamys ohiensis</i> (Phillips, 1929)	i) Srinivasulu & Pradhan, 2003: <i>Srilankamys ohiensis</i> (Phillips, 1929)	<i>Srilankamys ohiensis</i> (Phillips, 1929)	Musser and Carleton, in Wilson & Reeder, 2005
52					Genus : <i>Vernaya</i> Anthony, 1941	Genus : <i>Vernaya</i> Anthony, 1941	Genus : <i>Vernaya</i> Anthony, 1941	Genus : <i>Vernaya</i> Anthony, 1941	—	Genus : <i>Vernaya</i> Anthony, 1941	Corbet & Hill, 1992
	109		Vernay's climbing mouse	North Myanmar	<i>Vernaya fulva</i> G. Allen, 1927	<i>Vernaya fulva</i> (G. Allen)	<i>Vernaya fulva</i> G. Allen, 1927	<i>Vernaya fulva</i> (G.M.Allen, 1927)	—	<i>Vernaya fulva</i> G. Allen, 1927	Musser and Carleton, in Wilson & Reeder, 2005
53					Genus : <i>Mus</i> Linnaeus, 1758	Genus : <i>Mus</i> Linnaeus	Genus : <i>Mus</i> Linnaeus	Genus : <i>Mus</i> Linnaeus, 1758	i) Agrawal, 2000: Genus: <i>Mus</i> Linnaeus, 1758	Genus : <i>Mus</i> Linnaeus, 1758	Corbet & Hill, 1992; Agrawal, 2000.
					Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Mus</i> Linnaeus, 1758	i) Marshall, 1977: Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Mus</i> Linnaeus, 1758	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	110		House mouse		<i>Mus musculus</i> Linnaeus, 1758	<i>Mus musculus</i> Linnaeus	<i>Mus musculus</i> Linnaeus, 1758	<i>Mus musculus</i> Linnaeus, 1758	i) Agrawal, 2000: <i>Mus musculus</i> Linnaeus, 1758	<i>Mus musculus</i> Linnaeus, 1758	Musser and Carleton, in Wilson & Reeder, 2005
		—		India (Jammu & Kashmir, Haryana, Rajasthan); Pakistan	<i>Mus musculus praetextus</i> Brants, 1827	—	<i>Mus musculus praetextus</i> Brants, 1827	<i>Mus musculus praetextus</i> Brants, 1827 synonymised under species <i>Mus musculus</i>	i) Agrawal, 2000: <i>Mus musculus praetextus</i> Brants, 1827	<i>Mus musculus praetextus</i> Brants, 1827 synonymised under species <i>Mus musculus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		109		India (Kashmir, Punjab); Pakistan	<i>Mus musculus bactrianus</i> Blyth, 1846	<i>Mus musculus bactrianus</i> Blyth	<i>Mus bactrianus</i> Blyth, 1846 synonymised under subspecies <i>Mus musculus praetextus</i>	<i>Mus musculus bactrianus</i> Blyth, 1846	i) Marshall, 1977 and Roberts, 1997: <i>Mus musculus bactrianus</i> Blyth, 1846 ii) Agrawal, 2000: <i>Mus bactrianus</i> Blyth, 1846 synonymised under subspecies <i>Mus musculus praetextus</i>	<i>Mus musculus bactrianus</i> Blyth, 1846	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Southern slope of the Himalaya from Jammu & Kashmir to West Bengal thence South to Manipur & Nagaland); Nepal; Myanmar	<i>Mus musculus homourus</i> Hodgson, 1845	<i>Mus musculus homourus</i> Hodgson	<i>Mus musculus homourus</i> Hodgson, 1845	<i>Mus musculus homourus</i> Hodgson, 1845 synonymised under species <i>Mus musculus</i>	i) Marshall, 1977 and Agrawal, 2000: <i>Mus musculus homourus</i> Hodgson, 1845	<i>Mus musculus homourus</i> Hodgson, 1845 synonymised under species <i>Mus musculus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		110		Through out India; Sri Lanka; Nepal; Bangladesh; Myanmar	<i>Mus musculus castaneus</i> Waterhouse, 1843	<i>Mus musculus castaneus</i> Waterhouse	<i>Mus musculus castaneus</i> Waterhouse, 1843	<i>Mus musculus castaneus</i> Waterhouse, 1843	i) Marshall, 1977 and Agrawal, 2000: <i>Mus musculus castaneus</i> Waterhouse, 1843	<i>Mus musculus castaneus</i> Waterhouse, 1843	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—		India (Eastern Himalayas & Plains of Northern India); Nepal	<i>Mus musculus urbanus</i> Hodgson, 1845	<i>Mus musculus urbanus</i> Hodgson	<i>Mus urbanus</i> Hodgson, 1845 synonymised under species <i>Mus musculus</i>	<i>Mus urbanus</i> Hodgson, 1845 synonymised under species <i>Mus musculus</i>	i) Marshall, 1977: <i>Mus urbanus</i> Hodgson, 1845 synonymised under species	<i>Mus urbanus</i> Hodgson, 1845 synonymised under species <i>Mus musculus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									<i>Mus musculus</i> ii) Agrawal, 2000: Synonymised under subspecies <i>Mus musculus castaneus</i>		
		—		India (Western India, South India, West Bengal, Rajasthan, Assam); Sri Lanka; Myanmar	<i>Mus musculus tytleri</i> Blyth, 1859	<i>Mus musculus tytleri</i> Blyth	<i>Mus tytleri</i> Blyth, 1859 synonymised under species <i>Mus musculus</i>	<i>Mus tytleri</i> Blyth, 1859 synonymised under species <i>Mus musculus</i>	i) Marshall, 1977: <i>Mus musculus tytleri</i> Blyth, 1859 ii) Agrawal, 2000: <i>Mus tytleri</i> Blyth, 1859 synonymised under subspecies <i>Mus musculus castaneus</i>	<i>Mus tytleri</i> Blyth, 1859 synonymised under species <i>Mus musculus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	111		Little Indian field mouse	Through out India; Pakistan; Sri Lanka; Nepal; Bangladesh; Myanmar	<i>Mus booduga</i> Gray, 1837	<i>Mus booduga</i> (Gray)	<i>Mus booduga</i> Gray	<i>Mus booduga</i> (Gray, 1837)	i) Marshall, 1977 and Agrawal, 2000: <i>Mus booduga</i> Gray, 1837	<i>Mus booduga</i> Gray, 1837	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—			<i>Mus booduga booduga</i> Gray, 1837	<i>Mus booduga booduga</i> (Gray)	Do not offer any comments on status of subspecies <i>Mus booduga booduga</i> Gray, 1837	—	i) Agrawal, 2000: <i>Mus booduga booduga</i> Gray, 1837 synonymised under species <i>Mus booduga</i>	<i>Mus booduga booduga</i> Gray, 1837 synonymised under species <i>Mus booduga</i>	Agrawal, 2000
		—		Trincomali, Sri Lanka	<i>Mus cervicolor fulvidiventris</i> Blyth, 1852	<i>Mus cervicolor fulvidiventris</i> Blyth, 1852	<i>Mus fulvidiventris</i> Blyth, 1852 synonymised under species <i>Mus booduga</i>	<i>Mus fulvidiventris</i> Blyth, 1852 synonymised under species <i>Mus booduga</i>	i) Agrawal, 2000: <i>Mus fulvidiventris</i> Blyth, 1852 synonymised under species <i>Mus booduga</i>	<i>Mus cervicolor fulvidiventris</i> Blyth, 1852 synonymised under species <i>Mus booduga</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Mount Popa, Myanmar	<i>Mus booduga lepidoides</i> Fry, 1931	<i>Mus booduga lepidoides</i> (Fry)	<i>Leggada lepidoides</i> Fry, 1931 Synonymised under species <i>Mus booduga</i>	<i>Leggada lepidoides</i> Fry, 1931 Synonymised under species <i>Mus booduga</i>	i) Marshal, 1977 : <i>Mus</i> (? <i>booduga</i>) <i>lepidoides</i> ii) Agrawal, 2000: <i>Leggada lepidoides</i> Fry, 1931 synonymised under species <i>Mus booduga</i>	<i>Mus booduga lepidoides</i> Fry, 1931 synonymised under species <i>Mus booduga</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	112		Earth-Colored mouse	Southern India, Nepal, Bangladesh	<i>Mus terricolor</i> Blyth, 1851 synonymised under subspecies <i>Mus booduga booduga</i>	<i>Mus terricolor</i> Blyth, 1851 synonymised under subspecies <i>Mus booduga booduga</i>	<i>Mus terricolor</i> Blyth, 1851 synonymised under species <i>Mus booduga</i>	<i>Mus terricolor</i> Blyth, 1851	i) Agrawal, 2000: <i>Mus terricolor</i> Blyth, 1851 synonymised under species <i>Mus booduga</i> ii) Alfred <i>et.al.</i> 2002: <i>Mus terricolor</i> Blyth, 1851	<i>Mus terricolor</i> Blyth, 1851	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	—			India (Ambala, Haryana)	<i>Leggada dumni</i> Wroughton, 1912 synonymised under subspecies <i>Mus booduga booduga</i>	<i>Leggada dumni</i> Wroughton, 1912 synonymised under subspecies <i>Mus booduga booduga</i>	<i>Mus dumni</i> Wroughton, 1912	<i>Mus dumni</i> Wroughton, 1912 synonymised under species <i>Mus terricolor</i> Blyth, 1851	i) Marshall, 1977: <i>Mus dumni</i> Wroughton, 1912 ii) Agrawal, 2000: <i>Leggada dumni</i> Wroughton, 1912 synonymised under species <i>Mus booduga</i>	<i>Mus dumni</i> Wroughton, 1912 synonymised under species <i>Mus terricolor</i> Blyth, 1851	Musser and Carleton, in Wilson & Reeder, 2005
	113		The fawn-coloured mouse	India; Nepal; ?Bangladesh; Myanmar	<i>Mus cervicolor</i> Hodgson, 1845	<i>Mus cervicolor</i> Hodgson	<i>Mus cervicolor</i> Hodgson	<i>Mus cervicolor</i> Hodgson, 1845	i) Marshall, 1977 and Agrawal, 2000: <i>Mus cervicolor</i> Hodgson, 1845	<i>Mus cervicolor</i> Hodgson, 1845	Musser and Carleton, in Wilson & Reeder, 2005
		111		India (Jammu & Kashmir (Islamabad dist.), Uttar Pradesh, West Bengal,	<i>Mus cervicolor cervicolor</i> Hodgson, 1845	<i>Mus cervicolor cervicolor</i> Hodgson	Do not offer any comments on status of subspecies <i>Mus</i>	—	i) Agrawal, 2000: <i>Mus cervicolor cervicolor</i> Hodgson, 1845	<i>Mus cervicolor cervicolor</i> Hodgson, 1845	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
				Meghalaya, Manipur, Andaman & Nicobar Islands); Nepal; ?Bangladesh; North Myanmar			<i>cervicolor cervicolor</i> Hodgson, 1845				
		—		India (Imphal, Manipur); West Myanmar	—	<i>Mus cervicolor imphalensis</i> (Roonwal, 1948)	<i>Leggada nagarum imphalensis</i> Roonwal, 1948 synonymised under species <i>Mus cervicolor</i>	<i>Mus cervicolor imphalensis</i> (Roonwal, 1948) synonymised under species <i>Mus cervicolor</i>	i) Marshall, 1977: <i>Mus cervicolor imphalensis</i> (Roonwal, 1948) synonymised under species <i>Mus cervicolor</i> ii) Agrawal, 2000: Synonymised under subspecies <i>Mus cervicolor cervicolor</i>	<i>Mus cervicolor imphalensis</i> (Roonwal, 1948) synonymised under species <i>Mus cervicolor</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Schwegnin, Kin, Mandalay, South East of Pegu, Myanmar	<i>Mus cervicolor nitidulus</i> Blyth, 1859	<i>Mus cervicolor nitidulus</i> Blyth	<i>Mus nitidulus</i> Blyth, 1859 synonymised under species <i>Mus cervicolor</i>	<i>Mus nitidulus</i> Blyth, 1859 synonymised under species <i>Mus cervicolor</i>	—	<i>Mus cervicolor nitidulus</i> Blyth, 1859 synonymised under species <i>Mus cervicolor</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—		Mount Popa, dry zone of Myanmar	<i>Mus famulus popaeus</i> Thomas, 1919	<i>Mus famulus popaeus</i> (Thomas)	<i>Leggeda nitidula poppaea</i> Thomas, 1919 [subspecies proposed under species <i>Mus cervicolor</i>]	<i>Mus cervicolor popaeus</i> (Thomas, 1919) synonymised under species <i>Mus cervicolor</i>	i) Marshall, 1977: <i>Mus cervicolor poppaeus</i>	<i>Mus cervicolor popaeus</i> (Thomas, 1919) synonymised under species <i>Mus cervicolor</i>	Musser and Carleton, in Wilson & Reeder, 2005
	114		Bonhote's mouse	Kalapatti & Avalanchi in Nilgiri hills, Tamil Nadu (Endemic to India)	<i>Mus famulus</i> Bonhote, 1898	<i>Mus famulus</i> Bonhote	<i>Mus famulus</i> Bonhote, 1898	<i>Mus famulus</i> Bonhote, 1898	i) Marshall, 1977 and Agrawal, 2000: <i>Mus famulus</i> Bonhote, 1898	<i>Mus famulus</i> Bonhote, 1898	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—			<i>Mus famulus famulus</i> Bonhote, 1898	<i>Mus famulus famulus</i> Bonhote	Do not offer any comments on status of subspecies	—	i) Agrawal, 2000: <i>Mus famulus famulus</i> Bonhote synonymised under species <i>Mus famulus</i>	<i>Mus famulus famulus</i> Bonhote, 1898 synonymised under species <i>Mus famulus</i>	Agrawal, 2000
	115		Reyley's spiny mouse	India; Nepal; Bhutan; Bangladesh; Myanmar	<i>Mus famulus cookii</i> Ryley, 1914	<i>Mus famulus cookii</i> Ryley	<i>Mus cookii</i> Ryley	<i>Mus cookii</i> Ryley, 1914	i) Marshall, 1977 and Agrawal, 2000: <i>Mus cookii</i> Ryley, 1914	<i>Mus cookii</i> Ryley, 1914	Musser and Carleton, in Wilson & Reeder, 2005
		112		India (Naga hills); Myanmar	—	—	—	—	i) Agrawal, 2000: <i>Mus cookii cookii</i> Ryley, 1914	<i>Mus cookii cookii</i> Ryley, 1914	Agrawal, 2000
		113		India (Arunachal Pradesh, Assam, Meghalaya, Manipur, Karnataka, Kerala, Tamil Nadu); Bhutan	<i>Mus cervicolor nagarum</i> Thomas, 1921	<i>Mus cervicolor nagarum</i> Thomas, 1921	<i>Leggada nagarum</i> Thomas, 1921 synonymised under species <i>Mus cookii</i>	<i>Mus cookii nagarum</i> (Thomas, 1921) synonymised under species <i>Mus cookii</i>	i) Agrawal, 2000: <i>Mus cookii nagarum</i> (Thomas, 1921)	<i>Mus cookii nagarum</i> (Thomas, 1921)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		India (Palni Hills, Tamil Nadu)	<i>Mus cervicolor palnica</i> Thomas, 1923	<i>Mus cervicolor palnica</i> (Thomas)	<i>Leggada palnica</i> Thomas, 1923 synonymised under species <i>Mus cookii</i>	<i>Mus cervicolor palnica</i> Thomas, 1923 synonymised under <i>Mus cookii</i>	i) Marshall, 1977: <i>Mus cookii palnica</i> (Thomas) ii) Agrawal, 2000 : <i>Leggada palnica</i> Thomas, 1923 synonymised under subspecies <i>Mus cookii nagarum</i>	<i>Mus cervicolor palnica</i> Thomas, 1923 synonymised under <i>Mus cookii nagarum</i>	Agrawal, 2000
					Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Mus</i> Linnaeus, 1758	Subgenus : <i>Pyromys</i> Thomas, 1911	Subgenus : <i>Pyromys</i> Thomas, 1911	i) Marshall, 1977: Subgenus : <i>Pyromys</i> Thomas, 1911	Subgenus : <i>Pyromys</i> Thomas, 1911	Musser and Carleton, in Wilson & Reeder, 2005
	116			Central Province, Sri Lanka	<i>Mus fernandoni</i> Phillips, 1932	<i>Mus fernandoni</i> (Phillips)	<i>Mus fernandoni</i> Phillips, 1932	<i>Mus fernandoni</i> (Phillips, 1932)	i) Marshall, 1977: <i>Mus fernandoni</i> Phillips, 1932	<i>Mus fernandoni</i> Phillips, 1932	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	117		Wroughton's small spiny mouse	India (Peninsular India North to Rajasthan); Nepal	<i>Mus cervicolor phillipsi</i> Wroughton, 1912	<i>Mus cervicolor phillipsi</i> Wroughton	<i>Mus phillipsi</i> Wroughton, 1912	<i>Mus phillipsi</i> Wroughton, 1912	i) Marshall, 1977 and Agrawal, 2000: <i>Mus phillipsi</i> Wroughton, 1912	<i>Mus phillipsi</i> Wroughton, 1912	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	118		Indian brown spiny mouse	(Peninsular India & North towards Bengal) Maharashtra (Pune, Dhulia) Karnataka, Tamil Nadu, Andhra Pradesh, Madhya Pradesh, Rajasthan, West Bengal, Endemic to India	<i>Mus platythrix</i> Bennett, 1832	<i>Mus platythrix</i> Bennett	<i>Mus platythrix</i> Bennett, 1832	<i>Mus platythrix</i> Bennett, 1832	i) Agrawal, 2000: <i>Mus platythrix</i> Bennett, 1832	<i>Mus platythrix</i> Bennett, 1832	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—			<i>Mus platythrix platythrix</i> Bennett, 1832	<i>Mus platythrix platythrix</i> Bennett, 1832	Do not offer any comments on status of subspecies <i>Mus platythrix platythrix</i> Bennett, 1832	—	i) Agrawal, 2000: <i>Mus platythrix platythrix</i> Bennett, 1832 synonymised under species <i>Mus platythrix platythrix</i> Bennett, 1832	<i>Mus platythrix platythrix</i> Bennett, 1832 synonymised under species <i>Mus platythrix platythrix</i> Bennett, 1832	Agrawal, 2000
		—		Karwar, Kanara, Dist. Karnataka	<i>Mus platythrix bahadur</i> Wroughton & Ryley, 1913	<i>Mus platythrix bahadur</i> Wroughton & Ryley, 1913	<i>Leggada bahadur</i> Wroughton & Ryley, 1913 synonymised under species <i>Mus platythrix</i>	<i>Mus platythrix bahadur</i> (Wroughton & Ryley, 1913) synonymised under species <i>Mus platythrix</i>	i) Marshall, 1977 and Agrawal, 2000: <i>Leggada bahadur</i> Wroughton & Ryley, 1913 synonymised under species <i>Mus platythrix</i>	<i>Mus platythrix bahadur</i> (Wroughton & Ryley, 1913) synonymised under species <i>Mus platythrix</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	119			Mount Popa, Myanmar	<i>Mus platythrix shortridgei</i> Thomas, 1914	<i>Mus platythrix shortridgei</i> (Thomas)	<i>Mus shortridgei</i> Thomas, 1914	<i>Mus shortridgei</i> (Thomas, 1914)	i) Marshall, 1977: <i>Mus shortridgei</i> Thomas	<i>Mus shortridgei</i> (Thomas, 1914)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	120		Elliot's spiny mouse	India ; Pakistan; Bangladesh	<i>Mus saxicola</i> Elliot, 1839 synonymised under subspecies <i>Mus platythrix platythrix</i>	<i>Mus saxicola</i> Elliot, 1839 synonymised under subspecies <i>Mus platythrix platythrix</i>	<i>Mus saxicola</i> Elliot, 1839	<i>Mus saxicola</i> Elliot, 1839	i) Marshall, 1997 and Agrawal, 2000): <i>Mus saxicola</i> Elliot, 1839	<i>Mus saxicola</i> Elliot, 1839	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		114		Maharashtra (Pune, Nasik, Khandala, Ratnagiri), Karnataka, Tamil Nadu, Andhra Pradesh	—	—	—	—	i) Agrawal, 2000: <i>Mus saxicola saxicola</i> Elliot, 1839	<i>Mus saxicola saxicola</i> Elliot, 1839	Agrawal, 2000
		115		Himachal Pradesh, Uttar Pradesh, Bihar, West Bengal	<i>Mus platythrix gurakha</i> Thomas, 1914	<i>Mus platythrix gurakha</i> Thomas	? <i>Leggadilla gurkha</i> Thomas, 1914 synonymised under species <i>Mus saxicola</i>	<i>Mus saxicola gurakha</i> (Thomas, 1914) synonymised under species <i>Mus saxicola</i>	i) Marshall, 1997 and Agrawal, 2000: <i>Mus saxicola gurakha</i> (Thomas, 1914)	<i>Mus saxicola gurakha</i> (Thomas, 1914)	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		116		India (Rajasthan, Gujarat, Madhya Pradesh); Pakistan	<i>Mus platythrix sadhu</i> Wroughton, 1911	<i>Mus platythrix sadhu</i> (Wroughton)	<i>Leggada platythrix sadhu</i> Wroughton, 1911 synonymised under species <i>Mus saxicola</i>	<i>Mus saxicola sadhu</i> (Wroughton, 1911) synonymised under species <i>Mus saxicola</i>	i) Marshall, 1997 and Agrawal, 2000: <i>Mus saxicola sadhu</i> (Wroughton, 1911)	<i>Mus saxicola sadhu</i> (Wroughton, 1911)	Agrawal, 2000
		—		Ramnad, Madura, Madras	<i>Mus platythrix ramnadensis</i> Bentham, 1908	<i>Mus platythrix ramnadensis</i> Bentham	<i>Mus (Leggada) ramnadensis</i> Bentham, 1908 synonymised under species <i>Mus saxicola</i>	<i>Mus platythrix ramnadensis</i> Bentham, 1908 synonymised under species <i>Mus saxicola</i>	i) Marshall, 1977: <i>Mus (Leggada) ramnadensis</i> synonymised under species <i>Mus saxicola</i> ii) Agrawal, 2000: <i>Mus (Leggada) ramnadensis</i> Bentham, 1908 synonymised	<i>Mus platythrix ramnadensis</i> Bentham, 1908 synonymised under subspecies <i>Mus saxicola saxicola</i>	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									under subspecies <i>Mus saxicola saxicola</i>		
		—	The Pygmy House Mouse	Nepal : Pangboche, imje valley, Khumbhu, East Nepal	—	<i>Mus musculus pygmaeus</i> Biswas & Khajuria, 1955	<i>Mus musculus pygmaeus</i> Biswas & Khajuria, 1955 synonymised under species <i>Mus saxicola</i>	<i>Mus musculus pygmaeus</i> Biswas & Khajuria, 1955 synonymised under species <i>Mus saxicola</i>	i) Agrawal, 2000: <i>Mus musculus pygmaeus</i> Biswas & Khajuria, 1955 synonymised under subspecies <i>Mus musculus homourus</i>	<i>Mus musculus pygmaeus</i> Biswas & Khajuria, 1955 synonymised under species <i>Mus saxicola</i>	Musser and Carleton, in Wilson & Reeder, 2005
					Subgenus : <i>Coelomys</i> Thomas, 1915	Subgenus : <i>Coelomys</i> Thomas, 1915	Subgenus : <i>Coelomys</i> Thomas, 1915	Subgenus : <i>Coelomys</i> Thomas, 1915	i) Marshall, 1977: Subgenus : <i>Coelomys</i> Thomas, 1915	Subgenus : <i>Coelomys</i> Thomas, 1915	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	121			Sri Lanka	<i>Mus mayori</i> Thomas, 1915	<i>Mus mayori</i> Thomas, 1915	<i>Mus mayori</i> Thomas, 1915	<i>Mus mayori</i> Thomas, 1915	i) Marshall, 1977: <i>Mus mayori</i> Thomas, 1915	<i>Mus mayori</i> Thomas, 1915	Corbet & Hill, 1992
		—		Pattipola, Central Sri Lanka	<i>Mus mayori mayori</i> Thomas, 1915	<i>Mus mayori mayori</i> Thomas, 1915	<i>Mus mayori mayori</i> Thomas, 1915 Synonymised under species <i>Mus mayori</i>	—	i) Marshall, 1977 and Srinivasulu & Pradhan, 2003: <i>Mus mayori mayori</i> Thomas, 1915	<i>Mus mayori mayori</i> Thomas, 1915 Synonymised under species <i>Mus mayori</i>	Corbet & Hill, 1992
		—		Kottawa, Southern Province, Sri Lanka	<i>Mus mayori pococki</i> Ellerman, 1947	<i>Mus mayori pococki</i> Ellerman, 1947	<i>Mus mayori pococki</i> Ellerman, 1947 Synonymised under species <i>Mus mayori</i>	<i>Mus mayori pococki</i> Ellerman, 1947 synonymised under species <i>Mus mayori</i>	i) Marshall, 1977 and Srinivasulu & Pradhan, 2003: <i>Mus mayori pococki</i> Ellerman, 1947	<i>Mus mayori pococki</i> Ellerman, 1947 synonymised under species <i>Mus mayori</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	122		Sikkim mouse	India; Bhutan; Myanmar	<i>Mus pahari</i> Thomas, 1916	<i>Mus pahari</i> Thomas	<i>Mus pahari</i> Thomas, 1916	<i>Mus pahari</i> Thomas, 1916	i) Marshall, 1977 and Agrawal, 2000 : <i>Mus pahari</i> Thomas, 1916	<i>Mus pahari</i> Thomas, 1916	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		117		India (Sikkim, West Bengal, Arunachal Pradesh, Assam, Nagaland, Meghalaya, Mizoram); Bhutan; North Myanmar	<i>Mus pahari pahari</i> Thomas, 1916	<i>Mus pahari pahari</i> Thomas, 1916	Do not offer any comments on the status of subspecies <i>Mus pahari pahari</i> Thomas, 1916	—	i) Agrawal, 2000: <i>Mus pahari pahari</i> Thomas, 1916	<i>Mus pahari pahari</i> Thomas, 1916	Agrawal, 2000
		—		India (Laitkynsad, Khasi Hills, Assam); Bhutan (Putlibir, c. 2103m., West Bhutan); North Myanmar	<i>Mus pahari jacksoniae</i> Thomas, 1921	<i>Mus pahari jacksoniae</i> (Thomas)	<i>Leggada jacksoniae</i> Thomas, 1921 synonymised under species <i>Mus pahari</i> Thomas, 1916	<i>Mus pahari jacksoniae</i> (Thomas, 1921) Synonymised under species <i>Mus pahari</i>	i) Marshall, 1977: Synonymised under species <i>Mus pahari</i> i) Agrawal, 2000: <i>Leggada jacksoniae</i> Thomas, 1921 synonymised under subspecies <i>Mus pahari pahari</i>	<i>Mus pahari jacksoniae</i> (Thomas, 1921) Synonymised under species <i>Mus pahari</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
54					Genus : <i>Rattus</i> Fischer, 1803	Genus : <i>Rattus</i> Fischer	Genus : <i>Rattus</i> Fischer	Genus : <i>Rattus</i> G. Fischer, 1803	i) Agrawal, 2000: Genus: <i>Rattus</i> Fischer, 1803	Genus : <i>Rattus</i> Fischer, 1803	Corbet & Hill, 1992; Agrawal, 2000
	123		Common house rat, Roof rat, Ship rat		<i>Rattus rattus</i> Linnaeus, 1758	<i>Rattus rattus</i> (Linnaeus)	<i>Rattus rattus</i> Linnaeus, 1758	<i>Rattus rattus</i> (Linnaeus, 1758)	i) Agrawal, 2000: <i>Rattus rattus</i> (Linnaeus, 1758)	<i>Rattus rattus</i> (Linnaeus, 1758)	Musser and Carleton, in Wilson & Reeder, 2005
		118	Imported ship rat (European Form)	India (Bombay); Pakistan	<i>Rattus rattus rattus</i> Linnaeus, 1758	<i>Rattus rattus rattus</i> (Linnaeus)	<i>Rattus rattus rattus</i> Linnaeus, 1758	—	i) Alfred et al, 2002: <i>Rattus rattus rattus</i> (Linnaeus, 1758)	<i>Rattus rattus rattus</i> (Linnaeus, 1758)	Corbet & Hill, 1992; Alfred et al, 2002
		—		India (Kashmir); Pakistan (Baluchistan, Pasni and Sind, Jacobabad, Gambat, Sukkur, Chakdulla)	<i>Rattus rattus alexandrinus</i> Geoffroy, 1803	<i>Rattus rattus alexandrinus</i> (Desmarest)	<i>Mus alexandrinus</i> Desmarest, 1819 Synonymised under species <i>Rattus rattus</i>	<i>Mus alexandrinus</i> Desmarest, 1819 Synonymised under species <i>Rattus rattus</i>	i) Chakraborty, 1983: Alfred et al, 2002) <i>Rattus rattus alexandrinus</i> (Desmarest)	<i>Mus alexandrinus</i> Desmarest, 1819 Synonymised under species <i>Rattus rattus</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		119		India (Throughout Peninsular India, northwards about to Punjab); Pakistan	<i>Rattus rattus rufescens</i> Gray, 1837	<i>Rattus rattus rufescens</i> (Gray)	<i>Rattus rattus rufescens</i> Gray, 1837	<i>Rattus rattus rufescens</i> Gray, 1837 Synonymised under species <i>Rattus rattus</i>	i) Alfred <i>et al</i> , 2002: <i>Rattus rattus rufescens</i> Gray, 1837	<i>Rattus rattus rufescens</i> (Gray, 1837)	Corbet & Hill, 1992; Alfred <i>et al</i> , 2002
		120		Pakistan	<i>Rattus rattus frugivorus</i> Rafinesque, 1814	—	<i>Musculus frugivorus</i> Rafinesque, 1814 synonymised under species <i>Rattus rattus</i>	<i>Rattus rattus frugivorus</i> (Rafinesque, 1814) synonymised under species <i>Rattus rattus</i>	i) Roberts, 1997: <i>Rattus rattus frugivorus</i>	<i>Rattus rattus frugivorus</i> Rafinesque, 1814	Roberts, 1997
		121		India (Jhajjar kotli, Jammu & Kashmir; Sikkim; Manipur; Meghalaya); Nepal; Bhutan	<i>Rattus rattus brunneusculus</i> Hodgson, 1845	<i>Rattus rattus brunneusculus</i> (Hodgson)	<i>Rattus rattus brunneusculus</i> Hodgson, 1845	<i>Rattus rattus brunneusculus</i> (Hodgson, 1845) synonymised under species <i>Rattus tanezumi</i>	i) Chakraborty, 1983: <i>Rattus rattus brunneusculus</i> Hodgson, 1845	<i>Rattus rattus brunneusculus</i> Hodgson, 1845	Corbet & Hill, 1992; Chakraborty, 1983

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		122		India (West Bengal, Bihar, Uttar Pradesh); Nepal; Bangladesh	<i>Rattus rattus arboreus</i> Horsfield, 1851	<i>Rattus rattus arboreus</i> (Horsfield)	<i>Rattus rattus arboreus</i> Horsfield, 1851	<i>Rattus rattus arboreus</i> (Horsfield, 1851) synonymised under species <i>Rattus rattus</i>	i) Alfred <i>et al</i> , 2002: <i>Rattus rattus arboreus</i> Horsfield, 1851	<i>Rattus rattus arboreus</i> (Horsfield, 1851)	Corbet & Hill, 1992; Alfred <i>et al</i> , 2002
		123		India (Pashok, Sikkim, Mishmi, Manipur, Assam); Bhutan	<i>Rattus rattus tistae</i> Hinton, 1918	<i>Rattus rattus tistae</i> Hinton	<i>Rattus rattus tistae</i> Hinton, 1918	<i>Rattus rattus tistae</i> Hinton, 1918 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus tistae</i> Hinton, 1918	Corbet & Hill, 1992
		124		Coonoor, 6000 ft Nilgiri Hills, Range: Southern Peninsular India	<i>Rattus rattus wroughtoni</i> Hinton, 1919	<i>Rattus rattus wroughtoni</i> Hinton	<i>Rattus rattus wroughtoni</i> Hinton, 1919	<i>Rattus rattus wroughtoni</i> Hinton, 1919 synonymised under species <i>Rattus rattus</i>	i) Wilson & Reeder, 1993 and Alfred <i>et al</i> , 2002: <i>Rattus rattus wroughtoni</i> Hinton synonymised under species <i>Rattus tanezumi</i>	<i>Rattus rattus wroughtoni</i> Hinton, 1919	Corbet & Hill, 1992; Pradhan, 1991 * For details see remarks below

* **Remarks** : The Indo-malayan *Rattus rattus* subspecies need comprehensive revision with proper diagnoses. Much remains to be done to test even at a species limit. Most of the differences between species are subtle and are confused by subspecific variations. Most taxonomic work has been on too local a scale to adequately resolve the problems. Worst of all, the potential valuable data on chromosomes and genetic relationships has not yet been integrated comprehensively with the morphological data, often because of failure to preserve or record all the morphological parameters (Corbet & Hill, 1992). While keeping forms like *wroughtoni* in *Rattus tanezumi* mainly on the basis of $2n = 42$ chromosome number and a few biochemical and morphological traits, Musser and Carleton (In Wilson & Reeder, 1993) also expressed doubts on the nature of specific relationship between *Rattus rattus* and *Rattus tanezumi* on the Indian subcontinent.

Before transferring *wroughtoni* of South West India to *Rattus tanezumi*, a fact was overlooked that some populations of *Rattus rattus wroughtoni* with chromosome number $2n = 38$ have been reported in past by Sharma and Raman (1972) and Mithel (1977). A comparison of the Chromosomal patterns of *Rattus rattus wroughtoni* reported from Indian peninsular region by Sharma and Raman (1972), Lakhotia *et. al.* (1973) and Mithel (1977) showed following interesting results.

Authors	Chromosome No. 2n	Large Metacentric	Large Subtelo- Centric	Graded Telocentric	Graded Metacentric
Sharma and Raman (1972)	38	2	3	6 + 1	7
Lakhotia, Rao and Jhanwar (1973)	42	—	1	13	7
Mithel (1977)	38	2	1	7 + 1	7 + 1

The above table for the comparative chromosomal patterns of *Rattus rattus wroughtoni* clearly shows that chromosomal trait can not be relied upon heavily for such a major shift of the well established *Rattus rattus* subspecies (*Rattus rattus wroughtoni*) to *Rattus tanezumi*. Further, Pradhan *et al* (1991) on the basis of the studies on the electrophoretic patterns (PAGE) of haemoglobin proteins have shown that *Rattus rattus rufescens* and *Rattus rattus wroughtoni* were closely placed on the Genetic Identity Scale (UPGMA) as compared to *Rattus norvegicus*.

In view of the above, provisional classification of *Rattus rattus* subspecies as proposed by Musser and Carleton in Wilson and Reeder (1993) can not be accepted. Practicality based classification of *Rattus rattus* subspecies as proposed by Corbet and Hill (1992) will have to be adopted, tentatively, till the taxonomic complications in respect of *Rattus rattus* subspecies are resolved. In the revisionary studies, Musser and Carleton in Wilson and Reeder (2005) have retained *Wroughtoni* under *Rattus rattus*.

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		125		India (Chichpalli, Chanda (Now Chandrapur), Sakot, Hoshangabad, Central India 1200 ft)	<i>Rattus rattus narbadae</i> Hinton, 1918	<i>Rattus rattus narbadae</i> Hinton	<i>Rattus rattus narbadae</i> Hinton, 1918	<i>Rattus rattus narbadae</i> Hinton, 1918 synonymised under species <i>Rattus rattus</i>	i) Alfred <i>et al</i> , 2002: <i>Rattus rattus narbadae</i>	<i>Rattus rattus narbadae</i> Hinton, 1918	Corbet & Hill, 1992; Alfred <i>et al</i> , 2002
		—		Sasan, Jumagadh, Kathiawar, 4000 ft	<i>Rattus rattus girensis</i> Hinton, 1918 synonymised under subspecies <i>Rattus rattus narbadae</i>	<i>Rattus rattus girensis</i> Hinton, 1918 synonymised under subspecies <i>Rattus rattus narbadae</i>	<i>Rattus rattus girensis</i> Hinton, 1918	<i>Rattus rattus girensis</i> Hinton, 1918 synonymised under subspecies <i>Rattus rattus</i>	i) Alfred <i>et al</i> , 2002: <i>Rattus rattus girensis</i> Hinton, 1918 synonymised under species <i>Rattus rattus</i>	<i>Rattus rattus girensis</i> Hinton 1918 synonymised under subspecies <i>Rattus rattus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		126		North East India; Bhutan	<i>Rattus rattus bhotia</i> Hinton, 1918	<i>Rattus rattus bhotia</i> Hinton	<i>Rattus rattus bhotia</i> Hinton, 1918	<i>Rattus rattus bhotia</i> Hinton, 1918 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus bhotia</i> Hinton, 1918	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		127		India : Ranibagh, Nainital, Kumaon, 2500 ft. Punjab: Chamba, Khyelang, Darmsala, Baratissa, Gopalpur	<i>Rattus rattus gangutrianus</i> Hinton, 1919	<i>Rattus rattus gangutrianus</i> Hinton	<i>Rattus rattus gangutrianus</i> Hinton, 1919	<i>Rattus rattus gangutrianus</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	i) Alfred <i>et al</i> , 2002: <i>Rattus rattus gangutrianus</i>	<i>Rattus rattus gangutrianus</i> Hinton, 1919	Corbet & Hill, 1992; Alfred <i>et al</i> , 2002
		128	The common Manipur white-bellied rat	16 miles North of Imphal, Manipur 3500 ft	—	<i>Rattus rattus bullocki</i> Roonwal, 1948	<i>Rattus rattus bullocki</i> Roonwal, 1948	<i>Rattus rattus bullocki</i> Roonwal, 1948 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus bullocki</i> Roonwal, 1948	Corbet & Hill, 1992
		—		Barren Island, Andaman Islands	<i>Rattus (?) rattus atridorsum</i> Miller, 1903	—	<i>Mus atridorsum</i> Miller, 1903 synonymised under species <i>Rattus rattus</i>	<i>Mus atridorsum</i> Miller, 1903 synonymised under species <i>Rattus rattus</i>	i) Alfred <i>et al</i> , 2002: synonymised under species <i>Rattus rattus</i>	<i>Mus atridorsum</i> Miller, 1903 synonymised under species <i>Rattus rattus</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Sri Lanka : Kandy, Trinco, Mannar, Colombo, & Hambantota	<i>Rattus rattus ceylonus</i> Kelaart, 1850	<i>Rattus rattus ceylonus</i> (Kelaart)	<i>Mus ceylonus</i> Kelaart, 1850 synonymised under species <i>Rattus rattus</i>	<i>Rattus rattus ceylonus</i> (Kelaart, 1850) synonymised under species <i>Rattus rattus</i>	—	<i>Rattus rattus ceylonus</i> Kelaart, 1850 synonymised under species <i>Rattus rattus</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		129		Sri Lanka : Nuwara Eliya, Hendala near Colombo	<i>Rattus rattus kandianus</i> Kelaart, 1850	<i>Rattus rattus kandianus</i> (Kelaart)	<i>Rattus rattus kandianus</i> Kelaart, 1850	<i>Rattus rattus kandianus</i> (Kelaart, 1850) synonymised under species <i>Rattus rattus</i>	—	<i>Rattus rattus kandianus</i> (Kelaart, 1850)	Corbet & Hill, 1992
		130		Palripola, High lands of Sri Lanka	<i>Rattus rattus kelaarti</i> Wroughton, 1915	<i>Rattus rattus kelaarti</i> (Wroughton)	<i>Rattus rattus kelaarti</i> Wroughton, 1915	<i>Rattus rattus kelaarti</i> (Wroughton, 1915) synonymised under species <i>Rattus rattus</i>	—	<i>Rattus rattus kelaarti</i> (Wroughton, 1915)	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		131		Nepal : Changoo Fering, Godaveri, Hathibun, Kathmandu, Sipuri	<i>Rattus rattus brunneus</i> Hodgson, 1845	<i>Rattus rattus brunneus</i> (Hodgson)	<i>Rattus rattus brunneus</i> Hodgson, 1845	<i>Rattus rattus brunneus</i> (Hodgson, 1845) synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus brunneus</i> Hodgson, 1845	Corbet & Hill, 1992
		132		Myanmar (25 mile West of Kindat, Chin Hills, West Myanmar 600ft).	<i>Rattus rattus khyensis</i> Hinton, 1919	<i>Rattus rattus khyensis</i> Hinton	<i>Rattus rattus khyensis</i> Hinton, 1919	<i>Rattus rattus khyensis</i> (Hinton, 1919) synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus khyensis</i> Hinton, 1919	Corbet & Hill, 1992
		133		Myanmar (Tenasserim town, South Myanmar, Mergui Archipelago)	<i>Rattus rattus tikos</i> Hinton, 1919	<i>Rattus rattus tikos</i> Hinton	<i>Rattus rattus tikos</i> Hinton, 1919	<i>Rattus rattus tikos</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus tikos</i> Hinton, 1919	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	124		Oriental House Rat	Bhutan, Myanmar	<i>Rattus rattus tanezumi</i> Temminck, 1844	—	—	<i>Rattus tanezumi</i> Temminck, 1844	—	<i>Rattus tanezumi</i> Temminck, 1844	Musser and Carleton, in Wilson & Reeder, 2005
		—		Tasnigong, Mana, valley, c. 1800 m, East Bhutan	—	—	—	<i>Rattus rattus brevicaudus</i> Chakraborty, 1975 synonymised under species <i>Rattus tanezumi</i>	i) Alfred <i>et. al.</i> 2002: <i>Rattus rattus brevicaudus</i> Chakraborty, 1975 synonymised under <i>Rattus tanezumi</i> . However, its taxonomic status needs confirmation.	<i>Rattus rattus brevicaudus</i> Chakraborty, 1975 synonymised under <i>Rattus tanezumi</i> .	Musser and Carleton, in Wilson & Reeder, 2005
		—		Hasting Island, Mergui Archipelago	<i>Rattus rattus dentatus</i> Miller, 1913	<i>Rattus rattus dentatus</i> (Miller)	<i>Epimys rattus dentatus</i> Miller, 1913 described under species <i>Rattus rattus</i>	<i>Rattus rattus dentatus</i> (Miller, 1913) synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus dentatus</i> (Miller, 1913) synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Tatkon, West bank of Chindwin river, Myanmar	<i>Rattus rattus tatkonensis</i> Hinton, 1919 synonymised under subspecies <i>Rattus rattus khyensis</i>	<i>Rattus rattus tatkonensis</i> Hinton, 1919 synonymised under subspecies <i>Rattus rattus khyensis</i>	<i>Rattus rattus tatkonensis</i> Hinton, 1919	<i>Rattus rattus tatkonensis</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus tatkonensis</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Helfer island, Mergui Archipelago	<i>Rattus rattus insulans</i> Miller, 1913	<i>Rattus rattus insulans</i> Miller, 1913	<i>Epimys rattus insulans</i> Miller, 1913 described under species <i>Rattus rattus</i>	<i>Rattus rattus insulans</i> Miller, 1913 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus insulans</i> Miller, 1913 synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		James Island, Mergui Archipelago	<i>Rattus rattus exsul</i> Miller, 1913	<i>Rattus rattus exsul</i> Miller, 1913	<i>Epimys rattus exsul</i> Miller, 1913 described under species <i>Rattus rattus</i> described under species <i>Rattus rattus</i>	<i>Rattus rattus exsul</i> Miller, 1913 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus rattus exsul</i> Miller, 1913 synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Hkamati (West bank) Upper Chindwin, Myanmar	<i>Rattus rattus macmillani</i> Hinton, 1919	<i>Rattus rattus macmillani</i> Hinton	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus remotus</i>	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Hkamati (West bank) Upper Chindwin, Myanmar	<i>Rattus rattus macmillani</i> Hinton, 1919	<i>Rattus rattus macmillani</i> Hinton	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus remotus</i>	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	—	<i>Rattus macmillani</i> Hinton, 1919 synonymised under species <i>Rattus tanezumi</i>	Musser and Carleton, in Wilson & Reeder, 2005
	125			Ghatmatha, Satara district about 2000 ft. Range : Eastern Ghat (Chettiri range, Salem & Shevaroy	<i>Rattus rattus satarae</i> Hinton, 1918	<i>Rattus rattus satarae</i> Hinton	<i>Rattus rattus satarae</i> Hinton, 1918	<i>Rattus satarae</i> Hinton, 1918	i) Alfred <i>et al.</i> , 2002: <i>Rattus rattus satarae</i> Hinton, 1918	<i>Rattus satarae</i> Hinton, 1918	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	126			Andaman Islands, Bay of Bengal	<i>Rattus rattus andamanensis</i> Blyth, 1860	<i>Rattus rattus andamanensis</i> (Blyth)	<i>Mus (Leggada) andamanensis</i> Blyth, 1860 synonymised under species <i>Rattus rattus</i>	<i>Rattus andamanensis</i> (Blyth, 1860)	—	<i>Rattus andamanensis</i> (Blyth, 1860)	Musser and Carleton, in Wilson & Reeder, 2005
		—		Car Nicobar Island, Nicobar Islands	—	—	(?) <i>Rattus rattus holchu</i> Chaturvedi, 1966	<i>Rattus rattus holchu</i> Chaturvedi, 1966 synonymised under species <i>Rattus andamanensis</i>	—	<i>Rattus rattus holchu</i> Chaturvedi, 1966 synonymised under species <i>Rattus andamanensis</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Henry Lawrence Island, Andaman Islands	<i>Rattus (?) rattus flebilis</i> Miller, 1902	—	<i>Mus flebilis</i> Miller, 1902 synonymised under species <i>Rattus rattus</i>	<i>Mus flebilis</i> Miller, 1902 synonymised under species <i>Rattus andamanensis</i>	—	<i>Mus flebilis</i> Miller, 1902 synonymised under species <i>Rattus andamanensis</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	127			West Heputale, Ohiya, Sri Lanka 5200-6000 ft (Endemic to Sri Lanka)	<i>Rattus montanus</i> Phillips, 1932	<i>Rattus montanus</i> Phillips, 1932	<i>Rattus montanus</i> Phillips, 1932	<i>Rattus montanus</i> Phillips, 1932	—	<i>Rattus montanus</i> Phillips, 1932	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	128		Himalayan Rat	India (North-East India; Andman and Nicobar Isls); N Pakistan; Nepal, Bhutan; Bangladesh	<i>Mus pyctoris</i> Hodgson, 1845 synonymised under subspecies <i>Rattus nitidus nitidus</i>	<i>Mus pyctoris</i> Hodgson, 1845 synonymised under subspecies <i>Rattus nitidus nitidus</i>	<i>Mus pyctoris</i> Hodgson, 1845 synonymised under species <i>Rattus turkestanicus</i>	<i>Rattus pyctoris</i> Hodgson, 1845	—	<i>Rattus pyctoris</i> Hodgson, 1845	Musser and Carleton, in Wilson & Reeder, 2005
	—		The Turkestan Rat	India (Jammu & Kashmir, Himachal Pradesh, Uttar Pradesh, Sikkim, West Bengal); Pakistan; Nepal; Bangladesh	<i>Rattus rattoides turkestanicus</i> Satunin, 1903	<i>Rattus rattoides turkestanicus</i> (Satunin)	Raised to species level <i>Rattus turkestanicus</i>	<i>Rattus turkestanicus</i> (Satunin, 1903) synonymised under species <i>Rattus pyctoris</i>	i) Agrawal, 2000: <i>Rattus turkestanicus</i> (Satunin, 1903)	<i>Rattus turkestanicus</i> (Satunin, 1903) synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005. * See comments given below

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
<p>* Since <i>Rattus turkestanicus</i> along with its all Indian subspecies have been synonymised in <i>Rattus pyctoris</i> on the basis of law of priority by Musser and Carleton in Wilson & Reeder (2005), <i>Rattus pyctoris</i> has been retained here as a separate species tentatively. However, studies carried out by Agrawal (2000) shows occurrence of distinct different populations in this region. Hence, detailed taxonomic studies of these populations are strongly recommended for conformation of their inclusion in <i>R. pyctoris</i>.</p>											
		—		India (Jammu & Kashmir, Himachal Pradesh); Bangladesh	—	—	—	<i>Rattus turkestanicus turkestanicus</i> (Satunin, 1903) synonymised under species <i>Rattus pyctoris</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002 : <i>Rattus turkestanicus turkestanicus</i> (Satunin, 1903)	<i>Rattus turkestanicus turkestanicus</i> (Satunin, 1903) synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005.
	—			India; Pakistan; Nepal	<i>Rattus rattoides</i> Hodgson, 1845	<i>Rattus rattoides</i> (Hodgson)	<i>Mus rattoides</i> Hodgson, 1845 synonymised under species <i>Rattus turkestanicus</i>	<i>Rattus rattoides</i> (Hodgson, 1845) synonymised under species <i>Rattus pyctoris</i>	i) Agrawal, 2000: <i>Mus rattoides</i> Hodgson, 1845 synonymised under species <i>Rattus turkestanicus</i>	<i>Rattus rattoides</i> (Hodgson, 1845) synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005.
		—		Kumaon; Sikkim; Nepal	<i>Rattus rattoides rattoides</i>	<i>Rattus rattoides rattoides</i>	—	<i>Rattus rattoides rattoides</i>	i) Agrawal, 2000: <i>Rattus rattoides</i>	<i>Rattus rattoides</i> (Hodgson,	Musser and Carleton, in Wilson &

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Hodgson, 1845	Hodgson, 1845		(Hodgson, 1845) synonymised under species <i>Rattus pyctoris</i>	<i>rattooides</i> Hodgson, 1845 synonymised under species <i>Rattus turkestanicus</i>	1845) synonymised under species <i>Rattus pyctoris</i>	Reeder, 2005.
		—		Gilgit, North Pakistan	—	—	<i>Rattus rattoides gilgitianus</i> Akhtar, 1959	<i>Rattus rattoides gilgitianus</i> Akhtar, 1959 synonymised under species <i>Rattus pyctoris</i>	i) Roberts, 1997: <i>Rattus rattoides gilgitianus</i> Akhtar, 1959	<i>Rattus rattoides gilgitianus</i> Akhtar, 1959 synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—	The Khumbu house rat	India (Uttar Pradesh, Sikkim); Nepal	—	<i>Rattus rattus khumbuensis</i> Biswas & Khajuria, 1955	<i>Rattus rattus khumbuensis</i> Biswas & Khajuria, 1955 synonymised under species <i>Rattus turkestanicus</i>	<i>Rattus turkestanicus khumbuensis</i> Biswas & Khajuria, 1955 synonymised under species <i>Rattus pyctoris</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Rattus turkestanicus khumbuensis</i> Biswas & Khajuria, 1955	<i>Rattus turkestanicus khumbuensis</i> Biswas & Khajuria, 1955 synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Shigar, Baltistan, 9000 ft. Kashmir	<i>Rattus rattus shigarius</i> Miller, 1913	—	<i>Epimys rattus shigarius</i> Miller, 1913 synonymised under species <i>Rattus turkestanicus</i>	<i>Epimys rattus shigarus</i> Miller, 1913 synonymised under species <i>Rattus pyctoris</i>	i) Chakraborty, 1983: <i>Rattus turkestanicus shigarius</i> ii) Agrawal, 2000: <i>Epimys rattus shigarus</i> Miller, 1913 synonymised under subspecies <i>Rattus turkestanicus turkestanicus</i>	<i>Epimys rattus shigarus</i> Miller, 1913 synonymised under species <i>Rattus pyctoris</i>	Musser and Carleton, in Wilson & Reeder, 2005
	—		Short tailed turkestan rat	Jammu & Kashmir, Himachal Pradesh	<i>Mus vicerex</i> Bonhote, 1903 synonymised under subspecies <i>Rattus rattoides turkestanicus</i>	<i>Mus vicerex</i> Bonhote, 1903 synonymised under subspecies <i>Rattus rattoides turkestanicus</i>	<i>Mus vicerex</i> Bonhote, 1903 synonymised under species <i>Rattus turkestanicus</i>	<i>Mus vicerex</i> Bonhote, 1903 synonymised under species <i>Rattus pyctoris</i> Hodgson, 1845	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Rattus vicerex</i> (Bonhote, 1903)	<i>Mus vicerex</i> Bonhote, 1903 synonymised under species <i>Rattus pyctoris</i> Hodgson, 1845	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	129		Himalayan Rat/ White-footed Indo-chinese Rat	India; Pakistan; Nepal; Bhutan; Bangladesh; Myanmar	<i>Rattus nitidus</i> Hodgson, 1845	<i>Rattus nitidus</i> (Hodgson)	<i>Rattus nitidus</i> Hodgson, 1845	<i>Rattus nitidus</i> (Hodgson, 1845)	i) Agrawal, 2000: <i>Rattus nitidus</i> (Hodgson, 1845)	<i>Rattus nitidus</i> (Hodgson, 1845)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		134		India (Uttar Pradesh, West Bengal, Arunachal Pradesh, Meghalaya, Tripura, Mizoram & Manipur); Nepal; Bhutan; Bangladesh; North Myanmar	<i>Rattus nitidus nitidus</i> Hodgson, 1845	<i>Rattus nitidus nitidus</i> (Hodgson)	Do not offer any comments on status of subspecies <i>Rattus nitidus nitidus</i> Hodgson, 1845	—	i) Agrawal, 2000: <i>Rattus nitidus nitidus</i> (Hodgson, 1845)	<i>Rattus nitidus nitidus</i> (Hodgson, 1845)	Agrawal, 2000
	—			Nongpoh, Khasi Hills, Meghalaya	—	<i>Mus guhai</i> Nath, 1952	<i>Mus guhai</i> Nath, 1952 synonymised under species <i>Rattus nitidus</i>	<i>Mus guhai</i> Nath, 1952 synonymised under species <i>Rattus nitidus</i>	i) Marshall, 1977: Based upon a litter of <i>Rattus nitidus</i>	<i>Mus guhai</i> Nath, 1952 synonymised under species <i>Rattus nitidus</i>	Corbet & Hill, 1992; Agrawal, 2002

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
							Hodgson, 1845	Hodgson, 1845	ii) Agrawal, 2000: <i>Mus guhai</i> Nath, 1952 synonymised under species <i>Rattus nitidus</i>		
		—		Western Myanmar	<i>Rattus nitidus obsoletus</i> Hinton, 1919	<i>Rattus nitidus obsoletus</i> Hinton	<i>Rattus nitidus obsoletus</i> Hinton, 1919 synonymised under species <i>Rattus nitidus</i> Hodgson, 1845	<i>Rattus nitidus obsoletus</i> Hinton, 1919 synonymised under species <i>Rattus nitidus</i> Hodgson, 1845	i) Agrawal, 2000: <i>Rattus nitidus obsoletus</i> Hinton, 1919 synonymised under subspecies <i>Rattus nitidus nitidus</i>	<i>Rattus nitidus obsoletus</i> Hinton, 1919 synonymised under subspecies <i>Rattus nitidus nitidus</i> Hodgson, 1845	Agrawal, 2000
	130		Zelebor's Nocobar Rat/ Car Nicobar Rat	Nicobar Islands	<i>Rattus palmarum</i> Zelebor, 1869	Species not examined	<i>Rattus palmarum</i> Zelebor, 1869	<i>Rattus palmarum</i> (Zelebor, 1869)	i) Agrawal, 2000: <i>Rattus palmarum</i> (Zelebor, 1869)	<i>Rattus palmarum</i> (Zelebor, 1869)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	131		Andaman Archipelago Rat	Andaman Islands (South Andaman I, Little Andaman I & Henry Lawrence Island)	<i>Mus stoicus</i> Miller, 1902	Species not examined	<i>Rattus stoicus</i> Miller, 1902	<i>Rattus stoicus</i> (Miller, 1902)	i) Agrawal, 2000: <i>Rattus stoicus</i> (Miller, 1902)	<i>Rattus stoicus</i> (Miller, 1902)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	132		Miller's Nicobar Rat / Nicobar Archipelago Rat	Nicobar group of Islands. (Endemic to India)	<i>Mus burrus</i> Miller, 1902	Species not examined	? <i>Mus burrus</i> Miller, 1902 synonymised under species <i>Rattus tiomanicus</i>	<i>Rattus burrus</i> (Miller, 1902)	i) Agrawal, 2000: <i>Rattus burrus</i> (Miller, 1902)	<i>Rattus burrus</i> (Miller, 1902)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	—			Car Nicobar Islands	<i>Mus burrulus</i> Miller, 1902 (?) Subspecies of <i>Mus burrus</i>	Species not examined	(?) <i>Mus burrulus</i> Miller, 1902 synonymised under species <i>Rattus tiomanicus</i>	<i>Mus burrulus</i> Miller, 1902 synonymised under species <i>Rattus andamanensis</i> (Blyth, 1860)	i) Agrawal, 2000: <i>Mus burrulus</i> Miller, 1902 synonymised under species <i>Rattus burrus</i>	<i>Mus burrulus</i> Miller, 1902 synonymised under species <i>Rattus andamanensis</i> (Blyth, 1860)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	—			Great Nicobar Island, Nocobar Islands	<i>Mus burrescens</i> Miller, 1902 (?) Subspecies of <i>Mus burrus</i>	Species not examined	(?) <i>Mus burrescens</i> Miller, 1902 synonymised under species <i>Rattus tiomanicus</i>	<i>Mus burrescens</i> Miller, 1902 synonymised under species <i>Rattus burrus</i> (Miller, 1902)	i) Agrawal, 2000: <i>Mus burrescens</i> Miller, 1902 synonymised under species <i>Rattus burrus</i>	<i>Mus burrescens</i> Miller, 1902 synonymised under species <i>Rattus burrus</i> (Miller, 1902)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	—		Sikkim Rat	India (Sikkim, West Bengal, Meghalaya, Nagaland, Arunachal Pradesh, Manipur); Nepal; Myanmar	<i>Rattus rattus sikkimensis</i> Hinton, 1919 synonymised under subspecies <i>Rattus rattus brunneusculus</i>	<i>Rattus rattus sikkimensis</i> Hinton, 1919 synonymised under subspecies <i>Rattus rattus brunneusculus</i>	<i>Rattus rattus sikkimensis</i> Hinton, 1919 synonymised under species <i>Rattus remotus</i>	<i>Rattus sikkimensis</i> Hinton, 1919 synonymised under species <i>Rattus andamanensis</i> (Blyth, 1860)	i) Agrawal, 2000: <i>Rattus sikkimensis</i> Hinton, 1919	<i>Rattus sikkimensis</i> Hinton, 1919 synonymised under species <i>Rattus andamanensis</i> (Blyth, 1860)	Musser and Carleton, in Wilson & Reeder, 2005 [On the basis of law of priority by Musser and Carleton, in Wilson & Reeder, 2005]

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	—			Nepal; Myanmar	—	—	<i>Rattus remotus</i> Robinson & Kloss, 1914	<i>Rattus remotus</i> Robinson & Kloss, 1914 synonymised under species <i>andamanensis</i> (Blyth, 1860)	—	<i>Rattus remotus</i> Robinson & Kloss, 1914 synonymised under species <i>andamanensis</i> (Blyth, 1860) [On the basis of law of priority by Musser and Carleton, in Wilson & Reeder, 2005]	Musser and Carleton, in Wilson & Reeder, 2005
	133		Ranjini's field rat	Trichur, Alleppy & Trivendrum Districts of Kerala (Endemic to India)	—	—	<i>Rattus ranjiniiae</i> Agrawal, & Ghoshal, 1969	<i>Rattus ranjiniiae</i> Agrawal, & Ghoshal, 1969	i) Agrawal, 2000: <i>Rattus ranjiniiae</i> Agrawal, & Ghoshal, 1969	<i>Rattus ranjiniiae</i> Agrawal, & Ghoshal, 1969	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	134		Polynesian rat/ Pacific Rat	East Bangladesh, Central and South Myanmar	<i>Rattus exulans</i> Peale, 1848	<i>Rattus exulans</i> (Peale)	<i>Rattus exulans</i> Peale, 1848	<i>Rattus exulans</i> (Peale, 1848)	i) Srinivasulu & Pradhan, 2003: <i>Rattus exulans</i> (Peale, 1848)	<i>Rattus exulans</i> (Peale, 1848)	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—		Myanmar, Tenasserim.	<i>Rattus exulans concolor</i> Blyth, 1859	<i>Rattus exulans concolor</i> (Blyth)	<i>Mus concolor</i> Blyth, 1859 synonymised under species <i>Rattus exulans</i>	<i>Mus concolor</i> Blyth, 1859 synonymised under species <i>Rattus exulans</i>	i) Musser & Newcomb, 1983: <i>Rattus exulans concolor</i>	<i>Rattus exulans concolor</i> Blyth, 1859 synonymised under species <i>Rattus exulans</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	135		The Norway Rat/ Brown Rat	Found only in Towns [Introduced worldwide]	<i>Rattus norvegicus</i> Berkenhout, 1769	<i>Rattus norvegicus</i> (Berkenhout)	<i>Rattus norvegicus</i> Berkenhout, 1769	<i>Rattus norvegicus</i> (Berkenhout, 1769)	i) Roberts, 1997 and Agrawal, 2000: <i>Rattus norvegicus</i> (Berkenhout, 1769)	<i>Rattus norvegicus</i> (Berkenhout, 1769)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
55					—	Subgenus : <i>Berylmus</i> Ellerman, 1947	Genus : <i>Berylmys</i> Ellerman, 1947	Genus : <i>Berylmys</i> Ellerman, 1947	i) Agrawal, 2000: Genus : <i>Berylmys</i> Ellerman, 1947	Genus : <i>Berylmys</i> Ellerman, 1947	Musser and Carleton, in Wilson & Reeder, 2005
	136		Bower's rat	India (Arunachal Pradesh, Meghalaya, Nagaland, Mizoram, Manipur); Myanmar	<i>Rattus bowersi</i> Anderson, 1879	<i>Rattus bowersi</i> (Anderson)	<i>Berylmys bowersi</i> Anderson, 1879	<i>Berylmys bowersi</i> (Anderson, 1879)	i) Agrawal, 2000: <i>Berylmys bowersi</i> (Anderson, 1879)	<i>Berylmys bowersi</i> (Anderson, 1879)	Musser and Carleton, in Wilson & Reeder, 2005
		—			<i>Rattus bowersi bowersi</i> Anderson, 1879	<i>Rattus bowersi bowersi</i> (Anderson)	Do not offer any comments on status of subspecies <i>Rattus bowersi bowersi</i> Anderson, 1879	—	i) Agrawal, 2000: <i>Rattus bowersi bowersi</i> Anderson, 1879 synonymised under species <i>Berylmys bowersi</i>	<i>Rattus bowersi bowersi</i> Anderson, 1879 synonymised under species <i>Berylmys bowersi</i>	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	137		Mackenzie's Rat / Mackenzie's Berylmys	India (Meghalaya, Nagaland, Mizoram & Manipur); Myanmar	<i>Rattus bowersi mackenziei</i> Thomas, 1916	<i>Rattus bowersi mackenziei</i> (Thomas)	<i>Berylmys mackenziei</i> Thomas, 1916	<i>Berylmys mackenziei</i> (Thomas, 1916)	i) Agrawal, 2000: <i>Berylmys mackenziei</i> (Thomas, 1916)	<i>Berylmys mackenziei</i> (Thomas, 1916)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—		Myanmar (Thangata, Muleyit range, Tenasserim)	<i>Rattus bowersi feae</i> Thomas, 1916	<i>Rattus bowersi feae</i> (Thomas)	<i>Rattus mackenziei feae</i> Thomas, 1916	<i>Rattus mackenziei feae</i> Thomas, 1916 synonymised under species <i>Berylmys mackenziei</i>	—	<i>Rattus mackenziei feae</i> Thomas, 1916 synonymised under species <i>Berylmys mackenziei</i>	Musser and Carleton, in Wilson & Reeder, 2005
	138		Manipur Rat	India; Myanmar	<i>Rattus manipulus</i> Thomas, 1916	<i>Rattus manipulus</i> (Thomas)	<i>Berylmys manipulus</i> Thomas, 1916	<i>Berylmys manipulus</i> (Thomas, 1916)	i) Agrawal, 2000: <i>Berylmys manipulus</i> (Thomas, 1916)	<i>Berylmys manipulus</i> (Thomas, 1916)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		135		India (Assam, Nagaland, Manipur); Myanmar	<i>Rattus manipulus manipulus</i> Thomas, 1916	<i>Rattus manipulus manipulus</i> (Thomas)	Do not offer any comments on status of the subspecies <i>Rattus manipulus manipulus</i> Thomas, 1916	—	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Berylmys manipulus manipulus</i> (Thomas, 1916)	<i>Berylmys manipulus manipulus</i> (Thomas, 1916)	Agrawal, 2000
		—		Kekrima 10 miles South East of Kohima, Naga Hills Districts Assam, 5390 ft	—	<i>Rattus manipulus kekrimus</i> Roonwal, 1948	<i>Rattus manipulus kekrimus</i> Roonwal, 1948 (Under genus <i>Berylmys</i>)	<i>Rattus manipulus kekrimus</i> Roonwal, 1948 synonymised under species <i>Berylmys manipulus</i> Thomas, 1916	i) Agrawal, 2000: <i>Rattus manipulus kekrimus</i> Roonwal, 1948 synonymised under subspecies <i>Berylmys manipulus manipulus</i>	<i>Rattus manipulus kekrimus</i> Roonwal, 1948 synonymised under subspecies <i>Berylmys manipulus manipulus</i>	Agrawal, 2000
	139		Gray rat/ Berdmore's <i>Berylmys</i>	South Myanmar	<i>Rattus berdmorei</i> Blyth, 1851	<i>Rattus berdmorei</i> (Blyth)	<i>Berylmys berdmorei</i> Blyth, 1851	<i>Berylmys berdmorei</i> (Blyth, 1851)	—	<i>Berylmys berdmorei</i> (Blyth, 1851)	Corbet & Hill, 1992

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Myanmar	<i>Rattus berdmorei</i> <i>berdmorei</i> Blyth, 1851	—	<i>Berylmys berdmorei</i> <i>berdmorei</i> Blyth, 1851 synonymised under species <i>Berylmys berdmorei</i>	—	—	<i>Rattus berdmorei</i> <i>berdmorei</i> Blyth, 1851 synonymised under species <i>Berylmys berdmorei</i>	Corbet & Hill, 1992
		—		Thagata Mulaiyit range, Tenasserim, Myanmar	<i>Rattus berdmorei mullulus</i> Thomas, 1916	<i>Rattus berdmorei mullulus</i> (Thomas)	<i>Epimys berdmorei mullulus</i> Thomas, 1916	<i>Berylmys berdmorei mullulus</i> (Thomas, 1916) synonymised under species <i>Berylmys berdmorei</i>	—	<i>Berylmys berdmorei mullulus</i> (Thomas, 1916) synonymised under species <i>Berylmys berdmorei</i>	Musser and Carleton, in Wilson & Reeder, 2005
56					—	—	Genus : <i>Niviventer</i> Marshall, 1976	Genus : <i>Niviventer</i> Marshall, 1976	i) Agrawal, 2000: Genus : <i>Niviventer</i> Marshall, 1976	Genus : <i>Niviventer</i> Marshall, 1976	Musser and Carleton, in Wilson & Reeder, 2005
	140		Himalayan white bellied rat	India; Nepal; Bhutan; North Myanmar	<i>Rattus niviventer</i> Hodgson, 1836	<i>Rattus niviventer</i> (Hodgson)	<i>Niviventer niviventer</i> Hodgson, 1836	<i>Niviventer niviventer</i> (Hodgson, 1836)	i) Agrawal, 2000: <i>Niviventer niviventer</i> (Hodgson, 1836)	<i>Niviventer niviventer</i> (Hodgson, 1836)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		136		India (Uttar Pradesh (Kumaon) to North East India except Sikkim & Darjiling); Nepal; Bhutan	<i>Rattus niviventer niviventer</i> Hodgson, 1836	<i>Rattus niviventer niviventer</i> (Hodgson)	Do not offer any comments on status of the subspecies <i>Niviventer niviventer niviventer</i> (Hodgson, 1836)	—	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002 : <i>Niviventer niviventer niviventer</i> (Hodgson, 1836)	<i>Niviventer niviventer niviventer</i> (Hodgson, 1836)	Agrawal, 2000; Alfred <i>et al</i> , 2002
		137		Sikkim and high altitude areas of Darjiling dist. West Bengal	<i>Rattus niviventer lepcha</i> Wroughton, 1916	<i>Rattus niviventer lepcha</i> (Wroughton)	<i>Epimys lepcha</i> Wroughton, 1916 Synonymised under species <i>Niviventer niviventer</i>	<i>Epimys lepcha</i> Wroughton, 1916 Synonymised under species <i>Niviventer niviventer</i>	i) Agrawal, 2000: <i>Niviventer niviventer lepcha</i> (Wroughton, 1916)	<i>Niviventer niviventer lepcha</i> (Wroughton, 1916)	Agrawal, 2000
		—		Palmajua, Darjiling, West Bengal, 2250 m.	—	—	<i>Rattus niviventer monticola</i> Ghosh, 1964 (Under species <i>Niviventer niviventer</i>	<i>Rattus niviventer monticola</i> Ghosh, 1964 synonymised under species <i>Niviventer niviventer</i>	i) Agrawal, 2000: <i>Rattus monticola</i> Ghosh, 1964 synonymised under subspecies <i>Niviventer niviventer lepcha</i>	<i>Rattus niviventer monticola</i> Ghosh, 1964 synonymised under subspecies <i>Niviventer niviventer lepcha</i>	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	141		Chestnut Rat	India (Himachal Pradesh, Uttar Pradesh, West Bengal, Sikkim, Assam, Meghalaya, Khasi hills, Arunachal Pradesh, Manipur); Bangladesh; Myanmar	<i>Rattus fulvescens</i> Gray, 1847	<i>Rattus fulvescens</i> (Gray)	<i>Niviventer fulvescens</i> Gray, 1847	<i>Niviventer fulvescens</i> (Gray, 1847)	i) Agrawal, 2000: <i>Niviventer fulvescens</i> (Gray, 1847)	<i>Niviventer fulvescens</i> (Gray, 1847)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—		India; Bangladesh; Myanmar (Northern Myanmar, Shan States, Tenasserim)	<i>Rattus fulvescens fulvescens</i> Gray, 1847	<i>Rattus fulvescens fulvescens</i> (Gray)	<i>Rattus fulvescens fulvescens</i> Gray, 1847 synonymised under species <i>Niviventer fulvescens</i>	—	i) Agrawal, 2000: No subspecies reported	<i>Rattus fulvescens fulvescens</i> Gray, 1847 synonymised under species <i>Niviventer fulvescens</i>	Corbet & Hill, 1992
		—		South Myanmar	<i>Rattus niviventer bukit</i>	<i>Rattus niviventer bukit</i>	<i>Niviventer bukit</i> Bonhote, 1903	<i>Rattus niviventer bukit</i>	i) Musser & Newcomb, 1983:	<i>Rattus niviventer bukit</i> Bonhote,	Musser and Carleton, in Wilson &

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
					Bonhote, 1903	(Bonhote)		Bonhote, 1903 synonymised under species <i>Niviventer fulvescens</i>	<i>Niviventer bukit</i> (Bonhote, 1903)	1903 synonymised under species <i>Niviventer fulvescens</i>	Reeder, 2005
		—		Myanmar (Tenasserim)	<i>Rattus</i> (?) <i>cremoriventer blythi</i> Kloss, 1917	—	<i>Rattus blythi</i> Kloss, 1917	<i>Niviventer fulvescens blythi</i> (Kloss, 1917) synonymised under species <i>Niviventer fulvescens</i>	—	<i>Niviventer fulvescens blythi</i> (Kloss, 1917) synonymised under species <i>Niviventer fulvescens</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Namting river, Yunnan-Myanmar border	<i>Rattus huang vulpicolor</i> G.Allen, 1926 synonymised under subspecies <i>Rattus fulvescens fulvescens</i>	<i>Rattus huang vulpicolor</i> G.Allen, 1926 synonymised under subspecies <i>Rattus fulvescens fulvescens</i>	<i>Rattus huang vulpicolor</i> G.Allen, 1926	<i>Rattus huang vulpicolor</i> G.Allen, 1926 synonymised under species <i>Niviventer fulvescens</i>	—	<i>Rattus huang vulpicolor</i> G.Allen, 1926 synonymised under species <i>Niviventer fulvescens</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	142			India (Arunachal Pradesh, Mishmi Hills (Anzong valley); Myanmar (Adung valley & Nyetmaw river)	<i>Rattus fulvencens brahma</i> Thomas, 1914	<i>Rattus fulvencens brahma</i> (Thomas)	<i>Niviventer brahma</i> Thomas, 1914	<i>Niviventer brahma</i> (Thomas, 1914)	i) Agrawal, 2000: <i>Niviventer brahma</i> (Thomas, 1914)	<i>Niviventer brahma</i> (Thomas, 1914)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	143			North Myanmar	<i>Rattus niviventer confucianus</i> Milne-Edwards, 1871	—	<i>Niviventer confucianus</i> Milne-Edwards, 1872	<i>Niviventer confucianus</i> (Milne-Edwards, 1871)	—	<i>Niviventer confucianus</i> (Milne-Edwards, 1871)	Musser and Carleton, in Wilson & Reeder, 2005
		—		Hkmti, 500ft. Upper Chindwin, Myanmar	<i>Rattus niviventer mentosus</i> Thomas, 1916	<i>Rattus niviventer mentosus</i> Thomas	<i>Rattus mentosus</i> Thomas, 1916 synonymised under species <i>Niviventer confucianus</i>	<i>Rattus mentosus</i> Thomas, 1916 synonymised under species <i>Niviventer confucianus</i>	—	<i>Rattus niviventer mentosus</i> Thomas, 1916 synonymised under species <i>Niviventer confucianus</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	144		Smoke bellied rat, Little Himalayan rat	India; Nepal; North Myanmar	<i>Rattus eha</i> Wroughton, 1916	<i>Rattus eha</i> (Wroughton)	<i>Niviventer eha</i> Wroughton, 1916	<i>Niviventer eha</i> (Wroughton, 1916)	i) Agrawal, 2000: <i>Niviventer eha</i> (Wroughton, 1916)	<i>Niviventer eha</i> (Wroughton, 1916)	Musser and Carleton, in Wilson & Reeder, 2005
		138		India (Sikkim & West Bengal); Nepal	<i>Rattus eha eha</i> Wroughton, 1916	<i>Rattus eha eha</i> (Wroughton)	—	—	i) Agrawal, 2000: <i>Niviventer eha eha</i> (Wroughton, 1916)	<i>Niviventer eha eha</i> (Wroughton, 1916)	Agrawal, 2000
	145		Dark tailed rat	Myanmar	<i>Rattus cremoriventer</i> Miller, 1900	<i>Rattus cremoriventer</i> (Miller)	<i>Niviventer cremoriventer</i> Miller, 1900	<i>Niviventer cremoriventer</i> (Miller, 1900)	i) Musser & Newcomb, 1983: <i>Niviventer cremoriventer</i> (Miller, 1900)	<i>Niviventer cremoriventer</i> (Miller, 1900)	Musser and Carleton, in Wilson & Reeder, 2005
		—		Myanmar (Sullivan Island, Mergui Archipelago)	<i>Rattus cremoriventer gilbiventer</i> Miller, 1903	—	<i>Mus gilbiventer</i> Miller, 1903 synonymised under species <i>Niviventer cremoriventer</i>	<i>Rattus cremoriventer gilbiventer</i> (Miller, 1903) synonymised under species <i>Niviventer cremoriventer</i>	—	<i>Rattus cremoriventer gilbiventer</i> (Miller, 1903) synonymised under species <i>Niviventer cremoriventer</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	146			India (Assam); Myanmar (Tenasserim)	<i>Rattus cremoriventer langbianis</i> Robinson & Kloss, 1922	—	<i>Niviventer langbianis</i> Robinson & Kloss, 1922	<i>Niviventer langbianis</i> (Robinson & Kloss, 1922)	i) Agrawal, 2000 : <i>Niviventer langbianis</i> (Robinson & Kloss, 1922)	<i>Niviventer langbianis</i> (Robinson & Kloss, 1922)	Musser and Carleton, in Wilson & Reeder, 2005
		—		India (Naga hills, Margherita, Assam); Western Myanmar	<i>Rattus cremoriventer indosinicus</i> Osgood, 1932	<i>Rattus cremoriventer indosinicus</i> Osgood	<i>Rattus indosinicus</i> Osgood, 1932 synonymised under species <i>Niviventer langbianis</i>	<i>Rattus indosinicus</i> Osgood, 1932 synonymised under species <i>Niviventer langbianis</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002 : <i>Rattus indosinicus</i> Osgood, 1932 synonymised under species <i>Niviventer langbianis</i>	<i>Rattus indosinicus</i> Osgood, 1932 synonymised under species <i>Niviventer langbianis</i>	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
	147			Mount Mylaiyit, 5000-6000 ft., Tenasserim	<i>Rattus cremoriventer tenaster</i> Thomas, 1916	<i>Rattus cremoriventer tenaster</i> (Thomas)	<i>Niviventer tenaster</i> Thomas, 1916	<i>Niviventer tenaster</i> Thomas, 1916	—	<i>Niviventer tenaster</i> Thomas, 1916	Musser and Carleton, in Wilson & Reeder, 2005
57					—	—	Genus: <i>Maxomys</i> Sody, 1936	Genus: <i>Maxomys</i> Sody, 1936	i) Musser & Newcomb, 1983: Genus: <i>Maxomys</i> Sody, 1936	Genus : <i>Maxomys</i> Sody, 1936	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	148		Indo-malayan Maxomys	South Myanmar	<i>Rattus rajah surife</i> Miller, 1900	<i>Rattus rajah surifer</i> (Miller)	<i>Maxomys surifer</i> Miller, 1900	<i>Maxomys surifer</i> (Miller, 1900)	i) Musser & Newcomb, 1983: <i>Maxomys surifer</i>	<i>Maxomys surifer</i> (Miller, 1900)	Musser and Carleton, in Wilson & Reeder, 2005
58			Long tailed giant rat		Subgenus : <i>Leopoldamys</i> Ellerman, 1947	Subgenus : <i>Leopoldamys</i> Ellerman, 1947	Genus : <i>Leopoldamys</i> Ellerman, 1947	Genus : <i>Leopoldamys</i> Ellerman, 1947	i) Agrawal, 2000: Genus : <i>Leopoldamys</i> Ellerman, 1947	Genus : <i>Leopoldamys</i> Ellerman, 1947	Musser and Carleton, in Wilson & Reeder, 2005
	149		Edward's rat	India (West Bengal, Arunachal Pradesh, Meghalaya and Nagaland); ?Bangladesh; North Myanmar	<i>Rattus edwardsi</i> Thomas, 1882	<i>Rattus edwardsi</i> (Thomas)	<i>Leopoldamys edwardsi</i> Thomas, 1882	<i>Leopoldamys edwardsi</i> (Thomas, 1882)	i) Agrawal, 2000: <i>Leopoldamys edwardsi</i> (Thomas, 1882)	<i>Leopoldamys edwardsi</i> (Thomas, 1882)	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		—			<i>Rattus edwardsi edwardsi</i> Thomas, 1882	<i>Rattus edwardsi edwardsi</i> Thomas, 1882	—	—	i) Agrawal, 2000: No subspecies reported from India under species <i>Leopoldamys edwardsi</i>	No subspecies reported from India under species <i>Leopoldamys edwardsi</i>	Agrawal, 2000

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Thva, Garo Hills, Assam, 1400 ft.	<i>Rattus sabanus garonum</i> Thomas, 1921	<i>Rattus sabanus garonum</i> Thomas	<i>Rattus listeri garonum</i> Thomas, 1921 (Under species <i>Leopoldamys edwardsi</i>)	<i>Epimys listeri garonum</i> Thomas, 1921 synonymised under species <i>Leopoldamys edwardsi</i>	i) Agrawal, 2000: <i>Epimys listeri garonum</i> synonymised under species <i>Leopoldamys edwardsi</i>	<i>Epimys listeri garonum</i> Thomas, 1921 synonymised under species <i>Leopoldamys edwardsi</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
	150		Noisy rat/ Indo-malayan Leopoldamys	South East Bangladesh (Chittagong Hill Tracts); South Myanmar and most islands in Mergui Arch.	<i>Rattus sabanus</i> Thomas, 1887	<i>Rattus sabanus</i> (Thomas)	<i>Leopoldamys sabanus</i> Thomas	<i>Leopoldamys sabanus</i> (Thomas, 1887)	i) Srinivasulu & Pradhan, 2003: <i>Leopoldamys sabanus</i>	<i>Leopoldamys sabanus</i> (Thomas, 1887)	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005
		—		North to Tenasserim, Mergui Archipelago (Myanmar)	<i>Rattus sabanus vociferans</i> Miller, 1900	<i>Rattus sabanus vociferans</i> Miller	<i>Mus vociferans</i> Miller, 1900 synonymised under species <i>Leopoldamys sabanus</i>	<i>Mus vociferans</i> Miller, 1900 synonymised under species <i>Leopoldamys sabanus</i>	i) Musser & Newcomb, 1983 : <i>Leopoldamys sabanus vociferans</i>	<i>Mus vociferans</i> Miller, 1900 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeger, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Bentinck island, Mergui Archipelago	<i>Rattus sabanus stridulus</i> Miller, 1903	—	<i>Mus stridulus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	<i>Mus stridulus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	—	<i>Mus stridulus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		St. Matthew Island, Mergui Archipelago	<i>Rattus sabanus matthaeus</i> Miller, 1903	—	<i>Mus matthaeus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	<i>Mus matthaeus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	—	<i>Mus matthaeus</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		St. Luke Island, Mergui Archipelago	<i>Rattus sabanus lucas</i> Miller, 1903	—	<i>Mus lucas</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	<i>Mus lucas</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	i) (Musser & Newcomb, 1983 : <i>Leopoldamys sabanus lucas</i>	<i>Mus lucas</i> Miller, 1903 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		James Island, Mergui Archipelago	<i>Rattus sabanus stentor</i> Miller, 1913	—	<i>Epimys stentor</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	<i>Epimys stentor</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	—	<i>Epimys stentor</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Domel Island, Mergui Archipelago	<i>Rattus sabanus insularum</i> Miller, 1913	—	<i>Epimys vociferans insularum</i> , Miller, 1913 [Subspecies proposed under species <i>Leopoldamys sabanus</i>]	<i>Epimys vociferans insularum</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	—	<i>Epimys vociferans insularum</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Clara Island, Mergui Archipelago	<i>Rattus sabanus clarae</i> Miller, 1913	—	<i>Epimys vociferans clarae</i> Miller, 1913	<i>Epimys vociferans clarae</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	—	<i>Epimys vociferans clarae</i> Miller, 1913 synonymised under species <i>Leopoldamys sabanus</i>	Musser and Carleton, in Wilson & Reeder, 2005
59					—	—	Genus : <i>Sundamys</i> Musser & Newcomb, 1983	Genus : <i>Sundamys</i> Musser & Newcomb, 1983	—	Genus : <i>Sundamys</i> Musser & Newcomb, 1983	Corbet & Hill, 1992; Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	151		Muller's Rat/ Müller's Sundamys	South West Peninsular Myanmar	<i>Rattus mulleri</i> Jentink, 1879	<i>Rattus mulleri</i> (Jentink)	<i>Sundamys muelleri</i> Jentink, 1879	<i>Sundamys muelleri</i> (Jentink, 1879)	i) Musser & Newcomb, 1983 : <i>Sundamys mulleri</i>	<i>Sundamys muelleri</i> (Jentink, 1879)	Musser and Carleton, in Wilson & Reeder, 2005
		—		Tenasserim	<i>Rattus mulleri validus</i> Miller, 1900	<i>Rattus mulleri validus</i> (Miller)	<i>Sundamys muelleri validus</i> Miller	<i>Sundamys muelleri validus</i> Miller, 1900 synonymised under species <i>Sundamys muelleri</i>	—	<i>Sundamys muelleri validus</i> Miller, 1900 synonymised under species <i>Sundamys muelleri</i>	Musser and Carleton, in Wilson & Reeder, 2005
60					Subgenus : <i>Cremnomys</i> Wroughton, 1912	Subgenus : <i>Cremnomys</i> Wroughton	Genus : <i>Cremnomys</i> Wroughton, 1912	Genus : <i>Cremnomys</i> Wroughton, 1912	i) Agrawal, 2000: Genus : <i>Cremnomys</i> Wroughton, 1912	Genus : <i>Cremnomys</i> Wroughton, 1912	Musser and Carleton, in Wilson & Reeder, 2005
	152		Cutch rock rat/ Cutch Cremnomys	India (Rajasthan, Gujarat, Bihar, Andhra Pradesh, Karnataka,	<i>Rattus cutchicus</i> Wroughton, 1912	<i>Rattus cutchicus</i> Wroughton	<i>Cremnomys cutchicus</i> Wroughton, 1912	<i>Cremnomys cutchicus</i> (Wroughton, 1912)	i) Agrawal, 2000: <i>Cremnomys cutchicus</i> (Wroughton, 1912)	<i>Cremnomys cutchicus</i> (Wroughton, 1912)	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
SI. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
				Tamil Nadu) Endemic to Peninsular India							
		—			<i>Rattus cutchicus cutchicus</i> Wroughton, 1912	<i>Rattus cutchicus cutchicus</i> (Wroughton)	—	—	i) Agrawal, 2000: <i>Rattus cutchicus cutchicus</i> Wroughton, 1912 synonymised under species <i>Cretnomys cutchicus</i>	<i>Rattus cutchicus cutchicus</i> Wroughton, 1912 synonymised under species <i>Cretnomys cutchicus</i>	Agrawal, 2000
		—		Sivasamudram, South Mysore, 2500 ft.	<i>Rattus cutchicus siva</i> Thomas, 1916	<i>Rattus cutchicus siva</i> (Thomas)	<i>Cretnomys australis siva</i> Thomas, 1916 (Proposed under species <i>Cretnomys cutchicus</i>)	<i>Rattus cutchicus siva</i> Thomas, 1916 synonymised under species <i>Cretnomys cutchicus</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002 : <i>Rattus cutchicus siva</i> Thomas, 1916 synonymised under species <i>Cretnomys cutchicus</i>	<i>Rattus cutchicus siva</i> Thomas, 1916 synonymised under species <i>Cretnomys cutchicus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Vijaynagar, Bellary, 1500 ft.	<i>Rattus cutchicus australis</i> Thomas, 1916	<i>Rattus cutchicus australis</i> (Thomas)	<i>Cremnomys australis</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys australis</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Cremnomys australis</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys australis</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Kudia, Junagadh, Kathiyawar	<i>Rattus cutchicus medius</i> Thomas, 1916	<i>Rattus cutchicus medius</i> (Thomas)	<i>Cremnomys medius</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys medius</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Cremnomys medius</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys medius</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
		—		Barkachha, Windham river, Uttar Pradesh	—	—	<i>Cremnomys citchicus leechi</i> Harrison, 1974	<i>Cremnomys citchicus leechi</i> Harrison, 1974 synonymised under species <i>Cremnomys cutchicus</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Cremnomys citchicus leechi</i> Harrison, 1974 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys citchicus leechi</i> Harrison, 1974 synonymised under species <i>Cremnomys cutchicus</i>	Musser and Carleton, in Wilson & Reeder, 2005
		—		Mt. Abu, Rajputana, 4300 ft.	<i>Rattus cutchicus rajput</i> Thomas, 1916	<i>Rattus cutchicus rajput</i> (Thomas)	<i>Cremnomys medius rajput</i> Thomas, 1916 (Proposed under species <i>Cremnomys cutchicus</i>)	<i>Cremnomys medius rajput</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	i) Agrawal, 2000 and Alfred <i>et al</i> , 2002: <i>Cremnomys medius rajput</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	<i>Cremnomys medius rajput</i> Thomas, 1916 synonymised under species <i>Cremnomys cutchicus</i>	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	153		Large Rock Rat/ Elvira Cremnomys	Kurambapatti, Salem Dist., Tamil Nadu (Endemic to India)	<i>Rattus elvira</i> Ellerman, 1947	<i>Rattus elvira</i> Ellerman, 1947	<i>Cremnomys elvira</i> Ellerman, 1947	<i>Cremnomys elvira</i> (Ellerman, 1946)	i) Agrawal, 2000: <i>Cremnomys elvira</i> Ellerman, 1947	<i>Cremnomys elvira</i> Ellerman, 1947	Agrawal, 2000
61					—	—	—	Genus : <i>Madromys</i> Sody, 1941	—	Genus : <i>Madromys</i> Sody, 1941	Musser and Carleton, in Wilson & Reeder, 2005
	154		Blanford's Rat / Blanford's Madromys	India (Bihar, West Bengal, Madhya Pradesh, Orissa, Maharashtra); Sri Lanka; Bangladesh	<i>Rattus blanfordi</i> Thomas, 1881	<i>Rattus blanfordi</i> (Thomas)	<i>Cremnomys blanfordi</i> Thomas, 1881	<i>Madromys blanfordi</i> (Thomas, 1881)	i) Agrawal, 2000 <i>Cremnomys blanfordi</i> (Thomas, 1881) also suggested <i>Madromys</i> as a genus for <i>blanfordi</i>	<i>Madromys blanfordi</i> (Thomas, 1881)	Musser and Carleton, in Wilson & Reeder, 2005
62					Genus : <i>Millardia</i> Thomas, 1911	Subgenus : <i>Millardia</i> Thomas	Genus : <i>Millardia</i> Thomas, 1911	Genus : <i>Millardia</i> Thomas, 1911	i) Agrawal, 2000: Genus: <i>Millardia</i> Thomas, 1911	Genus : <i>Millardia</i> Thomas, 1911	Musser and Carleton, in Wilson & Reeder, 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
	155			Throughout India except North East; Pakistan; Sri Lanka	<i>Millardia meltada</i> Gray, 1837	<i>Rattus meltada</i> Gray, 1837	<i>Millardia meltada</i> Gray, 1837	<i>Millardia meltada</i> (Gray, 1837)	i) Agrawal, 2000: <i>Millardia meltada</i> (Gray, 1837)	<i>Millardia meltada</i> (Gray, 1837)	Musser and Carleton, in Wilson & Reeder, 2005
		139		India; Sri Lanka	<i>Millardia meltada meltada</i> Gray, 1837	<i>Rattus meltada meltada</i> (Gray)	—	—	i) Agrawal, 2000: <i>Millardia meltada meltada</i> (Gray, 1837)	<i>Millardia meltada meltada</i> (Gray, 1837)	Agrawal, 2000
		140		India (Lunwa, Palanpur, Gujarat); Pakistan	<i>Millardia meltada pallidior</i> Ryley, 1914	<i>Rattus meltada pallidior</i> (Ryley)	<i>Millardia meltada pallidior</i> Ryley	<i>Millardia meltada pallidior</i> Ryley, 1914 synonymised under species <i>Millardia meltada meltada</i>	i) Agrawal, 2000 <i>Millardia meltada pallidior</i> Ryley, 1914 synonymised under subspecies <i>Millardia meltada meltada</i> ii) Pradhan <i>et al.</i> , 2005 :	<i>Millardia meltada pallidior</i> Ryley, 1914	Corbet & Hill, 1992; Pradhan <i>et al.</i> , 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									<i>Millardia meltada pallidior</i> Ryley, 1914		
		—		Handiserah, Ambala, Punjab	<i>Millardia meltada dunni</i> Thomas, 1917 synonymised under subspecies <i>Millardia meltada pallidior</i>	<i>Millardia meltada dunni</i> Thomas, 1917 synonymised under subspecies <i>Rattus meltada pallidior</i>	<i>Millardia meltada dunni</i> Thomas, 1917	<i>Millardia meltada dunni</i> Thomas, 1917 synonymised under species <i>Rattus meltada</i>	i) Agrawal, 2000: <i>Millardia meltada dunni</i> Thomas, 1917 synonymised under species <i>Millardia meltada</i>	<i>Millardia meltada dunni</i> Thomas, 1917 synonymised under species <i>Millardia meltada</i>	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005
		141		Singur, Hugli dist., West Bengal	—	—	<i>Millardia meltada singuri</i> Mandal & Ghosh, 1981	<i>Millardia meltada singuri</i> Mandal & Ghosh, 1981 synonymised under species <i>millardia meltada</i>	i) Agrawal, 2000: <i>Millardia meltada singuri</i> Mandal & Ghosh, 1981 synonymised under subspecies <i>millardia meltada</i>	<i>Millardia meltada singuri</i> Mandal & Ghosh, 1981	Corbet & Hill, 1992; Pradhan <i>et. al.</i> , 2005

1			2	3	4	5	6	7	8	9	10
Sl. Nos.			Common Name	Distribution	Ellerman & Morrison-Scott, 1951	Ellerman, 1961	Corbet & Hill, 1992	Wilson & Reeder, 2005	Other's, if any	Current valid name	Validity based on
Genus	Species	Sub-species									
									ii) Pradhan <i>et. al.</i> , 2005: <i>Millardia meltada singuri</i> Mandal & Ghosh, 1981		
	156		Sand coloured rat/ Sand-colored Metad	India (North West India, Gujarat, Rajasthan); Pakistan	<i>Millardia gleadowi</i> Murry, 1885	<i>Rattus gleadowi</i> (Murray)	<i>Millardia gleadowi</i> Murray, 1885	<i>Millardia gleadowi</i> (Murray, 1885)	i) Agrawal, 2000: <i>Millardia gleadowi</i> (Murray, 1885)	<i>Millardia gleadowi</i> (Murray, 1885)	Musser and Carleton, in Wilson & Reeder, 2005
	157		Burmese Metad	Central Myanmar	<i>Millardia kathleenae</i> Thomas, 1914	<i>Millardia kathleenae</i> (Thomas)	<i>Millardia kathleenae</i> Thomas, 1914	<i>Millardia kathleenae</i> Thomas, 1914	i) Agrawal, 2000: <i>Millardia kathleenae</i> Thomas, 1914	<i>Millardia kathleenae</i> Thomas, 1914	Corbet & Hill, 1992;
	158		Large Metad	Sinharh, Pune Dist., Maharashtra (Endemic to India, known only from the type locality)	—	—	<i>Millardia kondana</i> Mishra & Dhanda, 1975	<i>Millardia kondana</i> Mishra & Dhanda, 1975	i) Agrawal, 2000: <i>Millardia kondana</i> Mishra & Dhanda, 1975	<i>Millardia kondana</i> Mishra & Dhanda, 1975	Agrawal, 2000; Musser and Carleton, in Wilson & Reeder, 2005

Table 3 : List of valid Rodent Taxa from Indian Subcontinent including Myanmar

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Ord : Rodentia Sub Order : Sciuromorpha Family : Sciuridae Sub Family : Sciurinae Tribe : Pteromyini								
Genus : <i>Belomys</i> Thomas, 1908								
<i>Belomys pearsonii</i> (Gray)	Hairy-footed Flying Squirrel	+				+	+	+
<i>Belomys pearsonii pearsonii</i> Gray, 1942		+						
Genus : <i>Petaurista</i> Link, 1795								
<i>Petaurista elegans</i> Muller, 1839	Lesser Giant flying squirrel	+			+			+
<i>Petaurista elegans caniceps</i> Gray, 1842	Gray Headed flying squirrel	+			+			
<i>Petaurista elegans marica</i> Thomas, 1912	The spotted flying squirrel							+
<i>Petaurista elegans sybilla</i> Thomas & Wroughton, 1916								+
<i>Petaurista petaurista</i> Pallas, 1766	Red flying squirrel / Common Giant flying squirrel	+	+		+		+	+

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Petaurista petaurista albiventer</i> (Gray, 1834)		+	+		+			
<i>Petaurista petaurista taylori</i> Thomas, 1914								+
<i>Petaurista petaurista candidula</i> Wroughton, 1911								+
<i>Petaurista philippensis</i> (Elliot, 1839)	The Large Brown flying squirrel	+		+				+
<i>Petaurista philippensis philippensis</i> (Elliot, 1839)		+		+				
<i>Petaurista philippensis yunanensis</i> Anderson, 1875		+						+
<i>Petaurista philippensis cineraceous</i> (Blyth, 1847)								+
<i>Petaurista philippensis lylei</i> Bonhote, 1900								+
<i>Petaurista philippensis mergulus</i> (Thomas, 1922)								+
<i>Petaurista alborufus</i> (Milne-Edwards, 1870)	Red & White Flying squirrel	+					+	+
<i>Petaurista magnificus</i> (Hodgson, 1836)		+			+	+	+	

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Petaurista nobilis</i> (Gray, 1842)	Bhutan Giant Flying Squirrel	+			+	+		
<i>Petaurista nobilis nobilis</i> (Gray, 1842)		+						
<i>Petaurista nobilis singhei</i> Saha, 1977						+		
Genus : <i>Eoglaucmys</i> Howell, 1915								
<i>Eoglaucmys fimbriatus</i> (Gray, 1837)	The smaller Kashmir Flying squirrel	+	+					
<i>Eoglaucmys fimbriatus fimbriatus</i> (Gray, 1837)			+					
<i>Eoglaucmys fimbriatus baberi</i> (Blyth, 1847)		+	+					
Genus : <i>Hylopetus</i> Thomas, 1908								
<i>Hylopetus phayrei</i> Blyth, 1859	Phayre's Flying squirrel	+						+
<i>Hylopetus phayrei phayrei</i> Blyth, 1859		+						
<i>Hylopetus alboniger</i> (Hodgson, 1836)	The Parti-Coloured flying squirrel	+			+	+		+
<i>Hylopetus alboniger alboniger</i> (Hodgson, 1836)		+			+	+		+
<i>Hylopetes spadiceus</i> (Blyth, 1857)	Burmese pygmy flying squirrel/Red-Cheeked flying squirrel						+	+

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Genus : <i>Petinomys</i> Thomas, 1908								
<i>Petinomys fuscocapillus</i> (Jerdon, 1847)	Travancore flying squirrel	+		+				
<i>Petinomys setosus</i> (Temminck, 1845)	Temminck's flying squirrel							+
<i>Petinomys vordermanni</i> Jemtink, 1890	Vordermann's flying squirrel							+
Genus : <i>Eupetaurus</i> Thomas, 1888								
<i>Eupetaurus cinereus</i> Thomas, 1888	Wooly flying squirrel	+	+					
<i>Biswamoyopterus</i> Saha, 1981								
<i>Biswamoyopterus biswasi</i> Saha, 1981	Namdhapa flying squirrel	+						
Subfamily : Callosciurinae								
Genus : <i>Callosciurus</i> Gray, 1867								
<i>Callosciurus erythraeus</i> Pallas, 1779	Pallas's squirrel	+				+	+	+
<i>Callosciurus erythraeus erythraeus</i> Pallas, 1779		+					+	
<i>Callosciurus erythraeus erythrogaster</i> Blyth, 1842.		+						+
<i>Callosciurus erythraeus intermedius</i> (Anderson, 1879)		+						+
<i>Callosciurus erythraeus bhutanensis</i> (Bonhote, 1901)						+		

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Callosciurus caniceps bimaculatus</i> (Temminck, 1853)								+
<i>Callosciurus pygerythrus</i> Geoffroy, 1831	Irrawardy squirrel	+			+	+	+	+
<i>Callosciurus pygerythrus pygerythrus</i> Geoffroy St. Hilaire, 1831								+
<i>Callosciurus pygerythrus lokroides</i> Hodgson, 1836		+			+	+	+	
<i>Callosciurus pygerythrus blythii</i> Tytler, 1854.		+						+
<i>Callosciurus pygerythrus stevensi</i> Thomas, 1908.		+						+
<i>Callosciurus pygerythrus mearsi</i> (Bonhote, 1906)		+						+
<i>Callosciurus pygerythrus janetta</i> (Thomas, 1914)								+
<i>Callosciurus pygerythrus owensi</i> (Thomas and Wroughton, 1916)								+
<i>Callosciurus quinquestriatus</i> (Anderson, 1871)	Anderson's squirrel							+

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Callosciurus quinquestriatus</i> <i>quinquestriatus</i> Anderson, 1871								+
<i>Callosciurus quinquestriatus imarius</i> Thomas, 1926								+
<i>Callosciurus phayrei</i> (Blyth, 1856)	Phayre's Squirrel							+
<i>Callosciurus finlaysonii</i> (Horsfield, 1824)	Finlaysoni's squirrel							+
<i>Callosciurus finlaysoni ferrugineus</i> (F. Cuvier, 1829)								+
Genus : <i>Tamiops</i> J.Allen, 1906								
<i>Tamiops macclellandii</i> (Horsfield, 1840)	The Himalayan striped squirrel	+			+	+		+
<i>Tamiops macclellandii macclellandii</i> (Horsfield, 1839)		+			+	+		+
<i>Tamiops macclellandii barbei</i> (Blyth, 1847)								+
<i>Tamiops macclellandi collinus</i> Moore, 1958	Moore's squirrel							+
<i>Tamiops swinhoei</i> (Milne-Edwards, 1874)	Swinhoe's striped squirrel							+

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Subgenus : <i>Funambulus</i> Lesson, 1835								
<i>Funambulus palmarum</i> (Linnaeus, 1766)	The Palm-Squirrel/ Common Indian striped squirrel	+		+			+?	
<i>Funambulus palmarum palmarum</i> (Linnaeus, 1766)		+						
<i>Funambulus palmarum bellaricus</i> Wroughton, 1916		+						
<i>Funambulus palmarum robertsoni</i> Wroughton, 1916		+						
<i>Funambulus palmarum brodiei</i> Blyth, 1849				+				
<i>Funambulus tristriatus</i> (Waterhouse, 1837)	Jungle striped squirrel	+						
<i>Funambulus tristriatus tristriatus</i> Waterhouse, 1837		+						
<i>Funambulus tristriatus numarius</i> Wroughton, 1916		+						
<i>Funambulus layardi</i> Blyth, 1849	Layard's striped squirrel	+		+				
<i>Funambulus layardi layardi</i> (Blyth, 1849)				+				

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Menetes berdmorei</i> (Blyth, 1849)	Berdmore's squirrel /Indochinese ground squirrel							+
<i>Menetes berdmorei berdmorei</i> (Blyth, 1849)								+
<i>Menetes berdmorei decoratus</i> Thomas, 1914								+
Subfamily : Ratufinae								
Genus : <i>Ratufa</i> Gray, 1867	Giant Squirrels							
<i>Ratufa macroura</i> Pennant, 1769		+		+				
<i>Ratufa macroura macroura</i> (Pennant, 1769)				+				
<i>Ratufa macroura melanochra</i> Thomas & Wroughton, 1915				+				
<i>Ratufa macroura dendolena</i> Thomas & Wroughton, 1915		+		+				
<i>Ratufa indica</i> Erxleben, 1777	Indian Giant Squirrel	+						
<i>Ratufa indica indica</i> (Erxleben, 1777)		+						
<i>Ratufa indica delbata</i> Blanford, 1897		+						
<i>Ratufa indica maxima</i> Schreber, 1784		+						
<i>Ratufa indica centralis</i> Ryley, 1913		+						

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Ratufa bicolor</i> Sparrmann, 1778	Malayan Giant Squirrel/ Black Giant Squirrel	+			+	+	+	+
<i>Ratufa bicolor gigantea</i> (M' Clelland, 1839)		+			+	+	+	+
<i>Ratufa bicolor hainana</i> (J.Allen, 1906)								+
<i>Ratufa bicolor phaeocephala</i> (Miller, 1913)								+
<i>Ratufa bicolor felli</i> (Thomas & Wroughton, 1916)								+
Subfamily : Xerinae Tribe : Marmotini								
Genus : <i>Mormota</i> Blumenbach, 1779								
Subgenus : <i>Mormota</i> Blumenbach, 1779								
<i>Marmota himalayana</i> (Hodgson, 1841)	The Himalayan Marmot	+	+		+			
<i>Marmota himalayana himalayana</i> (Hodgson, 1841)		+	+		+			
<i>Mormota caudata</i> (Geoffroy, In Jacquemont, 1844)	Long Tailed Marmot	+	+					

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Mormota caudata caudata</i> (Geoffroy, In Jacquemont, 1844)		+						
<i>Mormota caudata aurea</i> (Blanford, 1875)		+	+					
Family : Gliridae	Dormice							
Subfamily : Leithiinae								
Genus : <i>Dryomys</i> Thomas, 1906								
<i>Dryomys nitedula</i> Pallas, 1779	Forest Dormice	+	+					
Suborder : Hystricomorpha Infraorder : Hystricognathi								
Family : Hystricidae								
Genus : <i>Atherurus</i> Cuvier, 1829	Bush tailed porcupine							
<i>Atherurus macrourus</i> Linnaeus, 1758	The Asiatic Bush tailed porcupine	+					+	+
Genus : <i>Hystrix</i> Linnaeus, 1758								
Subgenus : <i>Acanthion</i> Cuvier, 1823								
<i>Hystrix brachyura</i> Linnaeus, 1758		+			+	+	+	+
<i>Hystrix brachyura subcristata</i> Swinhoe, 1870		+						+
<i>Hystrix brachyura hodgsoni</i> (Gray, 1847)		+			+?	+	+	

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Genus : <i>Cricetulus</i> Milne-Edwards, 1867	Dwarf hamsters							
<i>Cricetulus migratorius</i> Pallas, 1773	Migratory Hamsters, Little gray hamsters	+	+					
<i>Cricetulus migratorius migratorius</i> Pallas, 1773			+					
<i>Cricetulus migratorius fulvus</i> (Blanford, 1875)		+						
<i>Cricetulus alticola</i> Thomas, 1917	Ladak Hamster	+			+			
Subfamily : Arvicolinae	Voles							
Genus : <i>Eothenomys</i> Miller, 1896								
<i>Eothenomys melanogaster</i> (Milne-Edwards, 1872)	Pere Davids Vole	+						+
<i>Eothenomys melanogaster libonotus</i> Hinton, 1923		+						+
<i>Eothenomys cachinus</i> (Thomas, 1921)								+
Genus : <i>Alticola</i> Blanford, 1881								
Subgenus : <i>Alticola</i> Blanford, 1881								
<i>Alticola roylei</i> (Gray, 1842)	Royle's High Mountain Vole	+	+					

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Microtus clarkei</i> Hinton, 1923	Clarke's Vole							+
Genus : <i>Ellobius</i> Fischer, 1814								
Subgenus : <i>Afganomys</i> Topachevski, 1965								
<i>Ellobius fuscocapillus</i> Blyth, 1843	Afghan Mole-Vole		+					
Family : Calomyscidae								
Genus : <i>Calomyscus</i> Thomas, 1905								
<i>Calomyscus bailwardi</i> Thomas, 1905	Mouse like Hamsters		+					
<i>Calomyscus baluchi</i> Thomas, 1920			+					
<i>Calomyscus hotsoni</i> Thomas, 1920			+					
Family : Muridae								
Subfamily : Deomyinae								
Genus : <i>Acomys</i> Geoffroy, 1838	Spiny Mouse							
Subgenus : <i>Acomys</i> I. Geoffroy, 1838								
<i>Acomys cahirinus</i> Desmarest, 1819	Cairo spiny mouse		+					
<i>Acomys dimidiatus</i> Cretzschmar, 1826	Eastern Spiny Mouse		+					
Subfamily : Gerbillinae	Gerbils & Jirds							

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Meriones hurrianae</i> (Jerdon, 1867)	The Indian Desert Gerbil	+	+					
Subgenus : <i>Parameriones</i> Heptner, 1937								
<i>Meriones persicus</i> Blanford, 1875	Persian Jird, Blanford's Jird		+					
Subgenus : <i>Pallasiomys</i> Heptner, 1933								
<i>Meriones libycus</i> Lichtensten, 1823	The Libyan Jird		+					
<i>Meriones crassus</i> Sundevall, 1842	Sundevall's Jird		+					
Genus : <i>Rhombomys</i> Wagner, 1841								
<i>Rhombomys opimus</i> Lichtenstein, 1823	Great Gerbil		+					
Subfamily : Murinae								
Genus : <i>Apodemus</i> Kaup, 1829	Palaeartic Wood Mice							
<i>Apodemus sylvaticus</i> Linnaeus, 1758	Common long tailed field mouse, Wood mouse	+	+		+			
<i>Apodemus pallipes</i> (Barrett-Hamilton, 1900)	Himalayan Field Mouse	+	+		+			
<i>Apodemus rusiges</i> Miller, 1913	Kashmir Field Mouse		+					
<i>Apodemus draco</i> (Barret-Hamilton, 1900)	South China Field Mouse	+						+
<i>Apodemus gurkha</i> Thomas, 1924	Nepalese Field Mouse				+			

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Nesokia indica</i> (Gray, 1830)	The short-tailed mole rat, Bandicoot rat	+	+		+		+	
<i>Nesokia indica indica</i> (Gray, 1830)		+	+		+		+	
Genus : <i>Hapalomys</i> Blyth, 1859								
<i>Hapalomys longicaudatus</i> Blyth, 1859	Berdmores tree rat / Greater Marmoset mouse							+
<i>Hapalomys longicaudatus longicaudatus</i> Blyth, 1859								+
Genus : <i>Chiromyscus</i> Thomas, 1925								
<i>Chiromyscus chiropus</i> Thomas, 1891	Fea's tree rat							+
Genus : <i>Bandicota</i> Gray, 1873								
<i>Bandicota bengalensis</i> (Gray, 1835)	Indian mole rat, Lesser bandicoot rat	+	+	+	+		+	+
<i>Bandicota bengalensis bengalensis</i> (Gray, 1835)		+		+				+
<i>Bandicota bengalensis wardi</i> (Wroughton, 1908)		+						
<i>Bandicota bengalensis lordi</i> Wroughton, 1908		+						
<i>Bandicota indica</i> (Bechstein, 1800)	Large Bandicoot Rat	+		+	+		+	+
<i>Bandicota indica indica</i> (Bechstein, 1800)		+		+				

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Mus musculus</i> Linnaeus, 1758	House mouse	+	+	+	+	+	+	+
<i>Mus musculus bactrianus</i> Blyth, 1846		+	+					
<i>Mus musculus castaneus</i> Waterhouse, 1843		+		+	+		+	+
<i>Mus booduga</i> Gray, 1837	Little Indian field mouse	+	+	+	+		+	+
<i>Mus terricolor</i> Blyth, 1851		+			+		+	
<i>Mus cervicolor</i> Hodgson, 1845	The fawn-coloured mouse	+			+		+?	+
<i>Mus cervicolor cervicolor</i> Hodgson, 1845		+			+		+?	+
<i>Mus famulus</i> Bonhote, 1898	Bonhote's mouse	+						
<i>Mus cookii</i> Ryley, 1914	Reyley's spiny mouse	+			+	+	+	+
<i>Mus cookii cookii</i> Ryley, 1914		+						+
<i>Mus cookii nagarum</i> (Thomas, 1921)		+				+		
Subgenus : <i>Pyromys</i> Thomas, 1911								
<i>Mus fernandoni</i> Phillips, 1932				+				
<i>Mus phillipsi</i> Wroughton, 1912	Wroughton's small spiny mouse	+			+			
<i>Mus platythrix</i> Bennett, 1832	Indian brown spiny mouse	+						
<i>Mus shortridgei</i> (Thomas, 1914)								+
<i>Mus saxicola</i> Elliot, 1839	Elliot's spiny mouse	+	+				+	

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Mus saxicola saxicola</i> Elliot, 1839		+						
<i>Mus saxicola gurakha</i> (Thomas, 1914)		+						
<i>Mus saxicola sadhu</i> (Wroughton, 1911)		+	+					
Subgenus : <i>Coelomys</i> Thomas, 1915								
<i>Mus mayori</i> Thomas, 1915				+				
<i>Mus pahari</i> Thomas, 1916	Sikkim mouse	+				+		+
<i>Mus pahari pahari</i> Thomas, 1916		+				+		+
Genus : <i>Rattus</i> Fischer, 1803								
<i>Rattus rattus</i> (Linnaeus, 1758)	Comman house rat, Roof rat, Ship rat							
<i>Rattus rattus rattus</i> (Linnaeus, 1758)	Imported ship rat (European Form)	+	+					
<i>Rattus rattus rufescens</i> (Gray, 1837)		+	+					
<i>Rattus rattus frugivorus</i> Rafinesque, 1814			+					
<i>Rattus rattus brunneusculus</i> Hodgson, 1845		+			+	+		

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Rattus rattus arboreus</i> (Horsfield, 1851)		+			+		+	
<i>Rattus rattus tistae</i> Hinton, 1918		+				+		
<i>Rattus rattus wroughtoni</i> Hinton, 1919		+						
<i>Rattus rattus narbadae</i> Hinton, 1918		+						
<i>Rattus rattus bhotia</i> Hinton, 1918		+				+		
<i>Rattus rattus gangutrianus</i> Hinton, 1919		+						
<i>Rattus rattus bullocki</i> Roonwal, 1948	The common Manipur white-bellied rat	+						
<i>Rattus rattus kandianus</i> (Kelaart, 1850)				+				
<i>Rattus rattus kelaarti</i> (Wroughton, 1915)				+				
<i>Rattus rattus brunneus</i> Hodgson, 1845					+			
<i>Rattus rattus khyensis</i> Hinton, 1919								+
<i>Rattus rattus tikos</i> Hinton, 1919								+
<i>Rattus tanezumi</i> Temminck, 1844	Oriental House Rat					+		+
<i>Rattus satarae</i> Hinton, 1918		+						
<i>Rattus andamanensis</i> (Blyth, 1860)		+						
<i>Rattus montanus</i> Phillips, 1932				+				

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Rattus pyctoris</i> Hodgson, 1845	Himalayan Rat	+	+		+	+	+	
<i>Rattus nitidus</i> (Hodgson, 1845)	Himalayan Rat/ White-footed Indochinese Rat	+	+		+	+	+	+
<i>Rattus nitidus nitidus</i> (Hodgson, 1845)		+			+	+	+	+
<i>Rattus palmarum</i> (Zebebor, 1869)	Zebebor's Nicobar Rat/ Car Nicobar Rat	+						
<i>Rattus stoicus</i> (Miller, 1902)	Andaman Archipelago Rat	+						
<i>Rattus burrus</i> (Miller, 1902)	Miller's Nicobar Rat	+						
<i>Rattus ranjinae</i> Agrawal & Ghoshal, 1969	Ranjini's field rat	+						
<i>Rattus exulans</i> (Peale, 1848)	Polynesian rat/ Pacific Rat						+	+
<i>Rattus norvegicus</i> (Berkenhout, 1769)	The Norway Rat/ Brown Rat	+	+	+			+	+
Genus: <i>Berylmys</i> Ellerman, 1947								
<i>Berylmys bowersi</i> (Anderson, 1879)	Bower's rat	+						+
<i>Berylmys mackenziei</i> (Thomas, 1916)	Mackenzie's Rat / Mackenzie's Berylmys	+						+
<i>Berylmys manipulus</i> (Thomas, 1916)	Manipur Rat	+						+
<i>Berylmys manipulus manipulus</i> (Thomas, 1916)		+						+

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
Genus : <i>Maxomys</i> Sody, 1936								
<i>Maxomys surifer</i> (Miller, 1900)	Indomalayan Maxomys							+
Genus : <i>Leopoldamys</i> Ellerman, 1947	Long tailed giant rat							
<i>Leopoldamys edwardsi</i> (Thomas, 1882)	Edward's rat	+					+?	+
<i>Leopoldamys sabanus</i> (Thomas, 1887)	Noisy rat/ Indomalayan Leopoldamys						+	+
Genus : <i>Sundamys</i> Musser & Newcomb, 1983								
<i>Sundamys muelleri</i> (Jentink, 1879)	Muller's Rat/ Müller's Sundamys							+
Genus : <i>Cremnomys</i> Wroughton, 1912								
<i>Cremnomys cutchicus</i> (Wroughton, 1912)	Cutch rock rat / Cutch Cremnomys	+						
<i>Cremnomys elvira</i> Ellerman, 1947	Large Rock Rat / Elvira Cremnomys	+						
Genus : <i>Madromys</i> Sody, 1941								
<i>Madromys blanfordi</i> (Thomas, 1881)	Blanford's Rat / Blanford's Madromys	+		+			+	
Genus : <i>Millardia</i> Thomas, 1911								
<i>Millardia meltada</i> (Gray, 1837)		+	+	+				

Name of valid taxa	Common Name	Distribution						
		India	Pakistan	Sri Lanka	Nepal	Bhutan	Bangladesh	Myanmar
<i>Millardia meltada meltada</i> (Gray, 1837)		+		+				
<i>Millardia meltada pallidior</i> Ryley, 1914		+	+					
<i>Millardia meltada singuri</i> Mandal & Ghosh, 1981		+						
<i>Millardia gleadowi</i> (Murray, 1885)	Sand coloured rat/ Sand-colored Metad	+	+					
<i>Millardia kathleenae</i> Thomas, 1914	Burmese Metad							+
<i>Millardia kondana</i> Mishra & Dhanda, 1975	Large Metad	+						

ACKNOWLEDGEMENTS

The authors are thankful to Dr. Ramakrishna, Director, Zoological Survey of India, Kolkata and Dr. Anil S. Mahabal, Scientist-F & Officer-in-Charge, Zoological Survey of India, Western Regional Station, Pune for facilities.

REFERENCES

- AGRAWAL, V.C. 2000. Taxonomic studies on Indian Muridae and Hystricidae (Mammalia : Rodentia) *Rec. zool. Surv. India, Occasional Paper No. 180* : 1-177.
- AGRAWAL, V.C. and CHAKRABORTY, S. 1979. Catalogue of mammals in the Zoological Survey of India. Part 1. Sciuridae. *Rec. zool. Surv. India, 74* : 333-481.
- AGRAWAL, V.C. and CHAKRABORTY, S. 1981. Notes on intraspecific geographical variation in the Indian antelope-rat, *Tatera indica* (Hardwicke) (Mammalia : Rodentia) *Rec. zool. Surv. India, 79*(1-2) : 83-92.
- ALFRED, J.R.B., SINHA, N.K. and CHAKRABORTY, S. 2002. *Checklist of Mammals of India, Rec.zool. Surv. India, Occ. Paper No. 199* : 1-289 (Published - Director, Zoological Survey of India, Kolkata).
- ASWATHANARAYANA, N.V. 1987. Evolutionary trends in the genus *Funambulus* (Rodentia : Sciuridae) *Current Science* (Bangalore), **56**(24) : 1298-1301.
- BATES, P. J. J. 1988. Systematics and zoogeography of *Tatera* (Rodentia : Gerbellinae) of north-east Africa and Asia. *Bonn. Zool. Beitr.* **39**(4) : 265-303.
- CHAKRABORTY, S. 1975. On a collection of mammals from Bhutan. *Rec. zool. Surv. India* **68**(1-4) : 1-20.
- CHAKRABORTY, S. 1983. Contribution to the knowledge of the Mammalian fauna of Jammu and Kashmir, India. *Rec. zool. Surv. India, Misc. Publ. Occ. Paper No. 38* : 1-129.

- CHAKRABORTY, S. 1985. Studies on the genus *Callosciurus* Gray (Rodentia : Sciuridae). *Rec.zool. Surv. India, Miscellaneous publications, Occasional paper No. 63* : 1-93.
- CORBET, G.B. and HILL, J.E. 1992. Mammals of the Indomalayan region. A systematic review. *Oxford University Press*, Oxford. 488 pp.
- ELLERMAN, J.R. 1961. The fauna of India including Pakistan, Burma and Ceylon. Mammalia, Vol. 3 (Rodentia, in 2-parts), 1-482; 483-884. Manager of Publications, Govt. of India, Delhi.
- ELLERMAN, J.R. and MORRISON-SCOT, T.C.S. 1951. Checklist of Palaearctic and Indian Mammals 1758 to 1946. *Trustees of the British Museum (Natural History), London*, 810pp.
- GHOSE, R.K., MANDAL, A.K. and GHOSE, P.S. 2004. A contribution to the taxonomy of Indian five striped squirrel (*Funambulus pennanti* Wroughton), with description of two new subspecies. *Rec. zool. Surv. India.*, **102** (3-4) : 89-103.
- HOLDEN, M.E. 2005. Family Gliridae, pp. 819-841. In : Wilson, D. and Reeder, D.M. (eds.) *Mammal species of the World : A taxonomic and Geographic Reference, 3rd Edition, Johns Hopkins University Press*, Baltimore, MD. Volume 2 : 2141 pp.
- HOLDEN, M.E. and MUSSER, G.G. 2005. Family Dipodidae, pp. 871-893. In : Wilson, D. and Reeder, D.M.(eds.) *Mammal species of the World : A taxonomic and Geographic Reference. 3rd Edition, Johns Hopkins University Press*, Baltimore, MD. Volume 2 : 2141 pp.
- LAKHOTIA, S.C., RAO, S.R.V. and JHANWAR, S.C. 1973. Studies on rodent chromosomes VI. Co-existence of *Rattus rattus* with 38 and 42 chromosomes in South Western India. *Cytologia*, **38** : 403-410.
- MARSHALL, J. 1977. A synopsis of the Asian species of *Mus* (Rodentia , Muridae). *Bull. Amer. Mus. Nat. Hist.*, **158** : 173-220.
- MISHRA, A.C. and DHANDA, V. 1975. Review of the genus *Millardia* (Rodentia : Muridae), with description of a new species. *J. Mammal.*, **56** : 76-80.
- MITHEL, M. 1977. (Unpublished) Studies on Bombay Rats. Ph.D. Thesis. University of Bombay, 232 pp.
- MOORE, J.C. and TATE, G.H.H. 1965. A study of diurnal squirrels, Sciuridae, of the Indian and Indochinese subregions. *Fieldiana Zool.*, **48** : 1-351.

- MUSSER, G.G. and NEWCOMB, C. 1983. Malaysian murids and the giant rat of Sumatra. *Bulletin of the American Museum of Natural History*, **174**(4) : 327-598.
- MUSSER, G.G. and CARLETON, M.D. 2005. Superfamily Muroidea, pp.894-1531 In : Wilson, D. and Reeder, D.M. (eds.) *Mammal species of the World : A taxonomic and Geographic Reference 3rd Edition*, Johns Hopkins University Press, Baltimore, MD. Volume 2 : 2141 pp.
- PRADHAN, M.S. 1979. Application of some bio-chemical methods in Bandicoot taxonomy. *J. Bombay nat. Hist. Soc.* **76** (1) : 59-65.
- PRADHAN, M.S., MANDAL, A.K. and AGRAWAL, V.C. 1989. Proposal of an additional species in the genus *Bandicota* Gray (Order : Rodentia; Fam. : Muridae) from India. *Mammalia*, **53** : 369-376.
- PRADHAN, M.S., BHAGAWAT, A.M. and INGALE, S.T. 1991. Haemoglobin polymorphism and genetic identities in five Indian commensal rodent species. *J. Bombay nat. Hist. Soc.*, **88**(2) : 229-233.
- PRADHAN, M.S., MANDAL, A.K., BHAGWAT, A.M. and AGRAWAL, V.C. 1993. Taxonomic studies in the Indian Bandicoot rats (Rodentia : Muridae) with description of new species. *Rec. zool. Surv. India*, **93** : 175-200.
- PRADHAN, M.S., MANDAL, A.K. and BHAGWAT, A.M. 2005. On taxonomic status of *Bandicota bengalensis lordi* (Wroughton), *Bandicota maxima* (Pradhan *et al.*) : (Subfamily : Murinae; Family : Muridae; Order : Rodentia) *Rec. zool. Surv. India*, **104** (1&2) : 85-90.
- RAMAN, R. and SHARMA, T. 1977. Karyotype evolution and speciation in genus *Rattus* Fischer, *J. Sci. Ind. Res.*, **36** : 385-404.
- ROBERTS, T.J. 1997. *The Mammals of Pakistan*. Oxford University Press, Karachi, 525 pp.
- SARKAR, S.U. and SARKAR, N.J. 1988. Wildlife of Bangladesh (A systematic list with status, distribution and habitat) The Rico Printers, Dhaka. 59 pp.
- SAHA, S. S. 1977. On some mammals recently collected in Bhutan. *J. Bombay nat. Hist. Soc.*, **74**(2) : 350-354.

- SHARMA, T. and RAMAN, R. 1972. Similarity in karyotypes of *Rattus rattus* with 38 Chromosomes from India and other parts of the world. *Experiantia*, **28** : 1375-1377.
- SRINIVASULU, C. and PRADHAN, M.S. 2003. Checklist of Murids (Mammalia : Rodentia : Muridae) of South Asia, *Zoos' Print Journal*, **18**(12) : 1286-1310.
- SRINIVASULU, C., CHAKRABORTY, S. and PRADHAN, M.S. 2004. Checklist of sciurids (Mammalia : Rodentia : Sciuridae) of South Asia, *Zoos' Print Journal*, **19**(2) : 1351-1360.
- SRINIVASULU, C. and JORDAN, MIKE J.R. 2004. Checklist of dipodids, myoxids and hystricids (Mammalia : Rodentia : Dipodidae, Myoxidae and Hystricidae) of South Asia, *Zoos' Print Journal*, **19**(2) : 1346-1350.
- TALMALE, S.S. 2007. (Unpublished). Studies on small mammal diversity in Maharashtra State. Ph. D. Thesis submitted to University of Pune, 431 pp.
- THORINGTON, Jr. R.W. and HOFFMANN, R.S. 2005. Family Sciuridae, pp. 754-818. In : Wilson, D. and Reeder, D.M. (eds.) *Mammal species of the World : A taxonomic and Geographic Reference 3rd Edition*, Johns Hopkins University Press, Baltimore, MD. Volume 2 : 2141 pp.
- WILSON, D.E. and REEDER, D.M. [Eds]. 1993. *Mammal species of the World : A taxonomic and Geographic Reference. 2nd Edition*, Smithsonian Institute Press, Washington and London : 1207 pp.
- WILSON, D.E. and REEDER, D.M. [Eds]. 2005. *Mammal species of the World, 3rd Edition*, Johns Hopkins University Press, Baltimore, MD. 2 Volumes : 2141 pp.
- WOODS, C.A. and KILPATRICK, C.W. 2005. Suborder Hystricognathi, pp. 1538-1600. In : Wilson, D. and Reeder, D.M. (eds.) *Mammal species of the World : A taxonomic and Geographic Reference 3rd Edition*, Johns Hopkins University Press, Baltimore, MD. Volume 2 : 2141 pp.