


FAUNA OF INDIA CHECKLIST

JULY, 2024

ONLINE VERSION 1.0



BRYOZOA

C. Venkatraman^{1,3,*}, Tamal Mondal^{2,4,*} and C. Raghunathan^{2,5}

¹Zoological Survey of India, Marine Biology Regional Centre, 130 Santhome High Road, Chennai – 600 028, Tamil Nadu; ²Zoological Survey of India, M-Block, New Alipore, Kolkata-700053; ³cvramanmbs@yahoo.com; ⁴t_genetics@yahoo.com; <http://orcid.org/0000-0003-4966-6746>; ⁵raghuksc@rediffmail.com; <http://orcid.org/0000-0003-1417-5496>; *Correspondence author email id:cvramanmbs@yahoo.com

DOI : <https://doi.org/10.26515/Fauna/1/2023/Bryozoa>

Key words: Moss animal, Lophotrochozoan, Zooids

Citation: Venkatraman, C., Mondal, T. and Raghunathan, C.(2024). Fauna of India Checklist: Bryozoa. Version 1.0. Zoological Survey India. DOI:<https://doi.org/10.26515/Fauna/1/2023/Bryozoa>

Comments on the checklist:

E-mail your comments
and suggestions to improve
the checklist to

zsifaunachecklists@gmail.com
and cvramanmbs@yahoo.com



ZOOLOGICAL SURVEY OF INDIA
Ministry of Environment, Forest & Climate Change

BRYOZOA

C. Venkatraman^{1,3,*} Tamal Mondal^{2,4,*} and C. Raghunathan^{2,5}

¹Zoological Survey of India, Marine Biology Regional Centre, 130 Santhome High Road, Chennai – 600 028, Tamil Nadu; ²Zoological Survey of India, M-Block, New Alipore, Kolkata-700053; ³cvramanmbs@yahoo.com ⁴t_genetics@yahoo.com; <http://orcid.org/0000-0003-4966-6746>; ⁵raghuksc@rediffmail.com; <http://orcid.org/0000-0003-1417-5496>; *Correspondence author email id: cvramanmbs@yahoo.com

Introduction: Bryozoans are one of the lophotrochozoan protostomes. These are commonly known as moss animals. The distribution of these animals is recorded from freshwater, brackish and marine ecosystems across the world including all depths and latitudes (Brusca and Brusca, 2003, Ramel, 2012). These sessile colonial invertebrates are known to calcifying their structural organization and form colonies of intricate patterns. Different kinds of growth patterns and orientations are seen among the bryozoan colonies like arborescent, frondose, flat, spreading, and encrusting. They are found on wide ranges of natural objects such as shells, seaweeds, rocks and or anthropogenic objects like made seafront structures like jetties, pillars, pontoons and, any floating objects like plastic bottles, etc. Each colony is composed of individual Bryozoans called zooids, which are enclosed in a calcified exoskeletal case termed as zoecium. The phylum Bryozoa is divided into three classes, class Gymnolaemata is a marine form of bryozoans, which exhibit a greater degree of abundance and diversity in the oceans.

Global diversity: A total of 6589 species of bryozoans are recorded till date across the world including 6461 species from marine habitat.

Diversity in India: In India, 315 species of bryozoans are reported till date.

Diversity in States Presented in table 1.

Table 1: Bryozoans of India, State-wise distribution

Sl. No.	State/Union Territory	No. Species
1.	Andhra Pradesh	50
2.	Gujarat	72
3.	Goa	10
4.	Karnataka	25
5.	Kerala	98
6.	Maharashtra	67
7.	Odisha	38
8.	Tamil Nadu	135
9.	West Bengal	7
10.	Andaman & Nicobar	51
11.	Lakshadweep	39
12.	State Unknown	5

Endemism: No endemism is reported for bryozoans from India.

Habitat: All are aquatic, mostly marine and few species found in fresh water and brackish waters also. They found from intertidal region to the greater depths of the oceans.

Ecological Significance: They play an active role in the balancing ecosystem being filter feeders. Bryozoans are controlling the planktonic environments.

Human Significance: They take major role in the filtration process of marine ecosystem by filter feeding whereas some species are known to take negative roles by hosting myxosporean parasites.

Threatened species: No species of bryozoans from India is assessed for IUCN threatened categories.

Protected Species as per WPA (2022): No bryozoan species is protected under the Indian Wildlife (Protection) Amendment Act, 2022.

Species under CITES: There is no species enlisted under the CITES Appendices.

Invasive Alien Species: Six invasive species of bryozoan such as *Amathia verticillata* (delle Chiaje, 1822), *Bugula neritina* (Linnaeus, 1758), *Bugulina stolonifera* (Ryland, 1960), *Bugulina flabellata* (Thompson in Gray, 1848), *Cryptosulapallasiana* (Moll, 1803), and *Membraniporamembranacea* (Linnaeus, 1767) are reported in Indian waters.

Gap areas: The majority of bryozoans species have been reported from Tamil Nadu (Gulf of Mannar), Kerala, Gujarat whereas some studies were carried out from Andhra Pradesh, Andaman and Nicobar Islands, Karnataka and Lakshadweep and other coastal areas. Lack of taxonomic expertise is the major constraint for bryozoans exploration in Indian waters.

Systematic list: Species list cited below (Table 2).

Table 2: Bryozoans of India

Sl. No.	Family	Species
1.	Aeteidae	<i>Aetea anguina</i> (Linnaeus, 1758)
2.	Aeteidae	<i>Aetea ligulata</i> Busk, 1852
3.	Aeteidae	<i>Aetea sica</i> (Couch, 1844)
4.	Sinoflustridae	<i>Sinoflustra amoyensis</i> (Robertson, 1921)
5.	Sinoflustridae	<i>Sinoflustra annae</i> (Osburn, 1953)
6.	Sinoflustridae	<i>Sinoflustra arborescens</i> (Canu & Bassler, 1928)
7.	Membraniporidae	<i>Membranipora membranacea</i> (Linnaeus, 1767)
8.	Membraniporidae	<i>Biflustra grandicella</i> (Canu and Bassler, 1929)
9.	Membraniporidae	<i>Biflustra savartii</i> (Audouin, 1826)
10.	Membraniporidae	<i>Biflustra tenuis</i> (Desor, 1848)
11.	Membraniporidae	<i>Biflustra hugliensis</i> (Robertson, 1921)
12.	Membraniporidae	<i>Biflustra perfragilis</i> MacGillivray, 1881
13.	Membraniporidae	<i>Jellyella eburnea</i> (Hincks, 1891)
14.	Membraniporidae	<i>Jellyella tuberculata</i> (Bosc, 1802)

Sl. No.	Family	Species
15.	Electridae	<i>Einhornia crustulenta</i> (Pallas, 1766)
16.	Electridae	<i>Arbopercula bengalensis</i> (Stoliczka, 1869)
17.	Electridae	<i>Arbopercula tenella</i> (Hincks, 1880)
18.	Electridae	<i>Arbopercula angulata</i> (Levinsen, 1909)
19.	Electridae	<i>Arbopercula devinensis</i> (Robertson, 1921)
20.	Electridae	<i>Arbopercula tenella</i> (Hincks, 1880)
21.	Electridae	<i>Electra crustulentaartica</i> (Hensen, 1962)
22.	Electridae	<i>Electra indica</i> Menon and Nair, 1975
23.	Electridae	<i>Electra pilosa</i> (Linnaeus, 1767)
24.	Electridae	<i>Arbocuspis bellula</i> (Hincks, 1881)
25.	Electridae	<i>Conopeum reticulum</i> (Linnaeus, 1767)
26.	Electridae	<i>Conopeum commensale</i> Krikpatrick & Metzelaar, 1922
27.	Electridae	<i>Conopeum eriophorum</i> (Lamoroux, 1816)
28.	Electridae	<i>Tarsocryptus laboriosus</i> (Tilbrook, 2006)
29.	Calesharidae	<i>Caleschara levinseni</i> (Harmer, 1926)
30.	Calesharidae	<i>Caleschara mexicana</i> Osburn, 1950
31.	Calloporidae	<i>Parellisina curvirostris</i> (Hincks, 1862)
32.	Calloporidae	<i>Parellisina mboliensis</i> Tilbrook, 2006
33.	Calloporidae	<i>Crassimarginatella kumatae</i> (Okada, 1923)
34.	Calloporidae	<i>Cranosina coronata</i> (Hincks, 1881)
35.	Calloporidae	<i>Ellisina incrustans</i> (Waters, 1898)
36.	Calloporidae	<i>Alderina arabianensis</i> (Menon and Nair, 1967)
37.	Calloporidae	<i>Alderina smitti</i> Osburn, 1950
38.	Calloporidae	<i>Copidozoum tenuirostre</i> (Hincks, 1880)
39.	Cupuladriidae	<i>Cupuladria indica</i> (Cook, 1965)
40.	Cupuladriidae	<i>Cupuladria guineensis</i> (Busk, 1854)
41.	Cupuladriidae	<i>Cupuladria canariensis</i> (Busk, 1859)
42.	Antroporidae	<i>Antropora claustracrassa</i> (Canu and Bassler, 1930)
43.	Antroporidae	<i>Antropora erecta</i> (Canu & Bassler, 1920)
44.	Antroporidae	<i>Antropora granulifera</i> (Hincks, 1880)
45.	Antroporidae	<i>Antropora marginella</i> (Hincks, 1884)
46.	Antroporidae	<i>Akatopora tincta</i> (Hastings, 1930)
47.	Antroporidae	<i>Antropora minor</i> (Hincks, 1880)
48.	Antroporidae	<i>Parantmpora penelope</i> (Tilbrook, 1998)
49.	Heliodomidae	<i>Setosellina constricta</i> Harmer, 1926
50.	Flustridae	<i>Chartella arabica</i> Soja, 2006
51.	Flustridae	<i>Gregarinidra serrata</i> (MacGillivray, 1869)
52.	Flustridae	<i>Gregarinidra rhizophora</i> (Ortmann, 1890)
53.	Flustridae	<i>Retiflustra cornea</i> (Busk, 1852)
54.	Flustridae	<i>Spiralaria dentigera</i> Hincks, 1882
55.	Quadricellariidae	<i>Nellia tenella</i> (Lamarck, 1816)
56.	Quadricellariidae	<i>Nellia simplex</i> Busk, 1852
57.	Quadricellariidae	<i>Farciminellum hexagonum</i> (Busk, 1884)
58.	Beaniidae	<i>Beania regularis</i> Thornely (1916)
59.	Beaniidae	<i>Beania intermedia</i> (Hincks, 1881)
60.	Beaniidae	<i>Beania klugei</i> Cook, 1968
61.	Bugulidae	<i>Beaniare gularis</i> (Thornely, 1916)
62.	Bugulidae	<i>Bugula neritina</i> (Linnaeus, 1758)
63.	Bugulidae	<i>Bugula robusta</i> Mac Gillivary, 1869
64.	Bugulidae	<i>Bugula crosslandi</i> Hastings, 1939
65.	Bugulidae	<i>Bugula philippae</i> Harmer, 1926
66.	Bugulidae	<i>Bugula minima</i> Waters, 1909

Sl. No.	Family	Species
67.	Bugulidae	<i>Bugulina ditrupae</i> (Busk, 1858)
68.	Bugulidae	<i>Bugulina flabellata</i> (Thompson in Gray, 1848)
69.	Bugulidae	<i>Bugulina stolonifera</i> (Ryland, 1960)
70.	Bugulidae	<i>Bugulopsis peachii</i> (Busk, 1851)
71.	Bugulidae	<i>Crisularia bengalensis</i> (Rao & Ganapati, 1974)
72.	Bugulidae	<i>Crisularia cucullata</i> (Busk, 1867)
73.	Bugulidae	<i>Crisularia plumosa</i> (Pallas, 1766)
74.	Bugulidae	<i>Caulibugula zanzibariensis</i> (Waters, 1913)
75.	Bugulidae	<i>Caulibugula glabra</i> (Hincks, 1883)
76.	Bugulidae	<i>Bicellariella clavata</i> (Hincks, 1887)
77.	Bugulidae	<i>Bicellariella cookae</i> Rao & Ganapati, 1974
78.	Bugulidae	<i>Brettia tropica</i> Waters, 1913
79.	Bugulidae	<i>Himantozoum sinuosum</i> (Busk, 1884)
80.	Bugulidae	<i>Kinetoskias klugei</i> Rao & Ganapati, 1974
81.	Chilidoniidae	<i>Crepis verticillata</i> Harmer, 1926
82.	Catenicellidae	<i>Catenicella buskii</i> Wyville Thomson, 1858
83.	Catenicellidae	<i>Catenicella uberrima</i> (Harmer, 1957)
84.	Catenicellidae	<i>Tetraplaria ventricosa</i> (Haswell, 1880)
85.	Epistomiidae	<i>Synnotum aegyptiacum</i> (Audouin, 1826)
86.	Candidae	<i>Scrupocaberea maderensis</i> (Busk, 1860)
87.	Candidae	<i>Paralicornia obtecta</i> (Haswell, 1880)
88.	Candidae	<i>Scrupocellaria mansueta</i> (Waters, 1909)
89.	Candidae	<i>Scrupocellaria muricata</i> (d'Orbigny, 1851)
90.	Candidae	<i>Scrupocaberea dongolensis</i> (Waters, 1909)
91.	Candidae	<i>Scrupocellaria delilii</i> (Audouin, 1826)
92.	Candidae	<i>Scrupocellaria harmeri</i> Osburn, 1947
93.	Candidae	<i>Scrupocellaria pilosa</i> Busk, 1884
94.	Candidae	<i>Scrupocellaria scrupea</i> Busk, 1851
95.	Candidae	<i>Scrupocellaria scrupea</i> (Linnaeus, 1758)
96.	Candidae	<i>Pomocellaria talonis</i> (Osburn, 1950)
97.	Candidae	<i>Caberea lata</i> (Busk, 1852)
98.	Candidae	<i>Cradoscrupocellaria bertholletii</i> (Audouin, 1826)
99.	Candidae	<i>Licornia diadema</i> (Busk, 1852)
100.	Candidae	<i>Licornia ferox</i> (Busk, 1852)
101.	Candidae	<i>Licornia cervicornis</i> (Busk, 1852)
102.	Candidae	<i>Licornia gaspari</i> (Thornely, 1907)
103.	Candidae	<i>Canda retiformis</i> Pourtalès, 1867
104.	Euoplozoidae	<i>Euoplozoum cirratum</i> (Busk, 1884)
105.	Onychocellidae	<i>Smittipora abyssicola</i> (Smitt, 1873)
106.	Onychocellidae	<i>Smittipora harmeriana</i> (Canu & Bassler, 1929)
107.	Onychocellidae	<i>Smittipora philippinensis</i> (Canu and Bassler, 1929)
108.	Onychocellidae	<i>Smittipora cordiformis</i> Harmer, 1926
109.	Onychocellidae	<i>Onychocella angulosa</i> (Reuss, 1848)
110.	Poricellariidae	<i>Poricellaria ratoniensis</i> (Waters, 1887)
111.	Steginoporellidae	<i>Steginoporella magnilabris</i> (Busk, 1854)
112.	Steginoporellidae	<i>Steginoporella buskii</i> Harmer, 1900
113.	Steginoporellidae	<i>Labioporella sinuosa</i> (Osburn, 1940)
114.	Thalamoporellidae	<i>Thalamoporella granulata</i> Levinsen, 1909
115.	Thalamoporellidae	<i>Thalamoporella hamata</i> (Harmer, 1926)
116.	Thalamoporellidae	<i>Thalamoporella indica</i> (Hincks 1880)
117.	Thalamoporellidae	<i>Thalamoporella novaehollandiae</i> (Haswell, 1880)
118.	Thalamoporellidae	<i>Thalamoporella rozieri</i> Audouin, 1826

Sl. No.	Family	Species
119.	Thalamoporellidae	<i>Thalamoporella gothica</i> (Busk, 1856)
120.	Thalamoporellidae	<i>Thalamoporella stapifera</i> Levinsen, 1909
121.	Thalamoporellidae	<i>Dibunostoma expansum</i> (Levinsen, 1909)
122.	Thalamoporellidae	<i>Dibunostoma reversum</i> (Harmer, 1926)
123.	Cellariidae	<i>Cellaria salicornioides</i> Lamouroux, 1816
124.	Cellariidae	<i>Cellaria punctata</i> (Busk, 1852)
125.	Cellariidae	<i>Cellaria gracilis</i> (Busk, 1852)
126.	Cribrilinidae	<i>Cribrilina punctata</i> (Hassall, 1841)
127.	Cribrilinidae	<i>Cribrilaria radiata</i> (Moll, 1803)
128.	Cribrilinidae	<i>Cribrilaria harmeri</i> (Ristedt, 1985)
129.	Cribrilinidae	<i>Cribrilaria innominata</i> (Couch, 1844)
130.	Cribrilinidae	<i>Reginella mattoidea</i> Osburn (1950)
131.	Arachnopsiidae	<i>Poricella lanceolata</i> (Canu & Bassler, 1928)
132.	Arachnopsiidae	<i>Poricella robusta</i> (Hinck 1884)
133.	Arachnopsiidae	<i>Tremogasterina granulata</i> (Canu and Bassler, 1928)
134.	Arachnopsiidae	<i>Tremogasterina ventricosa</i> (Canu and Bassler, 1928)
135.	Adeonidae	<i>Adeona foliifera</i> Lamarck, 1816
136.	Adeonidae	<i>Adeonellopsis japonica</i> (Ortmann, 1890)
137.	Adeonidae	<i>Adeonello psisarculifera</i> (Canu & Bassler, 1929)
138.	Adeonidae	<i>Adeonellopsis distoma</i> (Busk, 1858)
139.	Adeonidae	<i>Adeonellopsis yarraensis</i> (Waters, 1881)
140.	Adeonidae	<i>Adeonellopsis subsulcata</i> (Smitt, 1873)
141.	Adeonidae	<i>Reptadeonella joloensis</i> (Bassler, 1936)
142.	Adeonidae	<i>Reptadeonella hystricosus</i> Tilbrook, 2006
143.	Chorizoporidae	<i>Chorizopora brongniartii</i> (Audouin, 1826)
144.	Celleporidae	<i>Celleporaria pilaefera</i> (Lamouroux, 1821)
145.	Celleporidae	<i>Celleporaria granulosa</i> Haswell (1880)
146.	Celleporidae	<i>Celleporaria tridenticulata</i> (Busk, 1881)
147.	Celleporidae	<i>Celleporaria aperta</i> (Hincks, 1882)
148.	Celleporidae	<i>Celleporaria columnaris</i> (Busk, 1881)
149.	Celleporidae	<i>Celleporaria bispinata</i> (Busk, 1854)
150.	Celleporidae	<i>Celleporaria albirostris</i> (Smitt, 1873)
151.	Celleporidae	<i>Drepanophora incisor</i> (Thornely, 1905)
152.	Celleporidae	<i>Drepanophora indica</i> Hayward, 1988
153.	Celleporidae	<i>Celleporina costazii</i> (Audouin, 1826)
154.	Celleporidae	<i>Lagenipora lepralioides</i> (Norman, 1868)
155.	Celleporidae	<i>Lagenicella punctulata</i> (Gabb & Horn, 1862)
156.	Celleporidae	<i>Lagenicella marginata</i> (Canu & Bassler, 1930)
157.	Celleporidae	<i>Turbicellepora ampla</i> (Hayward, 1988)
158.	Celleporidae	<i>Turbicellepora megasoma</i> (MacGillivray, 1869)
159.	Celleporidae	<i>Turbicellipora redoutei</i> (Audouin, 1826)
160.	Bryocryptellidae	<i>Porella compressa</i> (J. Sowerby, 1805)
161.	Bryocryptellidae	<i>Porella concinna</i> (Busk, 1854)
162.	Exochellidae	<i>Escharoides coccinea</i> (Abildgaard, 1806)
163.	Exechonellidae	<i>Exechonella tuberculata</i> (MacGillivray, 1883)
164.	Smittinidae	<i>Pleurocodonellina soulesi</i> (Scholz & Cusi, 1993)
165.	Smittinidae	<i>Smittina abyssicola</i> (Harmer, 1957)
166.	Smittinidae	<i>Pleurocodonellina signata</i> (Waters, 1889)
167.	Smittinidae	<i>Parasmittina parsevalii</i> (Audouin, 1826)
168.	Smittinidae	<i>Parasmittina alaskensis</i> Osburn, 1952
169.	Smittinidae	<i>Parasmittina aviculata</i> (Mawatari, 1952)
170.	Smittinidae	<i>Parasmittina collifera</i> (Robertson, 1908)

Sl. No.	Family	Species
171.	Smittinidae	<i>Parasmittina egyptiaca</i> (Waters, 1909)
172.	Smittinidae	<i>Parasmittina elongata</i> (Okada and Mawatari, 1936)
173.	Smittinidae	<i>Parasmittina tropica</i> (Wateres, 1909)
174.	Smittinidae	<i>Parasmittina tubula</i> (Kirkpatrick, 1888)
175.	Smittinidae	<i>Parasmittina californica</i> (Robertson, 1908)
176.	Smittinidae	<i>Parasmittina projecta</i> (Okada and Mawatari, 1936)
177.	Smittinidae	<i>Parasmittina hastingsae</i> Soule & Soule, 1973
178.	Smittinidae	<i>Parasmittina spathulata</i> (Smitt, 1873)
179.	Smittinidae	<i>Parasmittina crosslandi serrata</i> Madihavan Pillai, 1981
180.	Smittinidae	<i>Parasmittina nitida</i> (Verrill, 1875)
181.	Smittinidae	<i>Parasmittina trispinosa</i> (Johnston, 1838)
182.	Smittinidae	<i>Parasmittina protecta</i> (Thornely, 1905)
183.	Smittinidae	<i>Parasmittina raigii</i> (Audouin, 1826)
184.	Smittinidae	<i>Parasmittina latiavicularia</i> (Kirkpatrick, 1888)
185.	Smittinidae	<i>Parasmittina rostriformis</i> (Kirkpatrick, 1888)
186.	Smittinidae	<i>Parasmittina bimucronata</i> (Hincks, 1884)
187.	Smittinidae	<i>Parasmittina winstonae</i> Liu, 2001
188.	Smittinidae	<i>Smittina landsborovii</i> (Johnston), 1847
189.	Smittinidae	<i>Smittina torques</i> Poweli, 1967
190.	Smittinidae	<i>Smittina unicus</i> Tilbrook, 2006
191.	Smittinidae	<i>Smittoidea acutodentata</i> (Harmer, 1957)
192.	Smittinidae	<i>Smittina smittiella</i> Osburn, 1947
193.	Smittinidae	<i>Smittoidea marmorea</i> (Hincks, 1877)
194.	Smittinidae	<i>Smittina malleolus</i> (Hincks, 1884)
195.	Smittinidae	<i>Smittoidea pacifica</i> Soule and Soule, 1973
196.	Bitectiporidae	<i>Hippoporina indica</i> Madhavan Pillai, 1978
197.	Bitectiporidae	<i>Hippoporina pertusa</i> (Esper, 1796)
198.	Bitectiporidae	<i>Pentapora americana</i> (Verrill, 1875)
199.	Schizoporellidae	<i>Schizobrachiella porosa</i> (Verrill, 1879)
200.	Bitectiporidae	<i>Schizomavella linearis</i> (Hassall, 1841)
201.	Bitectiporidae	<i>Schizomavella linearis</i> var. <i>inarmata</i> (Hincks, 1884)
202.	Bitectiporidae	<i>Schizomavella auriculata</i> (Hassall, 1842)
203.	Bitectiporidae	<i>Schizomavella inclusa</i> (Thornely, 1905)
204.	Bitectiporidae	<i>Metroporiella montferrandii</i> (Audouin, 1826)
205.	Lanceoporidae	<i>Calyptotheca hastingsae</i> Harmer, 1957
206.	Lanceoporidae	<i>Calyptotheca inclusa</i> (Thornely, 1906)
207.	Lanceoporidae	<i>Calyptotheca tenuata</i> (Harmer, 1957)
208.	Lanceoporidae	<i>Calyptotheca triangulata</i> (Canu & Bassler, 1928)
209.	Lanceoporidae	<i>Calyptotheca wasinensis</i> (Waters 1909)
210.	Lanceoporidae	<i>Calyptotheca nivea</i> (Busk, 1884)
211.	Lanceoporidae	<i>Calyptotheca pyriformis</i> (Harmer, 1957)
212.	Lacernidae	<i>Arthropoma cecilia</i> (Audouin, 1826)
213.	Lacernidae	<i>Cylindroporella tubulosa</i> (Norman, 1868)
214.	Watersiporide	<i>Watersipora souleorum</i> Vieira, Jones & Taylor 2014
215.	Watersiporide	<i>Watersipora subovoidea</i> (D'Orbigny, 1854)
216.	Schizoporellidae	<i>Schizoporella cochinchinensis</i> Menon and Nair (1967)
217.	Schizoporellidae	<i>Schizoporella errata</i> (Waters, 1878)
218.	Schizoporellidae	<i>Schizoporella unicornis</i> (Johnston in Wood, 1844)
219.	Schizoporellidae	<i>Schizoporella inarmata</i> Hincks (1884)
220.	Schizoporellidae	<i>Schizoporella biaperta</i> (Michelin, 1848)
221.	Schizoporellidae	<i>Schizoporella japonica</i> Ortmann, 1890
222.	Margarettidae	<i>Margaretta watersi</i> Canu and Bassler, 1930

Sl. No.	Family	Species
223.	Margarettidae	<i>Margaretta cereoides</i> (Ellis & Solander, 1786)
224.	Hippopodidae	<i>Hippopodina californica</i> Osburn, (1952)
225.	Hippopodidae	<i>Hippopodina feegeensis</i> (Busk, 1884)
226.	Hippopodidae	<i>Hippopodina iririkiensis</i> Tilbrook, 1999
227.	Hippopodidae	<i>Thornelya ceylonica</i> (Thornely, 1905)
228.	Cryptosulidae	<i>Cryptosula pallasiana</i> Moll, 1803
229.	Actisecidae	<i>Actisecos regularis</i> Canu and Bassler, 1927
230.	Hippaliosinidae	<i>Hippaliosina acutirostris</i> Canu and Bassler (1929)
231.	Hippaliosinidae	<i>Hippaliosina setiformis</i> Tilbrook, 2006
232.	Microporellidae	<i>Microporella orientalis</i> Harmer (1957)
233.	Microporellidae	<i>Microporella ciliata</i> (Pallas, 1766)
234.	Microporellidae	<i>Microporella pectinata</i> Tilbrook, 2006
235.	Microporellidae	<i>Microporella californica</i> Busk, 1856
236.	Microporellidae	<i>Microporella mazatlanica</i> (Soule, Chaney & Morris, 2003)
237.	Microporellidae	<i>Microporella hawaiiensis</i> (Soule, Chaney & Morris, 2003)
238.	Microporellidae	<i>Microporella dentilingua</i> Tilbrook, 2006
239.	Microporellidae	<i>Microporella harmeri</i> Hayward, 1988
240.	Microporellidae	<i>Calloporina sigillata</i> Canu and Bassler, 1929
241.	Microporellidae	<i>Calloporina sculpta</i> Canu and Bassler, 1929
242.	Fenestrulinidae	<i>Fenestrulina malusii</i> (Audouin, 1826)
243.	Petraliellidae	<i>Sinupetraliella affinis</i> Harmer, 1957
244.	Petraliellidae	<i>Petraliella magna</i> (d'Orbigny, 1852)
245.	Petraliellidae	<i>Mucropetraliella philippinensis</i> (Canu and Bassler, 1929)
246.	Petraliellidae	<i>Mucropetraliella thenardii</i> (Audouin, 1826)
247.	Petraliellidae	<i>Mucropetraliella vultur</i> (Hincks, 1882)
248.	Porinidae	<i>Porina australiensis</i> (Haswell, 1881)
249.	Porinidae	<i>Porina vertebralis</i> (Stoliczka, 1865)
250.	Savignyellidae	<i>Savignyella lafontii</i> (Audouin, 1826)
251.	Crepidacanthidae	<i>Crepidacantha crinispina</i> (Canu and Bassler, 1929)
252.	Crepidacanthidae	<i>Crepidacantha poissonii</i> (Audouin, 1826)
253.	Cleidochasmatidae	<i>Cleidochasma biavicularium</i> (Canu & Bassler, 1929)
254.	Cleidochasmatidae	<i>Characodoma protrusum</i> (Thornely, 1905)
255.	Cleidochasmatidae	<i>Cleidochasma sampada</i> Soja, 2006
256.	Robertsonidridae	<i>Robertsonidra argentea</i> (Hincks, 1881)
257.	Robertsonidridae	<i>Robertsonidra praecipua</i> Hayward & Ryland, 1995
258.	Phidoloporidae	<i>Metacleidochasma planulata</i> (Canu and Bassler, 1929)
259.	Phidoloporidae	<i>Plesiochleidochasma fallax</i> (Canu and Bassler, 1929)
260.	Phidoloporidae	<i>Plesiochleidochasma porcellanum</i> (Busk, 1860)
261.	Phidoloporidae	<i>Pleuromucrum multidentatum</i> (Thornely, 1905)
262.	Phidoloporidae	<i>Reteporella peripherica</i> (Ortmann, 1890)
263.	Phidoloporidae	<i>Reteporellina denticulata</i> (Busk, 1884)
264.	Phidoloporidae	<i>Rhynchozoon attina</i> Tilbrook, 2006
265.	Phidoloporidae	<i>Rhynchozoon bispinosum</i> (Johnston, 1847)
266.	Phidoloporidae	<i>Rhynchozoon compactum</i> (Thornely, 1905)
267.	Phidoloporidae	<i>Rhynchozoon globosum</i> Harmer, (1957)
268.	Phidoloporidae	<i>Rhynchozoon haha</i> Hayward, 1988
269.	Phidoloporidae	<i>Rhynchozoon larreyi</i> (Audouin, 1826)
270.	Phidoloporidae	<i>Rhynchozoon spicatum</i> Osburn, 1952
271.	Phidoloporidae	<i>Rhynchozoon tubulosum</i> (Hincks, 1957)
272.	Phidoloporidae	<i>Triphylozoon moniliferum</i> (MacGillivray, 1860)
273.	Phidoloporidae	<i>Triphylozoon philippinense</i> (Busk), 1884
274.	Phidoloporidae	<i>Triphylozoon tubulatum</i> (Busk, 1884)

Sl. No.	Family	Species
275.	Hippoporidridae	<i>Scorpiodinipora costulata</i> (Canu & Bassler, 1929)
276.	Colatooeciidae	<i>Cigclisula occlusa</i> (Busk, 1884)
277.	Colatooeciidae	<i>Cigclisula turrita</i> (Smitt, 1873)
278.	Conescharellinidae	<i>Conescharellina jacunda</i> Canu and Bassler, 1929
279.	Marcusadoreidae	<i>Marcusadorea corderoi</i> (Marcus, 1949)
280.	Escharinidae	<i>Escharina dutertrei</i> (Audouin, 1826)
281.	Escharinidae	<i>Bryopesanser pesanseri</i> (Canu & Bassler, 1929)
282.	Teuchoporidae	<i>Lagenicella marginata</i> Canu and Bassler, 1930
283.	Tetraplariidae	<i>Tetraplaria ventricosa</i> (Haswell, 1880)
284.	Trypostegidae	<i>Trypostega venusta</i> (Norman, 1864)
285.	Trypostegidae	<i>Trypostega henrychaneyi</i> Tilbrook, 2006
286.	Alcyonididae	<i>Alcyonidium erectum</i> (Silen, 1942)
287.	Alcyonididae	<i>Alcyonidium polyoum</i> (Hassall, 1841)
288.	Alcyonididae	<i>Alcyonidioides mytili</i> (Dalyell, 1848)
289.	Victorellidae	<i>Victorella pavidia</i> Kent, (1870)
290.	Sundanellidae	<i>Sundanella sibogae</i> (Harfmer, 1915)
291.	Aeverrilliidae	<i>Aeverrillia setigera</i> (Hincks, 1887)
292.	Nollellidae	<i>Nolella gigantea</i> (Busk, 1856)
293.	Nollellidae	<i>Nolella dilatata</i> (Hincks, 1860)
294.	Nollellidae	<i>Nolella stipata</i> Gosse, 1855
295.	Vesicularidae	<i>Vesicularia papuensis</i> Busk, 1886
296.	Vesicularidae	<i>Amathia imbricata</i> (Adams, 1800)
297.	Vesicularidae	<i>Amathia distans</i> Busk (1866)
298.	Vesicularidae	<i>Amathia crispa</i> (Lamarck, 1816)
299.	Vesicularidae	<i>Bowerbankia gracilis</i> (Leidy, 1855)
300.	Vesicularidae	<i>Amathia connexa</i> Busk, 1886
301.	Vesicularidae	<i>Amathia gracilis</i> (Leidy, 1855)
302.	Vesicularidae	<i>Amathia verticillata</i> (delle Chiaje, 1822)
303.	Triticellidae	<i>Triticella koreni</i> (Sars, 1874)
304.	Triticellidae	<i>Triticella pedicellata</i> (Alder, 1857)
305.	Pherusellidae	<i>Pherusella tubulosa</i> (Ellis & Solander, 1786)
306.	Crisiidae	<i>Crisia cuneata</i> Maplestone, 1905
307.	Crisiidae	<i>Crisia elongata</i> Milne Edwards, 1838
308.	Stomatoporidae	<i>Stomatopora granulata</i> Milne Edwards, 1838
309.	Tubuliporidae	<i>Exidmonea crassimargo</i> (Canu & Bassler, 1929)
310.	Tubuliporidae	<i>Tubulipora similis</i> Liu in Liu, Yin & Ma, 2001
311.	Diaperoeciidae	<i>Nevianipora floridana</i> (Osburn, 1940)
312.	Diaperoeciidae	<i>Nevianipora pulcherrimoidea</i> (Liu in Liu, Yin & Ma, 2001)
313.	Lichenoporidae	<i>Patinella radiata</i> (Audouin, 1826)
314.	Horneridae	<i>Hornera pectinata</i> Busk, 1861
315.	Horneridae	<i>Spiniornera spinigera</i> (Kirkpatrick, 1888)

References:

- Canu, F. and Bassler, R.S., 1929. Bryozoa of the Philippine region. *Bull. US. Natl. Mus.*, No. 100:1 -685.
- Cuffey, R.J. and Fonda, S.S., 1977. Cryptic Bryozoan Species Assemblages in Modern Coral Reefs Off Andros and Eleuthera, Bahamas. 3rd ed. ICRS 1: 81–86.
- Dick, M.H. and Grischenko, A.V., 2017. Rocky–intertidal cheilostome bryozoans from the vicinity of the Sesoko Biological Station, west–central Okinawa Japan. *J. Nat. Hist.*, 51: 141–266.
- Goutham Bharathi, M.P. and Raghunathan, Chelladurai, 2020. New records of three cheilostomatous bryozoans from the Andaman and Nicobar Islands. *India Reg. Stud. Mar. Sci.*, 40:101515.

- Guha, A.K. and Gopikrishna, K., 2005. Some fossil anascan bryozoan taxa from the Tertiary sequences of Western Kachchh, Gujarat. *J. Palaeontol. Soc. India*, 50(2): 135–151.
- Guha, A.K. and Gopikrishna, K., 2007. New celleporid (Bryozoa, Cheilostomata) species from Tertiary deposits of western Kachchh, Gujarat, India. *Paläontologische Zeitschrift*, 81(1): 83–92.
- Harmer, S.F., 1926. The Polyzoa of the Siboga expedition, Pt. 11, Cheilostomata, Anasca. *Rep. Siboga Exped.*, 28b: 181–501.
- Harmer, S.F., 1934. The Polyzoa of the Siboga expedition, Pt. III, Cheilostomata, Ascophora. I. Family Reteporidae. *Rep. Siboga Exped.*, 28c: 502–640.
- Harmer, S.F., 1957. The Polyzoa of the Siboga expedition, Pt. IV, Cheilostomata, Ascophora. 11. Ascophora, except Reteporidae with additions to Part 11, Anasca. *Rep. Siboga Exped.*, 28: 641–1147.
- Hastings, A.B., 1930. Cheilostomatous Polyzoa from the vicinity of the Panama canal collected Dr. C. Crossland on the cruise of the S. Y. "St. George". *Proc. Zool. Soc. Lond.*, 4: 697–740.
- Heidi, T., Tyler-Walters, H. and Garrard, S., 2018. *Spirobranchustriqueter* with barnacles and bryozoan crusts on unstable circalittoral cobbles and pebbles. *The Marine Life Information Network* 117.
- Hutchings, P., 2008. Role of polychaetes in bioerosion of coral substrates. In: Wisshak, M. and Tapanila, L. (Eds.), *Current Developments in Bioerosion: Erlangen Earth Conference Series*. Springer, Berlin, Heidelberg.
- Kirkpatrick, R., 1888. Polyzoa of Mauritius. *Ann. Mag. Nat. Hist.*, 6(1): 72–85.
- Maria, S.S, S.Shrinivaasu, C.Venkatraman, Soja Louis and Rajappa Babu. 2021. Coral associated bryozoans and their role in reviving the depleting coral ecosystem. *Regional Studies in Marine Science*. Volume 44, 2021, 101775. <https://doi.org/10.1016/j.rsma.2021.101775>
- Menon, N.R. and Menon, N.N., 2006. A Monograph on the taxonomy of bryozoans from the Indian EEZ, 325p.
- Menon, N.R., 1967. Studies on the Polyzoa of the south west coast of India. *Ph.D Thesis*, University of Kerala, 548 p.
- Menon, N.R., 1975. Observations on growth of *Flustra foliaeea* (Bryozoa) from Helgoland waters. *Helgolander Wiss. Meeresunters.*, (Hamburg) 27: 263–267.
- Naufal, M., Kadeparambil Arjunan Jayaraj and C. Venkatraman. 2021. Bryozoa : In Deep Sea Faunal Diversity in India. 403–430. (Published by the Director, Zool. Surv. India, Kolkata). ISBN 978-81-8171-569-2.
- Osburn, R.C., 1952. Bryozoa of the Pacific coast of America. Part 2, Cheilostomata -Ascophora, *Rep. Allan Hancock Pacific Exped.*, 14(2): 271–611.
- Prinsep, M.R., Blunt, J.W. and Munro, M.H.G., 1991. New cytotoxic [3-carboline alkaloids from the marine bryozoan, *Cribricellinacribraria*. *J. Nat. Prod.*, 54: 1068–1076.
- Robertson, A., 1908. The incrusting Cheilostomatous Bryozoa of the west coast of North America. *Univ. ealif. Publ. Zool.*, 4: 253–344.
- Robertson, A., 1921. Report on a collection of Bryozoa from the Bay of Bengal and other eastern seas. *Rec. Ind. Mus.*, 22: 33–65.
- Ryland, J.S. and Hayward, P.J., 1992. Bryozoa from Heron Island, Great Barrier Reef. *Memoirs of the Queensland Museum*, 32: 223–301.
- Ryland, J.S., 1970. *Bryozoans*. Cain. A.J. (Ed.), Hutchinson University Library, London. 1175p.
- Sanjay, M.S., Shrinivaasu, S., Venkatraman, C., Louis, S. and Babu, R., 2021. Coral associated bryozoans and their role in reviving the depleting coral ecosystem. *Regional Studies in Marine Science*, 44: 101775

- Soja, L., 2006. *Taxonomy, bionomics and biofouling of bryozoans from the coast of India and the Antarctic waters*, Ph.D. thesis. Cochin University of Science and Technology, India.
- Thornely, L.R., 1907. Report on the marine Polyzoa in the collection of the Indian Museum. *Rec. Indian Mus.*, 1: 179-196.
- Thornely, L.R., 1912. Marine polyzoa of the Indian Ocean. *Tran. Linn. Soc. Lond. (Zool.)*, 15: 137-157.
- Tilbrook, K.J., 2006. Cheilostomatous Bryozoa from the Solomon Islands. *Santa Barbara Mus. Nat. Hist. Monogr. Stud. Biodiv*, 3(4): 1–385.
- Tilbrook, K.J., Hayward, P.J. and Gordon, D.P., 2001. Cheilostomatous Bryozoa from Vanuatu. *Zool. J. Linn. Soc.*, 131: 35-109.
- Venkatraman, C., Padmanaban, P., Loius, S. and Shrinivaasu, S., 2018. Marine Bryozoans of Gujarat and Maharashtra. *Rec. Zool. Surv. Ind.* 118: 389–404.
- Venkatraman, C., Rajan, Rajkumar, Louis, Soja, Shrinivaasu, S. and Pedmanaban, P., 2016. Bryozoans of Gulf of Mannar Marine Biosphere Reserve, Southeast Coast of India. *Rec. Zool. Surv. India*, 116(2): 167–189.
- Waters, A. W., 1879. On the Bryozoa of the Bay of Naples. *Ann. Mag. Nat. Hist.*, 5(3): 28-43.
- Waters, A.W., 1914. Cyclostomata, Ctenostomata and Endoprocta. *Proc. Zool. Soc. Lond.*, pp. 831-858.
- WoRMS, 2023. Bryozoa. Accessed at: <https://www.marinespecies.org/aphia.php?p=taxdetails&id=558> on 2023-05-12.