


FAUNA OF INDIA CHECKLIST

JULY, 2024

ONLINE VERSION 1.0



Freshwater Copepod

ARTHROPODA: CRUSTACEA: COPEPODA

K. Valarmathi¹, Karuthapandi M², JeyasreeTilak³ and Honey U.K. Pillai¹

¹FPS Building, Zoological Survey of India, Kolkata-16, valarkamacro@gmail.com; honeymarinezsi@gmail.com; ²Freshwater Biology Regional Centre, Zoological Survey of India, Hyderabad-500048, kpandi83@gmail.com; ³Southern Regional Centre, Zoological Survey of India, Chennai-28, jayasreethilak@yahoo.com; *Corresponding authors: valarkamacro@gmail.com; kpandi83@gmail.com

DOI : <https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Copepoda>


Key words: Copepoda, Calanoida, Cyclopoida, Harpacticoida, Poecilostomatoida, Siphonostomatoida, Monstrilloida, India, checklist.

Citation: K. Valarmathi, Karuthapandi M, Jeyasree Tilak and Honey U.K. Pillai (2024). Fauna of India Checklist: Arthropoda: Crustacea: Copepoda, . Version 1.0. Zoological Survey India. DOI: <https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Copepoda>

Comments on the checklist:

E-mail your comments
and suggestions to improve
the checklist to

zsifaunachecklists@gmail.com;
valarkamacro@gmail.com and
kpandi83@gmail.com



ZOOLOGICAL SURVEY OF INDIA
Ministry of Environment, Forest & Climate Change

CRUSTACEA: COPEPODA

K. Valarmathi, Karuthapandi M, Jeyasree Tilak and Honey U.K. Pillai

valarkamacro@gmail.com; kpandi83@gmail.com

Introduction : Copepods are small aquatic crustaceans and are one of the most numerous metazoan groups in aquatic communities. They are classified under the Phylum Arthropoda, Subphylum Crustacea, Superclass Multicrustacea and Class Copepoda. The Class Copepoda has 10 orders such as Calanoida, Canuelloida, Cyclopoida, Gelyelloida, Harpacticoida, Misophrioida, Monstrilloida, Mormonilloida, Siphonostomatoida, and Platycopioida. Out of the 10 orders of copepods seven orders are reported from India. The Suborder Poecilostomatoida is presently considered as a group under Cyclopoida but phylogenetically separated from it. Members of the orders Calanoida, Cyclopoida and Harpacticoida are important components in marine as well as free living freshwater plankton. Among the marine, pelagic copepods, calanoids dominate (79.2%) the others. The Indian Ocean has the maximum species composition and the Arctic Ocean has the minimum (Boxshall and Halsey, 2004). The suborder Ergasilida (=Poecilostomatoida) of the order Cyclopoida, the orders Siphonostomatoida and Monstrilloida are mostly parasitic either in their adult or larval stages (Roy, 2019).

Adult copepods typically have a body length of 1-2 mm, but adults of free-living species may be as short as 0.2 mm or as long as 17 mm. In case of parasitic forms on large vertebrate hosts, body lengths may exceed 20 cm. Ecologically the planktonic copepods provide functionally important links in the aquatic food chain feeding on the microscopic algal cells of the phytoplankton and, in turn, being eaten by juvenile fish and other planktivores, including some whales. In fresh water, copepods have the potential to act as a biological control mechanism for malaria by consuming mosquito larvae. However, they also serve as intermediate hosts for many animal parasites and even parasites of humans, including the fish tapeworm and guineaworm.

Copepods are important secondary producers or primary consumers and ultimately contribute significantly to the food chain in large ecosystems. Almost all types of marine organisms, directly or indirectly depend on these small organisms for their food. Copepods form important food for many

marine fishes and invertebrates. Copepods of aquaculture importance mainly belong to the orders Calanoida, Cyclopoida and Harpacticoida. Harpacticoids are more numerous in species and occupy more than 50% of the total species of copepods. Generally, harpacticoids are benthic with a wide variety of food habits from filter feeding to detritus feeding. There are many predatory and parasitic forms also available in this group (Boxshall and Halsey, 2004 and Dussart, and Defaye 2001). Copepods are sometimes used as biodiversity indicators.

The studies on Indian copepods were initiated by Steenstrup and Lütken (1861) with the description of two parasitic copepods. Sewell (1912) has started the inventory of Indian planktonic copepods and made a significant contribution through his series of publications. It is followed by a several renowned researchers (see Roy and Venkataraman, 2018, Roy 2018, 2019).

Global diversity: Globally there are about 13000 nominal species of copepods are known so far, most of them are found in marine environment and nearly about 3000 species inhabit freshwater (Boxshall and Defaye, 2008; Ranga Reddy, 2017). However, still the global diversity is not assessed exactly and there is no comprehensive list of species.

Diversity in India : The catalogues published by Roy and Venkataraman (2018) and Roy (2018,2019) stated the availability of 287 species and subspecies of Calanoids belonging to 82 genera and 25 families; 181 species and subspecies of Cyclopoida under 38 genera and 9 families; 403 species and subspecies of Harpacticoida belonging to 163 genera and 35 families; 535 species of parasitic copepods belonging to the orders Poecilostomatoida, Siphonostomatoida and Monstrilloida. In the present study the already known species were updated and the recently described species were added. In this checklist a total of 1543 species and subspecies of Copepods belonging to 458 genera, 117 families and seven orders were documented from India (Table 1). Of which, the order Calanoida dominates with 495 species belonging to 114 genera and 30 families. The order Canelloida is represented by 18 species belonging to 8 genera and 2 families. The order Cyclopoida has 382 species belonging to 105 genera and 31 families. The Order Harpacticoida is represented by 354 species belonging to 152 genera and 32 families. Siphonostomatoida is represented by 281 species comprising of 73 genera and 20 families. The order Monstrilloida with its single family has 12 species under four genera. Similarly the order Mormonilloida is also represented by a single family with two species and two genera (Table 2). The species diversity is more in marine environment than in freshwater. The state wise species distribution shows that the highest number of copepods were recorded from Andaman and Nicobar (426 species),

Tamil Nadu (366 species), Kerala (284 species), and Andhra Pradesh (260 species). Whereas, there is no exploration and documentation of copepods from certain Northeastern states of India, such as Arunachal Pradesh, Mizoram, Nagaland and some of the Union territory like Chandigarh, Daman & Diu, and Ladakh. The lowest number of only one species reported from the state of Manipur and Sikkim (Table 2).

Table 1. Diversity of Indian Copepods

Sl. No.	Order	Family	Genera	Species
1.	Calanoida	30	114	495
2.	Canuelloida	2	8	18
3.	Cyclopoida	31	105	382
4.	Harpacticoida	32	152	354
5.	Siphonostomatoida	20	73	280
6.	Monstrilloida	1	4	12
7.	Mormonilloida	1	2	2
Total		117	458	1543

Table 2. Familywise Species Diversity of Indian Copepods

Order	Family	Genera	Species
CALANOIDA	Acartiidae	2	28
	Aetideidae	12	42
	Arietellidae	2	4
	Augaptilidae	6	38
	Bathypontiidae	1	1
	Calanidae	6	8
	Candaciidae	1	18
	Centropagidae	3	16
	Clausocalanidae	3	10
	Diaptomidae	23	62
	Eucalanidae	3	13
	Euchaetidae	2	18
	Fosshageniidae	1	1
	Heterorhabdidae	6	19
	Lucicutiidae	1	15
	Megacalanidae	2	2
Metridinidae	3	17	
Nullosetigeridae	1	5	
Paracalanidae	7	27	
Parapontillediae	1	1	

Order	Family	Genera	Species
	Phaennidae	4	7
	Pontellidae	6	47
	Pseudocyclopidae	1	1
	Pseudodiaptomidae	1	22
	Rhincalanidae	1	4
	Scolecitrichidae	9	49
	Spinocalanidae	3	7
	Temoridae	1	4
	Tharybidae	1	1
	Tortanidae	1	8
CANUELLOIDA	Canuellidae	7	13
	Longipediidae	1	5
CYCLOPOIDA			
Suborder Cyclopida	<i>Cyclopoida incertae sedis</i>	1	2
	Cyclopidae	20	99
	Halicyclopidae	2	12
	Lernaeidae	7	33
Suborder Ergasilida	Anchimolgidae	1	1
	Anthessiidae	1	3
	Bomolochidae	9	29
	Chondracanthidae	6	16
	Clausidiidae	4	7
	Clausiidae	2	2
	Corycaeidae	7	28
	Ergasilidae	6	31
	Kelleridae	1	3
	Lichomolgidae	2	3
	Lubbockiidae	1	2
	Macrochironidae	2	8
	Myicolidae	1	1
	Oncaeidae	3	10
	Pseudanthessiidae	3	8
	Rhynchomolgidae	6	7
	Sapphirinidae	3	18
	Shiinoidea	2	3
	Synapticolidae	2	8
	Taeniacanthidae	5	16
	Uranoscopicolidae	1	1
	Xarifiidae	1	5
Suborder Oithonida	Cyclopettidae	1	4
	Cyclopinidae	1	1
	Oithonidae	2	19
	Smirovipinidae	1	1

Order	Family	Genera	Species
	Thaumatopsyllidae	1	1
HARPACTICOIDA	Aegisthidae	1	2
	Ameiridae	11	24
	Ancorabolidae	2	2
	Arenopontidae	3	5
	Canthocamptidae	6	31
	Cletodidae	8	9
	Dactylopusiidae	4	12
	Darcythompsoniidae	1	1
	Ectinosomidae	9	25
	Hamondidiidae	1	1
	Harpacticidae	4	10
	Laophontidae	16	33
	Laophonotopsidae	1	1
	Leptastachidae	4	8
	Leptopontidae	2	2
	Louriniidae	1	2
	Metidae	2	2
	Miraciidae	27	63
	Nannopodidae	1	1
	Orthopsyllidae	1	2
	Paramesochridae	5	20
	Parastenheliidae	4	11
	Parastenocarididae	7	19
	Peltidiidae	6	11
	Phyllognathopodidae	2	2
	Porcellidiidae	4	5
	Pseudotachidiidae	1	2
	Tachidiidae	3	3
	Tegastidae	3	3
	Tetragonicipitidae	4	18
	Thalestridae	4	13
	Tisbidae	4	11
SIPHONOSTOMATOIDA	Artotrogidae	2	4
	Asterocheridae	6	20
	Caligidae	21	124
	Cancerillidae	1	1
	Dissonidae	1	1
	Entomolepididae	1	1
	Eudactylinidae	3	6
	Hatschekiidae	2	11
	Kroyeriidae	1	5
	Lernaeopodidae	9	29

Order	Family	Genera	Species
	Lernanthropidae	7	43
	Nanaspidae	1	1
	Nicothoidae	2	2
	Pandaridae	4	5
	Pennellidae	4	16
	Pontoeciellidae	1	1
	Pseudocycnidae	2	2
	Rataniidae	1	1
	Stellicomitidae	3	3
	Trebiidae	1	4
MONSTRILLOIDA	Monstrillidae	4	12
MORMONILLOIDA	Mormonillidae	2	2
	Total	458	1543

Table 3 Statewise distribution of Indian Copepods

Sl. No.	State/UT	No. of Species	No. of Endemic Species
1	Andhra Pradesh	260	22
2	Arunachal Pradesh	0	
3	Assam	17	
4	Bihar	7	
5	Chhattisgarh	6	
6	Gujarat	68	
7	Goa	58	
8	Haryana	4	
9	Himachal Pradesh	21	
10	Jharkhand	18	
11	Karnataka	44	1
12	Kerala	284	1
13	Madhya Pradesh	14	
14	Maharashtra	142	4
15	Manipur	1	1
16	Meghalaya	12	1
17	Mizoram	0	
18	Nagaland	0	
19	Odisha	152	2
20	Punjab	25	
21	Rajasthan	10	1
22	Sikkim	1	1
23	Tamil Nadu	366	5
24	Telangana	9	2
25	Tripura	19	1
26	Uttar Pradesh	5	

Sl. No.	State/UT	No. of Species	No. of Endemic Species
27	Uttarakhand	11	
28	West Bengal	107	1
29	Andaman & Nicobar	426	
30	Chandigarh	0	
31	Dadra Nagar Haveli, Daman & Diu	0	
32	Delhi	4	
33	Jammu & Kashmir	53	
34	Ladakh	0	
35	Lakshadweep	174	
36	Puducherry	64	1
37	State Unknown	5	

Endemism: More than 30 species of copepods are endemic to India, it includes 13 species of Calanoida and nine species of Cyclopoida and more than 13 species of Harpacticoida in freshwater environment. *Pseudodiaptomus lobipes* is an endemic marine copepod and the endemism of other species are yet to be assessed. The high diversity endemism around 50% of copepods reported from Indian ocean, which includes marine and backwaters. However, their status is yet to be assessed with systematic exploration and taxonomic investigation.

Habitat: Copepods are a group of small crustaceans found throughout the world's natural and man-made aquatic environments, spanning the entire salinity range from fresh water to hypersaline water, including the most unusual continental habitats. Copepods inhabit almost every aquatic biotope, as well as semiterrestrial habitats such as mosses and humid forest soils. Some species are planktonic (inhabiting sea waters), some are benthic (living on the ocean floor), a number of species have parasitic phases, and some continental species may live in limnoterrestrial habitats and other wet terrestrial places, such as swamps, under leaf fall in wet forests, bogs, springs, ephemeral ponds, puddles, damp moss, or water-filled recesses of plants (phytotelmata) such as bromeliads and pitcher plants. Many live undergrounds in marine and freshwater caves, sinkholes, or stream beds.

Gap areas : Among the phylum Arthropoda, most of the taxonomic studies focuses on class Insecta with various expertise on each order. After the class Insecta, crustacean copepods are the more diverse group with a greater number of species among the faunal diversity. Documentation of freshwater

copepods are very limited and scattered. There is no exploration and documentation of copepods from Northeastern States like Arunachal Pradesh, Mizoram, Nagaland and some of the Union territory like Chandigarh, Daman & Diu, Ladakh. There is only one species reported from the state of Sikkim. However, Indian copepods are very much neglected taxonomic group when compared to other faunal studies in India. It might be due to their smaller size, scattered literatures, lack of sophisticated microscope facilities and qualified researchers to train the youngsters. It is emphasized that Indian copepods need adequate attention among the taxonomist, serious revision and exploration to bring out the actual diversity of species.

Systematic list of Indian Copepods

	Phylum : ARTHROPODA Gravenhorst, 1843 Subphylum : CRUSTACEA Brünnich, 1772 Class : COPEPODA Milne Edwards, 1840 Infraclass : NEOCOPEPODA Huys & Boxshall, 1991 Superorder : GYMNOPLEA Giesbrecht, 1882 Order : CALANOIDA Sars G.O., 1903 Family Acartiidae Sars G.O. 1903
1	<i>Acartia (Acanthacartia) bilobata</i> Abraham, 1970
2	<i>Acartia (Acanthacartia) chilkaensis</i> Sewell, 1919
3	<i>Acartia (Acanthacartia) dweepi</i> Haridas and Madhupratap, 1978
4	<i>Acartia (Acanthacartia) pietschmanni</i> Pesta, 1912
5	<i>Acartia (Acanthacartia) plumosa</i> Scott T., 1894
6	<i>Acartia (Acanthacartia) tonsa</i> Dana, 1849-1852
7	<i>Acartia (Acanthacartia) tropica</i> Ueda & Hiromi, 1987
8	<i>Acartia (Acartia) danae</i> Giesbrecht, 1889
9	<i>Acartia (Acartia) negligens</i> Dana, 1849
10	<i>Acartia (Acartiura) clausi</i> Giesbrecht, 1889
11	<i>Acartia (Acartiura) discaudata</i> (Giesbrecht, 1881)
12	<i>Acartia (Euacartia) sarojus</i> Madhupratap and Haridas, 1994
13	<i>Acartia (Euacartia) southwelli</i> Sewell, 1914
14	<i>Acartia (Odontacartia) amboinensis</i> Carl, 1907
15	<i>Acartia (Odontacartia) bispinosa</i> Carl, 1907
16	<i>Acartia (Odontacartia) bowmani</i> Abraham, 1976
17	<i>Acartia (Odontacartia) centrura</i> Giesbrecht, 1889
18	<i>Acartia (Odontacartia) erythraea erythraea</i> Giesbrecht, 1889
19	<i>Acartia (Odontacartia) pacifica</i> Steuer, 1915
20	<i>Acartia (Odontacartia) spinicauda</i> Giesbrecht, 1889
21	<i>Acartia seshaiyai</i> Subbaraju 1969
22	<i>Acartiella graveleyi</i> Sewell, 1919

23	<i>Acartiella kemp</i> Sewell, 1914
24	<i>Acartiella (Acartia) keralensis</i> Wellershaus, 1969
25	<i>Acartiella major</i> Sewell, 1919
26	<i>Acartiella minor</i> Sewell, 1919
27	<i>Acartiella sewelli</i> Steuer, 1934
28	<i>Acartiella tortaniformis</i> (Sewell, 1912)
	Family Aetideidae Giesbrecht, 1892-1893
29	<i>Aetideus acutus</i> Farran, 1929
30	<i>Aetideus armatus</i> (Boeck, 1872)
31	<i>Aetideus bradyi</i> Scott, 1909
32	<i>Aetideus giesbrechti</i> Cleve, 1904
33	<i>Bradyidius angustus</i> (Tanaka, 1957)
34	<i>Bradyidius armatus</i> (Vanhöffen, 1897)
35	<i>Chiridius gracilis</i> Farran, 1908
36	<i>Chirundina indica</i> Sewell, 1929
37	<i>Chirundina streetsii</i> Giesbrecht, 1895
38	<i>Chirundinella magna</i> (Wolfenden, 1911)
39	<i>Euchirella amoena</i> Giesbrecht, 1888
40	<i>Euchirella bella</i> Giesbrecht, 1888
41	<i>Euchirella bitumida</i> With, 1915
42	<i>Euchirella curticauda</i> Giesbrecht, 1888
43	<i>Euchirella galeata</i> Giesbrecht 1888
44	<i>Euchirella indica</i> Vervoort, 1949
45	<i>Euchirella maxima</i> Wolfenden, 1905
46	<i>Euchirella messinensis messinensis</i> (Claus, 1863)
47	<i>Euchirella pulchra</i> (Lubbock, 1856)
48	<i>Euchirella rostrata</i> (Claus, 1866)
49	<i>Euchirella speciosa</i> Grice & Hulsemann, 1968
50	<i>Euchirella truncata</i> Esterly, 1911
51	<i>Euchirella unispina</i> Park, 1968
52	<i>Euchirella venusta</i> Giesbrecht, 1888
53	<i>Farrania orba</i> (Tanaka, 1956)
54	<i>Gaetanus armiger</i> Giesbrecht, 1888
55	<i>Gaetanus brevicornis</i> Esterly, 1906
56	<i>Gaetanus brevispinus</i> Sars G.O., 1900
57	<i>Gaetanus kruppii</i> Giesbrecht, 1903
58	<i>Gaetanus latifrons</i> Sars G.O., 1905
59	<i>Gaetanus miles</i> Giesbrecht, 1888
60	<i>Gaetanus minor</i> Farran, 1905
61	<i>Gaetanus minutus</i> (Sars G.O., 1907)
62	<i>Gaetanus pileatus</i> Farran, 1903
63	<i>Gaetanus tenuispinus</i> (Sars G.O., 1900)
64	<i>Pseudochirella obesa</i> Sars G.O., 1920

65	<i>Undeuchaeta intermedia</i> Scott, 1909
66	<i>Undeuchaeta major</i> Giesbrecht, 1888
67	<i>Undeuchaeta plumosa</i> (Lubbock, 1856)
68	<i>Undinella spinifer</i> Tanaka, 1960
69	<i>Valdiviella insignis</i> Farran, 1908
70	<i>Valdiviella oligarthra</i> Steuer, 1904
	Family Arietellidae Sars G.O., 1902
71	<i>Arietellus setosus</i> Giesbrecht, 1892
72	<i>Arietellus simplex</i> Sars G.O., 1905
73	<i>Arietellus giesbrechti</i> Sars G.O., 1905
74	<i>Metacalanus aurivillii</i> Cleve, 1901
	Family Augaptilidae Giesbrecht, 1889
75	<i>Augaptilus anceps</i> Farran, 1908
76	<i>Augaptilus glacialis</i> Sars, 1900
77	<i>Augaptilus longicaudatus</i> Claus, 1863
78	<i>Augaptilus megalurus</i> Giesbrecht, 1889
79	<i>Centraugaptilus horridus</i> (Farran, 1908)
80	<i>Centraugaptilus rattrayi</i> (Scott, 1894)
81	<i>Euaugaptilus angustus</i> Sars, G.O., 1905
82	<i>Euaugaptilus brodskyi</i> Hulsemann, 1967
83	<i>Euaugaptilus bullifer</i> (Giesbrecht, 1889)
84	<i>Euaugaptilus digitatus</i> Sars G.O., 1920
85	<i>Euaugaptilus elongatus</i> (Sars G.O., 1905)
86	<i>Euaugaptilus facilis</i> (Farran, 1908)
87	<i>Euaugaptilus farrani</i> Sars G.O., 1920
88	<i>Euaugaptilus filigerus</i> (Claus, 1863)
89	<i>Euaugaptilus grandicornis</i> Sars G.O., 1920
90	<i>Euaugaptilus hecticus</i> (Giesbrecht, 1892)
91	<i>Euaugaptilus indicus</i> Sewell, 1932
92	<i>Euaugaptilus laticeps</i> (Sars G.O., 1905)
93	<i>Euaugaptilus latifrons</i> (Sars G.O., 1907)
94	<i>Euaugaptilus longimanus</i> (Sars G.O., 1905)
95	<i>Euaugaptilus magnus</i> (Wolfenden, 1904)
96	<i>Euaugaptilus marginatus</i> Tanaka, 1964
97	<i>Euaugaptilus nodifrons</i> (Sars G.O., 1905)
98	<i>Euaugaptilus nudus</i> Tanaka, 1964
99	<i>Euaugaptilus oblongus</i> (Sars G.O., 1905)
100	<i>Euaugaptilus palumbii</i> (Giesbrecht, 1889)
101	<i>Euaugaptilus squamatus</i> (Giesbrecht, 1889)
102	<i>Haloptilus acutifrons</i> (Giesbrecht, 1893)
103	<i>Haloptilus austini</i> Grice, 1959
104	<i>Haloptilus chierchiae</i> (Giesbrecht, 1889)
105	<i>Haloptilus longicirrus</i> Brodsky, 1950

106	<i>Haloptilus longicornis</i> (Claus, 1863)
107	<i>Haloptilus ornatus</i> (Giesbrecht, 1893)
108	<i>Haloptilus spiniceps</i> (Giesbrecht, 1893)
109	<i>Haloptilus validus</i> Sars, 1920
110	<i>Pontoptilus ovalis</i> Sars G.O.,1907
111	<i>Pseudaugaptilus orientalis</i> Tanaka, 1964
112	<i>Pseudhaloptilus pacificus</i> (Johnson,1936)
	Family Bathypontiidae Brodsky, 1950
113	<i>Temorites brevis</i> Sars, 1900
	Family Calanidae Dana, 1846
114	<i>Canthocalanus pauper</i> (Giesbrecht, 1888)
115	<i>Cosmocalanus caroli</i> (Giesbrecht, 1888)
116	<i>Cosmocalanus darwini darwini</i> (Lubbock, 1860)
117	<i>Mesocalanus tenuicornis</i> (Dana, 1849 -1852)
118	<i>Nannocalanus minor</i> (Claus, 1863)
119	<i>Neocalanus gracilis</i> (Dana, 1849-1852)
120	<i>Neocalanus robustior</i> (Giesbrecht, 1888)
121	<i>Undinula vulgaris</i> (Dana, 1849-1852)
	Family Candaciidae Giesbrecht, 1893
122	<i>Candacia armata</i> Boeck, 1872
123	<i>Candacia bipinnata</i> (Giesbrecht,1889)
124	<i>Candacia bispinosa</i> (Claus,1863)
125	<i>Candacia bradyi</i> Scott, 1902
126	<i>Candacia catula similis</i> Wolfenden, 1905
127	<i>Candacia catula</i> Giesbrecht, 1889
128	<i>Candacia columbiae</i> Campbell, 1929
129	<i>Candacia curta</i> (Dana, 1849-1852)
130	<i>Candacia discaudata</i> Scott, 1909
131	<i>Candacia ethiopica</i> (Dana, 1849-1852)
132	<i>Candacia longimana</i> (Claus, 1863)
133	<i>Candacia norvegica tropica</i> Sewell, 1932
134	<i>Candacia pachydactyla</i> Dana, 1849
135	<i>Candacia samassae</i> Pesta, 1941
136	<i>Candacia simplex</i> Giesbrecht, 1889
137	<i>Candacia tenuimana</i> Giesbrecht, 1889
138	<i>Candacia truncata</i> (Dana, 1849-1852)
139	<i>Candacia varicans</i> (Giesbrecht, 1893)
	Family Centropagidae Giesbrecht, 1892
140	<i>Centropages alcocki</i> Sewell, 1912
141	<i>Centropages calaninus</i> (Dana, 1849-1852)
142	<i>Centropages chierchiae</i> Giesbrecht, 1889
143	<i>Centropages dorsispinatus</i> Thompson & Scott, 1903

144	<i>Centropages elongates</i> Giesbrecht, 1896
145	<i>Centropages furcatus</i> (Dana, 1849-1852)
146	<i>Centropages gracilis</i> (Dana, 1849-1852)
147	<i>Centropages orsinii</i> Giesbrecht, 1889
148	<i>Centropages tenuiremis</i> Thompson & Scott, 1903
149	<i>Centropages trispinosus</i> Sewell, 1914
150	<i>Centropages typicus</i> Krøyer, 1849
151	<i>Centropages violaceus</i> (Claus, 1863)
152	<i>Isias clavipes</i> Boeck, 1865
153	<i>Isias cochinchensis</i> Pillai, 1975
154	<i>Isias tropica</i> Sewell, 1924
155	<i>Limnocalanus grimaldii macrurus</i> Sars G.O., 1863
	Family Clausocalanidae Giesbrecht, 1888
156	<i>Clausocalanus arcuicornis arcuicornis</i> (Dana, 1849-1852)
157	<i>Clausocalanus brevipes</i> Frost & Fleminger, 1968
158	<i>Clausocalanus farrani</i> Sewell, 1929
159	<i>Clausocalanus furcatus</i> (Brady, 1883)
160	<i>Clausocalanus mastigophorus</i> (Claus, 1863)
161	<i>Clausocalanus minor</i> Sewell, 1929
162	<i>Clausocalanus pergens</i> Farran, 1926
163	<i>Microcalanus pusillus</i> Sars, G.O., 1903
164	<i>Microcalanus pygmaeus</i> (Sars G.O., 1900)
165	<i>Pseudocalanus elongatus</i> (Brady, 1865)
	Family Diaptomidae Baird, 1850
166	<i>Acanthodiaptomus denticornis denticornis</i> (Wierzejski, 1887)
167	<i>Aglaodiaptomus dilobatus</i> Wilson, M.S. 1958
168	<i>Allodiaptomus intermedius</i> Ranga Reddy, 1987
169	<i>Allodiaptomus mirabilipes</i> Kiefer, 1936
170	<i>Allodiaptomus satanas</i> (Brehm, 1952)
171	<i>Allodiaptomus raoi</i> Kiefer, 1936
172	<i>Arctodiaptomus dorsalis</i> (Marsh, 1907)
173	<i>Arctodiaptomus euacanthus</i> Kiefer, 1935
174	<i>Arctodiaptomus similis</i> (Baird, 1859)
175	<i>Arctodiaptomus (Haplodiaptomus) parvispineus</i> Kiefer, 1935
176	<i>Arctodiaptomus michaeli</i> Ranga Reddy, Balkhi and Yousuf, 1990
177	<i>Arctodiaptomus altissimus</i> Kiefer, 1939
178	<i>Arctodiaptomus stewartianus</i> (Brehm, 1925)
179	<i>Arctodiaptomus saltillinus</i> (Brewer, 1898)
180	<i>Diaptomus flagellifer</i> Brehm, 1953
181	<i>Diaptomus glacialis</i> Lilljeborg in Guerne & Richard, 1889
182	<i>Eodiaptomus shihi</i> Ranga Reddy, 1992
183	<i>Eudiaptomus gracilis gracilis</i> (G. O. Sars, 1863)
184	<i>Heliodiaptomus viduus</i> (Gurney, 1916)

185	<i>Heliodiaptomus cinctus</i> (Gurney, 1907)
186	<i>Heliodiaptomus contortus</i> (Gurney, 1907)
187	<i>Heliodiaptomus kolleruensis</i> Ranga Reddy and Radhakrishna, 1981
188	<i>Heliodiaptomus pulcher</i> (Gurney, 1907)
189	<i>Hesperodiaptomus kenai</i> Wilson, M.S., 1953
190	<i>Keraladiaptomus rangareddy</i> Santos Silva, Kakkassery, Maas and Dumont, 1994
191	<i>Leptodiaptomus minutus</i> (Lilljeborg in Guerne and Richard, 1889)
192	<i>Leptodiaptomus sicilis</i> (Forbes S.A., 1882)
193	<i>Ligulodiaptomus alatus</i> Sung, Shen, Sung, Li & Chen, 1975
194	<i>Mastigodiaptomus purpureus</i> (Marsh, 1907)
195	<i>Megadiaptomus hebes</i> Kiefer, 1936
196	<i>Megadiaptomus montansu</i> Kulkarni, Shaik, Ranga Reddy and Pai, 2018
197	<i>Megadiaptomus pseudohebes</i> Ranga Reddy, 1988
198	<i>Mixodiaptomus theeli</i> (Lilljeborg in Guerne and Richard, 1889)
199	<i>Neodiaptomus intermedius</i> Flössner, 1984
200	<i>Neodiaptomus lindbergi</i> Brehm, 1951
201	<i>Neodiaptomus meggitti</i> Kiefer, 1932
202	<i>Neodiaptomus physalipus</i> Kiefer, 1935
203	<i>Neodiaptomus prateek</i> Ranga Reddy, 2013
204	<i>Neodiaptomus schmackeri</i> (Poppe and Richard, 1892)
205	<i>Onychodiaptomus virginiensis</i> (Marsh, 1915)
206	<i>Paradiaptomus greeni</i> (Gurney, 1906)
207	<i>Phyllodiaptomus (Ctenodiaptomus) annae</i> (Apstein, 1907)
208	<i>Phyllodiaptomus (Ctenodiaptomus) sasikumari</i> Ranga Reddy and Venkateswarlu, 1989
209	<i>Phyllodiaptomus (Ctenodiaptomus) wellekensae</i> Dumont and Ranga Reddy, 1993
210	<i>Phyllodiaptomus (Phyllodiaptomus) blanci</i> (Guerne and Richard, 1896)
211	<i>Sinodiaptomus ganesa</i> Brehm, 1950
212	<i>Sinodiaptomus indicus</i> Kiefer, 1936
213	<i>Sinodiaptomus mahanandensis</i> Ranga Reddy and Radhakrishna, 1980
214	<i>Skistodiaptomus bogalusensis</i> (M.S. Wilson and Moore, 1953)
215	<i>Skistodiaptomus oregonensis</i> (Lilljeborg in Guerne and Richard, 1889)
216	<i>Skistodiaptomus pallidus</i> (Herrick, 1879)
217	<i>Spicodiaptomus chelospinus</i> Rajendran, 1973
218	<i>Tropodiaptomus australis</i> Kiefer, 1936
219	<i>Tropodiaptomus chauhani</i> Roy, 1984
220	<i>Tropodiaptomus euchaetus</i> Kiefer, 1936
221	<i>Tropodiaptomus hebereri</i> (Kiefer, 1930)
222	<i>Tropodiaptomus lakhimpurensis</i> Reddiah, 1964
223	<i>Tropodiaptomus mutatus</i> Kiefer, 1936
224	<i>Tropodiaptomus nielsen</i> Brehm, 1952
225	<i>Tropodiaptomus orientalis</i> (Brady, 1886)
226	<i>Tropodiaptomus signatus</i> Kiefer, 1982
227	<i>Tropodiaptomus vandouwei</i> (Früchtl, 1924)

	Family Eucalanidae Giesbrecht, 1893
228	<i>Eucalanus inermis</i> Giesbrecht, 1893
229	<i>Eucalanus bungii</i> Giesbrecht, 1893
230	<i>Eucalanus elongatus elongatus</i> (Dana, 1849-1852)
231	<i>Eucalanus hyalinus</i> (Claus, 1866)
232	<i>Pareucalanus attenuatus</i> (Dana, 1849-1852)
233	<i>Pareucalanus sewelli</i> (Fleminger, 1973)
234	<i>Subeucalanus crassus</i> Giesbrecht, 1888
235	<i>Subeucalanus longiceps</i> (Mathews, 1925)
236	<i>Subeucalanus monachus</i> (Giesbrecht, 1888)
237	<i>Subeucalanus mucronatus</i> (Giesbrecht, 1888)
238	<i>Subeucalanus pileatus</i> (Giesbrecht, 1888)
239	<i>Subeucalanus subcrassus</i> (Giesbrecht, 1888)
240	<i>Subeucalanus subtenuis</i> (Giesbrecht, 1888)
	Family Euchaetidae Giesbrecht, 1893
241	<i>Euchaeta concinna</i> (Dana, 1849-1852)
242	<i>Euchaeta indica</i> Wolfenden, 1906
243	<i>Euchaeta longicornis</i> Giesbrecht, 1888
244	<i>Euchaeta marina</i> (Prestandrea, 1833)
245	<i>Euchaeta media</i> Giesbrecht, 1888
246	<i>Euchaeta plana</i> Moti, 1937
247	<i>Euchaeta pubera</i> Sars, G.O., 1907
248	<i>Euchaeta rimana</i> Bradford, 1974
249	<i>Euchaeta spinosa</i> Giesbrecht, 1893
250	<i>Euchaeta tenuis</i> Esterly, 1906
251	<i>Paraeuchaeta barbata barbata</i> (Brady, 1883)
252	<i>Pareuchaeta bisinuata</i> (Sars.S.O., 1907)
253	<i>Paraeuchaeta flava</i> (Giesbrecht, 1888)
254	<i>Paraeuchaeta hansenii</i> (With, 1915)
255	<i>Paraeuchaeta malayensis</i> Sewell 1929
256	<i>Paraeuchaeta scotti</i> (Farran, 1908)
257	<i>Pareuchaeta simplex</i> Tanaka, 1958
258	<i>Paraeuchaeta tonsa</i> (Giesbrecht, 1895)
	Family Fosshageniidae Suárez-Morales & Iliffe, 1996
259	<i>Temoropia mayumbaensis</i> Scott T., 1894
	Family Heterorhabdidae Sars.G.O., 1902
260	<i>Disseta palumbii</i> Giesbrecht, 1889
261	<i>Disseta scopularis</i> (Brady, 1883)
262	<i>Hemirhabdus grimaldii</i> (Richard, 1893)
263	<i>Heterorhabdus abyssalis</i> (Giesbrecht, 1889)
264	<i>Heterorhabdus clausi</i> (Giesbrecht, 1889)
265	<i>Heterorhabdus fistulosus</i> Tanaka, 1964

266	<i>Heterorhabdus pacificus</i> Brodsky, 1950
267	<i>Heterorhabdus papilliger</i> (Claus, 1863)
268	<i>Heterorhabdus spinifrons</i> (Claus, 1863)
269	<i>Heterorhabdus subspinifrons</i> Tanaka, 1964
270	<i>Heterorhabdus tanneri</i> (Giesbrecht, 1895)
271	<i>Heterostylites longicornis</i> (Giesbrecht, 1889)
272	<i>Heterostylites major</i> (Dahl, 1894)
273	<i>Mesorhabdus angustus</i> Sars.G.O., 1907
274	<i>Mesorhabdus brevicaudatus</i> (Wolfenden, 1905)
275	<i>Neorhabdus latus</i> (Sars G.O., 1905)
276	<i>Paraheterorhabdus compactus</i> Sars, 1900
277	<i>Paraheterorhabdus robustus</i> (Farran, 1908)
278	<i>Paraheterorhabdus vipera</i> (Giesbrecht, 1889)
	Family Lucicutiidae
279	<i>Lucicutia aurita</i> Cleve, 1904
280	<i>Lucicutia bicornuta</i> Wolfenden, 1905
281	<i>Lucicutia clausi</i> (Giesbrecht, 1889)
282	<i>Lucicutia curta</i> Farran, 1905
283	<i>Lucicutia flavicornis</i> Claus, 1863
284	<i>Lucicutia gaussae</i> Grice, 1963
285	<i>Lucicutia grandis</i> (Giesbrecht, 1895)
286	<i>Lucicutia longicornis</i> (Giesbrecht, 1889)
287	<i>Lucicutia longiserrata</i> (Giesbrecht, 1889)
288	<i>Lucicutia lucida</i> Farran, 1908
289	<i>Lucicutia macrocera</i> Sars G.O., 1920
290	<i>Lucicutia magna</i> Wolfenden, 1903
291	<i>Lucicutia maxima</i> Steuer, 1904
292	<i>Lucicutia ovalis</i> (Giesbrecht, 1889)
293	<i>Lucicutia wolfendeni</i> Sewell, 1932
	Family Megacalanidae Sewell, 1947
294	<i>Bradycalanus typicus</i> Scott, 1909
295	<i>Megacalanus princeps princeps</i> Wolfenden, 1904
	Family Metridinidae Sars G.O., 1902
296	<i>Gaussia princeps</i> (Scott, 1894)
297	<i>Gaussia sewelli</i> Saraswathy, 1973
298	<i>Metridia boeckii</i> Giesbrecht, 1889
299	<i>Metridia brevicauda</i> Giesbrecht, 1889
300	<i>Metridia curticauda</i> Giesbrecht, 1889
301	<i>Metridia lucens lucens</i> Boeck, 1865
302	<i>Metridia okotensis</i> Brodsky, 1950
303	<i>Metridia pacefica</i> Brodsky, 1950
304	<i>Metridia princeps</i> Giesbrecht, 1889
305	<i>Metridia venusta</i> Giesbrecht, 1889

306	<i>Pleuromamma gracilis</i> Claus, 1863
307	<i>Pleuromamma abdominalis</i> Lubbock, 1856
308	<i>Pleuromamma borealis</i> Dahlf, 1893
309	<i>Pleuromamma indica</i> Wolfenden, 1905
310	<i>Pleuromamma piseki</i> Farran, 1929
311	<i>Pleuromamma quadrungulata</i> Dahl, 1893
312	<i>Pleuromamma xiphias</i> (Giesbrecht, 1889)
	Family Nullosetigeridae Soh, Ohtsuka, Imabayashi & Suh, 1999
313	<i>Nullosetigera bidentata</i> (Brady, 1883)
314	<i>Nullosetigera giesbrechti</i> (Scott A., 1909)
315	<i>Nullosetigera helgae</i> (Farran, 1908)
316	<i>Nullosetigera impar</i> (Farran, 1908)
317	<i>Nullosetigera mutica</i> (Sars, G.O.,1907)
	Family Paracalanidae Giesbrecht, 1893
318	<i>Acrocalanus gibber</i> Giesbrecht, 1888
319	<i>Acrocalanus gracilis</i> Giesbrecht, 1888
320	<i>Acrocalanus longicornis</i> Giesbrecht, 1888
321	<i>Acrocalanus monachus</i> Giesbrecht, 1888
322	<i>Bestiolina inermis</i> (Sewell, 1912)
323	<i>Bestiolina similis</i> (Sewell, 1914)
324	<i>Calocalanus contractus</i> Farran, 1926
325	<i>Calocalanus pavo</i> (Dana, 1849 -1852)
326	<i>Calocalanus pavoninus</i> Farran, 1936
327	<i>Calocalanus plumulosus</i> Claus, 1863
328	<i>Calaocalanus plumatus</i> Shmeleva,1965
329	<i>Calocalanus styliramis</i> Giesbrecht, 1888
330	<i>Delius nudus</i> (Sewell, 1929)
331	<i>Delius sewelli</i> (Björnberg T.K.S., 1982)
332	<i>Mecynocera clausi</i> Thompson I.C.,1888
333	<i>Paracalanus aculeatus major</i> Sewell, 1929
334	<i>Paracalanus aculeatus minor</i> Sewell, 1929
335	<i>Paracalanus aculeatus aculeatus</i> Giesbrecht, 1888
336	<i>Paracalanus denudatus</i> Sewell, 1929
337	<i>Paracalanus indicus</i> Wolfenden, 1905
338	<i>Paracalanus nanus</i> G. O. Sars, 1925
339	<i>Paracalanus parvus parvus</i> (Claus, 1863)
340	<i>Paracalanus tropicus</i> Andronov,1977
341	<i>Parvocalanus arabiensis</i> (Kesarkar and Anil, 2009)
342	<i>Parvocalanus crassirostris</i> (Dahl, F.,1894)
343	<i>Parvocalanus dubia</i> (Sewell,1912)
344	<i>Parvocalanus serratipes</i> (Sewell, 1912)
	Family Parapontellidae
345	<i>Parapontella brevicornis</i> (Lubbock, 1857)

	Family Phaennidae Sars G.O., 1902
346	<i>Cephalophanes frigidus</i> Wolfenden, 1911
347	<i>Onchocalanus affinis</i> With, 1915
348	<i>Onchocalanus trigoniceps</i> Sars, G.O.1905
349	<i>Phaenna spinifera</i> Claus, 1863
350	<i>Xanthocalanus amabilis</i> Tanaka, 1960
351	<i>Xanthocalanus cornifer</i> (Tanaka, 1960)
352	<i>Xanthocalanus irritans</i> (Tanaka,1960)
	Family Pontellidae Dana, 1852-1853
353	<i>Calanopia aurivilli</i> Cleve, 1901
354	<i>Calanopia australica</i> Bayly and Greenwood, 1966
355	<i>Calanopia elliptica</i> (Dana, 1849-1852)
356	<i>Calanopia thompsoni</i> Scott, 1909
357	<i>Calanopia herdmani</i> Scott A.,1909
358	<i>Calanopia minor</i> Scott, 1902
359	<i>Calanopia seymouri</i> Pillai, P.P.1969
360	<i>Ivellopsis denticauda</i> (Scott A., 1909)
361	<i>Labidocera acuta</i> (Dana, 1849-1852)
362	<i>Labidocera acutifrons</i> (Dana, 1849-1852)
363	<i>Labidocera bataviae</i> A. Scott, 1909
364	<i>Labidocera bengalensis</i> Krishnaswamy, 1952
365	<i>Labidocera detruncata</i> (Dana, 1849-1852)
366	<i>Labidocera euchaeta</i> Giesbrecht, 1889
367	<i>Labidocera gallensis</i> Thompson I.C and Scott T., 1903
368	<i>Labidocera gangetica</i> Sewell, 1934
369	<i>Labidocera kroyeri bidens</i> Sewell, 1912
370	<i>Labidocera kroyeri kroyeri</i> (Braddy, 1883)
371	<i>Labidocera kroyeri stylifera</i> Thompson I.C. & Scott A., 1903
372	<i>Labidocera laevidentata</i> (Brady, 1883)
373	<i>Labidocera madurae</i> Scott, A., 1909
374	<i>Labidocera minuta</i> Giesbrecht, 1889
375	<i>Labidocera orsinii</i> Giesbrecht, 1889
376	<i>Labidocera pavo</i> Giesbrecht, 1889
377	<i>Labidocera pectinata</i> Thompson I.C. & Scott A., 1903
378	<i>Pontella andersoni</i> Sewell, 1912
379	<i>Pontella danae ceylonica</i> Thompson I.C., and Scott A., 1903
380	<i>Pontella danae</i> Giesbrecht, 1889
381	<i>Pontella diagonalis</i> Wilson, 1950
382	<i>Pontella fera</i> Dana, 1849-1852
383	<i>Pontella investigatoris</i> Sewell, 1912
384	<i>Pontella karachiensis</i> Fazal-ur-Rehman, 1973
385	<i>Pontella princeps</i> Dana,1849-1852
386	<i>Pontella securifer</i> Brady, 1883

387	<i>Pontella spinipes</i> Giesbrecht, 1889
388	<i>Pontella tenuiremis</i> Giesbrecht, 1889
389	<i>Pontellina morii</i> Fleminger & Hulsemann, 1974
390	<i>Pontellina platychela</i> Fleminger and Hulsemann, 1974
391	<i>Pontellina plumata</i> Dana, 1849-1852
392	<i>Pontellopsis armata</i> (Giesbrecht, 1889)
393	<i>Pontellopsis herdmani</i> Thompson & Scott, 1903
394	<i>Pontellopsis krameri</i> (Giesbrecht, 1896)
395	<i>Pontellopsis macronyx</i> Scott A., 1909
396	<i>Pontellopsis perspicax</i> (Dana, 1849-1852)
397	<i>Pontellopsis regalis</i> (Dana, 1849-1852)
398	<i>Pontellopsis scotti</i> Sewell, 1932
399	<i>Pontellopsis villosa</i> Brady, 1883
	Family Pseudocyclopidae Giesbrecht, 1893
400	<i>Pseudocyclops lakshmi</i> Haridas, Madhupratap and Ohtsuka, 1994
	Family Pseudodiaptomidae Sars.O.,1902
401	<i>Pseudodiaptomus andamanensis</i> Pillai, 1980
402	<i>Pseudodiaptomus annandalei</i> Sewell, 1919
403	<i>Pseudodiaptomus ardjuna</i> Brehm, 1953
404	<i>Pseudodiaptomus aurivillii</i> Cleve, 1901
405	<i>Pseudodiaptomus bowmani</i> Walter, 1984
406	<i>Pseudodiaptomus burckhardti</i> Sewell, 1932
407	<i>Pseudodiaptomus clevei</i> Scott A., 1909
408	<i>Pseudodiaptomus daughlihi</i> Sewell, 1932
409	<i>Pseudodiaptomus heterothrix</i> Brehm, 1953
410	<i>Pseudodiaptomus hickmani</i> Sewell, 1912
411	<i>Pseudodiaptomus jonesi</i> Pillai P.P., 1970
412	<i>Pseudodiaptomus lobipes</i> Gurney, 1907
413	<i>Pseudodiaptomus malayalus</i> Wellershaus, 1969
414	<i>Pseudodiaptomus marinus</i> Sato, 1913
415	<i>Pseudodiaptomus masoni</i> Sewell, 1932
416	<i>Pseudodiaptomus mertoni</i> Früchtl, 1924
417	<i>Pseudodiaptomus nankauriensis</i> Roy, 1977
418	<i>Pseudodiaptomus pankajus</i> Madhupratap and Haridas, 1992
419	<i>Pseudodiaptomus salinus</i> (Giesbrecht, 1896)
420	<i>Pseudodiaptomus serricaudatus</i> (Scott T., 1894)
421	<i>Pseudodiaptomus sewelli</i> Walter, 1984
422	<i>Pseudodiaptomus tollingeriae</i> Sewell, 1919
	Family Rhincalanidae Geletin, 1976
423	<i>Rhincalanus cornutus cornutus</i> Dana, 1849
424	<i>Rhincalanus gigas</i> Brady, 1883
425	<i>Rhincalanus nasutus</i> Giesbrecht, 1888
426	<i>Rhincalanus rostrifrons</i> Dana, 1849

	Family Scolecitrichidae Gielbrecht,1893
427	<i>Amallothrix arcuata</i> (Sars, 1920)
428	<i>Amallothrix lobophora</i> (Park, 1970)
429	<i>Amallothrix modica</i> (Tanaka,1962)
430	<i>Amallothrix paravalida</i> (Brodsky, 1950)
431	<i>Amallothrix propinqua</i> (Sars, G.O., 1920)
432	<i>Amallothrix robusta</i> (T. Scott, 1894)
433	<i>Amallothrix tenuiserrata</i> (Gielbrecht,1893)
434	<i>Amallothrix tropica</i> (Grice,1962)
435	<i>Amallothrix valida</i> Farran, 1908
436	<i>Lophothrix frontalis</i> Giesbrecht, 1895
437	<i>Lophothrix humilifrons</i> Sars, S.O.1905
438	<i>Macandrewella chelipes</i> (Giesbrecht,1896)
439	<i>Macandrewella cochinensis</i> Gopalakrishnan, 1973
440	<i>Macandrewella scotti</i> Sewell, 1929
441	<i>Pseudoamallothrix emarginata</i> (Farran, 1905)
442	<i>Pseudoamallothrix indica</i> (Sewell, 1929)
443	<i>Pseudoamallothrix laminata</i> (Farran, 1926)
444	<i>Pseudoamallothrix obtusifrons</i> (Sars G.O., 1905)
445	<i>Pseudiamallothrix profunda</i> (Brodsy,1950)
446	<i>Scaphocalanus affinis</i> (Sars, G.O. 1905)
447	<i>Scaphocalanus brevicornis</i> (Sars, G.O. 1900)
448	<i>Scaphocalanus echinatus</i> (Farran, 1905)
449	<i>Scaphocalanus elongatus</i> (Scott A., 1909)
450	<i>Scaphocalanus impar</i> (Wolfenden,1911)
451	<i>Scaphocalanus magnus</i> (Scott T., 1894)
452	<i>Scaphocalanus major</i> (Scott T., 1894)
453	<i>Scaphocalanus medius</i> (Sars G.O.,1907)
454	<i>Scolecithricella abyssalis</i> (Giesbrecht, 1888)
455	<i>Scolecithricella dentata</i> (Gielbrecht,1893)
456	<i>Scolecithricella longifureca</i> (Gielbrecht,1888)
457	<i>Scolecithricella marginata</i> (Giesbrecht, 1888)
458	<i>Scolecithricella minor minor</i> (Brady, 1883)
459	<i>Scolecithricella nicobarica</i> (Sewell, 1929)
460	<i>Scolecithricella pearsoni</i> Sewell, 1914
461	<i>Scolecithricella vittata</i> (Giesbrecht, 1893)
462	<i>Scolecithrix bradyi</i> Giesbrecht, 1888
463	<i>Scolecithrix danae</i> (Lubbock, 1856)
464	<i>Scolecitrichopsis ctenopus</i> Giesbrecht, 1888
465	<i>Scolecitrichopsis tenuipes</i> Scott, 1894
466	<i>Scottocalanus daughishi</i> (Sewell, 1929)
467	<i>Scottocalanus farrani</i> Scott A.,1909
468	<i>Scottocalanus helenae</i> (Lubbock, 1856)

469	<i>Scottocalanus investigatoris</i> Sewell, 1929
470	<i>Scottocalanus longispinus</i> Scott A., 1909
471	<i>Scottocalanus persecans</i> (Giesbrecht, 1895)
472	<i>Scottocalanus securifrons</i> (Scott T., 1894)
473	<i>Scottocalanus setosus</i> Scott A., 1909
474	<i>Scottocalanus terranova</i> Farran, 1929
475	<i>Scottocalanus thomasi</i> Scott, 1909
	Family Spinocalanidae Vervoort, 1951
476	<i>Mimocalanus cultrifer</i> Farran, 1908
477	<i>Monacilla gracilis</i> (Wolfenden, 1911)
478	<i>Monacilla tenera</i> Sars, G.O., 1907
479	<i>Monacilla typica</i> Sars G.O., 1905
480	<i>Spinocalanus angustiseps</i> Sars G.O., 1920
481	<i>Spinocalanus magnus</i> Wolfenden, 1904
482	<i>Spinocalanus spinosus</i> Farran, 1908
	Family Temoridae Giesbrecht, 1893
483	<i>Temora discaudata</i> Giesbrecht, 1889
484	<i>Temora longicornis</i> (Müller O.F., 1785)
485	<i>Temora stylifera</i> (Dana, 1853-1855)
486	<i>Temora turbinata</i> (Dana, 1849-1852)
	Family Tharybidae Sars G.O., 1902
487	<i>Tharybis sagamiensis</i> Tanaka, 1960
	Family Tortanidae Sars G.O., 1902
488	<i>Tortanus (Atortus) andamanensis</i> Nishida, Anandavelu and Padmavati, 2015
489	<i>Tortanus (Atortus) dhritiae</i> Francis & Jasmine, 2022
490	<i>Tortanus (Atortus) murrayi</i> Scott A., 1909
491	<i>Tortanus (Atortus) sigmoides</i> Nishida, Anandavelu and Padmavati, 2015
492	<i>Tortanus (Atortus) tropicus</i> Sewell, 1932
493	<i>Tortanus (Tortanus) barbatus</i> (Brady, 1883)
494	<i>Tortanus (Tortanus) forcipatus</i> (Giesbrecht, 1889)
495	<i>Tortanus (Tortanus) gracilis</i> (Brady, 1883)
	Superorder Podoplea Giesbrecht, 1882
	Order Canuelloida Khodami, Vaun MacArthur, Blanco-Bercial & Martinez Arbizu, 2017
	Family Canuellidae Lang, 1944
496	<i>Brianola hamondi</i> Wells and Rao, 1987
497	<i>Brianola sydneyensis</i> Hamond, 1973
498	<i>Canuella furcigera</i> G. O. Sars, 1903
499	<i>Canuella perplexa</i> Scott.T. and Scott, A., 1893
500	<i>Canuellina nicobaris</i> Wells and Rao, 1987
501	<i>Ellucana longicauda</i> Sewell, 1940
502	<i>Indocanuella indica</i> (Krishnaswamy, 1957)
503	<i>Scottolana longipes</i> (I. C. Thompson and A. Scott, 1903)

504	<i>Scottolana oleosa</i> Wells and Rao, 1987
505	<i>Scottolana rostrata</i> Wells and Rao, 1987
506	<i>Scottolana scotti</i> (Sewell, 1940)
507	<i>Scottolana tumidiseta</i> Wells and Rao, 1987
508	<i>Sunaristes tranteri</i> Hamond, 1973
	Family Longipediidae Boek, 1865
509	<i>Longipedia andamanica andamanica</i> Wells, 1980
510	<i>Longipedia coronata</i> Claus, 1863
511	<i>Longipedia kikuchii</i> Itô, 1980
512	<i>Longipedia scotti</i> Sars G.O., 1903
513	<i>Longipedia weberi</i> A. Scott, 1909
	Order CYCLOPOIDA Burmeister, 1834
	Suborder Cyclopida Khodami, Mercado-Salas, Tang & Martinez Arbizu, 2019
	Cyclopoida incertae sedis
514	<i>Pachos punctatum</i> (Claus, 1863)
515	<i>Pachos tuberosum</i> (Giesbrecht, 1892)
	Family Cyclopidae Rafinesque, 1815
516	<i>Acanthocyclops exilis</i> (Coker, 1934)
517	<i>Acanthocyclops venustoides venustoides</i> (Coker, 1934)
518	<i>Acanthocyclops vernalis vernalis</i> (Fischer, 1853)
519	<i>Anzyclops indicus</i> Totakura and Ranga Reddy, 2015
520	<i>Apocyclops cmfri</i> Loka et al., 2017
521	<i>Apocyclops dengizicus dengizicus</i> (Lepeshkin, 1900)
522	<i>Apocyclops panamensis</i> (Marsh, 1913)
523	<i>Apocyclops royi</i> (Lindberg, 1940)
524	<i>Brevicyclops asetosus</i> Totakura and Ranga Reddy, 2015
525	<i>Brevicyclops brevisetosus</i> Totakura and Ranga Reddy, 2015
526	<i>Brevicyclops viduus</i> Totakura and Ranga Reddy, 2015
527	<i>Bryocyclops constrictus</i> Lindberg, 1950
528	<i>Bryocyclops travancoricus</i> Lindberg, 1950
529	<i>Cryptocyclops bicolor bicolor</i> (G. O. Sars, 1863)
530	<i>Cryptocyclops linjanticus</i> (Kiefer, 1928)
531	<i>Cryptocyclops tricolor</i> (Lindberg, 1937)
532	<i>Cyclops brevicornis</i> Claus, 1857
533	<i>Cyclops hutchinsoni</i> Kiefer, 1936
534	<i>Cyclops insignis</i> Claus, 1857
535	<i>Cyclops ladakanus</i> Kiefer, 1936
536	<i>Cyclops scutifer scutifer</i> (G. O. Sars, 1863)
537	<i>Cyclops strenuus strenuus</i> Fischer, 1851
538	<i>Cyclops vicinus vicinus</i> Uljanin, 1875
539	<i>Cyclopus viridis viridis</i> , Jurine 1820
540	<i>Diacyclops bicuspidatus bicuspidatus</i> (Claus, 1857)
541	<i>Diacyclops bisetosus</i> (Rehberg, 1880)

542	<i>Diacyclops thomasi</i> (S. A. Forbes, 1882)
543	<i>Ectocyclops medius</i> Kiefer, 1930
544	<i>Ectocyclops phaleratus</i> (Koch, 1838)
545	<i>Eucyclops (Eucyclops) agiloides agiloides</i> (G. O. Sars, 1909)
546	<i>Eucyclops prionophorus</i> Kiefer, 1931
547	<i>Eucyclops agilis agilis</i> (Koch, 1838)
548	<i>Eucyclops (Subterrocyclops) bryophilus</i> Lindberg, 1950
549	<i>Eucyclops defectus</i> Lindberg, 1937
550	<i>Eucyclops indicus</i> Kiefer, 1927
551	<i>Eucyclops (Denticyclops) microdenticulatus</i> Lindberg, 1940
552	<i>Eucyclops multicolour</i> Lindberg, 1935
553	<i>Eucyclops permixtus</i> Kiefer, 1929
554	<i>Eucyclops (Speratocyclops) productus</i> Kiefer, 1936
555	<i>Eucyclops semidenticulatus</i> Lindberg, 1940
556	<i>Eucyclops serrulatus serrulatus</i> (Fischer, 1851)
557	<i>Eucyclops (Speratocyclops) speratus</i> (Lilljeborg, 1901)
558	<i>Haplocyclops (Kifercyclops) fiersi</i> Karanovic and Ranga Reddy, 2005
559	<i>Haplocyclops godavari</i> Totakura and Ranga Reddy, 2015
560	<i>Haplocyclops primitivus</i> Totakura and Ranga Reddy, 2015
561	<i>Macrocyclops albidus albidus</i> (Jurine, 1820)
562	<i>Macrocyclops distinctus</i> (Richard, 1887)
563	<i>Macrocyclops fuscus</i> (Jurine, 1820)
564	<i>Megacyclops latipes</i> (Lowndes, 1927)
565	<i>Megacyclops viridis viridis</i> (Jurine, 1820)
566	<i>Mesocyclops (Mesocyclops) ferjemurami</i> Holyńska and Nam, 2000
567	<i>Mesocyclops (Mesocyclops) kieferi</i> Van de Velde, 1984
568	<i>Mesocyclops thermocyclopoides thermocyclopoides</i> Harada, 1931
569	<i>Mesocyclops aspericornis</i> (Daday, 1906)
570	<i>Mesocyclops dadayi</i> Holyńska, 1997
571	<i>Mesocyclops granulatus</i> Dussart and Fernando, 1988
572	<i>Mesocyclops isabellae isabellae</i> Dussart and Fernando, 1988
573	<i>Mesocyclops leuckarti deccanensis</i> Lindberg, 1935
574	<i>Mesocyclops (Mesocyclops) leuckarti leuckarti</i> (Claus, 1857)
575	<i>Mesocyclops ogunnus</i> Onabamiro, 1957
576	<i>Mesocyclops parentium</i> Holyńska, 1977
577	<i>Mesocyclops (Mesocyclops) pehpeiensis</i> Hu, 1943
578	<i>Mesocyclops ruttneri</i> Kiefer, 1981
579	<i>Mesocyclops (Thermocyclops) splendidus</i> Lindberg, 1943
580	<i>Metacyclops minutus bernieri</i> Lindberg, 1940
581	<i>Metacyclops communis</i> Lindberg, 1938
582	<i>Metacyclops margaretae</i> Lindberg, 1938b
583	<i>Metacyclops subaequalis</i> Dussart, 1984
584	<i>Metacyclops tredecimus</i> (Lowndes, 1934)
585	<i>Microcyclops ceibaensis</i> (Marsh, 1919)

586	<i>Microcyclops davidi</i> (Chappuis, 1922)
587	<i>Microcyclops diminutus</i> Lindberg, 1937
588	<i>Microcyclops indolusitanus</i> (Lindberg, 1938)
589	<i>Microcyclops karvei</i> Kiefer and Moorthy, 1935
590	<i>Microcyclops moghulensis</i> (Lindberg, 1939)
591	<i>Microcyclops rubellus</i> (Lilljeborg, 1901)
592	<i>Microcyclops subaequalis</i> (Kiefer, 1928)
593	<i>Microcyclops pachyspina</i> Lindberg, 1937
594	<i>Microcyclops varicans varicans</i> (G. O. Sars, 1863)
595	<i>Paracyclops affinis</i> (G. O. Sars, 1863)
596	<i>Paracyclops fimbriatus fimbriatus</i> (Fischer, 1853)
597	<i>Paracyclops pilosus</i> Dussart, 1984
598	<i>Paracyclops vagus</i> Lindberg, 1939
599	<i>Rybocyclops defayae</i> Totakura and Ranga Reddy, 2015
600	<i>Rybocyclops dussarti</i> Ranga Reddy and Defaye, 2008
601	<i>Thermocyclops conspicuous</i> Lindberg, 1947
602	<i>Thermocyclops crassus crassus</i> (Fischer, 1853)
603	<i>Thermocyclops decipiens</i> Kiefer, 1929
604	<i>Thermocyclops hyalinus hyalinus</i> (Rehberg, 1880)
605	<i>Thermocyclops mahéensis</i> Lindberg, 1941
606	<i>Thermocyclops oblongatus</i> (G. O. Sars, 1927)
607	<i>Thermocyclops oithonoides</i> (G. O. Sars, 1863)
608	<i>Thermocyclops rylovi rylovi</i> (Smirnov, 1928)
609	<i>Thermocyclops schmeili marmagoensis</i> Sewell, 1960
610	<i>Thermocyclops tinctus</i> Lindberg, 1936
611	<i>Thermocyclops vermifer</i> Lindberg, 1935
612	<i>Tropocyclops confinis confinis</i> (Kiefer, 1931)
613	<i>Tropocyclops prasinus multicolour</i> Lindberg, 1955
614	<i>Tropocyclops prasinus prasinus</i> (Fischer, 1860)
	Family Halicyclopidae Kiefer, 1927
615	<i>Halicyclops canui</i> Lindberg, 1941
616	<i>Halicyclops electus</i> Lindberg, 1943
617	<i>Halicyclops konkanensis</i> Lindberg, 1949
618	<i>Halicyclops martinezi</i> Totakura and Ranga Reddy, 2015
619	<i>Halicyclops pilifer</i> Lindberg, 1949
620	<i>Halicyclops aequoreus aequoreus</i> (Fischer, 1860)
621	<i>Halicyclops magniceps</i> (Lilljeborg, 1853)
622	<i>Halicyclops propinquus</i> G. O. Sars, 1905
623	<i>Halicyclops reidae</i> Rocha and Hakenkamp, 1993
624	<i>Halicyclops tenuispina</i> Sewell, 1924
625	<i>Halicyclops thermophilus spinifer</i> Kiefer, 1935
626	<i>Neocyclops salinarum</i> (Gurney, 1927)
	Family Lernaeidae Cobbold, 1979

627	<i>Afrolernea brevicollis</i> Fryer, 1982
628	<i>Catlaphilla bhagirathiae</i> Battish, 1981
629	<i>Catlaphilla elongata</i> Tripathi, 1960
630	<i>Catlaphilla eurynotus</i> Sars
631	<i>Catlaphilla horrida</i> Vavra, 1985
632	<i>Catlaphilla lingi</i> Manohar, Seenappa, Venkateshappa & Shetty, 1981
633	<i>Catlaphilla parvus parvus</i> (Calus, 1863)
634	<i>Catlaphilla rohita</i> Kumari, 1985
635	<i>Indolernea gurayai</i> (Battish and Brar, 1993)
636	<i>Indolernea macronii</i> (Manohar, Venkateshappa and Sheenappa, 1991)
637	<i>Indolernea manohari</i> Kabata, 1983
638	<i>Indolernea seenghalae</i> (Kumari, Khera and Gupta, 1989)
639	<i>Indopeniculus fryeri</i> Kumari, Khera and Gupta, 1988
640	<i>Lamproglena cavasii</i> Kumari, Khera and Gupta, 1989
641	<i>Lamproglena chinensis</i> Yu, 1937
642	<i>Lamproglena indica</i> Kumari, Khera and Gupta, 1989
643	<i>Lamproglena krishnai</i> Thomas and Hameed, 1984
644	<i>Lamproglena cylindrata</i> Kumari, Khera and Gupta, 1989
645	<i>Lamproglena hospetensis</i> Manohar, Seenappa and Venkateshappa, 1992
646	<i>Lamproglena ophioccephali</i> Kumari, Khera and Gupta, 1989
647	<i>Lamproglena pulchella</i> Kumari, Khera and Gupta, 1989
648	<i>Lernaea hesaragattensis</i> Srinivasachar and Sundarabai, 1971
649	<i>Lernaea bengalensis</i> Gnanamuthu, 1951
650	<i>Lernaea bhadraensis</i> Seenappa, Manohar and Shetty, 1980
651	<i>Lernaea cyprinacea chackoensis</i> (Gnanamuthu, 1951)
652	<i>Lernaea cruciata</i> (Le Sueur, 1824)
653	<i>Lernaea cyprinacea mastacembeli</i> Hu, 1948
654	<i>Lernaea gambusia</i> Koul and Raina, 1990
655	<i>Lernaea kashmirensis</i> Malhotra and Jyoti, 1972
656	<i>Lernaea notopteri</i> Vankara, Gudivada and Chikkam, 2016
657	<i>Lernaea osphronemi</i> Thomas and Hameed, 1988
658	<i>Pillainus neculatus</i> (Kumari, Gupta and Khera, 1987)
659	<i>Pillainus volvicollis</i> Kabata, 1983
	Suborder Ergasilida Khodami, Mercado-Salas, Tang & Martinez Arbizu, 2019
	Family Anchimolgidae Humes & Boxshall, 1996
660	<i>Humesiella corallicola</i> Sebastian and Pillai, 1973 –
	Family Anthessiidae Humes, 1986
661	<i>Anthessius investigatoris</i> Sewell, 1949
662	<i>Anthessius mytilicolus</i> Reddiah, 1966
663	<i>Anthessius placunae</i> Lalitha Devi, 1984
	Family Bomolochidae Claus, 1875
664	<i>Bomolochus bellones</i> Burmeister, 1833

665	<i>Bomolochus cuneatus</i> Fraser, 1920
666	<i>Bomolochus decapteri</i> Yama guti, 1936
667	<i>Bomolochus indicus</i> Kaliyamurthy, Singh and Singh, 1988
668	<i>Bomolochus megaceros</i> Heller, 1865
669	<i>Bomolochus multicerus</i> Pillai and Natarajan, 1977
670	<i>Bomolochus pillai</i> Balaraman and Shaila, 1989
671	<i>Bomolochus selaroides</i> Pillai, 1965
672	<i>Boylea quilonensis</i> Balaraman, 1983
673	<i>Holobomolochus acutus</i> (Gnanamuthu, 1948)
674	<i>Holobomolochus chilensis</i> Cressey and Cressey, 1985
675	<i>Holobomolochus chirocentrosus</i> Balaraman and Shaila, 1989
676	<i>Holocolax nemipteri</i> (Pillai, 1973)
677	<i>Nothobomolochus cypseluri</i> (Yamaguti, 1953)
678	<i>Nothobomolochus denticulatus</i> (Bassett-Smith, 1898)
679	<i>Nothobomolochus gerresi</i> Pillai, 1973
680	<i>Nothobomolochus gibber</i> (Shiino, 1957)
681	<i>Nothobomolochus kanagurta</i> (Pillai, 1965)
682	<i>Nothobomolochus multispinosus</i> (Gnanamuthu, 1949)
683	<i>Nothobomolochus pulicatensis</i> Kaliyamurthy, 1990
684	<i>Nothobomolochus quadriceros</i> Pillai, 1973
685	<i>Nothobomolochus sigani</i> Hameed and Kumar, 1986
686	<i>Nothobomolochus tricerus</i> (Bassett-Smith, 1898)
687	<i>Nothobomolochus trichiuri</i> Pillai and Natarajan, 1977
688	<i>Orbitacolax aculeatus</i> (Pillai, 1962)
689	<i>Pseudorbitacolax varunae</i> (Bennet, 1966)
690	<i>Pumiliopes jonesi</i> (Bennet, 1967)
691	<i>Pumiliopsis plautus</i> Cressey and Boyle, 1974
692	<i>Pumiliopsis sardinellae</i> (Bennet, 1964)
	Family Chondracanthidae Milne Edwards, 1840
693	<i>Acanthochondria elongata</i> (Bassett-Smith, 1898)
694	<i>Acanthochondria krishnai</i> Aneesh, Helna & Biju Kumar, 2020
695	<i>Acanthochondria tchangi</i> Yü, 1935
696	<i>Bactrochondria hoi</i> (Pillai, 1985)
697	<i>Bactrochondria longitruncus</i> Yama guti, 1939
698	<i>Bactrochondria papilla</i> Ho, Kim and Bijukumar, 2000
699	<i>Brachiochondria murtii</i> Rangnekar, 1977
700	<i>Chondracanthus kabatai</i> Aneesh, Helna & Biju Kumar, 2020
701	<i>Heterochondria longa</i> Tripathi, 1960
702	<i>Heterochondria petila</i> Ho, Kim and Bijukumar, 2000
703	<i>Heterochondria pillaii</i> Ho, 1970
704	<i>Heterochondria similis</i> (Yü and Wu, 1932)
705	<i>Heterochondria zebriae</i> (Ho, Kim and Bijukumar, 2000)
706	<i>Medesicaste penetrans</i> Heller, 1865

707	<i>Protochondracanthus alatus</i> (Heller, 1865)
708	<i>Protochondracanthus trilobatus</i> (Pillai, 1964)
	Family Clausidiidae Embleton, 1901
709	<i>Clausidium chelatum</i> Pillai, 1959
710	<i>Clausidium travancorense</i> Pillai, 1959
711	<i>Conchylurus bombasticus</i> Reddiah, 1961
712	<i>Conchylurus maximus</i> Reddiah, 1961
713	<i>Hemicyclops indicus</i> Sewell, 1949
714	<i>Hemicyclops intermedius</i> Ummerkutty, 1962
715	<i>Hersiliodes latericia</i> (Grube, 1869)
	Family Clausiidae Geisbrecht, 1895
716	<i>Indoclausia bacescui</i> Sebastian and Pillai, 1974
717	<i>Stockella indica</i> (Sebastian and Pillai, 1974)
	Family Corycaidae Dana, 1846
718	<i>Agetus limbatus</i> (Brady, 1883)
719	<i>Agetus typicus</i> Krøyer, 1849
720	<i>Corycaeus crassiusculus</i> Dana, 1849-1852
721	<i>Corycaeus obtusus</i> Dana, 1849-1852
722	<i>Corycaeus speciosus</i> Dana, 1849-1852
723	<i>Corycaeus vitreus</i> Dana, 1849-1852
724	<i>Corycaeus (Monocorycaeus) robustus</i> Giesbrecht, 1891
725	<i>Ditrichocorycaeus affinis</i> (McMurrich, 1916)
726	<i>Ditrichocorycaeus africanus</i> (F. Dahl, 1894)
727	<i>Ditrichocorycaeus andrewsi</i> (Farran, 1911)
728	<i>Ditrichocorycaeus asiaticus</i> (F. Dahl, 1894)
729	<i>Ditrichocorycaeus dahli</i> (Tanaka, (1957)
730	<i>Ditrichocorycaeus erythraeus</i> (Cleve, 1904)
731	<i>Ditrichocorycaeu subtilis</i> (M. Dahl, 1912)
732	<i>Farranula carinata</i> (Giesbrecht, 1891)
733	<i>Farranula concinna</i> (Dana, 1849)
734	<i>Farranula curta</i> (Farran, 1911)
735	<i>Farranula gibbula</i> (Giesbrecht, 1891)
736	<i>Farranula gracilis</i> (Dana, 1849-1852)
737	<i>Onychocorycaeus agilis</i> (Dana, 1849)
738	<i>Onychocorycaeus catus</i> (F. Dahl, 1894)
739	<i>Onychocorycaeus giesbrechtii</i> (F. Dahl, 1894)
740	<i>Onychocorycaeus ovalis</i> (Claus, 1863)
741	<i>Onychocorycaeus pacificus</i> (F. Dahl, 1894)
742	<i>Onychocorycaeus pumilus</i> (M. Dahl, 1912)
743	<i>Urocorycaeus furcifer</i> (Claus, 1863)
744	<i>Urocorycaeus lautus</i> (Dana, 1849-1852)
745	<i>Urocorycaeus longistylis</i> (Dana, 1849-1852)
	Family Ergasilidae Burmeister, 1835

746	<i>Derмоergasilus varicoleus</i> Ho, Jayarajan and Radhakrishnan, 1992
747	<i>Ergasilus auritus</i> Markevich, 1940
748	<i>Ergasilus batai</i> Karamchandani, 1953
749	<i>Ergasilus brari</i> Battish and Brar, 1990
750	<i>Ergasilus gibbus</i> Nordmann, 1832
751	<i>Ergasilus hamiltoni</i> Southwell and Prashad, 1918
752	<i>Ergasilus latus</i> Fryer, 1960
753	<i>Ergasilus lizae</i> Krøyer, 1863
754	<i>Ergasilus ludhianata</i> Battish, Brar, Bhalla and Kochar, 1997
755	<i>Ergasilus malnadensis</i> Venkateshappa, Seenappa and Manohar, 1988
756	<i>Ergasilus parasiluri</i> (Yamaguti, 1936)
757	<i>Ergasilus parvitergum</i> Ho, Jayarajan and Radhakrishnan, 1992
758	<i>Ergasilus polynemi</i> Redkar, Rangnekar and Murti, 1952
759	<i>Ergasilus rostralis</i> Ho, Jayarajan and Radhakrishnan, 1992
760	<i>Ergasilus sarsi</i> Capart, 1944
761	<i>Ergasilus scotti</i> Sundara Raj, 1923
762	<i>Ergasilus sieboldi</i> Nordmann, 1832
763	<i>Ergasilus turgidus</i> Fraser, 1920
764	<i>Ergasilus uniseriatus</i> Ho, Jayarajan and Radhakrishnan, 1992
765	<i>Ergasilus vembnadensis</i> Thomas, S., 1993
766	<i>Ergasilus versicolor</i> C. B. Wilson, 1911
767	<i>Mugilicola bulbosa</i> Tripathi, 1960
768	<i>Neoergasilus ferozepurensis</i> Kumari, Khera and Gupta, 1988
769	<i>Neoergasilus indicus</i> Vankara and Chikkam, 2010
770	<i>Neoergasilus japonicus</i> (Harada, 1930)
771	<i>Neoergasilus kherai</i> Battish and Brar, 1989
772	<i>Neoergasilus notopteri</i> Kumari, Khera and Gupta, 1988
773	<i>Nipergasilus bora</i> (Yamaguti, 1939)
774	<i>Paraergasilus brevidigitus</i> Yin, 1954
775	<i>Paraergasilus dentatus</i> Ho, Jayarajan and Radhakrishnan,
776	<i>Paraergasilus reductus</i> Ranga Reddy and Kasaiah, 1994
	Family Kelleridae Humes & Boxshall, 1966
777	<i>Kelleria andamanensis</i> Sewell, 1949
778	<i>Kelleria camortensis</i> Sewell, 1949
779	<i>Kelleria rubimaculata</i> Krishnaswamy, 1952
	Family Lichomolgidae Kossmann, 1877
780	<i>Lichomolgus indicus</i> Ummerkutty, 1962
781	<i>Stellicola holothuriae</i> (Ummerkutty, 1962)
782	<i>Stellicola stebbingi</i> Unnikrishnan Nair and Pillai, 1986
	Family Lubbockiidae Bottger-Schnack, 1997
783	<i>Lubbockia aculeata</i> (Giesbrecht, 1891)
784	<i>Lubbockia squillimana</i> Claus, 1863
	Family Macrochironidae Humes & Boxshall, 1996

785	<i>Paramacrochiron ennorensis</i> Reddiah, 1968
786	<i>Paramacrochiron maximum</i> (I. C. Thompson and A. Scott, 1903)
787	<i>Paramacrochiron rhizostomae</i> Reddiah, 1968
788	<i>Paramacrochiron sewelli</i> Reddiah, 1968
789	<i>Pseudomacrochiron malayense</i> (Sewell, 1949)
790	<i>Pseudomacrochiron ornatum</i> (Krishnaswamy, 1952)
791	<i>Pseudomacrochiron parvum</i> (A. Scott, 1909)
792	<i>Pseudomacrochiron stocki</i> Reddiah, 1969
	Family Myicolidae Yamaguti, 1936
793	<i>Ostricola portonoviensis</i> Reddiah, 1962
	Family Oncaeidae Giesbrecht, 1893
794	<i>Oncaea rapax</i> Giesbrecht, 1891
795	<i>Oncaea clevei</i> Früchtl, 1923
796	<i>Oncaea media</i> Giesbrecht, 1891
797	<i>Oncaea mediterranea</i> (Claus, 1863)
798	<i>Oncaea minor</i> Shmeleva, 1979
799	<i>Oncaea ornata</i> Giesbrecht, 1891
800	<i>Oncaea venusta venusta</i> Philippi, 1843
801	<i>Oncaea venusta venella</i> Farran, 1929
802	<i>Triconia conifera</i> (Giesbrecht, 1891)
803	<i>Triconia minuta</i> (Giesbrecht, 1893)
	Family Pseudanthessiidae Humes & Stock, 1972
804	<i>Mecomerinx luculenta</i> (Humes and Cressey, 1961)
805	<i>Pseudanthessius anormalus</i> Ummerkutty, 1967
806	<i>Pseudanthessius brevicauda</i> Ummerkutty, 1967
807	<i>Pseudanthessius gracilis</i> Claus, 1889
808	<i>Pseudanthessius madrasensis</i> Reddiah, 1968
809	<i>Pseudanthessius minutus</i> Reddiah, 1968
810	<i>Pseudanthessius obscurus</i> A. Scott, 1909
811	<i>Senariellus liber</i> (Brady, 1880)
	Family Rhynchomolgidae Humes & Stock, 1972
812	<i>Anisomolgus spinipes</i> (Sewell, 1949)
813	<i>Critomolgus rigidus</i> Ummerkutty, 1962
814	<i>Doridicola brevifurcatus</i> (Ummerkutty, 1961)
815	<i>Kombia curvata</i> Nair and Pillai, 1986
816	<i>Lutumidomus panikkari</i> (Gnanamuthu, 1955)
817	<i>Pennatulicola corallophilus</i> Nair and Pillai, 1986
818	<i>Pennatulicola serratipes</i> (Ummerkutty, 1962)
	Family Sapphirinidae Thorell, 1859
819	<i>Copilia mirabilis</i> Dana, 1849-1852
820	<i>Copilia quadrata</i> Dana, 1849-1852
821	<i>Copilia vitrea</i> (Haeckel, 1864)

822	<i>Sapphirina auronitens</i> Claus, 1863
823	<i>Sapphirina bicuspidata</i> Giesbrecht, 1891
824	<i>Sapphirina gastrica</i> Giesbrecht, 1891
825	<i>Sapphirina intestinata</i> Giesbrecht, 1891
826	<i>Sapphirina iris</i> Dana, 1849-1852
827	<i>Sapphirina maculosa</i> Giesbrecht, 1893
828	<i>Sapphirina metallina</i> Dana, 1849-1852
829	<i>Sapphirina nigromaculata</i> Claus, 1863
830	<i>Sapphirina opalina</i> Dana, 1853-1855
831	<i>Sapphirina ovatolanceolata</i> Dana, 1849-1852
832	<i>Sapphirina scarlata</i> Giesbrecht, 1891
833	<i>Sapphirina sinuicauda</i> Brady, 1883
834	<i>Sapphirina stellata</i> Giesbrecht, 1891
835	<i>Vetoria indica</i> (Krishnaswamy, 1952)
836	<i>Vetoria parva</i> (Farran, 1936)
	Family Shiinoidae Cressey, 1975
837	<i>Shiinoa elagata</i> Cressey, 1976
838	<i>Shiinoa occlusa</i> Kabata, 1968
839	<i>Parashiinoa rostrata</i> Balaraman, Prabha and Pillai, 1983
	Family Synapticolidae Humes & Boxall, 1996
840	<i>Chauliolobion foliaceum</i> (Ummerkutty, 1970)
841	<i>Scambicornus adduensis</i> (Sewell, 1949)
842	<i>Scambicornus anomalus</i> Nair, 1985
843	<i>Scambicornus brachysetosus</i> Reddiah, 1968
844	<i>Scambicornis brevicaudus</i> (Sewell, 1949)
845	<i>Scambicornis gracilis</i> Nair, 1985
846	<i>Scambicornis nicobaricus</i> (Sewell, 1949)
847	<i>Scambicornis serendibicus</i> (Thompson I. C. and Scott, A. 1903)
	Family Taeniacanthidae Wilson C.B.1911
848	<i>Caudacanthus narcini</i> (Pillai, 1963)
849	<i>Irodes gracilis</i> (Heller, 1865)
850	<i>Irodes longicaudus</i> (Pillai, 1963)
851	<i>Irodes sauridi</i> (Pillai, 1963)
852	<i>Irodes upenei</i> (Yamaguti, 1954)
853	<i>Metataeniacanthus synodi</i> Pillai, 1963
854	<i>Pseudotaeniacanthus longicauda</i> Pillai and Hameed, 1974
855	<i>Pseudotaeniacanthus muraenesocis</i> Devi and Shyamasundari, 1980
856	<i>Taeniacanthus anguillaris</i> (Devi and Shyamasundari, 1980)
857	<i>Taeniacanthus cynoglossi</i> (Rangnekar and Murti, 1961)
858	<i>Taeniacanthus dentatus</i> Sebastian, 1964
859	<i>Taeniacanthus lagocephali</i> Pearse, 1952
860	<i>Taeniacanthus longicervis</i> (Pillai, 1963)

861	<i>Taeniacanthus miles</i> (Pillai, 1963)
862	<i>Taeniacanthus platycephali</i> (Yamaguti, 1939)
863	<i>Taeniacanthus tetradonis</i> (Bassett-Smith, 1898)
	Family Uranoscopicolaidae Aneesh, Helna, Kumar & Venmathi Maran, 2023
864	<i>Hirodai ohtsukai</i> Aneesh, Helna, Kumar & Maran, 2023
	Family Xarifiidae Humes, 1960
865	<i>Xarifia indica</i> Nair, 1983
866	<i>Xarifia laccadivensis</i> Nair, 1983
867	<i>Xarifia linearis</i> Nair, 1983
868	<i>Xarifia longicauda</i> Nair, 1983
869	<i>Xarifia robusta</i> Nair, 1983
	Suborder Oithonida Khodami, Mercado-Salas, Tang & Matrinez Arbizu, 2019
	Family Cyclopettidae Martinez Arbizu, 2000
870	<i>Paracyclopina intermedia</i> (Sewell, 1924)
871	<i>Paracyclopina longifurca</i> (Sewell, 1924)
872	<i>Paracyclopina minuta</i> (Sewell, 1934)
873	<i>Paracyclopina orientalis</i> (Lindberg, 1941)
	Family Cyclopinidae Sars G.O., 1913
874	<i>Alloicyclopina inopinata</i> Defaye & Ranga Reddy, 2008
	Family Oithonidae Dana, 1853-1855
875	<i>Dioithona horai</i> (Sewell, 1934)
876	<i>Dioithona indogallica</i> Lindberg, 1940
877	<i>Dioithona oculata</i> (Farran, 1913)
878	<i>Dioithona rigida aurea</i> Lindberg, 1950
879	<i>Dioithona rigida elongata</i> Lindberg, 1950
880	<i>Dioithona rigida</i> (Giesbrecht, 1896)
881	<i>Oithona attenuata</i> Farran, 1913
882	<i>Oithona brevicornis brevicornis</i> Giesbrecht, 1891
883	<i>Oithona dissimilis</i> Lindberg, 1940
884	<i>Oithona hebes</i> Giesbrecht, 1891
885	<i>Oithona linearis</i> Giesbrecht, 1891
886	<i>Oithona minuta</i> T. Scott, 1894
887	<i>Oithona nana</i> Giesbrecht, 1893
888	<i>Oithona plumifera</i> Baird, 1843
889	<i>Oithona robusta</i> Giesbrecht, 1891
890	<i>Oithona setigera setigera</i> Dana, 1849
891	<i>Oithona similis</i> Claus, 1866
892	<i>Oithona simplex simplex</i> Farran, 1913
893	<i>Oithona tenuis</i> Rosendorn, 1917
	Family Smirnovipinidae Khodami, Vaun MacArthur, Blanco-Bercial & Martinez Arbizu, 2017
894	<i>Cyclopinoides longicornis</i> (Boeck, 1872)
	Family Thaumatopsyllidae Sars G.O., 1913
895	<i>Orientopsyllus investigatoris</i> Sewell, 1949

	Order HARPACTICOIDA Sars G.O., 1903
	Family Aegisthidae Giesbrecht, 1893
896	<i>Aegisthus mucronatus</i> Giesbrecht, 1891
897	<i>Aegisthus aculeatus</i> Giesbrecht, 1891
	Family Ameiridae Boeck, 1865
898	<i>Ameira confluens</i> Ranga Reddy, 1984
899	<i>Ameira longipes</i> Boeck, 1865
900	<i>Ameira parvula</i> (Claus, 1866)
901	<i>Ameira trisetosa</i> Krishnaswamy, 1957
902	<i>Filexilia attenuata</i> (Thompson, 1893)
903	<i>Glabrameira bengalensis</i> (Rao and Ganapati, 1969a)
904	<i>Nitocra affinis affinis</i> Gurney, 1927
905	<i>Nitocra fragilis</i> Sars G. O., 1905
906	<i>Nitocra lacustris lacustris</i> (Schmankevitch, 1875)
907	<i>Nitocra mediterranea mediterranea</i> Brian, 1928
908	<i>Nitocra quadriseta</i> Wells and Rao, 1987
909	<i>Nitocra rijekana</i> Petkovski, 1954
910	<i>Nitocra sewelli</i> Gurney, 1927
911	<i>Nitocra spinipes orientalis</i> Sewell, 1924
912	<i>Nitocra spinipes spinipes</i> Boeck, 1865
913	<i>Nitocra typica typica</i> Boeck, 1865
914	<i>Nitocra yahiai</i> (Blanchard and Richard, 1891)
915	<i>Nitocrella galassiae</i> Ranga Reddy and Totakura, 2016
916	<i>Parapseudoleptomesochra trisetosa waltirensis</i> Rao and Ganapati, 1969
917	<i>Parevansula elongatus</i> Wells and Rao, 1987
918	<i>Praeiptomesochra africana</i> (Kunz, 1951)
919	<i>Psyllocamptus minutus minutus</i> G. O. Sars, 1911
920	<i>Raoleptomesochra reducta</i> (Rao, 1972)
921	<i>Sicameira langi</i> Rao, 1972
	Family Ancorabolidae G. O. Sars, 1909
922	<i>Bicorniphontodes ornatus</i> (Krishnaswamy, 1957)
923	<i>Paralaophontodes echinatus</i> (Willey, 1930)
	Family Arenopontiidae Martínez Arbizu & Moura, 1994
924	<i>Arenopontia subterranea</i> Kunz, 1937
925	<i>Neoleptastacus indicus</i> (Rao, 1967)
926	<i>Neoleptastacus longiremis</i> (Chappuis, 1954)
927	<i>Neoleptastacus secundus</i> Krishnaswamy, 1957
928	<i>Onychopontia orientalis</i> (Krishnaswamy, 1957)
	Family Canthocamptidae Brady, 1880
929	<i>Bryocamptus (Arcticocamptus) bryophilus</i> (Michailova-Neikova, 1973)
930	<i>Bryocamptus (Echinocamptus) horai</i> (Chappuis, 1928)
931	<i>Bryocamptus (Bryocamptus) minutus minutus</i> (Claus, 1863)

932	<i>Bryocamptus (Echinocamptus) nivalis</i> (Willey, 1925)
933	<i>Bryocamptus (Rheocamptus) zschokkei tatrensis</i> (Minkiewicz, 1916)
934	<i>Canthocamptus (Canthocamptus) robertcokeri</i> M. S. Wilson, 1958
935	<i>Canthocamptus staphylinus staphylinus</i> (Jurine, 1820)
936	<i>Cletocamptus albuquerquensis</i> (Herrick, 1894)
937	<i>Cletocamptus confluens confluens</i> (Schmeil, 1894)
938	<i>Cletocamptus goenchim</i> Gómez, Ingole, Sawant and Singh, 2013
939	<i>Elaphoidella apicata</i> Chappuis, 1950
940	<i>Elaphoidella bidens coronata</i> (G. O. Sars, 1904)
941	<i>Elaphoidella brevifurcata</i> Chappuis 1936
942	<i>Elaphoidella crassa</i> Chappuis, 1954
943	<i>Elaphoidella cuspidata</i> Chappuis, 1941
944	<i>Elaphoidella elongata</i> Chappuis, 1950
945	<i>Elaphoidella grandidieri</i> (De Guerne and Richard, 1893)
946	<i>Elaphoidella laevis</i> Chappuis, 1950
947	<i>Elaphoidella lindbergi</i> Chappuis, 1941
948	<i>Elaphoidella longipedis</i> Chappuis, 1931
949	<i>Elaphoidella sewelli</i> (Chappuis, 1928)
950	<i>Elaphoidella sewelli eremita</i> (Chappuis, 1928)
951	<i>Elaphoidella sewelli indica</i> (Chappuis, 1928)
952	<i>Elaphoidella sewelli unisaetosa</i> Chappuis, 1928
953	<i>Elaphoidella trisaetosa</i> Chappuis, 1933
954	<i>Elaphoidella vaga</i> Chappuis, 1950
955	<i>Maraenobiotus brucei himalayensis</i> Chappuis, 1928
956	<i>Maraenobiotus insignipes indicus</i> Chappuis, 1928
957	<i>Mesochra meridionalis</i> G. O. Sars, 1905
958	<i>Mesochra nana</i> Brady, 1910
959	<i>Mesochra wolskii</i> Jakubisiak, 1933
	Family Cletodidae Scott T., 1904
960	<i>Chalarosthrix nicobarica</i> (Sewell, 1940)
961	<i>Cletodes dentatus</i> Wells and Rao, 1987
962	<i>Enhydrosoma littorale</i> Wells, 1967
963	<i>Enhydrosoma pectinatum</i> Wells and Rao, 1987
964	<i>Kollerua radhakrishnai</i> (Ranga Reddy, 1979)
965	<i>Limnocletodes behningi</i> Borutsky, 1926
966	<i>Schizacron vervoorti</i> (Fiers, 1987)
967	<i>Spinapecuris curvirostris</i> (T. Scott, 1894)
968	<i>Strongylacron buccholtzi</i> (Boeck, 1873)
	Family Dactylopusiidae Lang, 1936
969	<i>Dactylopusia falcifera pallida</i> Sewell, 1940
970	<i>Dactylopusia falcifera violacea</i> Sewell, 1940
971	<i>Dactylopusia tisboides</i> (Claus, 1863)
972	<i>Diarthrodes brevipes</i> Wells and Rao, 1987

973	<i>Diarthrodes cystoecus</i> Fahrenbach, 1954
974	<i>Diarthrodes dissimilis</i> Lang, 1965
975	<i>Diarthrodes imbricatus</i> (Brady, 1883)
976	<i>Diarthrodes major</i> (T. Scott and A., Scott 1895)
977	<i>Diarthrodes ponticus ponticus</i> (Krichagin, 1877)
978	<i>Diarthrodes pygmaeus</i> (T. Scott and A. Scott, 1895)
979	<i>Paradactylopodia brevicornis</i> (Claus, 1866)
980	<i>Sewelliapusia tropica</i> (Sewell, 1940)
	Family Darcythompsoniidae Lang, 1936
981	<i>Leptocaris biscayensis</i> (Noodt, 1955)
	Family Ectinosomidae Sars G.O., 1909
982	<i>Arenosetella germanica germanica</i> Kunz, 1937
983	<i>Arenosetella tricornis</i> Wells and Rao, 1987
984	<i>Ectinosoma andamanica</i> Rao, 1993
985	<i>Ectinosoma dentatum</i> Steuer, 1940
986	<i>Ectinosoma melaniceps</i> Boeck, 1865
987	<i>Ectinosoma normani</i> Scott.T and Scott, A 1896
988	<i>Ectinosoma reductum</i> Bozic, 1955
989	<i>Glabrotelson bengalense</i> (Rao, 1972)
990	<i>Glabrotelson clavatum</i> (Rao and Ganapati, 1969)
991	<i>Glabrotelson leptoderma</i> (Klie, 1929)
992	<i>Glabrotelson noodti</i> (Rao and Ganapati, 1969)
993	<i>Glabrotelson setosum</i> (Rao and Ganapati, 1969)
994	<i>Halectinosoma curticorne</i> (Boeck, 1872)
995	<i>Halectinosoma gothiceps</i> (Giesbrecht, 1881)
996	<i>Halectinosoma herdmani</i> (Scott T. and Scott, A.1896)
997	<i>Halectinosoma tenuireme</i> (Scott T. and Scott, A. 1894)
998	<i>Halophytophilus simplex</i> Wells and Rao, 1987
999	<i>Klieosoma aberrans</i> (Wells and Rao, 1987)
1000	<i>Microsetella norvegica</i> (Boeck, 1865)
1001	<i>Microsetella rosea</i> (Dana, 1847)
1002	<i>Noodtiella arenosetelloides</i> (Noodt, 1958)
1003	<i>Noodtiella intermedia</i> Wells, 1967
1004	<i>Noodtiella mielkei</i> Wells and Rao, 1987
1005	<i>Noodtiella ornamentalis</i> Wells and Rao, 1987
1006	<i>Rangabradya indica</i> Karanovic and Pesce, 2001
	Family Hamondiidae Huys, 1990
1007	<i>Ambungiipes rufocincta</i> (Norman in Brady, 1880)
	Family Harpacticidae Dana, 1846
1008	<i>Harpacticella lacustris</i> Sewell, 1924
1009	<i>Harpacticus clausi</i> A. Scott, 1909
1010	<i>Harpacticus gracilis indica</i> Sewell, 1924

1011	<i>Harpacticus gracilis orientalis</i> Sewell, 1924
1012	<i>Harpacticus littoralis</i> G. O. Sars, 1910
1013	<i>Harpacticus nipponicus</i> Itô, 1976
1014	<i>Harpacticus spinulosus</i> Lang, 1965
1015	<i>Zaus biunguiferus</i> Lang, 1965
1016	<i>Zaus spinatus spinatus</i> Goodsir, 1845
1017	<i>Zausodes cinctus</i> Krishnaswamy, 1954
	Family Laophontidae Scott T., 1904
1018	<i>Afrolaophonte ensiger</i> Wells and Rao, 1987
1019	<i>Applanola hirsuta</i> (Thompson I. C. and Scott, A. 1903)
1020	<i>Echinolaophonte armiger armiger</i> (Gurney, 1927)
1021	<i>Echinolaophonte horrida</i> (Norman, 1876)
1022	<i>Echinolaophonte mirabilis</i> (Gurney, 1927)
1023	<i>Esola bulbifera</i> (Norman, 1911)
1024	<i>Esola longicauda longicauda</i> Edwards, 1891
1025	<i>Fiersiphontina sensillata</i> (Wells and Rao, 1987)
1026	<i>Folioquinpes chathamensis</i> (Sars, 1905)
1027	<i>Klieonychocamptoides remanei</i> Noodt, 1958
1028	<i>Klieonychocamptoides arenicola</i> (Chappuis and Delamare Deboutteville, 1956)
1029	<i>Klieonychocamptoides arganoi</i> Cottarelli and Mura, 1980
1030	<i>Klieonychocamptus ponticus</i> (Serban and Plesa, 1957)
1031	<i>Laophonte cornuta</i> Philippi, 1840
1032	<i>Laophonte dinocerata</i> Monard, 1926
1033	<i>Laophonte macani</i> Sewell, 1940
1034	<i>Laophonte pseudoculata</i> Krishnaswamy, 1959
1035	<i>Laophonte setosa</i> Boeck, 1865
1036	<i>Laophonte spinicauda</i> (Vervoort, 1964)
1037	<i>Lipomelum hispidum</i> (Wells and Rao, 1987)
1038	<i>Onychocamptus anomalus</i> (Ranga Reddy, 1984)
1039	<i>Onychocamptus bengalensis</i> (Sewell, 1934)
1040	<i>Onychocamptus mohammed</i> (Blanchard and Richard, 1891)
1041	<i>Paralaophonte (Paralaophonte) brevirostris</i> (Claus, 1863)
1042	<i>Paralaophonte (Paralaophonte) congenera congenera</i> (G. O. Sars, 1908)
1043	<i>Paralaophonte (Paralaophonte) gurneyi</i> (Lang, 1934)
1044	<i>Paralaophonte (Paralaophonte) meinerti</i> (Brady, 1899)
1045	<i>Parechinolaophonte tropica</i> (Ummerkutty, 1970)
1046	<i>Paronychocamptus curticaudatus</i> (Boeck, 1865)
1047	<i>Quinquelaophonte quinquespina</i> (Sewell, 1924)
1048	<i>Raowellsia maculata</i> (Wells and Rao, 1987)
1049	<i>Tapholeon arenicolus</i> (Chappuis, 1954)
1050	<i>Tapholeon chappuisius</i> (Krishnaswamy, 1957)
	Family Laophontopsidae Huys & Willems, 1989
1051	<i>Telodocus secundus</i> (Sewell, 1924)

	Family Leptastacidae Lang, 1948
1052	<i>Arenotopa dyadacantha</i> Wells and Rao, 1987
1053	<i>Belemnopontia acuticaudatus</i> (Krishnaswamy, 1957)
1054	<i>Cerconeotes constrictus</i> (Lang, 1965)
1055	<i>Cerconeotes euryhalinus</i> (Krishnaswamy, 1957)
1056	<i>Cerconeotes huysi</i> Totakura, Subhashini & Ranga Reddy, 2016
1057	<i>Cerconeotes nicholli</i> (Krishnaswamy, 1951)
1058	<i>Cerconeotes waltirensis</i> (Rao and Ganapati, 1969)
1059	<i>Psammastacus spinicaudatus</i> Rao and Ganapati, 1969
	Family Leptopontiidae Lang, 1948
1060	<i>Psammopsyllus operculatus</i> Nicholls, 1945
1061	<i>Sewellina reductus</i> Krishnaswamy, 1956
	Family Louriniidae Monard, 1927
1062	<i>Lourinia armata armata</i> (Claus, 1866)
1063	<i>Lourinia nicobarica</i> (Sewell, 1940)
	Family Metidae Boeck, 1873
1064	<i>Metis holothuriae</i> (Edwards, 1891)
1065	<i>Metis jousseaumei</i> Richard, 1892
	Family Miraciidae Dana, 1846
1066	<i>Amonardia similis</i> (Claus, 1866)
1067	<i>Amphiascoides neglectus</i> (Norman and T. Scott, 1905)
1068	<i>Amphiascoides subdebilis</i> (Willey, 1935)
1069	<i>Amphiascopsis cinctus</i> (Claus, 1866)
1070	<i>Amphiascopsis coralicola</i> Sewell, 1940
1071	<i>Bulbamphiascus imus</i> (Brady, 1872)
1072	<i>Balucopsylla similis</i> Rao, 1972
1073	<i>Cladorostrata brevipoda</i> Shen and Tai, 1963
1074	<i>Delavalia andamanica</i> (Rao, 1993)
1075	<i>Delavalia bifidia</i> (Coull, 1967)
1076	<i>Delavalia breviseta</i> (Wells and Rao, 1987)
1077	<i>Delavalia clavus</i> (Wells and Rao, 1987)
1078	<i>Delavalia fustiger</i> (Wells and Rao, 1987)
1079	<i>Delavalia hirtipes</i> (Wells and Rao, 1987)
1080	<i>Delavalia inopinata</i> A. Scott, 1902
1081	<i>Delavalia krishnensis</i> Radhakrishna and Ranga Reddy 1978
1082	<i>Delavalia longicaudata</i> (Boeck, 1872)
1083	<i>Delavalia longifurca</i> (Sewell, 1934)
1084	<i>Delavalia madrasensis</i> (Wells, 1971)
1085	<i>Delavalia mixta</i> (Wells and Rao, 1987)
1086	<i>Delavalia oblonga</i> Lang, 1965
1087	<i>Delavalia paraclavus</i> (Wells and Rao, 1987)
1088	<i>Delavalia polluta</i> (Monard, 1928)

1089	<i>Delavalia valens</i> (Wells and Rao, 1987)
1090	<i>Diosaccus dentatus</i> (Thompson and A. Scott, 1903)
1091	<i>Diosaccus hamiltoni</i> (Thompson I. C. and Scott, A. 1903)
1092	<i>Diosaccus monardi major</i> Krishnaswamy, 1957
1093	<i>Diosaccus monardi</i> Sewell, 1940
1094	<i>Diosaccus rebus</i> (Sewell, 1940)
1095	<i>Diosaccus truncatus</i> Gurney, 1927
1096	<i>Distioculus minor</i> (Scott, T. 1894)
1097	<i>Eoschizopera crassispinata</i> (Chappuis, 1954)
1098	<i>Eoschizopera indica</i> (Rao and Ganapati, 1969)
1099	<i>Eoschizopera reducta</i> Wells and Rao, 1976
1100	<i>Haloschizopera tenuipes</i> Noodt, 1964
1101	<i>Helmutkunzia variabilis</i> Wells and Rao, 1987
1102	<i>Macrosetella gracilis</i> (Dana, 1848)
1103	<i>Macrosetella oculata</i> (Sars, 1916)
1104	<i>Melima indica</i> (Krishnaswamy, 1957)
1105	<i>Melima ovalis</i> (Wells and Rao, 1987)
1106	<i>Metamphiascopsis hirsutus hirsutus</i> (I. C. Thompson and A. Scott, 1903)
1107	<i>Metamphiascopsis nicobaricus</i> (Sewell, 1940)
1108	<i>Miracia efferata</i> Dana, 1849-1852
1109	<i>Neomiscegenus indicus</i> Karanovic and Ranga Reddy, 2004
1110	<i>Paramphiascella calcarifer</i> (Sewell, 1940)
1111	<i>Paramphiascella robinsonii</i> (Scott, A. 1902)
1112	<i>Parialysis robustus</i> (Nicholls, 1941)
1113	<i>Pseudobalucopsylla triarticulata</i> Wells and Rao, 1987
1114	<i>Pseudostenhelia secunda</i> Wells, 1971
1115	<i>Robertgurneya brevipes</i> (Wells and Rao, 1987)
1116	<i>Robertgurneya ilievecensis</i> (Monard, 1935)
1117	<i>Robertgurneya rostrata</i> (Gurney, 1927)
1118	<i>Robertsonia adduensis</i> (Sewell, 1940)
1119	<i>Robertsonia knoxi knoxi</i> (I. C. Thompson and A. Scott, 1903)
1120	<i>Robertsonia propinqua</i> (T. Scott, 1894)
1121	<i>Robertsonia robusta</i> Wells and Rao, 1987
1122	<i>Sarsamphiascus minutus</i> (Claus, 1863)
1123	<i>Sarsamphiascus parvus</i> (Sars, S.O., 1906)
1124	<i>Sarsamphiascus propinquus</i> (Sars, G.O., 1906)
1125	<i>Schizopera monardi</i> Petkoviski, 1955
1126	<i>Schizopera consimilis</i> G. O. Sars, 1909
1127	<i>Schizopera spinifer</i> Wells and Rao, 1987
1128	<i>Typhlamphiascus ovale</i> Wells and Rao, 1987
	Family Nannopodidae Brady, 1880
1129	<i>Nannopus palustris</i> Brady, 1880
	Family Orthopsyllidae Huys, 1990

1130	<i>Orthopsyllus linearis linearis</i> (Claus, 1866)
1131	<i>Orthopsyllus spinicaudatus</i> Krishnaswamy, 1957
	Family Paramesochridae Lang, 1944
1132	<i>Apodopsyllus adaptatus</i> (Krishnaswamy, 1957)
1133	<i>Apodopsyllus camptus</i> Wells, 1971
1134	<i>Apodopsyllus depressus</i> (Krishnaswamy, 1957)
1135	<i>Apodopsyllus madrasensis</i> (Krishnaswamy, 1951)
1136	<i>Emertonia constricta</i> (Nicholls, 1935)
1137	<i>Emertonia enalia</i> (Krishnaswamy, 1957)
1138	<i>Emertonia holsatica holsatica</i> (Klie, 1929)
1139	<i>Emertonia longisetosa</i> (Krishnaswamy, 1951)
1140	<i>Emertonia psammophila</i> (Noodt, 1964)
1141	<i>Emertonia spiniger</i> (Wells, Kunz and Rao, 1975)
1142	<i>Kliopsyllus capensis</i> (Krishnaswamy, 1957)
1143	<i>Kliopsyllus minuta</i> (Krishnaswamy, 1957)
1144	<i>Kliopsyllus pseudogracilis</i> (Krishnaswamy, 1957)
1145	<i>Kliopsyllus wilsoni</i> (Krishnaswamy, 1957)
1146	<i>Paramesochra denticulata</i> Rao and Ganapati, 1969
1147	<i>Paramesochra dubia</i> T. Scott, 1892
1148	<i>Paramesochra helgolandica helgolandica</i> Kunz, 1936
1149	<i>Paramesochra longicaudata</i> Nicholls, 1945
1150	<i>Paramesochra ornata</i> Krishnaswamy, 1957
1151	<i>Tisbisoma triarticulatum</i> Wells, 1967
	Family Parastenheliidae Lang, 1944
1152	<i>Karllangia arenicola</i> (Noodt, 1964)
1153	<i>Karllangia bengalensis</i> (Wells and Rao, 1976)
1154	<i>Microthalestris littoralis</i> G. O. Sars, 1911
1155	<i>Paraleptomesochra minima</i> Wells, 1967
1156	<i>Paraleptomesochra wellsii</i> Rao, 1972
1157	<i>Parastenhelia hornelli</i> I. C. Thompson and A. Scott, 1903
1158	<i>Parastenhelia hornelli krusadensis</i> Krishnaswamy, 1957
1159	<i>Parastenhelia littoralis penicillata</i> Willey, 1935
1160	<i>Parastenhelia oligochaeta</i> Wells and Rao, 1987
1161	<i>Parastenhelia secunda</i> Wells, 1971
1162	<i>Parastenhelia spinosa spinosa</i> (Fischer, 1860)
	Family Parastenocarididae Chappuis, 1940
1163	<i>Dussartstenocaris bisetosa</i> Ranga Reddy, Totakura and Shaik, 2016
1164	<i>Himalayacaris alaknanda</i> Ranga Reddy, Totakura and Corgosinho, 2014
1165	<i>Indocaris imbricata</i> Ranga Reddy, Totakura and Shaik, 2016
1166	<i>Indocaris inopinata</i> Ranga Reddy, Totakura and Shaik, 2016
1167	<i>Indocaris tirupatiensis</i> (Ranga Reddy, 2011)
1168	<i>Kinnecaris godavari</i> Ranga Reddy and Schminke, 2009
1169	<i>Parastenocaris curvispinosus</i> Enckell, 1970

1170	<i>Parastenocaris edakkal</i> Totakura, Ranga Reddy and Shaik, 2014
1171	<i>Parastenocaris enckelli</i> Ranga Reddy, Totakura and Shaik, 2016
1172	<i>Parastenocaris gayatri</i> Ranga Reddy, 2001
1173	<i>Parastenocaris gundlakamma</i> Ranga Reddy, 2011
1174	<i>Parastenocaris kotumsarensis</i> Ranga Reddy and Defaye, 2009
1175	<i>Parastenocaris mahanadi</i> Ranga Reddy and Defaye, 2007
1176	<i>Parastenocaris muvattupuzha</i> Ranga Reddy and Defaye, 2009
1177	<i>Parastenocaris savita</i> Ranga Reddy, 2001
1178	<i>Parastenocaris sutlej</i> Ranga Reddy, 2011
1179	<i>Proserpinicaris corgosinhoi</i> Totakura, Ranga Reddy and Shaik, 2014
1180	<i>Proserpinicaris karanovici</i> Totakura, Ranga Reddy and Shaik, 2014
1181	<i>Siolicaris sandhya</i> (Ranga Reddy, 2001)
	Family Peltidiidae Claus, 1860
1182	<i>Alteutha interrupta</i> (Goodsir, 1845)
1183	<i>Alteutha sewelli</i> Krishnaswamy, 1952
1184	<i>Clytemnestra scutellata</i> Dana, 1848
1185	<i>Eupelte aurulenta</i> Wells and Rao, 1987
1186	<i>Goniopsyllus rostratus</i> Brady, 1883
1187	<i>Parapeltidium nichollsi</i> Ummerkutty, 1970
1188	<i>Parapeltidium serratum</i> (Thompson and Scott, 1903)
1189	<i>Peltidium angulatum</i> Thompson and Scott, 1903
1190	<i>Peltidium maldivianum</i> Sewell, 1940
1191	<i>Peltidium ovale</i> I. C. Thompson and A. Scott, 1903
1192	<i>Peltidium speciosum</i> I. C. Thompson and A. Scott, 1903
	Family Phyllognathopodidae Gurneyi, 1932
1193	<i>Neophyllognathopus bassoti</i> (Rouch, 1972)
1194	<i>Phyllognathopus viguieri viguieri</i> (Maupas, 1892)
	Family Porcellidiidae Boeck, 1865
1195	<i>Clavigofera clavigera</i> (Pesta, 1935)
1196	<i>Porcellidium affine</i> Quidor, 1906
1197	<i>Porcellidium fimbriatum fimbriatum</i> Claus, 1863
1198	<i>Ravana ravanae</i> (I. C. Thompson and A. Scott, 1903)
1199	<i>Synurus unicus</i> (Ummerkutty, 1970)
	Family Pseudotachidiidae Lang, 1936
1200	<i>Xouthous purpurocinctum</i> (Norman and T. Scott, 1905)
1201	<i>Xouthous andamanensis</i> Huys, 2016
	Family Tachidiidae Sars G.O., 1909
1202	<i>Euterpina acutifrons</i> (Dana, 1848)
1203	<i>Microarthridion littorale</i> (Poppe, 1881)
1204	<i>Tachidius discipes</i> Giesbrecht, 1881
	Family Tegastidae Sars G.O., 1904
1205	<i>Parategastes similis</i> Sewell, 1924

1206	<i>Syngastes indicus</i> Sewell, 1940
1207	<i>Tegastes minutus</i> Sewell, 1940
	Family Tetragnipitidae Lang, 1944
1208	<i>Laophontella armata indica</i> Sewell, 1940
1209	<i>Laophontella horrida horrida</i> (Por, 1964)
1210	<i>Laophontella typica</i> I. C. Thompson and A. Scott, 1903
1211	<i>Oniscopsis dimorphus</i> Wells and Rao, 1987
1212	<i>Oniscopsis pauliani</i> Chappuis, 1954
1213	<i>Phyllopodopsyllus aegypticus</i> Nicholls, 1944
1214	<i>Phyllopodopsyllus bradyi</i> (T. Scott, 1892)
1215	<i>Phyllopodopsyllus crenulatus</i> Wells and Rao, 1987
1216	<i>Phyllopodopsyllus furciger</i> G. O. Sars, 1907
1217	<i>Phyllopodopsyllus gracilipes</i> Wells and Rao, 1987
1218	<i>Phyllopodopsyllus longicaudatus</i> A. Scott, 1909
1219	<i>Phyllopodopsyllus longipalpatum longipalpatum</i> (Chappuis, 1953)
1220	<i>Phyllopodopsyllus minor</i> (I. C. Thompson and A. Scott, 1903)
1221	<i>Phyllopodopsyllus stigmaticus</i> Wells and Rao, 1987
1222	<i>Phyllopodopsyllus tenuis</i> Wells and Rao, 1987
1223	<i>Tetragniceps arenicolus</i> Krishnaswamy, 1957
1224	<i>Tetragniceps dubia</i> I. C. Thompson and A. Scott, 1903
1225	<i>Tetragniceps unguis</i> Wells and Rao, 1987
	Family Thalestridae Sars G.O., 1905
1226	<i>Eudactylopus fasciatus</i> Sewell, 1940
1227	<i>Eudactylopus krusadensis</i> Krishnaswamy, 1952
1228	<i>Eudactylopus latipes latipes</i> (T. Scott, 1893)
1229	<i>Eudactylopus latipes andrewi</i> Sewell, 1940
1230	<i>Eudactylopus opimia major</i> Sewell, 1940
1231	<i>Eudactylopus opimia minor</i> Sewell, 1940
1232	<i>Eudactylopus robustus</i> (Claus, 1863)
1233	<i>Eudactylopus striatus</i> Sewell, 1940
1234	<i>Neodactylopus trichodes</i> Wells and Rao, 1987
1235	<i>Parathalestris croni</i> (Krøyer in Gaimard, 1842)
1236	<i>Phyllothalestris mysis</i> (Claus, 1863)
1237	<i>Phyllothalestris orientalis</i> Sewell, 1940
1238	<i>Phyllothalestris sarsi</i> Sewell, 1940
	Family Tisbidae Stebbing, 1910
1239	<i>Paraidya major</i> (Sewell, 1940)
1240	<i>Paraidya minor</i> (Sewell, 1940)
1241	<i>Scutellidium machairopoides</i> (Monard, 1928)
1242	<i>Scutellidium plumosum</i> Brady, 1899
1243	<i>Tisbe ensifera indica</i> (Sewell, 1924)
1244	<i>Tisbe furcata furcata</i> (Baird, 1837)
1245	<i>Tisbe gracilis</i> (T. Scott, 1895)

1246	<i>Tisbe longicornis</i> (T. and A. Scott, 1895)
1247	<i>Tisbe tenera</i> (G. O. Sars, 1905)
1248	<i>Tisbintra jonesi</i> Ummerkutty, 1960
1249	<i>Tisbintra nankaurica</i> Sewell, 1940
	Order Siphonostomatoida Burmeister, 1835
	Family Artotrogidae Braddy, 1880
1250	<i>Cryptopontius brevifurcatus</i> (Giesbrecht, 1895)
1251	<i>Cryptopontius graciloides</i> Ummerkutty, 1962
1252	<i>Cryptopontius orientalis</i> Ummerkutty, 1962
1253	<i>Sewellopontius rectiangulus</i> Ummerkutty, 1966
	Family Asterocheridae Giesbrecht, 1899
1254	<i>Asterocheres complexus</i> Stock, 1960
1255	<i>Asterocheres dentatus</i> Giesbrecht, 1897
1256	<i>Asterocheres indicus</i> Sewell, 1949
1257	<i>Asterocheres longisetosus</i> Nair and Pillai, 1984
1258	<i>Asterocheres major</i> Thompson I. C. and Scott, A.1903
1259	<i>Asterocheres manaarensis</i> I. C. Thompson and A. Scott, 1903
1260	<i>Asterocheres micheli</i> Gurney, 1927
1261	<i>Asterocheres minor</i> I. C. Thompson and A. Scott, 1903
1262	<i>Asterocheres orientalis</i> Sewell, 1949
1263	<i>Asterocheres stocki</i> Nair and Pillai, 1984
1264	<i>Asterocheres suberitis</i> Giesbrecht, 1887
1265	<i>Asteropontius laccadivensis</i> Nair and Pillai, 1984
1266	<i>Asteropontius littoralis</i> Ummerkutty, 1962
1267	<i>Asteropontius mycalei</i> Krishnasamy, 1959
1268	<i>Asteropontius sewelli</i> Ummerkutty, 1962
1269	<i>Asteropontius typicus</i> I. C. Thompson and A. Scott, 1903
1270	<i>Asteropontoides nicobaricus</i> (Sewell, 1949)
1271	<i>Dermatomyzon nigripes nigripes</i> (Brady and Robertson, 1876)
1272	<i>Indomyzon qasimi</i> Ummerkutty, 1966
1273	<i>Scottocheres latus</i> Nicholls, 1944
	Family Caligidae Burmeister, 1835
1274	<i>Anchicaligus nautili</i> Stebbing, 1900
1275	<i>Abasia platyrostris</i> Pillai, 1963
1276	<i>Alebion crassus</i> Wilson C.B., 1932
1277	<i>Alebion maculatus</i> Wilson C. B., 1932
1278	<i>Anuretes anomalus</i> Pillai, 1967
1279	<i>Anuretes branchialis</i> Rangnekar, 1953
1280	<i>Anuretes hoi</i> Prabha and Pillai, 1986
1281	<i>Anuretes indicus</i> (Pillai, 1978)
1282	<i>Anuretes occultus</i> Ho and Lin, 2000
1283	<i>Anuretes plataxi</i> Prabha and Pillai, 1986

1284	<i>Anuretes plectorhynchi</i> Yama guti, 1936
1285	<i>Anuretes rotundigenitalis</i> Hameed, 1976
1286	<i>Anuretes rotundus</i> Prabha and Pillai, 1983
1287	<i>Anuretes serratus</i> Shiino, 1954
1288	<i>Anuretes shiinoi</i> Prabha and Pillai, 1983
1289	<i>Caligodes laciniatus</i> (Krøyer, 1863)
1290	<i>Caligus alaihi</i> Lewis, A.G., 1968
1291	<i>Caligus amblygenitalis</i> Pillai, N.K., 1961
1292	<i>Caligus arii</i> Bassett-Smith, 1898
1293	<i>Caligus asperimanus</i> Pearse, 1951
1294	<i>Caligus asymmetricus</i> Kabata, 1965
1295	<i>Caligus bennetti</i> Causey, 1953
1296	<i>Caligus bicycletus</i> Heegaard, 1945
1297	<i>Caligus bonito</i> Wilson, C.B., 1905
1298	<i>Caligus brevicaudus</i> Pillai, N.K., 1963
1299	<i>Caligus callyodoni</i> Prabha and Pillai, 1986
1300	<i>Caligus caudatus</i> (Gnanamuthu, 1950)
1301	<i>Caligus chrysophrysi</i> Pillai, N.K., 1985
1302	<i>Caligus confusus</i> Pillai, N.K., 1961
1303	<i>Caligus constrictus</i> Heller, 1965
1304	<i>Caligus cordyla</i> Pillai, 1963
1305	<i>Caligus coryphaenae</i> Steenstrup and Lütken, 1861
1306	<i>Caligus cossackii</i> Bassett-Smith, 1898
1307	<i>Caligus cybii</i> Bassett-Smith, 1898
1308	<i>Caligus dasyaticus</i> Rangnekar, 1957
1309	<i>Caligus dussumieri</i> Rangnekar, 1957
1310	<i>Caligus elongatus</i> Nordmann, 1832
1311	<i>Caligus epidemicus</i> Hewitt, 1971
1312	<i>Caligus epinepheli</i> Yama guti, 1936
1313	<i>Caligus fistulariae</i> Yama guti, 1936
1314	<i>Caligus formicoides</i> Redkar, Rangnekar and Murti, 1949
1315	<i>Caligus fortis</i> Kabata, 1965
1316	<i>Caligus furcisetifer</i> Redkar, Rangnekar and Murti, 1949
1317	<i>Caligus hamruri</i> Pillai, N.K., 1964
1318	<i>Caligus hirsutus</i> (Bassett-Smith, 1898)
1319	<i>Caligus jawahari</i> Hameed and Adamkutty, 1985
1320	<i>Caligus kanagurta</i> Pillai, N.K. 1961
1321	<i>Caligus keralensis</i> Özak, Demirkale, Boxshall and Etyemez, 2013
1322	<i>Caligus kirtii</i> Prabha and Pillai, 1986
1323	<i>Caligus lagocephali</i> Pillai, N.K., 1961
1324	<i>Caligus laminatus</i> (Rangnekar, 1955)
1325	<i>Caligus laticaudus</i> Shiino, 1960
1326	<i>Caligus lobodes</i> (Wilson, 1911)
1327	<i>Caligus longicaudus</i> Bassett-Smith, 1898

1328	<i>Caligus longipedis</i> Bassett-Smith, 1898
1329	<i>Caligus malabaricus</i> Pillai, N.K., 1961
1330	<i>Caligus nengai</i> Rangnekar, Rangnekar and Murti, 1953
1331	<i>Caligus parapetalopsis</i> Hameed and Pillai, 1973
1332	<i>Caligus pauliani</i> Nuñez-Ruivo & Fourmanoir, 1956
1333	<i>Caligus parvus</i> Bassett-Smith, 1898
1334	<i>Caligus pelagicus</i> Kurian, 1955
1335	<i>Caligus pharaonis</i> Nordmann, 1832
1336	<i>Caligus phipsoni</i> Bassett-Smith, 1898
1337	<i>Caligus planktonis</i> Pillai, 1979
1338	<i>Caligus platurus</i> Kirtisinghe, 1964
1339	<i>Caligus platytarsis</i> Bassett-Smith, 1898
1340	<i>Caligus polycanthi</i> Gnanamuthu, 1950
1341	<i>Caligus pomadasi</i> Prabha and Pillai, 1986
1342	<i>Caligus priacanthi</i> Pillai, N.K., 1961
1343	<i>Caligus quadratus</i> Shiino, 1954
1344	<i>Caligus regalis</i> Leigh-Sharpe, 1930
1345	<i>Caligus reniformis</i> Prabha and Pillai, 1983
1346	<i>Caligus robustus</i> Bassett-Smith, 1898
1347	<i>Caligus savala</i> Gnanamuthu, 1948
1348	<i>Caligus sphyraeni</i> Pillai, N.K., 1963
1349	<i>Caligus spinosus</i> Yama guti, 1939
1350	<i>Caligus stromatei</i> Krøyer, 1863
1351	<i>Caligus subparvus</i> (Hameed, 1977)
1352	<i>Caligus tenuicauda</i> (Shiino, 1964)
1353	<i>Caligus tenuis</i> (van Beneden, 1852)
1354	<i>Caligus trichiuri</i> Kroyer, 1863
1355	<i>Caligus tylosuri</i> (Rangnekar, 1956)
1356	<i>Caligus undulatus</i> Shen and Li, 1959
1357	<i>Caligus unguidentatus</i> Rangnekar and Murti, 1950
1358	<i>Caligus zylanica</i> Hameed and Sasidharan Pillai, 1987
1359	<i>Caritus serratus</i> Cressey, 1967
1360	<i>Caritus tolii</i> Rangnekar, 1984
1361	<i>Euryphorus nordmanni</i> H. Milne Edwards, 1840
1362	<i>Gloiopotes huttoni</i> (Thomson, 1890)
1363	<i>Gloiopotes watsoni</i> Kirtisinghe, 1934
1364	<i>Hermilius alatus</i> Hameed, 1987
1365	<i>Hermilius ariodi</i> Prabha and Pillai, 1986
1366	<i>Hermilius longicornis</i> Bassett-Smith, 1898
1367	<i>Hermilius pseudari</i> Hameed, 1987
1368	<i>Hermilius pyriventris</i> Heller, 1865
1369	<i>Hermilius tachysuri</i> Pillai and Natarajan, 1977
1370	<i>Kabataella indica</i> Prabha and Pillai, 1984
1371	<i>Lepeophtheirus anguilli</i> Hameed, 1976

1372	<i>Lepeophtheirus kabatai</i> Ho and Dojiri, 1977
1373	<i>Lepeophtheirus krishnai</i> Kaliyamurthy, 1990
1374	<i>Lepeophtheirus lagocephali</i> Pillai, 1963
1375	<i>Lepeophtheirus latigenitalis</i> Pillai and Natarajan, 1977
1376	<i>Lepeophtheirus longipalpus</i> Bassett-Smith, 1898
1377	<i>Lepeophtheirus shiinoi</i> Prabha and Pillai, 1986
1378	<i>Lepeophtheirus spinifer</i> Kirtisinghe, 1937
1379	<i>Mappates plataxus</i> Rangnekar, 1958
1380	<i>Paralebion aliuncus</i> (Rangnekar, 1955)
1381	<i>Parapetalus dewani</i> Pillai and Hameed, 1981
1382	<i>Parapetalus longipennatus</i> Rangnekar, 1956
1383	<i>Parapetalus occidentalis</i> Wilson, C.B. 1908
1384	<i>Parapetalus orientalis</i> Steenstrup and Lütken, 1861
1385	<i>Parechetus carangis</i> (Bassett-Smith, 1898)
1386	<i>Pseudamuretes chelatus</i> (Prabha and Pillai, 1986)
1387	<i>Pseudamuretes indicus</i> Prabha and Pillai, 1986
1388	<i>Pseudamuretes pomacanthodi</i> Prabha and Pillai, 1983
1389	<i>Pseudamuretes schmitti</i> Rangnekar, 1957
1390	<i>Pseudechetus fimbriatus</i> Prabha and Pillai, 1979
1391	<i>Pupulina brevicauda</i> M. S. Wilson, 1952
1392	<i>Pupulina minor</i> M. S. Wilson, 1952
1393	<i>Synestius caliginus</i> Steenstrup and Lütken, 1861
1394	<i>Tuxophorus caligodes</i> Wilson, C.B. 1908
1395	<i>Tuxophorus cybii</i> Nunes Ruivo and Fourmanoir, 1956
1396	<i>Tuxophorus wilsoni</i> Kirtisinghe, 1937
1397	<i>Tuxophorus zonichthi</i> Uma Devi and Shyamasundari, 1978
	Family Cancerillidae Giesbrecht, 1897
1398	<i>Ophiopsyllopsis indicus</i> Sebastian, 1968
	Family Dissonidae Kurtz, 1924
1399	<i>Dissonus kapuri</i> (Ummerkutty, 1970)
	Family Entomolepididae Braddy, 1899
1400	<i>Paralepeosyllus mannarensis</i> Ummerkutty, 1960
	Family Eudactylinidae Wilson, C.B., 1932
1401	<i>Eudactylina alata</i> Pillai, 1968
1402	<i>Eudactylina lancifera</i> Pillai, 1968
1403	<i>Eudactylina oliveri</i> Laubier, 1968
1404	<i>Eudactylina puriensis</i> Tripathi, 1962
1405	<i>Eudactylinopsis curvatus</i> Pillai, 1968
1406	<i>Nemesis sphyrnae</i> Rangnekar, 1984
	Family Hatschekiidae Kabata, 1979
1407	<i>Hatschekia argyrops</i> Uma Devi and Shyamasundari, 1980
1408	<i>Hatschekia caudata</i> Pillai, 1985

1409	<i>Hatschekia clava</i> Kabata, 1991
1410	<i>Hatschekia elliptica</i> Pillai, 1967
1411	<i>Hatschekia elongata</i> Redkar, Rangnekar and Murti, 1950
1412	<i>Hatschekia flatti</i> Uma Devi and Shyamasundari, 1980
1413	<i>Hatschekia foliolata</i> Redkar, Rangnekar and Murti, 1950
1414	<i>Hatschekia pholas</i> (Wilson, C.B. 1906)
1415	<i>Hatschekia sigani</i> Uma Devi and Shyamasundari, 1980
1416	<i>Hatschekia sphyraeni</i> Pillai, 1964
1417	<i>Pseudocongericola chefoonensis</i> Yü, 1933
	Family Kroyeriidae Kabata, 1979
1418	<i>Kroyeria echinata</i> Rangnekar, 1956
1419	<i>Kroyeria elongata</i> Pillai, 1967
1420	<i>Kroyeria longicauda</i> Cressey, 1970
1421	<i>Kroyeria minuta</i> Pillai, 1968
1422	<i>Kroyeria sphyrnae</i> Rangnekar, 1957
	Family Leraneopodidae Milne Edwards, 1840
1423	<i>Clavellisa dussumieriae</i> Gnanamuthu, 1948
1424	<i>Clavellisa emarginata</i> (Krøyer, 1837)
1425	<i>Clavellisa ilishae</i> Pillai, 1962
1426	<i>Clavellisa obcordatus</i> Rangnekar, 1957
1427	<i>Clavellisa pellone</i> Tripathi, 1962
1428	<i>Clavellisa phasa</i> Tripathi, 1962
1429	<i>Isobranchia appendiculata</i> Heegaard, 1947
1430	<i>Clavellotis bilobata</i> (Pillai, 1962)
1431	<i>Neobranchia polynemi</i> Tripathi, 1962
1432	<i>Neobranchia variabilis</i> Brian, 1924
1433	<i>Neobranchia vermiformis</i> Rangnekar, 1956
1434	<i>Parabrachiella albida</i> (Rangnekar, 1956)
1435	<i>Parabrachiella indica</i> (Tripathi, 1962)
1436	<i>Parabrachiella johnii</i> (Yamaguti, 1939)
1437	<i>Parabrachiella lutiani</i> (Pillai, 1985)
1438	<i>Parabrachiella malabarica</i> Pillai, Prabha and Balaraman, 1982
1439	<i>Parabrachiella otolithi</i> (Pillai, 1962)
1440	<i>Parabrachiella trichiuri</i> (Yamaguti, 1939)
1441	<i>Lernaeopoda upenaei</i> Pillai, 1962
1442	<i>Proclavellodes pillaii</i> Kabata, 1967
1443	<i>Pseudocharopinus dasyaticus</i> (Rangnekar, 1957)
1444	<i>Pseudocharopinus narcinae</i> (Pillai, 1962)
1445	<i>Pseudocharopinus pillaii</i> Kabata, 1979
1446	<i>Thysanote appendiculata</i> (Steenstrup and Lütken, 1861)
1447	<i>Thysanote eleutheronema</i> Rangnekar, 1961
1448	<i>Thysanote longimana</i> C. B. Wilson, 1913
1449	<i>Thysanote nudibranchiata</i> Pillai, Prabha and Balaraman, 1982

1450	<i>Thysanote polyfimbriata</i> Prabha and Pillai, 1981
1451	<i>Thysanote rastrelligeri</i> Rangnekar, 1962
	Family Lernanthropidae Kabata, 1979
1452	<i>Aethon globosus</i> (Pillai, 1968)
1453	<i>Aethon priacanthi</i> (Kirtisinghe, 1956)
1454	<i>Lernanthropinus decapteri</i> (Pillai, 1964)
1455	<i>Lernanthropinus forficatus</i> (Redkar, Rangnekar and Murti, 1949)
1456	<i>Lernanthropinus sphyraenae</i> (Yamaguti and Yamasu, 1959)
1457	<i>Lernanthropinus temminckii</i> (Nordmann, 1864)
1458	<i>Lernanthropodes chorinemi</i> Pillai, 1962
1459	<i>Lernanthropodes trachinoti</i> Pillai, 1962
1460	<i>Lernanthropsis mugilii</i> (Shishido, 1898)
1461	<i>Lernanthropus abitocephalus</i> Tripathi, 1962
1462	<i>Lernanthropus alatus</i> Pillai, 1964
1463	<i>Lernanthropus brevicephalus</i> Rangnekar, 1957
1464	<i>Lernanthropus cadenati</i> Delamare-Deboutteville and Nunes-Ruivo, 1954
1465	<i>Lernanthropus chirocentrosus</i> Tripathi, 1962
1466	<i>Lernanthropus chrysophrys</i> Shishido, 1898
1467	<i>Lernanthropus corniger</i> Yamaguti, 1954
1468	<i>Lernanthropus cruciatus</i> Pillai, 1962
1469	<i>Lernanthropus dussumieria</i> Gnanamuthu, 1949
1470	<i>Lernanthropus giganteus</i> Krøyer, 1863
1471	<i>Lernanthropus indicus</i> Pillai, 1967
1472	<i>Lernanthropus koenigii</i> Steenstrup and Lütken, 1861
1473	<i>Lernanthropus latis</i> Yamaguti, 1954
1474	<i>Lernanthropus leiognathi</i> Tripathi, 1962
1475	<i>Lernanthropus nemipteri</i> Jayasree and Pillai, 1976
1476	<i>Lernanthropus opisthopteri</i> Pillai, 1964
1477	<i>Lernanthropus otolithi</i> Pillai, 1963
1478	<i>Lernanthropus pami</i> Tripathi, 1962
1479	<i>Lernanthropus polynemi</i> Richiardi, 1881
1480	<i>Lernanthropus pomadasysis</i> Rangnekar and Murty, 1961
1481	<i>Lernanthropus robustus</i> Pillai, 1964
1482	<i>Lernanthropus sciaenae</i> Gnanamuthu, 1947
1483	<i>Lernanthropus secutoris</i> Pillai, 1963
1484	<i>Lernanthropus sillaginii</i> Pillai, 1963
1485	<i>Lernanthropus triangularis</i> Pillai, 1963
1486	<i>Lernanthropus tylosuri</i> Richiardi in Goggio, 1906
1487	<i>Mitrapus engraulis</i> (Tripathi, 1962)
1488	<i>Mitrapus heteropodus</i> (Yü, 1933)
1489	<i>Mitrapus oblongus</i> (Pillai, 1964)
1490	<i>Sagum enneacentri</i> Pillai, 1985
1491	<i>Sagum epinepheli</i> (Yamaguti and Yamasu, 1960)

1492	<i>Sagum folium</i> Ho, Liu and Lin, 2011
1493	<i>Sagum lativentris</i> (Heller, 1865)
1494	<i>Sagum vespertilio</i> Kabata, 1979
	Family Nanaspidae Humes & Cressey, 1959
1495	<i>Stephopontius typicus</i> Thompson and A. Scott, 1903
	Family Nicothoidae Dana, 1852-1853
1496	<i>Choniomyzon panuliri</i> Pillai, 1962
1497	<i>Choniosphaera indica</i> Gnanamuthu, 1954
	Family Pandaridae Milne Edwards, 1840
1498	<i>Nesippus vespa</i> Kirtisinghe, 1964
1499	<i>Pandarus niger</i> Kirtisinghe, 1950
1500	<i>Perissopus dentatus</i> Steenstrup and Lütken, 1861
1501	<i>Pseudopandarus longus</i> (Gnanamuthu, 1951)
1502	<i>Pseudopandarus pelagicus</i> Rangnekar, 1977
	Family Pennellidae Burmeister, 1835
1503	<i>Cardiodectes anchorellae</i> Brian and Gray, 1928
1504	<i>Cardiodectes krishnai</i> Sebastian, 1968
1505	<i>Cardiodectes vampire</i> Aneesh, Helna, Kumar & Venmathi Maran, 2023
1506	<i>Lernaeenicus alatus</i> Rangnekar, 1962
1507	<i>Lernaeenicus anchoviellae</i> Sebastian and George, 1964
1508	<i>Lernaeenicus bataviensis</i> Sebastian, 1967
1509	<i>Lernaeenicus hemirhamphi</i> Kirtisinghe, 1932
1510	<i>Lernaeenicus nemipteri</i> Gnanamuthu, 1953
1511	<i>Lernaeenicus polynemi</i> (Bassett-Smith, 1898)
1512	<i>Lernaeenicus ramosus</i> Kirtisinghe, 1956
1513	<i>Lernaeenicus sayori</i> Yama guti, 1939
1514	<i>Lernaeenicus seeri</i> Kirtisinghe, 1934
1515	<i>Lernaeenicus sprattae</i> (Sowerby, 1806)
1516	<i>Lernaeenicus stromatei</i> Gnanamuthu, 1953
1517	<i>Lernaeocera branchialis</i> (Linnaeus, 1767)
1518	<i>Lernaeolophus sultanus</i> (H. Milne Edwards, 1840)
	Family Pontoeciellidae Giesbrecht, 1895
1519	<i>Pontoeciella abyssicola</i> (T. Scott, 1893)
	Family Pseudocycnidae Wilson C.B., 1922
1520	<i>Cybicola armatus</i> (Bassett-Smith, 1898)
1521	<i>Pseudocycnus appendiculatus</i> Heller, 1865
	Family Rataniidae Giesbrecht, 1897
1522	<i>Ratania flava</i> Giesbrecht, 1893
	Family Stellicomitidae Humes & Cressey, 1958
1523	<i>Asterocomes indicus</i> Rao, 1962
1524	<i>Astroxyneus pambanensis</i> (Padmanabha Rao, 1964)

1525	<i>Stellicomes tumidulus</i> Humes and Cressey, 1958
	Family Trebiidae Wilson C.B., 1905
1526	<i>Trebius exilis</i> C. B. Wilson, 1906
1527	<i>Trebius javanicus</i> Hameed and Pillai, 1973
1528	<i>Trebius kirtii</i> Hameed and Pillai, 1973
1529	<i>Trebius sepheni</i> Hameed and Pillai, 1973
	Order MONSTRILLOIDA Sars G.O., 1901
	Family Monstrillidae Dana, 1849-1852
1530	<i>Caromiobenella helgolandica</i> (Claus, 1863)
1531	<i>Cymbasoma bali</i> Desai and Krishnaswamy, 1962
1532	<i>Cymbasoma danae</i> (Malaquin, 1896)
1533	<i>Cymbasoma longispinosum</i> (Bourne, 1890)
1534	<i>Cymbasoma tropicum</i> (Wolfenden, 1905)
1535	<i>Maemonstrilla longipes</i> (A. Scott, 1909)
1536	<i>Maemonstrilla turgida</i> (A. Scott, 1909)
1537	<i>Monstrilla anglica</i> Lubbock, 1857
1538	<i>Monstrilla conjunctiva</i> Giesbrecht, 1902
1539	<i>Monstrilla investigatoris</i> Sewell, 1949
1540	<i>Monstrilla lata</i> Desai and Bal, 1962
1541	<i>Monstrilla longiremis</i> Giesbrecht, 1892
	Oder MORMONILLOIDA Boxshall, 1979
	Family Mormonillidae Giesbrecht, 1893
1542	<i>Mormonilla phasma</i> Giesbrecht, 1891
1543	<i>Neomormonilla minor</i> (Giesbrecht, 1891)

References

- Boxshall GA, Defaye D, 2008. Global diversity of copepods (Crustacea: Copepoda) in freshwater. *Hydrobiologia*, **595**: 195-207.
- Boxshall GA, Defaye D, 2009. World checklist of freshwater Copepoda species. World Accessed on: 16/03/2015. Available from: <http://fada.biodiversity.be/group/show/19>
- Boxshall, G. A. and Halsey, S. H. 2004. An Introduction to copepod diversity. The Ray Society, London, 966pp.
- Steenstrup, J. J., & Lutken, C. F., 1861. Bidrag til kundskab om det aabne Havs Synltekrebs og Lernaer. Kong. Dan. Vidensk. Selke Skrifter. (5) V: 343-432.
- Ranga Reddy, Y. 2017. Crustacea: Copepoda-a Note. In: Current Status of Freshwater Faunal diversity in India (Eds. Chandra *et al.*): 243-245. (Published by the Director, Zool. Surv. India, Kolkata).
- Roy, D. M. K. 2018. Catalogue on copepod fauna of India. Part 1. Calanoida. *J. Environ. & Sociobiol.*, **15(1)**: 1-73.

- Roy, D. M. K and Venkataraman K. 2018. Catalogue on copepod fauna of India. Part 2. Cyclopoida and Harpacticoida (Arthropoda: Crustacea). *J. Environ. & Sociobiol.*, **15(2)**: 109-194, 2018
- Roy, D. M. K. 2019. A catalogue of the copepod fauna of India. part 3. Poecilostomatoida, Siphonostomatoida and Monstrilloida (Arthropoda: Crustacea). *J. Environ. & Sociobiol.*, **16(1)**: 11-92.
- Sewell, R. B. S. 1912. Notes on the surface-living copepod of the Bay of Bengal, I and II. *Rec. Indian Mus.*, **7**: 313-381.