

FAUNA OF INDIA CHECKLIST

JULY, 2024

ONLINE VERSION 1.0



ARTHROPODA: CRUSTACEA: DECAPODA: BRACHYURA (MARINE CRABS)

K. Valarmathi

FPS Building, Zoological Survey of India, Kolkata-16, valarkamacro@gmail.com; <https://orcid.org/0009-0004-6978-1252> *Corresponding author: valarkamacro@gmail.com;

DOI : [https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Malacostraca:Decapoda:Brachyura \(Marine Crabs\)](https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Malacostraca:Decapoda:Brachyura%20%28Marine%20Crabs%29)


Key words: Crustacea, Decapoda, Brachyura, Marine Crabs, India, checklist

Citation: K. Valarmathi (2024). Fauna of India Checklist: Crustacea: Decapoda: Brachyura (Marine Crabs). Version 1.0. Zoological Survey India. DOI : [https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Malacostraca:Decapoda:Brachyura \(Marine Crabs\)](https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Crustacea:Malacostraca:Decapoda:Brachyura%20%28Marine%20Crabs%29)

Comments on the checklist:

E-mail your comments
and suggestions to improve
the checklist to

zsifaunachecklists@gmail.com;
valarkamacro@gmail.com



ZOOLOGICAL SURVEY OF INDIA
Ministry of Environment, Forest & Climate Change

ARTHROPODA:CRUSTACEA: DECAPODA: BRACHYURA (MARINE CRABS)

K. Valarmathi

Zoological Survey of India, Kolkata, Valarkamacro@gmail.com

Introduction: Brachyura is an infra order of the order Decapoda, an economically important and highly diverse order of the subphylum Crustacea. It comprises the true crabs, which inhabits various ecosystems like marine, freshwater, brackishwater, mangrove and even terrestrial environment. Due to their diverse habitat preferences, ornamental look, active behaviors, economic importance, yummy taste etc., they attract even common man towards them. It is the more commonly available and extensively studied crustacean group.

The inventory of Indian Brachyuran crabs were initiated by Linnaeus (1758) through the crabs collected by the trade ships, it was followed by many renowned workers like Fabricius (1775, 1787, 1793), Herbst (1782–1804), H. Milne Edwards (1853) and Henderson (1893). Various expeditions undertaken by the Royal Indian Marine survey ship Investigator in the years 1891 to 1905, primarily in the Bay of Bengal, Andaman and Nicobar islands, Lakshadweep Islands and west coast of India and the contributions made by the reputed cardiologists like Alcock (1893, 1894, 1899a, c), Alcock and Anderson (1894a, b, 1899), WoodMason (1874, 1891, 1892), and Wood-Mason and Alcock (1891a-h) have resulted in the discovery of many new crab species. Apart from these major contributions several other researchers have enriched the knowledge of marine crabs through their significant contributions (Trivedi *et al.*, 2018b; Valarmathi, 2020). In addition to that several checklists are also published time to time (Dev Roy, 2008, 2013, 2017), recently Trivedi *et al.* (2018b) has published detailed review of Marine Brachyuran crabs with a list of species available in India and Valarmathi (2019,2020, 2021) has listed the brachyuran crabs available in the Indian Mangroves, Coasts and Deep Sea.

When compared to other groups of Crustaceans the Brachyuran crabs are well explored and even now several researchers are showing keen interest in the study of marine Brachyuran crabs which results in the addition of many new species and new records crabs every year (Padate *et al.*, 2019; Trivedi & Tan, 2019; Suvarna Devi *et al.*, 2019; Bhat & Trivedi, 2021; Padate *et al.*, 2020c; Padate *et al.*, 2020a; Pati *et al.*, 2020b; Prakash and Marimuthu, 2020; Trivedi *et al.*, 2020; Padate *et al.*, 2021; Patel *et al.*, 2021; Mitra, and Ng, 2021; Trivedi *et al.*, 2021b; Trivedi *et al.*, 2021a; Mayura Khot and Jaiswar, 2021; Pati *et al.*, 2022; Ng *et al.*, 2022; Prema *et al.*, 2022; Prema *et al.*, 2022 and Cubelio *et al.*, 2023)

The present work provides an updated checklist of Brachyuran crabs reported so far from Indian marine, estuarine and mangrove zones and the exclusive freshwater crabs are not included in this list. In this paper the author has not elaborated the details of the contribution made by numerous workers because several checklists published by the earlier workers and the recent annotated checklist on the marine brachyuran crabs of India by Trivedi *et al.*, (2018b) provide major details regarding this group.

Global diversity: Globally 7400 species of brachyuran crabs belonging to 1439 genera, 103 families and 39 superfamilies (Trivedi *et al.*, 2018) are known.

Diversity in India: Trivedi *et al.* (2018b) reported 910 species of marine brachyuran crabs placed under 361 genera and 62 families from India. Recently, Valarmathi (2020) reported 736 species brachyuran crabs belonging to 308 genera, 55 families and 29 superfamilies from Indian Coasts. The present inventory reveals the occurrence of 944 species of marine crabs belonging to 393 Genera, 65 families and 30 super families. As far as the states and Union Territories are concerned a highest species diversity is observed in Andaman & Nicobar Islands where 596 species are known so far which is followed by Tamilnadu and other states (Table.1).

Diversity in States (Coastal) (Table 1)

| Sl. No. | State/UT | No. of Species | No. of Endemic Species |
|--------------------|---------------------------------|----------------|------------------------|
| INDIA TOTAL | | | |
| 1. | Andhra Pradesh | 123 | |
| 2. | Gujarat | 152 | |
| 3. | Goa | 107 | |
| 4. | Karnataka | 89 | |
| 5. | Kerala | 194 | |
| 6. | Madhya Pradesh | 0 | |
| 7. | Maharashtra | 145 | |
| 8. | Odisha | 159 | |
| 9. | Tamil Nadu | 462 | |
| 10. | West Bengal | 163 | |
| 11. | Andaman & Nicobar | 596 | |
| 12. | Chandigarh | 0 | |
| 13. | Dadra Nagar Haveli, Daman & Diu | 3 | |
| 14. | Lakshadweep | 173 | |
| 15. | Puducherry | 56 | |

Endemism: The highest number of locally endemic species were reported from Andaman & Nicobar Islands (Trivedi *et al.*, 2018b).

Habitat: Brachyuran Crabs inhabit Marine, Estuarine, Mangrove and Freshwater ecosystems. In this chapter the Freshwater Brachyuran Crabs are not included.

Ecological Significance: They are an important component of food chain and are important predator in the shallow marine habitats. They play an important role in the aquatic ecosystem by recycling dead organic matter. In mangrove zones the Grapsid crabs helps in the maintenance of shore sediments, sesarmid crabs controls the mangrove plant population and Ocypodid crabs have an impact on the distribution and abundance of meiofauna.

Human Significance: Many species of crabs are consumed by human beings. Like prawns they also play an important role in Crustacean fisheries. Like ornamental fishes the colourful crabs are also used in the marine aquarium. In addition many tribal communities believe that consumption of certain crabs species relieves them from various ailments.

Threatened species: None of the Indian Marine Brachyuran Crabs are listed in the IUCN threat categories. Only freshwater crabs are assessed for IUCN status.

Protected Species as per WPA (2022): Indian Marine Brachyuran crabs are not listed under any schedules of Wildlife Protection Act (2022).

Species under CITES: Indian Marine Brachyuran crabs are not listed under any appendices of CITES.

Invasive alien species: Three species of marine crabs namely *Charybdis (Charybdis) feriata* (Linnaeus, 1758), *Charybdis (Charybdis) hellerii* (A. Milne Edwards, 1861) and *Scylla serrata* (Forskal, 1775) are considered as alien species (Devroy and Nandi, 2017).

Gap areas: When compared to other crustaceans the marine brachyuran crabs are well explored and tildate several researchers are involved in the study of these organisms. At present nearly 1/4th of the known crustaceans of India are Brachyuran crabs.

Systematic list

Phylum : Arthropoda

Subphylum: Crustacea

Superclass : Multicrustacea

Class: Malacostraca

Subclass : Eumalacostraca

Superorder : Eucarida

Order : Decapoda

Suborder-Pleocyemata

Infraorder : Brachyura

Section : Eubrachyura

Subsection – Heterotremata

Superfamily Aethroidea Dana, 1851;

Family : Aethridae Dana, 1851

Genus : *Actaeomorpha* Miers, 1877

1. *Actaeomorpha erosa* Miers, 1877

Genus *Aethra* Latreille in Cuvier, 1816

2. *Aethra scruposa* (Linnaeus, 1764)

Genus *Drachiella* Guinot in Serène & Soh, 1976

3. *Drachiella lapillula* (Alcock, 1896)

4. *Drachiella morum* (Alcock, 1896)

Superfamily Calappoidea De Haan, 1833;

Family : Calappidae De Haan, 1833

Genus *Calappa* Weber, 1795

5. *Calappa bicornis* Miers, 1884
6. *Calappa bilineata* Ng, Lai & Aungtonya, 2002
7. *Calappa calappa* (Linnaeus, 1758)
8. *Calappa capellonis* Laurie, 1906
9. *Calappa clypeata* Borradaile, 1903
10. *Calappa exanthemata* Alcock & Anderson, 1894
11. *Calappa gallus* (Herbst, 1803)
12. *Calappa guerini* Brito-Capello, 1871
13. *Calappa hepatica* (Linnaeus, 1758)
14. *Calappa pustulosa* Alcock,
15. *Calappa tuberculata* (Fabricius, 1793)

Genus *Cycloes* De Haan, 1837

16. *Cycloes marisrubri* Galil & Clark, 1996

Genus *Mursia* Desmarest, 1823

17. *Mursia bicristimana* Alcock & Anderson, 1895
18. *Mursia curtispina* Miers, 1886
19. *Mursia spiridonovi* Karasawa, 2018

Matutidae De Haan, 1835

Genus *Ashtoret* Galil & Clark, 1994

20. *Ashtoret lunaris* (Forskål, 1775)
21. *Ashtoret miersii* (Henderson, 1887)

Genus *Matuta* Weber, 1795

22. *Matuta planipes* Fabricius, 1798 2015)
23. *Matuta vactor* (Fabricius, 1781)

Superfamily Carpilioidea Ortmann, 1893;

Carpiliidae Ortmann, 1893

Genus *Carpilius* Desmarest, 1823

24. *Carpilius convexus* (Forskål, 1775)
25. *Carpilius maculatus* (Linnaeus, 1758)

Superfamily Corystoidea Samouelle, 1819;

Family Corystidae Samouelle, 1819

Genus *Jonas* Hombron & Jacquinot, 1846

26. *Jonas indicus* (Chopra, 1935)
27. *Jonas kalpakkamensis* Barathkumar, Das & Satpathy, 2016

Superfamily Dairoidea Serène, 1965;

Family : Dacryopilumnidae Serène, 1984

Genus *Dacryopilumnus* Nobili, 1906

28. *Dacryopilumnus rathbunae* Balss, 1932

Family : Dairidae Ng & Rodríguez, 1986

Genus *Daira* De Haan, 1833

29. *Daira perlata* (Herbst, 1790)

Superfamily Dorippoidea MacLeay, 1838;

Family : Dorippidae MacLeay, 1838

Genus *Dorippe* Weber, 1795

30. *Dorippe frascone* (Herbst, 1785)
31. *Dorippe quadridens* (Fabricius, 1781)

Genus *Dorippoides* Serène & Romimohtarto, 1969

32. *Dorippoides facchino* (Herbst, 1785)
33. *Dorippoides nudipes* Manning & Holthuis, 1986

Genus *Neodorippe* Serène & Romimohtarto, 1969

34. *Neodorippe callida* (Fabricius, 1798)

Genus *Paradorippe* Serène & Romimohtarto, 1969

35. *Paradorippe polita* (Alcock & Anderson, 1894)

Family : Ethusidae Guinot, 1977

Genus *Ethusa* P. Roux, 1830 [in P. Roux, 1828-1830]

36. *Ethusa andamanica* Alcock, 1894
37. *Ethusa indica* Alcock, 1894
38. *Ethusa pygmaea* Alcock, 1894
39. *Ethusa sexdentata* (Stimpson, 1858)

Genus *Ethusina* Smith, 1884

40. *Ethusina desciscens* Alcock, 1896
41. *Ethusina gracilipes* (Miers, 1886)

42. *Ethusina robusta* (Miers, 1886)

Superfamily Eriphioidea MacLeay, 1838;

Dairoididae Števčić, 2005

Genus Dairoides Stebbing, 1920

43. *Dairoides seafdeci* Takeda & Ananpongsuk, 1991

Family: Eriphiidae MacLeay, 1838

Genus *Eriphia* Latreille, 1817

44. *Eriphia scabricula* Dana, 1852

45. *Eriphia sebana* Shaw & Nodder, 1803

46. *Eriphia smithii* MacLeay, 1838

Family : Menippidae Ortmann, 1893

Genus *Menippe* De Haan, 1833

47. *Menippe rumphii* (Fabricius, 1798)

Genus *Myomenippe* Hilgendorf, 1879

48. *Myomenippe hardwickii* (Gray, 1831)

Genus *Sphaerozius* Stimpson, 1858

49. *Sphaerozius nitidus* Stimpson, 1858

50. *Sphaerozius scaber* (Fabricius, 1798)

Family : Oziidae Dana, 1851

Genus *Baptozius* Alcock, 1898

51. *Baptozius vinosus* (H. Milne Edwards, 1834)

Genus *Epixanthus* Heller, 1861

52. *Epixanthus dentatus* (White, 1848)

53. *Epixanthus frontalis* (H. Milne Edwards, 1834)

Genus *Eupilumnus* Kossmann, 1877

54. *Eupilumnus actumnonoides* (A. Milne-Edwards, 1873)

55. *Eupilumnus globosus* (Dana, 1852)

Genus *Lydia* Gistel, 1848

56. *Lydia annulipes* (H. Milne Edwards, 1834)

Genus *Ozius* H. Milne Edwards, 1834

57. *Ozius guttatus* H. Milne Edwards, 1834

58. *Ozius rugulosus* Stimpson, 1858

59. *Ozius tuberculosus* H. Milne Edwards, 1834

Superfamily Goneplacoidea MacLeay, 1838;

Family: Chasmocarcinidae Serène, 1964

Subfamily Chasmocarcininae Serène, 1964

Genus *Camatopsis* Alcock & Anderson, 1899

60. *Camatopsis rubida* Alcock & Anderson, 1899

Genus *Chasmocarcinops* Alcock, 1900

61. *Chasmocarcinops gelasimoides* Alcock, 1900

Genus *Hephthopelta* Alcock, 1899

62. *Hephthopelta lugubris* Alcock, 1899

Family: Euryplacidae Stimpson, 1871

Genus *Eucrate* De Haan, 1835

63. *Eucrate crenata* (De Haan, 1835)

64. *Eucrate indica* Castro & Ng,

65. *Eucrate sexdentata* Haswell, 1881

Genus *Henicoplax* Castro & Ng, 2010

66. *Henicopla maldivensis* (Rathbun, 1902)
 67. *Henicopla nitida* (Miers, 1879)

Genus *Nectopanope* Wood-Mason in Wood-Mason & Alcock, 1891

68. *Nectopanope rhodobaphes* Wood-Mason, in Wood-Mason & Alcock, 1891

Genus *Platyozius* Borradaile, 1902

69. *Platyozius laevis* (Borradaile, 1902) - India

Genus *Trissoplax* Castro & Ng, 2010

70. *Trissoplax dentata* (Stimpson, 1858)

Family : Gonoplacidae MacLeay, 1838

Subfamily Gonoplacinae MacLeay, 1838

Genus *Carcinoplax* H. Milne Edwards, 1852

71. *Carcinoplax fasciata* Ng & Kumar, 2016

72. *Carcinoplax indica* Doflein, 1904

73. *Carcinoplax longimanus* (De Haan, 1833)

74. *Carcinoplax longipes* (Wood-Mason, in Wood-Mason & Alcock, 1891)

75. *Carcinoplax mistio* Ng and Mitra, 2019

76. *Carcinoplax specularis* Rathbun, 1914

Subfamily Bathypalacinae Števčić, 2005

Genus *Exopheticus* Castro, 2007

77. *Exopheticus insignis* (Alcock, 1900)

Subfamily Neommatocarcininae Števčić, 2011

Genus *Notonyx* A. Milne-Edwards, 1873

78. *Notonyx vitreus* Alcock, 1900

Subfamily Paragoneplacinae Števčić, 2011

Genus *Psopheticus* Wood-Mason, 1892

79. *Psopheticus stridulans* Wood-Mason, 1892

Family : Mathildellidae Karasawa & Kato, 2003

Genus *Intesius* Guinot & Richer de Forges, 1981

80. *Intesius brevipes* Padate, Cubelio & Takeda, 2021

Genus *Mathildella* Guinot & Richer de Forges, 1981

81. *Mathildella sinclairi* (Alcock & Anderson, 1899)

Genus *Platypilumnus* Alcock, 1894

82. *Platypilumnus gracilipes* Alcock, 1894

Family : Scalopidiidae Števčić, 2005

Genus *Scalopidia* Stimpson, 1858

83. *Scalopidia indica* Ng & Castro, 2013

Superfamily Hexapodoidea Miers, 1886;

Family : Hexapodidae Miers, 1886

Genus *Hexapus* De Haan, 1835

84. *Hexapus bidentatus* Velip & Rivenker, 2014

85. *Hexapus sexpes* (Fabricius, 1798)

Genus *Lambdophallus* Alcock, 1900

86. *Lambdophallus sexpes* Alcock 1900

Superfamily Hymenosomatoidae MacLeay, 1838;

Famiy : Hymenosomatidae MacLeay, 1838

Subfamily Hymenosomatinae MacLeay, 1838

Genus *Elamena* H. Milne Edwards, 1837

87. *Elamena cimex* Kemp, 1915

88. *Elamena cristatipes* Gravely, 1927
89. *Elamena gracilis* Borradaile, 1903
90. *Elamena sindensis* Alcock, 1900
91. *Elamena truncata* (Stimpson, 1858)
92. *Elamena xavieri* Kemp, 1917

Genus *Hymenicooides* Kemp, 1917

93. *Hymenicooides carteri* Kemp, 1917

Genus *Neorhynchoplax* Sakai, 1938

94. *Neorhynchoplax alcocki* (Kemp, 1917)
95. *Neorhynchoplax attenuipes* (Chopra & Das, 1930)
96. *Neorhynchoplax demeloi* (Kemp, 1917)
97. *Neorhynchoplax devroyi* Mitra & Ng, 2021
98. *Neorhynchoplax inachoides* (Alcock, 1900)
99. *Neorhynchoplax nasalis* (Kemp, 1917)
100. *Neorhynchoplax octagonalis* (Kemp, 1917)
101. *Neorhynchoplax tuberculata* (Chopra & Das, 1930)
102. *Neorhynchoplax woodmasoni* (Alcock, 1900)

Genus *Rhynchoplax* Stimpson, 1858

103. *Rhynchoplax messor* Stimpson, 1858

Genus *Trigonoplax* H. Milne Edwards, 1853

104. *Trigonoplax unguiformis* (De Haan, 1839)

Superfamily Leucosioidea Samouelle, 1819;

Family : Iphiculidae Alcock, 1896

Genus *Iphiculus* Adams & White, 1849

105. *Iphiculus spongiosus* Adams & White, 1849

Genus *Pariphiculus* Alcock, 1896

106. *Pariphiculus coronatus* (Alcock & Anderson, 1894)
107. *Pariphiculus mariannae* (Herklotz, 1852)

Family Leucosiidae Samouelle, 1819;

Subfamily Cryptocneminae Stimpson, 1907

Genus *Leucisca* MacLeay, 1838

108. *Leucisca rubifera* (Müller, 1887)
109. *Leucisca squalina* MacLeay, 1838

Genus *Onychomorpha* Stimpson, 1858

110. *Onychomorpha lamelligera* Stimpson, 1858

Subfamily Ebaliinae Stimpson, 1871

Genus *Alcolyra* Trivedi, Mitra & Ng, 2022

111. *Alcolyra alcocki* (Kemp, 1915)

Genus *Alox* C. G. S. Tan & Ng, 1995

112. *Alox latusoides* (Sakai, 1937)
113. *Alox ornatum* (Ihle, 1918)
114. *Alox patella* (Alcock 1896)
115. *Alox rugosum* (Stimpson, 1858)

Genus *Arcania* Leach, 1817

116. *Arcania brevifrons* Chen, 1989
117. *Arcania erinacea* (Fabricius, 1787)
118. *Arcania gracilis* Henderson, 1893
119. *Arcania heptacantha* (De Haan, 1861)

- 120. *Arcania novemspinosa* (Lichtenstein, 1816)
- 121. *Arcania septemspinosa* (Fabricius, 1787)
- 122. *Arcania tuberculata* Bell, 1855
- 123. *Arcania undecimspinosa* De Haan, 1841

Genus *Bellayra* Trivedi, Naderloo, Viswanathan & Mitra, 2022

- 124. *Bellayra sexangula* Alcock, 1896

Genus *Dolos* C. G. S. Tan & Richer de Forges, 1993

- 125. *Dolos petraeus* (A. Milne-Edwards, 1874)

Genus *Ebalia* Leach, 1817

- 126. *Ebalia diadumena* Alcock, 1896
- 127. *Ebalia glans* (Alcock, 1896)
- 128. *Ebalia woodmasoni* Alcock 1896

Genus *Ebaliopsis* Ihle, 1918

- 129. *Ebaliopsis erosa* (A. Milne-Edwards, 1873)

Genus *Heterolithadia* Alcock, 1896

- 130. *Heterolithadia fallax* (Henderson, 1893)

Genus *Hiplyra* Galil, 2009

- 131. *Hiplyra platycheir* (De Haan, 1841)
- 132. *Hiplyra sagitta* Galil, 2009

Genus *Ihleus* Ovaere, 1989

- 133. *Ihleus lanatus* (Alcock, 1896)

Genus *Ixa* Leach, 1816

- 134. *Ixa cylindrus* (Fabricius, 1777)
- 135. *Ixa edwardsii* Lucas, 1858
- 136. *Ixa inermis* Leach, 1817

Genus *Ixoides* MacGilchrist, 1905

- 137. *Ixoides cornutus* MacGilchrist, 1905

Genus *Lyphira* Galil, 2009

- 138. *Lyphira georgei* Trivedi, Soni & Vachhrajani, 2016
- 139. *Lyphira heterograna* (Ortmann, 1892)
- 140. *Lyphira perplexa* Galil, 2009

Genus *Myra* Leach, 1817

- 141. *Myra affinis* Bell, 1855
- 142. *Myra australis* Haswell, 1880
- 143. *Myra brevimana* Alcock, 1896
- 144. *Myra elegans* Bell, 1855
- 145. *Myra eudactylus* (Bell, 1855)
- 146. *Myra fugax* (Fabricius 1798)
- 147. *Myra pernix* Galil, 2001

Genus *Myrine* Galil, 2001

- 148. *Myrine kessleri* (Paul'son, 1875)

Genus *Nucia* Dana, 1852

- 149. *Nucia speciosa* Dana, 1852

Genus *Nursia* Leach, 1817

- 150. *Nursia lar* (Fabricius, 1793)
- 151. *Nursia nasuta* Alcock, 1896
- 152. *Nursia plicata* (Herbst, 1803)

Genus *Nursilia* Bell, 1855

153. *Nursilia dentata* Bell, 1855

154. *Nursilia tonsor* Alcock, 1896

Genus *Oreophorus* Rüppell, 1830

155. *Oreophorus alcicornis* Alcock, 1896

156. *Oreophorus reticulatus* Adams & White, 1849

Genus *Oreotlos* Ihle, 1918

157. *Oreotlos latus* (Borradaile, 1903)

Genus *Paranursia* Serène & Soh, 1976

158. *Paranursia abbreviata* (Bell, 1855)

Genus *Parilia* Wood-Mason in Wood-Mason & Alcock, 1891

159. *Parilia alcocki* Wood-Mason, in Wood-Mason & Alcock, 1891

160. *Parilia pattersoni* Ng, Devi & Kumar, 2018.

Genus *Philyra* Leach, 1817

161. *Philyra adamsii* Bell, 1855

162. *Philyra corallicola* Alcock, 1896

163. *Philyra globus* (Fabricius, 1775)

164. *Philyra malefactrix* (Kemp, 1915)

165. *Philyra scabriuscula* (Fabricius, 1798)

166. *Philyra syndactyla* Ortmann, 1892

Genus *Pseudophilyra* Miers, 1879

167. *Pseudophilyra melita* De Man, 1888

168. *Pseudophilyra pusilla* Henderson, 1893

169. *Pseudophilyra tridentata* Miers, 1879

170. *Pseudophilyra woodmasoni* Alcock, 1896

Genus *Raylilia* Galil, 2001

171. *Raylilia gracilipes* (Bell, 1855)

Genus *Ryphila* Galil, 2009

172. *Ryphila cancellus* (Herbst, 1783)

173. *Ryphila verrucosa* (Henderson, 1893)

Genus *Tanaoa* Galil, 2003

174. *Tanaoa granulosa* (Alcock & Anderson, 1894)

175. *Tanaoa pustulosus* (Wood-Mason, in Wood-Mason & Alcock, 1891)

Genus *Tirmilyra* Patel, Naderloo, Trivedi & Mitra, 2023

176. *Tirmilyra sagittifera* (Alcock, 1896)

Genus *Tokoyo* Galil, 2003

177. *Tokoyo eburnea* (Alcock, 1896)

Genus *Urashima* Galil, 2003

178. *Urashima lamellidentatus* (Wood-Mason, 1892)

Subfamily Leucosiinae Samouelle, 1819

Genus *Coleusia* Galil, 2006

179. *Coleusia biannulata* (Tyndale-Biscoe & George, 1962)

180. *Coleusia huiliiana* Promdam, Nabhitabhata & Galil, 2014

181. *Coleusia urania* (Herbst, 1801)

Genus *Euclosiana* Galil & Ng, 2010

182. *Euclosiana crosnieri* (Chen, 1989)

183. *Euclosiana nitida* (Galil, 2003)

184. *Euclosiana obtusifrons* (De Haan, 1841)

185. *Euclosiana rotundifrons* (Chopra, 1934)

186.*Euclosiana unidentata* (De Haan, 1841)

Genus *Leucosia* Weber, 1795

187.*Leucosia anatum* (Herbst, 1783)

188.*Leucosia corallicola* Alcock, 1896

189.*Leucosia craniolaris* (Linnaeus, 1758)

190.*Leucosia haswelli* Miers, 1886

191.*Leucosia phyllocheira* White, 1847

192.*Leucosia sima* Alcock, 1896

193.*Leucosia whitmeei* Miers, 1875

Genus *Seulocia* Galil, 2005

194.*Seulocia cristata* Galil, 2005

195.*Seulocia pubescens* (Miers, 1877)

196.*Seulocia pulchra* (Shen & Chen, 1978)

197.*Seulocia rhomboidalis* (De Haan, 1841)

198.*Seulocia truncata* (Alcock, 1896)

199.*Seulocia vittata* (Stimpson, 1858)

Genus *Soceulia* Galil, 2006

200.*Soceulia marmorea* (Bell, 1855)

Genus *Urnalana* Galil, 2005

201.*Urnalana cumingii* (Bell, 1855)

202.*Urnalana haematosticta* (Adams & White, 1849)

203.*Urnalana margaritata* (A. Milne-Edwards, 1873)

204.*Urnalana whitei* (Bell, 1855)

Superfamily Majoidea Samouelle, 1819;

Family Epialtidae MacLeay, 1838

Genus *Crocydocinus* Lee, Richer de Forges & Ng, 2019

205.*Crocydocinus saravananei* Padate, Lee & Cubelio, 2020

206.*Crocydocinus beauchampi* (Alcock & Anderson, 1894)

207.*Crocydocinus brevirostris* (Doflein, 1904)

Subfamily Epialtinae MacLeay, 1838

Genus *Acanthonyx* Latreille, 1828

208.*Acanthonyx consobrinus* A. Milne-Edwards, 1862

209.*Acanthonyx euryseroche* Griffin & Tranter, 1986

210.*Acanthonyx inglei* Tirmizi & Kazmi, 1988

211.*Acanthonyx limbatus* A. Milne-Edwards, 1862

212.*Acanthonyx scutellatus* MacLeay, 1838

Genus *Alfredalcockia* Štević, 2011

213.*Alfredalcockia malabarica* (Alcock, 1895)

Genus *Huenia* De Haan, 1837

214.*Huenia brevifrons* Ward, 1941

215.*Huenia heraldica* (De Haan, 1837)

Genus *Simocarcinus* Miers, 1879

216.*Simocarcinus camelus* Klunzinger, 1906

217.*Simocarcinus pyramidatus* (Heller, 1861)

218.*Simocarcinus simplex* (Dana, 1852)

Genus *Xenocarcinus* White, 1847

219.*Xenocarcinus conicus* (A. Milne-Edwards, 1865)

220.*Xenocarcinus depressus* Miers, 1874

221.*Xenocarcinus tuberculatus* White, 1847

Subfamily Pisinae Dana, 1851

Genus *Austrolibinia* Griffin, 1966

222.*Austrolibinia andamanica* (Alcock, 1895)

Genus *Cyphocarcinus* A. Milne-Edwards, 1868

223.*Cyphocarcinus alcocki* Griffin & Tranter, 1986

Genus *Doclea* Leach, 1815

224.*Doclea alcocki* Laurie, 1906

225.*Doclea armata* De Haan, 1839

226.*Doclea muricata* (Fabricius, 1788)

227.*Doclea ovis* (Fabricius, 1787)

228.*Doclea rissoni* Leach, 1815

Genus *Giranauria* Griffin & Tranter, 1986

229.*Giranauria gracilirostris* (Miers, 1879)

Genus *Hoplophrys* Henderson, 1893

230.*Hoplophrys oatesi* Henderson, 1893

Genus *Hyastenus* White, 1847

231.*Hyastenus aries* (Latreille, 1825)

232.*Hyastenus convexus* Miers, 1884

233.*Hyastenus cracentis* Griffin & Tranter, 1986

234.*Hyastenus diacanthus* (De Haan, 1839)

235.*Hyastenus elongatus* Ortmann, 1893

236.*Hyastenus hilgendorfi* De Man, 1887

237.*Hyastenus planasius* (Adams & White, 1848)

238.*Hyastenus pleione* (Herbst, 1803)

239.*Hyastenus spinosus* A. Milne-Edwards, 1872

240.*Hyastenus whitei* Griffin, 1976

Genus *Lahaina* Dana, 1851

241.*Lahaina ovata* Dana, 1851

Subfamily Epialtinae MacLeay, 1838

Genus *Menaethius* A. Milne-Edwards, 1834

242.*Menaethius monoceros* (Latreille, 1825)

Subfamily Pisinae Dana, 1851

Genus *Laubierinia* Richer de Forges & Ng, 2009

243.*Laubierinia globulifera* (Wood-Mason in Wood-Mason & Alcock, 1891)

Genus *Naxioides* A. Milne-Edwards, 1865

244.*Naxioides hirtus* A. Milne-Edwards, 1865

245.*Naxioides investigatoris* (Alcock, 1895)

246.*Naxioides robilliardi* (Miers, 1882)

247.*Naxioides tenuirostris* (Haswell, 1880)

248.*Naxioides taurus* (Pocock, 1890)

Genus *Oxypleurodon* Miers, 1885

249.*Oxypleurodon aurorae* (Alcock, 1899)

250.*Oxypleurodon cuneus* Wood-Mason, in Wood-Mason & Alcock, 1891

Genus *Phalangipus* Latreille, 1828

251.*Phalangipus filiformis* Rathbun, 1916

252.*Phalangipus hystrix* (Miers, 1886)

253.*Phalangipus indicus* (Leach, 1815)

254. *Phalangipus longipes* (Linnaeus, 1758))

Genus *Samadinia* Ng & Richer de Forges, 2013

255. *Samadinia pulchra* (Miers in Tizard, Moseley, Buchanan & Murray, 1885);

256. *Samadinia riversandersoni* (Alcock, 1895)

Genus *Thusaenys* Griffin & Tranter, 1986

257. *Thusaenys calvarius* (Alcock, 1895)

Genus *Tiarinia* Dana, 1851

258. *Tiarinia angusta* Dana, 1851

259. *Tiarinia cornigera* (Latreille, 1825)

260. *Tiarinia verrucosa* Heller, 1865

Genus *Tunepugettia* Ng, Komai & Sato, 2017

261. *Tunepugettia corbariae* B.Y. Lee, Richer de Forges & P.K.L. Ng, 2019

Genus *Tylocarcinus* Miers, 1879

262. *Tylocarcinus styx* (Herbst, 1803)

Subfamily *Tychinae* Dana, 1851

Genus *Criocarcinus* H. Milne Edwards, 1834

263. *Criocarcinus superciliosus* (Linnaeus, 1767)

Genus *Stilbognathus* von Martens, 1866

264. *Stilbognathus cervicornis* (Herbst, 1803)

Family: *Inachidae* MacLeay, 1838

Genus *Camposcia* Latreille, 1829

265. *Camposcia retusa* (Latreille, 1829)

Genus *Chorinachus* Griffin & Tranter, 1986

266. *Chorinachus dolichorhynchus* (Alcock & Anderson, 1894)

Subfamily *Inachinae* MacLeay, 1838

Genus *Achaeus* Leach, 1817

267. *Achaeus brevirostris* (Haswell, 1879)

268. *Achaeus cadelli* Alcock, 1896

269. *Achaeus curvirostris* (A. Milne-Edwards, 1873)

270. *Achaeus lacertosus* Stimpson, 1858

271. *Achaeus laeviocularis* Miers, 1884

Genus *Encephalooides* Wood-Mason in Wood-Mason & Alcock, 1891

272. *Encephalooides armstrongi* Wood-Mason, in Wood-Mason & Alcock, 1891

273. *Encephalooides riversandersoni* Alcock, 1899

Genus *Litosus* Loh & Ng, 1999

274. *Litosus sexspiniferus* (Miers, 1884)

Genus *Macropodia* Leach, 1814

275. *Macropodia falcifera* (Stimpson, 1858)

Genus *Oncinopus* De Haan, 1839

276. *Oncinopus araneus* (De Haan, 1839)

Genus *Paratymolus* Miers, 1879

277. *Paratymolus hastatus* Alcock, 1895

278. *Paratymolus pubescens* Miers, 1879

Genus *Physachaeus* Alcock, 1895

279. *Physachaeus ctenurus* Alcock, 1895

280. *Physachaeus tonsor* Alcock, 1895

Subfamily *Podochelinae* Neumann, 1878

Genus *Sunipea* Griffin & Tranter, 1986

281. *Sunipea indicus* (Alcock, 1895)

Famiy : Majidae Samouelle, 1819

Subfamily Majinae Samouelle, 1819

Genus *Cyclax* Dana, 1851

282. *Cyclax spinicinctus* Heller, 1861

283. *Cyclax suborbicularis* (Stimpson, 1858)

Genus *Entomonyx* Miers, 1884

284. *Entomonyx spinosus* Miers, 1884

Genus *Kasagia* Richer de Forges & Ng, 2007

285. *Kasagia sudhakari* Padate, Manjebrayakath and Ng, 2019

Genus *Micippa* Leach, 1817

286. *Micippa margaritifera* Henderson, 1893

287. *Micippa parca* Alcock, 1895

288. *Micippa philyra* (Herbst, 1803)

289. *Micippa platipes* Rüppell,

290. *Micippa thalia* (Herbst, 1803)

Genus *Naxia* Latreille, 1825

291. *Naxia aries* (Guérin, 1832)

Genus *Paramaja* Kubo, 1936

292. *Paramaja gibba* (Alcock, 1899)

Genus *Paramaya* De Haan, 1837

293. *Paramaya mulli* Ng, Prema & Ravichandran, 2018

Genus *Prismatopus* Ward, 1933

294. *Prismatopus aculeatus* (H. Milne Edwards, 1834)

295. *Prismatopus longispinus* (De Haan, 1839)

Genus *Pseudomicippe* Heller, 1861

296. *Pseudomicippe temipes* A. Milne-Edwards, 1865

Genus *Schizophrys* White, 1848

297. *Schizophrys aspera* (H. Milne Edwards, 1831)

298. *Schizophrys dama* (Herbst, 1804)

Family : Oregoniidae Garth, 1958

Subfamily Pleistacanthinae Števčić, 2005

Genus *Cyrtomaia* Miers, 1886

299. *Cyrtomaia goodridgei* McArdle, 1900

300. *Cyrtomaia suhmii* Miers, 1885

Genus *Grypachaeus* Alcock, 1895

301. *Grypachaeus hyalinus* Alcock & Anderson, 1894

Genus *Platymaia* Miers, 1885

302. *Platymaia alcocki* Rathbun, 1918

303. *Platymaia wyvillethomsoni* Miers, 1885

Genus *Pleistacantha* Miers, 1879

304. *Pleistacantha kannu* Ng, Ravinesh & Ravichandran, 2017

305. *Pleistacantha moseleyi* (Miers, 1885)

306. *Pleistacantha oryx* Ortmann, 1893

307. *Pleistacantha pungens* (Wood-Mason, in Wood-Mason & Alcock, 1891)

308. *Pleistacantha rubida* (Alcock, 1895)

Superfamily Palicoidea Bouvier, 1898:

Family: Palicidae Bouvier, 1898

Genus *Neopalicus* Moosa & Serène, 1981309.*Neopalicus jukesii* (White, 1847)**Genus *Palicoides* Moosa & Serène, 1981**310.*Palicoides whitei* (Miers, 1884)**Genus *Pseudopalicus* Moosa & Serène, 1981**311.*Pseudopalicus investigatoris* (Alcock, 1900)312.*Pseudopalicus serripes* (Alcock & Anderson, 1895)**Genus *Rectopalicus* Castro, 2000**313.*Rectopalicus woodmasoni* (Alcock, 1900)**Superfamily Parthenopoidea MacLeay, 1838;****Family: Parthenopidae MacLeay, 1838****Subfamily Daldorfiinae Ng & Rodriguez, 1986****Genus *Daldorfia* Rathbun, 1904**314.*Daldorfia horrida* (Linnaeus, 1758)315.*Daldorfia investigatoris* (Alcock, 1895)316.*Daldorfia spinosissima* (A. Milne-Edwards, 1862)**Genus *Thyrolambrus* Rathbun, 1894**317.*Thyrolambrus efflorescens* (Alcock, 1895)**Subfamily Parthenopinae MacLeay, 1838****Genus *Aulacolambrus* Paulson, 1875**318.*Aulacolambrus curvispinus* (Miers, 1879)319.*Aulacolambrus diacanthus* (De Haan, 1837)320.*Aulacolambrus hoplonotus* (Adams & White, 1849)**Genus *Cryptopodia* H. Milne Edwards, 1834**321.*Cryptopodia angulata* H. Milne Edwards & Lucas, 1841322.*Cryptopodia collaris* Flipse, 1930323.*Cryptopodia echinosa* Chiong & Ng, 1998324.*Cryptopodia fornicata* (Fabricius 1787)325.*Cryptopodia patula* Chiong & Ng, 1998326.*Cryptopodia spatulifrons* Miers, 1879**Genus *Enoplolambrus* A. Milne-Edwards, 1878**327.*Enoplolambrus crenatus* (H. Milne Edwards, 1834)328.*Enoplolambrus echinatus* (Herbst, 1790)329.*Enoplolambrus pransor* (Herbst, 1796)**Genus *Lambrachaeus* Alcock, 1895**330.*Lambrachaeus ramifer* Alcock, 1895**Genus *Parthenope* Weber, 1795**331.*Parthenope longimanus* (Linnaeus, 1758)**Genus *Pseudolambrus* Paulson, 1875**332.*Pseudolambrus beaumonti* (Alcock, 1895)333.*Pseudolambrus calappoides* (Linnaeus, 1764)334.*Pseudolambrus harpax* (Adams & White, 1848)335.*Pseudolambrus tarpeius* (Adams & White, 1849)**Genus *Rhinolambrus* A. Milne-Edwards, 1878**336.*Rhinolambrus contrarius* (Herbst, 1804)337.*Rhinolambrus cybelis* (Alcock, 1895)338.*Rhinolambrus lamelliger* (White, 1847)339.*Rhinolambrus lippus* (Lanchester, 1901)

- 340.*Rhinolambrus longispinus* (Miers, 1879)
 341.*Rhinolambrus pelagicus* (Rüppell, 1830)
 342.*Rhinolambrus turriger* (White, 1847)

Superfamily Pilumnoidea Samouelle, 1819;

Family Galenidae Alcock, 1898

Subfamily Galeninae Alcock, 1898

Genus *Galene* De Haan, 1833

- 343.*Galene bispinosa* (Herbst, 1783)

Subfamily Halimedinae Alcock, 1898

Genus *Halimede* De Haan, 1835

- 344.*Halimede fragifer* (De Haan, 1835)

- 345.*Halimede ochtodes* (Herbst, 1783)

- 346.*Halimede tyche* (Herbst, 1801)

Subfamily Parapanopinae Stevcic, 2005

Genus *Dentoxanthus* Stephensen, 1946

- 347.*Dentoxanthus cultripes* (Alcock, 1898)

Genus *Parapanope* de Man, 1895

- 348.*Parapanope euagora* De Man, 1895

- 349.*Parapanope serenei* Guinot & Ng in Guinot, 1985

Family: Pilumnidae Samouelle, 1819

Subfamily Calmaniinae Stevcic, 1991

Genus *Calmania* Laurie, 1906

- 350.*Calmania prima* Laurie, 1906

Subfamily Eumedoninae Dana, 1852

Genus *Ceratocarcinus* White, 1847

- 351.*Ceratocarcinus longimanus* White, 1847

Genus *Echinoecus* Rathbun, 1894

- 352.*Echinoecus pentagonus* (A. Milne-Edwards, 1879)

Genus *Eumedonus* H. Milne Edwards, 1834

- 353.*Eumedonus zebra* Alcock, 1895

Genus *Harrovia* Adams & White, 1849

- 354.*Harrovia albolineata* Adams & White, 1849

- 355.*Harrovia elegans* De Man, 1887

Genus *Permanotus* D.G.B. Chia & P.K.L. Ng, 1998

- 356.*Permanotus purpureus* (Gordon, 1934)

Genus *Rhabdonotus* A. Milne-Edwards, 1879

- 357.*Rhabdonotus pictus* A. Milne-Edwards, 1879

Genus *Zebrida* White, 1847

- 358.*Zebrida adamsii* White, 1847

Subfamily Pilumninae Samouelle, 1819

Genus *Actumnus* Dana, 1851

- 359.*Actumnus asper* (Rüppell, 1830)

- 360.*Actumnus calypso* (Herbst, 1801)

- 361.*Actumnus dorsipes* (Stimpson, 1858)

- 362.*Actumnus fissifrons* Alcock, 1898

- 363.*Actumnus obesus* Dana, 1852

- 364.*Actumnus setifer* (De Haan, 1835)

- 365.*Actumnus squamosus* (De Haan, 1835)

Genus *Aniptumnus* Ng, 2002

- 366.*Aniptumnus neolaevis* (Deb, 1995)-WB
 367.*Aniptumnus bijoyi* Hari, Hershey & Mendoza, 2022- Kerala

Genus *Bathypilumnus* P.K.L. Ng & L. W. H. Tan, 1984

- 368.*Bathypilumnus sinensis* (Gordon, 1930)

Genus *Benthopanope* Davie, 1989

- 369.*Benthopanope indica* (De Man, 1887)

Genus *Eurycarcinus* A. Milne-Edwards, 1867

- 370.*Eurycarcinus bengalensis* Deb, 1999
 371.*Eurycarcinus integrifrons* De Man, 1879
 372.*Eurycarcinus natalensis* (Krauss, 1843)
 373.*Eurycarcinus orientalis* A. Milne-Edwards, 1867

Genus *Glabropilumnus* Balss, 1933

- 374.*Glabropilumnus dispar* (Dana, 1852)
 375.*Glabropilumnus laevis* (Dana, 1852)

Genus *Gorgonariana* Galil & Takeda, 1988

- 376.*Gorgonariana sodalis* (Alcock, 1898)

Genus *Heteropanope* Stimpson, 1858

- 377.*Heteropanope glabra* Stimpson, 1858

Genus *Heteropilumnus* de Man, 1895

- 378.*Heteropilumnus angustifrons* (Alcock, 1900)
 379.*Heteropilumnus ciliatus* (Stimpson, 1858)
 380.*Heteropilumnus setosus* (A. Milne-Edwards, 1873)

Genus *Latopilumnus* Türkay & Schuhmacher, 1985

- 381.*Latopilumnus guinotae* (Deb, 1987)

Genus *Lophoplaex* Tesch, 1918

- 382.*Lophoplaex andamanica* (Deb, 1989)

Genus *Nanopilumnus* Takeda, 1974

- 383.*Nanopilumnus barbatus* (A. Milne-Edwards, 1873)
 384.*Nanopilumnus heterodon* (Sakai, 1934)
 385.*Nanopilumnus rouxi* (Balss, 1936)

Genus *Pilumnopeus* A. Milne-Edwards, 1867

- 386.*Pilumnopeus convexus* (Maccagno, 1936)

Genus *Pilumnus* Leach, 1816

- 387.*Pilumnus caerulescens* A. Milne-Edwards, 1873
 388.*Pilumnus cursor* A. Milne-Edwards, 1873
 389.*Pilumnus indicus* (Deb, 1987)
 390.*Pilumnus investigatoris* Deb, 1987
 391.*Pilumnus kempfi* Deb, 1987
 392.*Pilumnus longicornis* Hilgendorf, 1878
 393.*Pilumnus minutus* De Haan, 1835
 394.*Pilumnus orbitospinis* Rathbun, 1911
 395.*Pilumnus rotundus* Borradaile, 1902
 396.*Pilumnus scabriuscus* Adams & White, 1849
 397.*Pilumnus sluiteri* De Man, 1892
 398.*Pilumnus tomentosus* Latreille, 1825
 399.*Pilumnus vespertilio* (Fabricius, 1793)

Genus *Serenepilumnus* Türkay & Schuhmacher, 1985

400. *Serenepilumnus pisifer* (Macleay, 1838)

Genus *Vellumnus* Ng, 2010

401. *Vellumnus labyrinthicus* (Miers, 1884)

Genus *Viaderiana* Ward, 1942

402. *Viaderiana beaumonti* (Alcock, 1900)

403. *Viaderiana quadrispinosa* (Zehntner, 1894)

404. *Viaderiana woodmasoni* (Deb, 1987)

Subfamily Rhizopinae Stimpson, 1858

Genus *Ceratoplax* Stimpson, 1858

405. *Ceratoplax ciliata* Stimpson, 1858

406. *Ceratoplax hispida* Alcock, 1900

Genus *Pseudocryptocoeloma* Ward, 1936

407. *Pseudocryptocoeloma andamanicus* (Deb, 1989)

Genus *Pseudolitochira* Ward, 1942

408. *Pseudolitochira integra* (Miers, 1884)

Genus *Typhlocarcinus* Stimpson, 1858

409. *Typhlocarcinus kerala* Ng, Devi & Kumar, 2017

410. *Typhlocarcinus nudus* Stimpson, 1858

411. *Typhlocarcinus rubidus* Alcock, 1900

412. *Typhlocarcinus villosus* Stimpson, 1858

Genus *Xenophthalmodes* Richters, 1880

413. *Xenophthalmodes moebii* Richters, 1880

Superfamily Portunoidea Rafinesque, 1815;

Family: Geryonidae Colosi, 1923

Subfamily Benthochasconinae Spiridonov, Neretina & Schepetov, 2014

Genus *Benthochascon* Alcock & Anderson, 1899

414. *Benthochascon hemingi* Alcock & Anderson, 1899

Subfamily Geryoninae Colosi, 1923

Genus *Chaceon* Manning & Holthuis, 1989

415. *Chaceon alcocki* Ghosh & Manning, 1993

Family: Polybiidae Ortmann, 1893

Genus *Parathranites* Miers, 1886

416. *Parathranites orientalis* (Miers, 1886)

Family Portunidae Rafinesque, 1815

Subfamily Caphyrinae Paulson, 1875

Genus *Lissocarcinus* Adams & White, 1849

417. *Lissocarcinus arkati* Kemp, 1923

418. *Lissocarcinus laevis* Miers, 1886

419. *Lissocarcinus orbicularis* Dana, 1852

420. *Lissocarcinus ornatus* Chopra, 1931

421. *Lissocarcinus polybioides* Adams & White, 1849

Subfamily Carupinae Paulson, 1875

Genus *Carupa* Dana, 1851

422. *Carupa temuipes* Dana, 1852

Genus *Catoptrus* A. Milne-Edwards, 1870

423. *Catoptrus nitidus* A. Milne-Edwards, 1870

Genus *Laleonectes* Manning & Chace, 1990

424. *Laleonectes kuriya* Mendoza & Suvarna Devi, 2017

Genus *Libystes* A. Milne-Edwards, 1867

- 425.*Libystes edwardsi* Alcock, 1900
 426.*Libystes nitidus* A. Milne-Edwards, 1867

Subfamily Lupocyclinae Alcock, 1899**Genus *Lupocycloporus* Alcock, 1899**

- 427.*Lupocycloporus gracilimanus* (Stimpson, 1858)
 428.*Lupocycloporus minutus* (Shen, 1937)

Genus *Lupocyclus* Adams & White, 1849

- 429.*Lupocyclus philippinensis* Semper, in Nauck, 1880
 430.*Lupocyclus rotundatus* Adams & White, 1849
 431.*Lupocyclus strigosus* Alcock, 1899
 432.*Lupocyclus tugelae* Barnard, 1950

Genus *Monomia* Gistel, 1848

- 433.*Monomia argentata argentata* (A. Milne-Edwards, 1861)
 434.*Monomia argentata glareosa* (Alcock, 1899)
 435.*Monomia gladiator* (Fabricius, 1798)
 436.*Monomia petrea* (Alcock, 1899) Islands (Alcock 1899b; Rao et al. 1989)
 437.*Monomia rubromarginata* (Lanchester, 1900)
 438.*Monomia samoensis* (Ward, 1939)

Subfamily Podophthalminae Dana, 1851**Genus *Podophthalmus* Lamarck, 1801**

- 439.*Podophthalmus vigil* (Fabricius, 1798)
 440.*Podophthalmus nacreus* Alcock, 1899

Subfamily Portuninae Rafinesque, 1815**Genus *Alionectes* Koch, Spiridonov & Ďuriš, 2022**

- 441.*Alionectes pulchricristatus* (Gordon, 1931)
 442.*Alionectes spinipes* (Miers, 1886)

Genus *Carupella* Lenz in Lenz & Strunck, 1914

- 443.*Carupella banlaensis* Tien, 1969

Genus *Cycloachelous* Ward, 1942

- 444.*Cycloachelous granulatus* (H. Milne Edwards, 1834)
 445.*Cycloachelous orbicularis* (Richters, 1880)
 446.*Cycloachelous orbitosinus* (Rathbun, 1911)
 447.*Cycloachelous levigatus* Koch, 2021

Genus *Eodemus* Koch, Spiridonov & Ďuriš, 2022

- 448.*Eodemus hastatoides* (Fabricius, 1798)

Genus *Incultus* Koch, Spiridonov & Ďuriš, 2022

- 449.*Incultus brockii* (De Man, 1887)
 450.*Incultus tuberculosus* (A. Milne-Edwards, 1861)

Genus *Portunus* Weber, 1795

- 451.*Portunus convexus* De Haan, 1835
 452.*Portunus pubescens* (Dana, 1852)
 453.*Portunus reticulatus* (Herbst, 1799)
 454.*Portunus sanguinolentus* (Herbst, 1783)
 455.*Portunus segnis* (Forskål, 1775)

Genus *Scylla* De Haan, 1833

- 456.*Scylla olivacea* (Herbst, 1796)
 457.*Scylla serrata* (Forskål, 1775)

458. *Scylla tranquebarica* (Fabricius, 1798)

Genus *Trioneectes* Koch, Spiridonov & Ďuriš, 2022

459. *Trioneectes andersoni* (De Man, 1887)

460. *Trioneectes tenuipes* (De Haan, 1835)

Genus *Xiphonectes* A. Milne-Edwards, 1873

461. *Xiphonectes iranjae* Crosnier, 1962

462. *Xiphonectes gracillimus* (Stimpson, 1858)

463. *Xiphonectes longispinosus* (Dana, 1852)

464. *Xiphonectes stephensonii* (Moosa, 1981)

Subfamily Thalamitinae Paulson, 1875

Genus *Charybdis* De Haan, 1833

Subgenus *Charybdis* (*Charybdis*) De Haan, 1833

465. *Charybdis* (*Charybdis*) *affinis* Dana, 1852

466. *Charybdis* (*Charybdis*) *amboinensis* Leene, 1938

467. *Charybdis* (*Charybdis*) *annulata* Fabricius, 1798

468. *Charybdis* (*Charybdis*) *anisodon* (De Haan, 1850)

469. *Charybdis* (*Charybdis*) *beauforti* Leene & Buitendijk, 1949

470. *Charybdis* (*Charybdis*) *callianassa* (Herbst, 1798)

471. *Charybdis* (*Charybdis*) *feriata* (Linnaeus, 1758)

472. *Charybdis* (*Charybdis*) *goaensis* Padate, Rixonker, Anil, Sawant & Krishnamurthy, 2010

473. *Charybdis* (*Charybdis*) *granulata* (De Haan, 1833)

474. *Charybdis* (*Charybdis*) *hellerii* (A. Milne-Edwards, 1867)

475. *Charybdis* (*Charybdis*) *japonica* (A. Milne-Edwards, 1861)

476. *Charybdis* (*Charybdis*) *lucifer* (Fabricius, 1798)

477. *Charybdis* (*Charybdis*) *miles* (De Haan, 1835)

478. *Charybdis* (*Charybdis*) *natator* (Herbst, 1794)

479. *Charybdis* (*Charybdis*) *orientalis* Dana, 1852

480. *Charybdis* (*Charybdis*) *riversandersoni* Alcock, 1899

481. *Charybdis* (*Charybdis*) *rostrata* (A. Milne-Edwards, 1861)

482. *Charybdis* (*Charybdis*) *variegata* (Fabricius, 1798)

Subgenus *Charybdis* (*Goniohellenus*) Alcock, 1899

483. *Charybdis* (*Archias*) *hoplites* (Wood-Mason, 1877)

484. *Charybdis* (*Archias*) *omanensis* *omanensis* Leene, 1938

485. *Charybdis* (*Archias*) *omanensis septentrionalis* Türkay & Spiridonov, 2006

486. *Charybdis* (*Archias*) *ornata* (A. Milne-Edwards, 1861)

487. *Charybdis* (*Archias*) *pusilla* Alcock, 1899

488. *Charybdis* (*Archias*) *smithii* MacLeay, 1838

489. *Charybdis* (*Archias*) *truncata* (Fabricius, 1798)

490. *Charybdis* (*Archias*) *vadorum* Alcock, 1899

Subgenus *Charybdis* (*Gonioneptunus*) Ortmann, 1893

491. *Charybdis* (*Gonioneptunus*) *bimaculata* (Miers, 1886)

492. *Charybdis* (*Gonioneptunus*) *quadrimaculata* Yang, Chen & Dai, 2011

Genus *Gonioinfradens* Leene, 1938

493. *Gonioinfradens paucidentatus* (A. Milne-Edwards, 1861)

Genus *Goniosupradens* Leene, 1938

494. *Goniosupradens acutifrons* (De Man, 1879)

495. *Goniosupradens erythrodactyla* (Lamarck, 1818)

496. *Goniosupradens obtusifrons* Leene, 1937

Genus *Thalamita* Latreille, 1829

497. *Thalamita admete* (Herbst, 1803)
 498. *Thalamita chaptali* (Audouin & Savigny, 1817)
 499. *Thalamita coeruleipes* Hombron & Jacquinot, 1846
 500. *Thalamita cooperi* Borradaile, 1902
 501. *Thalamita crenata* (Latreille, 1829)
 502. *Thalamita danae* Stimpson, 1858
 503. *Thalamita exetastica* Alcock, 1899
 504. *Thalamita gracilipes* (A. Milne-Edwards, 1873)
 505. *Thalamita imparimana* Alcock, 1899
 506. *Thalamita integra integra* Dana, 1852
 507. *Thalamita macrodonta* Borradaile, 1902
 508. *Thalamita malaccensis* Gordon, 1938
 509. *Thalamita oculea* Alcock, 1899
 510. *Thalamita parvidens* (Rathbun, 1907)
 511. *Thalamita pelsarti* Montgomery, 1931
 512. *Thalamita picta* Stimpson, 1858
 513. *Thalamita pilumnooides* Borradaile, 1902
 514. *Thalamita poissonii* (Audouin & Savignyi, 1817)
 515. *Thalamita prymna* (Herbst, 1803)
 516. *Thalamita quadrilobata* Miers, 1884
 517. *Thalamita savignyi* A. Milne-Edwards, 1861
 518. *Thalamita sexlobata* Miers, 1886
 519. *Thalamita sima* H. Milne Edwards, 1834
 520. *Thalamita spinifera* Borradaile, 1902
 521. *Thalamita spinimana* Dana, 1852
 522. *Thalamita taprobanica* Alcock, 1899
 523. *Thalamita tenuipes* Borradaile, 1902
 524. *Thalamita woodmasoni* Alcock, 1899

Genus *Thalamitoides* A. Milne-Edwards, 1869

525. *Thalamitoides tridens* A. Milne-Edwards, 1869

Family: Thiidae Dana, 1852**Subfamily Nautilocorystinae Ortmann, 1893****Genus *Nautilocystes* H. Milne Edwards, 1837**

526. *Nautilocystes investigatoris* Alcock, 1899

Superfamily Pseudozioidea Alcock, 1898;**Family : Pseudoziidae Alcock, 1898****Genus *Pseudozius* Dana, 1851**

527. *Pseudozius caystrus* (Adams & White, 1849)

Superfamily Retroplumoidea Gill, 1894;**Family: Retroplumidae Gill, 1894****Genus *Bathypluma* Saint Laurent, 1989**

528. *Bathypluma chuni* (Doflein, 1904)

Genus *Retropluma* Gill, 1894

529. *Retropluma notopus* (Alcock & Anderson, 1894)

Superfamily Trapezoidea Miers, 1886;**Family : Domeciidae Ortmann, 1893****Genus *Cherusius* Low & Ng, 2012**

530. *Cherusius triunguiculatus* (Borradaile, 1902)

Genus *Domecia* Eydoux & Souleyet, 1842

531. *Domecia glabra* Alcock, 1899

532. *Domecia hispida* Eydoux & Souleyet, 1842

Family: Tetraliidae Castro, Ng & Ahyong, 2004;

Genus *Tetralia* Dana, 1851

533. *Tetralia cavimana* Heller, 1861

534. *Tetralia cinctipes* Paul'son, 1875

535. *Tetralia glaberrima* (Herbst, 1790)

536. *Tetralia rubridactyla* Garth, 1971

Genus *Tetraloides* Galil, 1986

537. *Tetraloides heterodactyla* (Heller, 1861)

538. *Tetraloides nigrifrons* (Dana, 1852)

Trapeziidae Miers, 1886

Subfamily Calocarcininae Števčić, 2005

Genus *Sphenomerides* Rathbun, 1897

539. *Sphenomerides trapezoides* (Wood-Mason & Alcock, 1891)

Subfamily Quadrellinae Števčić, 2005

Genus *Quadrella* Dana, 1851

540. *Quadrella boopsis* Alcock, 1898

541. *Quadrella coronata* Dana, 1852

542. *Quadrella serenei* Galil, 1986

543. *Quadrella maculosa* Alcock, 1898

544. *Quadrella reticulata* Alcock, 1898

Subfamily Trapeziinae Miers, 1886

Genus *Trapezia* Latreille, 1828

545. *Trapezia bidentata* (Forskål, 1775)

546. *Trapezia cymodoce* (Herbst, 1801)

547. *Trapezia digitalis* Latreille, 1828

548. *Trapezia flavopunctata* Eydoux & Souleyet, 1842

549. *Trapezia formosa* Smith, 1869

550. *Trapezia guttata* Rüppell, 1830

551. *Trapezia lutea* Castro, 1997

552. *Trapezia rufopunctata* (Herbst, 1799)

553. *Trapezia septata* Dana, 1852

554. *Trapezia tigrina* Eydoux & Souleyet, 1842

Superfamily Trichopeltarioidea Tavares & Cleva, 2010;

Family : Trichopeltariidae Tavares & Cleva, 2010

Genus *Trichopeltarion* A. Milne-Edwards, 1880

555. *Trichopeltarion glaucus* (Alcock & Anderson, 1899)

556. *Trichopeltarion ovale* Anderson, 1896

Superfamily Xanthoidea MacLeay, 1838:

Family : Xanthidae MacLeay, 1838

Subfamily Actaeinae Alcock, 1898

Genus *Actaea* De Haan, 1833

557. *Actaea areolata* (Dana, 1852)

558. *Actaea calculosa* H. Milne Edwards, 1834

559. *Actaea jacquelinae* Guinot, 1976

- 560.*Actaea peronii* (H. Milne Edwards, 1834)
- 561.*Actaea savignii* (H. Milne Edwards, 1834)
- 562.*Actaea squamosa* Henderson, 1893

Genus *Actaeodes* Dana, 1851

- 563.*Actaeodes consobrinus* (A. Milne-Edwards, 1873)
- 564.*Actaeodes hirsutissimus* (Rüppell, 1830)
- 565.*Actaeodes tomentosus* (H. Milne Edwards, 1834)

Genus *Epiactaea* Serène, 1984

- 566.*Epiactaea bullifera* (Alcock, 1898)
- 567.*Epiactaea margaritifera* (Odhner, 1925)
- 568.*Epiactaea nodulosa* (White, 1848)

Genus *Forestiana* Guinot & Low, 2010

- 569.*Forestiana depressa* (White, 1848)

Genus *Gaillardiellus* Guinot, 1976

- 570.*Gaillardiellus orientalis* (Odhner, 1925)
- 571.*Gaillardiellus rueppelli* (Krauss, 1843)

Genus *Novactaea* Guinot, 1976

- 572.*Novactaea michaelseni* (Odhner, 1925)
- 573.*Novactaea pulchella* (A. Milne-Edwards, 1865)

Genus *Odhnea* P.K.L. Ng & Low, 2010

- 574.*Odhnea echinus* (Alcock, 1898)

Genus *Paractaea* Guinot, 1969

- 575.*Paractaea garretti* (Rathbun, 1906)
- 576.*Paractaea indica* Deb, 1985
- 577.*Paractaea rufopunctata* (H. Milne Edwards, 1834)
- 578.*Paractaea tumulosa* (Odhner, 1925)
- 579.*Paractaea typica* Deb, 1989

Genus *Psaumis* Kossmann, 1877

- 580.*Psaumis cavipes* (Dana, 1852)

Genus *Pseudactaea* Serène, 1962

- 581.*Pseudactaea corallina* (Alcock, 1898)

Genus *Pseudoliomera* Odhner, 1925

- 582.*Pseudoliomera granosimana* (A. Milne-Edwards, 1865)
- 583.*Pseudoliomera helleri* (A. Milne-Edwards, 1865)
- 584.*Pseudoliomera lata* (Borradaile, 1902)
- 585.*Pseudoliomera neospeciosa* (Deb, 1989)
- 586.*Pseudoliomera speciosa* (Dana, 1852)
- 587.*Pseudoliomera variolosa* (Borradaile, 1902)

Genus *Pulcratis* Ng and Huang, 1997

- 588.*Pulcratis amabilis* Mendoza, Mani & Ravichandran., 2020

Genus *Serenius* Guinot, 1976

- 589.*Serenius andamanicus* Deb, 1985
- 590.*Serenius pilosus* (A. Milne-Edwards, 1867)

Subfamily *Banareiinae* Števčić, 2005

Genus *Banareia* A. Milne-Edwards, 1869

- 591.*Banareia armata* A. Milne-Edwards, 1869
- 592.*Banareia banareias* (Rathbun, 1911)
- 593.*Banareia kraussi* (Heller, 1861)

Subfamily Chlorodiellinae Ng & Holthuis, 2007**Genus *Chlorodiella* Rathbun, 1897**

- 594. *Chlorodiella barbata* (Borradaile, 1900)
- 595. *Chlorodiella cytherea* (Dana, 1852)
- 596. *Chlorodiella laevissima* (Dana, 1852)
- 597. *Chlorodiella nigra* (Forskål, 1775)

Genus *Cyclodius* Dana, 1851

- 598. *Cyclodius drachi* (Guinot, 1964)
- 599. *Cyclodius granulosus* De Man, 1887
- 600. *Cyclodius nitidus* (Dana, 1852)
- 601. *Cyclodius obscurus* (Hombron & Jacquinot, 1846)
- 602. *Cyclodius paumotensis* (Rathbun, 1907)
- 603. *Cyclodius unguilatus* (H. Milne Edwards, 1834)

Genus *Liocarpilodes* Klunzinger, 1913

- 604. *Liocarpilodes integerrimus* (Dana, 1852)

Genus *Luniella* Lasley, Klaus & Ng, 2015

- 605. *Luniella pugil* (Dana, 1852)
- 606. *Luniella scabriculus* (Dana, 1852)
- 607. *Luniella spinipes* (Heller, 1861)

Genus *Pilodius* Dana, 1851

- 608. *Pilodius areolatus* (H. Milne Edwards, 1834)
- 609. *Pilodius granulatus* Stimpson, 1858
- 610. *Pilodius nigrocrinitus* Stimpson, 1859
- 611. *Pilodius pilumnoides* (White, 1848)

Subfamily Cymoinae Alcock, 1898**Genus *Cymo* De Haan, 1833**

- 612. *Cymo andreossyi* (Audouin, 1826)
- 613. *Cymo melanodactylus* Dana, 1852
- 614. *Cymo quadrilobatus* Miers, 1884
- 615. *Cymo tuberculatus* Ortmann, 1893

Subfamily Etisinae Ortmann, 1893**Genus *Etisus* H. Milne Edwards, 1834**

- 616. *Etisus anaglyptus* H. Milne Edwards, 1834
- 617. *Etisus andamanicus* Deb, 1992
- 618. *Etisus dentatus* (Herbst, 1785)
- 619. *Etisus electra* (Herbst, 1801)
- 620. *Etisus laevimanus* Randall, 1840
- 621. *Etisus utilis* Jacquinot, in Jacquinot & Lucas, 1853

Subfamily Euxanthinae Alcock, 1898**Genus *Euxanthus* Dana, 1851**

- 622. *Euxanthus exsculptus* (Herbst, 1790)
- 623. *Euxanthus huonii* (Hombron & Jacquinot, 1846)
- 624. *Euxanthus rugosus* Miers, 1884

Genus *Hypocolpus* Rathbun, 1897

- 625. *Hypocolpus diverticulatus* (Strahl, 1861)
- 626. *Hypocolpus haanii* Rathbun, 1909
- 627. *Hypocolpus rugosus* (Henderson, 1893)

Genus *Medaeops* Guinot, 1967

628.*Medaeops granulosus* (Haswell, 1882)

629.*Medaeops neglectus* (Balss, 1922)

Subfamily Kraussiinae Ng, 1993

Genus *Kraussia* Dana, 1852

630.*Kraussia rugulosa* (Krauss, 1843)

Genus *Palapedia* Ng, 1993

631.*Palapedia integra* (De Haan, 1835)

632.*Palapedia nitida* (Stimpson, 1858)

Subfamily Liomerinae Sakai, 1976

Genus *Actiomera* P.K.L. Ng, Guinot & Davie, 2008

633.*Actiomera erythra* (Lanchester, 1902))

634.*Actiomera lophopa* (Alcock, 1898)

Genus *Bruciana* Serène, 1977

635.*Bruciana pediger* (Alcock, 1898)

Genus *Liomera* Dana, 1851

636.*Liomera bella* (Dana, 1852)

637.*Liomera caelata* (Odhner, 1925)

638.*Liomera cinctimanus* (White, 1847)

639.*Liomera loevis* (A. Milne-Edwards, 1873)

640.*Liomera margaritata* (A. Milne-Edwards, 1873)

641.*Liomera monticulosa* (A. Milne-Edwards, 1873)

642.*Liomera rugata* (H. Milne Edwards, 1834)

643.*Liomera stimpsonii* (A. Milne-Edwards, 1865)

644.*Liomera tristis* (Dana, 1852)

645.*Liomera venosa* (H. Milne Edwards, 1834)

Genus *Neoliomera* Odhner, 1925

646.*Neoliomera striata* Buitendijk, 1941

Subfamily Polydectinae Dana, 1851

Genus *Lybia* H. Milne Edwards, 1834

647.*Lybia caestifera* (Alcock, 1898)

648.*Lybia tessellata* (Latreille, in Milbert, 1812)

Subfamily Xanthinae MacLeay, 1838

Genus *Demania* Laurie, 1906

649.*Demania alcocki* Deb, 1987

650.*Demania armadillus* (Herbst, 1790)

651.*Demania baccalipes* (Alcock, 1898)

652.*Demania cultripes* (Alcock, 1898)

653.*Demania intermedia* Guinot, 1969

654.*Demania scaberrima* (Walker, 1887)

655.*Demania splendida* Laurie, 1906

656.*Demania toxica* Garth, 1971

Genus *Juxtapanthias* Ward, 1942

657.*Juxtapanthias lividus* (Latreille, in Milbert, 1812)

Genus *Lachnopodus* Stimpson, 1858

658.*Lachnopodus bidentatus* (A. Milne-Edwards, 1867)

659.*Lachnopodus rodgersi* Stimpson, 1858

660.*Lachnopodus subacutus* (Stimpson, 1858)

Genus *Leptodius* A. Milne-Edwards, 1863

- 661. *Leptodius affinis* (De Haan, 1835)
- 662. *Leptodius exaratus* (H. Milne Edwards, 1834)
- 663. *Leptodius nudipes* (Dana, 1852)
- 664. *Leptodius planus* Ward, 1935
- 665. *Leptodius sanguineus* (H. Milne Edwards, 1834)

Genus *Liagore* De Haan, 1833

- 666. *Liagore erythematica* Guinot, 1971

Genus *Macromedaeus* Ward, 1942

- 667. *Macromedaeus crassimanus* (A. Milne-Edwards, 1867)
- 668. *Macromedaeus quinquedentatus* (Krauss, 1843)

Genus *Neoxanthias* Ward, 1932

- 669. *Neoxanthias impressus* (Latreille, in Milbert, 1812)
- 670. *Neoxanthias michelae* Seréne & Vadon,

Genus *Neoxanthops* Guinot, 1968

- 671. *Neoxanthops lineatus* (A. Milne-Edwards, 1867)

Genus *Orphnoxanthus* Alcock, 1898

- 672. *Orphnoxanthus microps* (Alcock & Anderson, 1894)

Genus *Paraxanthias* Odhner, 1925

- 673. *Paraxanthias notatus* (Dana, 1852)

Genus *Paraxanthodes* Guinot, 1968

- 674. *Paraxanthodes cumatodes* (MacGilchrist, 1905)

Genus *Xanthias* Rathbun, 1897

- 675. *Xanthias lamarckii* (H. Milne Edwards, 1834)
- 676. *Xanthias latifrons* (De Man, 1887)
- 677. *Xanthias punctatus* (H. Milne Edwards, 1834)

Subfamily Zosiminae Alcock, 1898

Genus *Atergatis* De Haan, 1833

- 678. *Atergatis dilatatus* De Haan, 1835
- 679. *Atergatis integerrimus* (Lamarck, 1818)
- 680. *Atergatis laevigatus* A. Milne-Edwards, 1865
- 681. *Atergatis latissimus* (H. Milne Edwards, 1834)
- 682. *Atergatis ocyroe* (Herbst, 1801)
- 683. *Atergatis reticulatus* (De Haan, 1835)
- 684. *Atergatis roseus* (Rüppell, 1830)
- 685. *Atergatis subdentatus* (De Haan, 1835)

Genus *Atergatopsis* A. Milne-Edwards, 1862

- 686. *Atergatopsis alcocki* (Laurie, 1906)
- 687. *Atergatopsis amoicensis* De Man, 1879
- 688. *Atergatopsis obesa* A. Milne-Edwards, 1865
- 689. *Atergatopsis signata* (Adams & White, 1849)

Genus *Lophozozymus* A. Milne-Edwards, 1863

- 690. *Lophozozymus anaglyptus* (Heller, 1861)
- 691. *Lophozozymus cristatus* A. Milne-Edwards, 1867
- 692. *Lophozozymus dodone* (Herbst, 1801)
- 693. *Lophozozymus incisus* (H. Milne Edwards, 1834)

Genus *Platypodia* Bell, 1835

- 694. *Platypodia alcocki* Buitendijk, 1941
- 695. *Platypodia andamania* Deb, 1992

- 696.*Platypodia granulosa* (Rüppell, 1830)
 697.*Platypodia semigranosa* (Heller, 1861)

Genus *Zosimus* Leach in Desmarest, 1823

- 698.*Zosimus aeneus* (Linnaeus, 1758)
 699.*Zosimus fissa* (Henderson, 1893)

Genus *Zozymodes* Heller, 1861

- 700.*Zozymodes cavipes* (Dana, 1852)
 701.*Zozymodes pumilus* (Hombron & Jacquinot, 1846)

Subsection Thoracotremata;

Superfamily *Cryptochiroidea* Paul'son, 1875

Family : *Cryptochiridae* Paul'son, 1875

Genus *Cryptochirus* Heller, 1861

- 702.*Cryptochirus coralliodytes* Heller, 1861

Genus *Hapalocarcinus* Stimpson, 1859

- 703.*Hapalocarcinus marsupialis* Stimpson, 1859

Genus *Utinomiella* Kropff & Takeda, 1988

- 704.*Utinomiella dimorpha* (Henderson, 1906)

Superfamily *Grapsoidea* MacLeay, 1838;

Family : *Gecarcinidae* MacLeay, 1838

Genus *Cardisoma* Latreille in Latreille, Le Peletier, Serville & Guérin, 1828

- 705.*Cardisoma carnifex* (Herbst, 1796)

Genus *Tuerkayana* Guinot, Ng & Rodriguez Moreno, 2018

- 706.*Tuerkayana magnum* (Ng & Shih, 2014)

Genus *Epigrapsus* Heller, 1862

- 707.*Epigrapsus notatus* (Heller, 1865)

- 708.*Epigrapsus politus* Heller, 1862

Genus *Gecarcoidea* H. Milne Edwards, 1837

- 709.*Gecarcoidea humei* (Wood-Mason, 1874)

Family : *Grapsidae* MacLeay, 1838

Genus *Grapsus* Lamarck, 1801

- 710.*Grapsus albolineatus* Latreille, in Milbert, 1812

- 711.*Grapsus longitarsis* Dana, 1851

- 712.*Grapsus tenuicrustatus* (Herbst, 1783)

Genus *Geograpsus* Stimpson, 1858

- 713.*Geograpsus crinipes* (Dana, 1851)

- 714.*Geograpsus grayi* (H. Milne Edwards, 1853)

- 715.*Geograpsus stormi* de Man, 1895

Genus *Metopograpsus* H. Milne Edwards, 1853

- 716.*Metopograpsus cannicci* Innocenti, Schubart & Fratini, 2020

- 717.*Metopograpsus frontalis* Miers, 1880

- 718.*Metopograpsus latifrons* (White, 1847)

- 719.*Metopograpsus messor* (Forskål, 1775)

- 720.*Metopograpsus oceanicus* (Hambron & Jacquinot, 1846)

- 721.*Metopograpsus quadridentatus* Stimpson, 1858

- 722.*Metopograpsus thukuhar* (Owen, 1839)

Genus *Pachygrapsus* Randall, 1840

- 723.*Pachygrapsus minutus* A. Milne-Edwards, 1873

- 724.*Pachygrapsus planifrons* De Man, 1888

725.*Pachygrapsus plicatus* (H. Milne Edwards, 1837)

726.*Pachygrapsus propinquus* De Man, 1908

Family : Percnidae Števčić, 2005

Genus *Percnon* Gistel, 1848

727.*Percnon guinotae* Crosnier, 1965

728.*Percnon planissimum* (Herbst, 1804)

Family : Plagusiidae Dana, 1851

Genus *Guinusia* Schubart & Cuesta, 2010

729.*Guinusia dentipes* (De Haan, 1835)

Genus *Plagusia* Latreille, 1804

730.*Plagusia depressa* (Fabricius, 1775)

731.*Plagusia immaculata* Lamarck, 1818

732.*Plagusia squamosa* (Herbst, 1790)

Family: Sesarmidae Dana, 1851

Genus : *Andamanium* Naruse & Ng, 2020

733.*Andamanium thelxinoe* (De Man, 1908)

Genus *Clistocoeloma* A. Milne-Edwards, 1873

734.*Clistocoeloma balansae* (A. Milne-Edwards, 1873)

735.*Clistocoeloma lanatum* (Alcock, 1900)

736.*Clistocoeloma merguiense* De Man, 1888

Genus *Circulium* Naruse & Ng, 2020

737.*Circulium vitatum* (Ng & Davie, 2011)

Genus *Danarma* Schubart & Ng, 2020

738.*Danarma obtusifrons* (Dana, 1851);

Genus *Episesarma* de Man, 1895

739.*Episesarma chentongense* (Serène & Soh, 1967)

740.*Episesarma mederi* (H. Milne Edwards, 1854)

741.*Episesarma versicolor* (Tweedie, 1940)

Genus *Fasciarma* Shahdadi & Schubart, 2017

742.*Fasciarma fasciatum* (Lanchester, 1900)

Genus *Geosesarma* de Man, 1892

743.*Geosesarma starmuhlneri* Pretzmann, 1984

Genus *Leptarma* Shahdadi, Fratini & Schubart, 2020

744.*Leptarma biju* Peter & Devi, 2020

Genus *Metasesarma* H. Milne Edwards, 1853

745.*Metasesarma aubryi* (A. Milne-Edwards, 1869)

746.*Metasesarma obesum* (Dana, 1851)

Genus *Muradium* Serène & Soh, 1970

747.*Muradium tetragonum* (Fabricius, 1798)

Genus *Nanosesarma* Tweedie, 1951

748.*Nanosesarma andersonii* (De Man, 1888)

749.*Nanosesarma batavicum* (Moreira, 1903)

750.*Nanosesarma jousseaumei* (Nobili, 1996)

751.*Nanosesarma minutum* (De Man, 1887)

752.*Nanosesarma sarii* Naderloo and Türkay, 2009

Genus *Neosarmatium* Serène & Soh, 1970

753.*Neosarmatium asiaticum* Ragionieri, Fratini & Schubart, 2012

754.*Neosarmatium indicum* (A. Milne-Edwards, 1868)

- 755.*Neosarmatium malabaricum* (Henderson, 1893)
 756.*Neosarmatium punctatum* (A. Milne-Edwards, 1873)
 757.*Neosarmatium smithi* (H. Milne Edwards, 1853)

Genus *Parasesarma* de Man, 1895

- 758.*Parasesarma asperum* (Heller, 1865)
 759.*Parasesarma bengalense* (Davie 2003)
 760.*Parasesarma bidens* (De Haan, 1835)
 761.*Parasesarma persicum* Naderloo & Schubart, 2010
 762.*Parasesarma pictum* (De Haan, 1835)
 763.*Parasesarma plicatum* (Latreille, 1803)

Genus *Perisesarma* de Man, 1895

- 764.*Perisesarma dussumieri* (H. Milne Edwards, 1853)

Genus *Pseudosesarma* Serène & Soh, 1970

- 765.*Pseudosesarma edwardsii* (De Man, 1887)
 766.*Pseudosesarma glabrum* Ng, Rani & Bijoy Nandan, 2017

Genus *Sarmatium* Dana, 1851

- 767.*Sarmatium crassum* Dana, 1851

Genus *Scandarma* Schubart, Liu & Cuesta, 2003

- 768.*Scandarma finni* (Alcock, 1900)
 769.*Scandarma gracilipes* (H. Milne Edwards, 1853)

Genus *Selatium* Serène & Soh, 1970

- 770.*Selatium brockii* (De Man, 1887)
 771.*Selatium elongatum* (A. Milne-Edwards, 1869)

Genus *Sesarmoides* Serène & Soh, 1970

- 772.*Sesarmoides kraussi* (De Man, 1887)
 773.*Sesarmoides longipes* (Krauss, 1843)

Genus *Sesarmops* Serène & Soh, 1970

- 774.*Sesarmops impressus* (H. Milne Edwards, 1837)

Family : Varunidae H. Milne Edwards, 1853

Subfamily Cyclograpinae H. Milne Edwards, 1853

Genus *Cyclograpsus* H. Milne Edwards, 1837

- 775.*Cyclograpsus punctatus* H. Milne Edwards, 1837

Genus *Metaprax* H. Milne Edwards, 1852

- 776.*Metaprax crenulata* (Gerstaecker, 1856)
 777.*Metaprax dentipes* (Heller, 1865)
 778.*Metaprax distincta* H. Milne Edwards, 1852
 779.*Metaprax elegans* De Man, 1888
 780.*Metaprax indica* H. Milne Edwards, 1852
 781.*Metaprax intermedia* De Man, 1888

Genus *Pseudohelice* Sakai, Turkay & Yang, 2006

- 782.*Pseudohelice annamalai* Prema, Hsu, Shih & Ravichandran, 2022

Subfamily Thalassograpinae Davie & N. K. Ng, 2007

Genus *Thalassograpus* Tweedie, 1950

- 783.*Thalassograpus harpax* (Hilgendorf, 1892)

Subfamily Varuninae H. Milne Edwards, 1853

Genus *Chhapgarus* Ng, Trivedi & Bhat, 2022

- 784.*Chhapgarus intermedius* (Chhapgar, 1957)

Genus *Hemigrapsus* Dana, 1851

785.*Hemigrapsus penicillatus* (De Haan, 1835)

Genus *Parapyxidognathus* Ward, 1941

786.*Parapyxidognathus deianira* (De Man, 1888)

Genus *Pseudograpsus* H. Milne Edwards, 1837

787.*Pseudograpsus elongatus* (A. Milne-Edwards, 1873)

788.*Pseudograpsus setosus* (Fabricius, 1798)

Genus *Ptychognathus* Stimpson, 1858

789.*Ptychognathus altimanus* (Rathbun, 1914)

790.*Ptychognathus andamanensis* Pretzmann, 1984

791.*Ptychognathus barbatus* (A. Milne-Edwards, 1873)

792.*Ptychognathus dentatus* De Man, 1892

793.*Ptychognathus onyx* Alcock, 1900

794.*Ptychognathus pusillus* Heller, 1865

795.*Ptychognathus riedelii* (A. Milne-Edwards, 1868)

Genus *Pyxidognathus* A. Milne-Edwards, 1879

796.*Pyxidognathus fluviatilis* Alcock, 1895

Genus *Varuna* H. Milne Edwards in Bory de Saint Vincent, 1830

797.*Varuna litterata* (Fabricius, 1798)

798.*Varuna yui* Hwang & Takeda, 1986

Superfamily Ocyopodoidea Rafinesque, 1815

Family Camptandriidae Stimpson, 1858

Genus *Baruna* Stebbing, 1904

799.*Baruna socialis* Stebbing, 1904

Genus *Camptandrium* Stimpson, 1858

800.*Camptandrium sexdentatum* Stimpson, 1858

Genus *Leptochryseus* Al Khayat & D. A. Jones, 1996

801.*Leptochryseus kuwaitense* (Jones & Clayton, 1983)

Genus *Manningis* Al-Khayat & D.A.Jones, 1996

802.*Manningis arabicum* (DA Jones & Clayton, 1983)

Genus *Nasima* Manning, 1991

803.*Nasima dotilliformis* (Alcock, 1900)

Genus *Opusia* P.K.L. Ng, Rahayu & Naser, 2009

804.*Opusia indica* (Alcock, 1900)

Family : Dotillidae Stimpson, 1858

Subfamily Dotillinae Stimpson, 1858

Genus *Dotilla* Stimpson, 1858

805.*Dotilla blanfordi* Alcock, 1900

806.*Dotilla fraternalis* Mitra, Trivedi & Mendoza, 2020

807.*Dotilla intermedia* De Man, 1888

808.*Dotilla malabarica* Nobili, 1903

809.*Dotilla myctiroides* H. Milne Edwards, 1852

810.*Dotilla pertinax* Kemp, 1915

811.*Dotilla wickmanni* De Man, 1892

Genus *Dotillopsis* Kemp, 1919

812.*Dotillopsis brevitarsis* (De Man, 1888)

Genus *Ilyoplax* Stimpson, 1858

813.*Ilyoplax frater* (Kemp, 1919)

814.*Ilyoplax gangetica* (Kemp, 1919)

815. *Ilyoplax sayajiraoi* Trivedi, Soni, Trivedi & Vachhrajani, 2015
 816. *Ilyoplax stapletoni* (De Man, 1908)
 817. *Ilyoplax stevensi* (Kemp, 1919)

Genus *Scopimera* De Haan, 1833

818. *Scopimera crabricula* Alcock, 1900
 819. *Scopimera investigatoris* Alcock, 1900
 820. *Scopimera pilula* Kemp, 1919
 821. *Scopimera proxima* Kemp, 1919

Family : Macrophthalmidae Dana, 1851

Subfamily Macrophthalminae Dana, 1851

Genus *Chaenostoma* Stimpson, 1858

822. *Chaenostoma boscii* (Audouin, 1826)
 823. *Chaenostoma crassimanus* Stimpson, 1858
 824. *Chaenostoma sinuspersici* (Naderloo & Türkay, 2011)

Genus *Euplax* H. Milne Edwards, 1852

825. *Euplax leptophthalmus* H. Milne Edwards, 1852

Genus *Macrophthalmus* Desmarest, 1823

826. *Macrophthalmus (Macrophthalmus) brevis* (Herbst, 1804)
 827. *Macrophthalmus (Macrophthalmus) convexus* Stimpson, 1858
 828. *Macrophthalmus (Macrophthalmus) crassipes* H. Milne Edwards, 1852
 829. *Macrophthalmus (Macrophthalmus) parvimanus* Guérin, 1834
 830. *Macrophthalmus (Macrophthalmus) sulcatus* H. Milne Edwards, 1852
 831. *Macrophthalmus (Macrophthalmus) telescopicus* Owen, 1839
 832. *Macrophthalmus (Macrophthalmus) transversus* (Latreille, 1817)
 833. *Macrophthalmus (Mareotis) crinitus* Rathbun, 1913
 834. *Macrophthalmus (Mareotis) depressus* Rüppell, 1830
 835. *Macrophthalmus (Mareotis) japonicus* (De Haan, 1835)
 836. *Macrophthalmus (Mareotis) laevis* A. Milne-Edwards, 1867
 837. *Macrophthalmus (Mareotis) pacificus* Dana, 1851
 838. *Macrophthalmus (Mareotis) teschi* Kemp, 1919
 839. *Macrophthalmus (Mareotis) tomentosus* Eydoux & Souleyet, 1842
 840. *Macrophthalmus (Paramareotis) erato* De Man, 1888

Genus *Venitus* Barnes, 1967

841. *Venitus dentipes* (Lucas, in Guérin-Méneville, 1838)
 842. *Venitus latreillei* (Desmarest, 1822)

Subfamily Tritodynamiinae Stevcic, 2005

Genus: *Tritodynamia* Ortmann, 1894

843. *Tritodynamia bengalensis* Trivedi, Mitra & Ng. 2021

***Ilyograpinae* Stevcic, 2005**

Genus : *Ilyograpus* Barnard, 1955

844. *Ilyograpus paludicola* (Rathbun, 1909)

Family : Mictyridae Dana, 1851

Genus *Mictyris* Latreille, 1806

845. *Mictyris longicarpus* Latreille, 1806

Family : Ocypodidae Rafinesque, 1815

Subfamily Gelasiminae Miers, 1886

Genus *Austruca* Bott, 1973

846. *Austruca annulipes* (H. Milne Edwards, 1837)

- 847. *Austruca bengali* (Crane, 1975)
- 848. *Austruca iranica* Pretzmann, 1971
- 849. *Austruca lactea* (De Haan, 1835)
- 850. *Austruca perplexa* (H. Milne Edwards, 1837)
- 851. *Austruca sindensis* (Alcock, 1900)
- 852. *Austruca triangularis* (A. Milne-Edwards, 1873)

Genus *Cranuca* Beinlich & von Hagen, 2006

- 853. *Cranuca inversa* (Hoffmann, 1874)

Genus *Gelasimus* Latreille, 1817

- 854. *Gelasimus hesperiae* Crane, 1975
- 855. *Gelasimus tetragonon* (Herbst, 1790)
- 856. *Gelasimus vocans* (Linnaeus, 1758)

Genus *Paraleptuca* Bott, 1973

- 857. *Paraleptuca chlorophthalmus* (H. Milne Edwards, 1837)
- 858. *Paraleptuca crassipes* (White, 1847)

Genus *Tubuca* Bott, 1973

- 859. *Tubuca acuta* (Stimpson, 1858)
- 860. *Tubuca alcocki* Shih, Chan & Ng, 2018
- 861. *Tubuca bellator* (White, 1847) Nicobar Islands (Crane 1975)
- 862. *Tubuca coarctata* (H. Milne Edwards, 1852)
- 863. *Tubuca dussumieri* (H. Milne Edwards, 1852)
- 864. *Tubuca paradussumieri* (Bott, 1973)
- 865. *Tubuca rosea* (Tweedie, 1937)

Subfamily Ocypodinae Rafinesque, 1815

Genus *Ocypode* Weber, 1795

- 866. *Ocypode brevicornis* H. Milne Edwards, 1837
- 867. *Ocypode ceratophthalmus* (Pallas, 1772)
- 868. *Ocypode cordimana* Latreille, 1818
- 869. *Ocypode kuhlii* De Haan, 1835
- 870. *Ocypode macrocera* H. Milne Edwards, 1852
- 871. *Ocypode rotundata* (Miers, 1882)
- 872. *Ocypode sinensis* Dai, Song & Yang, 1985
- 873. *Ocypode stimpsoni* Ortmann, 1897

Family : Xenophthalmidae Stimpson, 1858

Genus *Neoxenophthalmus* Serène & Umali, 1972

- 874. *Neoxenophthalmus garthii* (Sankarankutty, 1969)
- 875. *Neoxenophthalmus obscurus* (Henderson, 1893)

Genus *Xenophthalmus* White, 1846

- 876. *Xenophthalmus pinnotheroides* White, 1846
- 877. *Xenophthalmus wolffi* Takeda & Miyake, 1970

Superfamily Pinnotheroidea De Haan, 1833;

Family : Pinnotheridae De Haan, 1833

Subfamily Pinnothereliinae Alcock, 1900

Genus *Tetrias* Rathbun, 1898

- 878. *Tetrias fischeri* (A. Milne-Edwards, 1867)

Subfamily Pinnotherinae De Haan, 1833

Genus *Abyssotheres* Manning & Galil, 2000

- 879. *Abyssotheres abyssicola* (Alcock & Anderson, 1899)

Genus *Afropinnotheres* Manning, 1993

880.*Afropinnotheres ratnakara* Ng & Kumar, 2015

Genus *Amusiotheres* Ng & Ho, 2016

881.*Amusiotheres hanumantharaoi* (Devi & Shyamasundari, 1989)

Genus *Arcotheres* Manning, 1993

882.*Arcotheres alcocki* (Rathbun, 1909)

883.*Arcotheres exiguum* (Bürger, 1895)

884.*Arcotheres similis* (Bürger, 1895)

885.*Arcotheres pernicola* (Burger, 1895)

886.*Arcotheres placunae* (Hornell & Southwell, 1909)

887.*Arcotheres purpureus* (Alcock, 1900)

888.*Arcotheres shahi* Trivedi, Campos & Vachhrajani, 2018

889.*Arcotheres sinensis* (Shen, 1932)

Genus *Buergeres* Ng & Manning, 2003

890.*Buergeres deccanensis* (Chopra, 1931)

Genus *Holotheres* Ng & Manning, 2003

891.*Holotheres setnai* (Chopra, 1931)

Genus *Magnotheres* Ng & Ahyong, 2022

892.*Magnotheres globosus* (Hombron & Jacquinot, 1846)

Genus *Nepinnotheres* Manning, 1993

893.*Nepinnotheres cardii* (Bürger, 1895)

Genus *Pinnotheres* Bosc, 1801

894.*Pinnotheres mactricola* Alcock, 1900

Genus *Trichobezoares* Ng, 2018

895.*Trichobezoares villosissimus* (Doflein, 1904)

Genus *Viridotheres* Manning, 1996

896.*Viridotheres gracilis* (Bürger, 1895)

897.*Viridotheres sanguinolariae* (Pillai, 1951)

Genus *Xanthasia* White, 1846

898.*Xanthasia murigera* White, 1846

Section Podotremata**Superfamily Cyclodorippoidea Ortmann, 1892****Family : Cyclodorippidae Ortmann, 1892****Subfamily Cyclodorippinae Ortmann, 1892****Genus *Tymolus* Stimpson, 1858**

899.*Tymolus glaucommus* (Alcock, 1894)

900.*Tymolus uncifer* (Ortmann, 1892)

Family : Cymonomidae Bouvier, 1898**Genus *Cymonomus* A. Milne-Edwards, 1880**

901.*Cymonomus andamanicus* Alcock, 1905

Superfamily Dromioidea De Haan, 1833;**Family : Dromiidae De Haan, 1833****Subfamily Dromiinae De Haan, 1833****Genus *Alcockdromia* McLay, 2019**

902.*Alcockdromia fallax* (Latreille in Milbert, 1812)

Genus *Ascidiphilus* Richters, 1880

903.*Ascidiphilus caphyraeformis* Richters, 1880

Genus *Baccadromia* McLay & Hosie, 2022

904. *Baccadromia bullifera* (Alcock, 1900);

Genus *Conchoecetes* Stimpson, 1858

905. *Conchoecetes andamanicus* Alcock, 1900

906. *Conchoecetes artificiosus* (Fabricius, 1798)

907. *Conchoecetes investigator* McLay, Naruse, 2019

Genus *Cryptodromia* Stimpson, 1858

908. *Cryptodromia hilgendorfi* De Man, 1888

909. *Cryptodromia mariae* Ihle, 1913

910. *Cryptodromia pentagonalis* (Hilgendorf, 1879)

911. *Cryptodromia pileifera* Alcock, 1901

912. *Cryptodromia tuberculata* Stimpson, 1858

Genus *Cryptodromiopsis* Borradaile, 1903

913. *Cryptodromiopsis tridens* Borradaile, 1903

Genus *Dromidiopsis* Borradaile, 1900

914. *Dromidiopsis indica* (Gray, 1831)

915. *Dromidiopsis tridentata* Borradaile, 1903

Genus *Epigodromia* McLay, 1993

916. *Epigodromia gilesii* (Alcock, 1899)

Genus *Homalodromia* Miers, 1884

917. *Homalodromia coppingeri* Miers, 1884

Genus *Lauridromia* McLay, 1993

918. *Lauridromia dehaani* (Rathbun, 1923)

Genus *Lewindromia* Guinot & Tavares, 2003

919. *Lewindromia unidentata* (Rüppell, 1830)

Genus *Petalomera* Stimpson, 1858

920. *Petalomera indica* Alcock, 1900

Genus *Tumidodromia* McLay, 2009

921. *Tumidodromia dormia* (Linnaeus, 1763)

Family Sphaerodromiidae Guinot & Tavares, 2003

Genus *Sphaerodromia* Alcock, 1899

922. *Sphaerodromia kendalli* (Alcock & Anderson, 1894)

923. *Sphaerodromia nux* Alcock, 1899

Family : Dynomenidae Ortmann, 1892

Subfamily Acanthodromiinae Guinot, 2008

Genus *Acanthodromia* A. Milne-Edwards, 1880

924. *Acanthodromia margarita* (Alcock, 1899)

Subfamily Dynomeninae Ortmann, 1892

Genus *Dynomene* Desmarest, 1823

925. *Dynomene pilumnoides* Alcock, 1900

Superfamily Homolodromoidea Alcock, 1899

Family : Homolodromiidae Alcock, 1899

Genus *Dicranodromia* A. Milne-Edwards, 1880

926. *Dicranodromia baffini* (Alcock & Anderson, 1899)

Genus *Homolodromia* A. Milne-Edwards, 1880

927. *Homolodromia rajeevani* Padate, Cubelio & Jayachandran, 2020

Superfamily Homoloidea De Haan, 1839;

Family : Homolidae De Haan, 1839

Genus *Gordonopsis* Guinot & Richer de Forges, 1995

928. *Gordonopsis profundorum* (Alcock & Anderson, 1899)

Genus *Homola* Leach, 1816

929. *Homola orientalis* Henderson, 1888

Genus *Homolax* Alcock, 1899

930. *Homolax megalops* (Alcock, 1894)

Genus *Homolochunia* Chun, 1903

931. *Homolochunia valdiviae* Doflein, 1904

Genus *Lamoha* P.K.L. Ng, 1998

932. *Lamoha longipes* (Alcock & Anderson, 1899)

933. *Lamoha superciliosa* (Woo-Masaon, in Wood-Mason & Alcock, 1891)

Genus *Latreillopsis* Henderson, 1888

934. *Latreillopsis bispinosa* Henderson, 1888

Genus *Moloha* Barnard, 1947

935. *Moloha tumida* Ng & Kumar, 2015

Genus *Paromolopsis* Wood-Mason in Wood-Mason & Alcock, 1891

936. *Paramolopsis boasi* Wood-Mason, in Wood-Mason & Alcock, 1891

Family : Latreilliidae Stimpson, 1858

Genus *Latreillia* P. Roux, 1830 [in P. Roux, 1828-1830]

937. *Latreillia pennifera* Alcock, 1900

Superfamily Raninoidea De Haan, 1839

Family Lyreidiidae Guinot, 1993

Subfamily Lyreidinae Guinot, 1993

Genus *Lysirude* Goeke, 1985

938. *Lysirude channeri* (Wood-Mason, 1885)

Family : Raninidae De Haan, 1839

Subfamily Notopodinae Serène & Umali, 1972

Genus *Notopus* De Haan, 1841

939. *Notopus dorsipes* (Linnaeus, 1758)

Genus *Notosceles* Bourne, 1922

940. *Notosceles serratifrons* (Henderson, 1893)

Genus *Umalia* Guinot, 1993

941. *Umalia ovalis* (Henderson, 1888)

Subfamily Ranininae De Haan, 1839

Genus *Ranina* Lamarck, 1801

942. *Ranina ranina* (Linnaeus, 1758)

Genus *Raninoides* H. Milne Edwards, 1837

943. *Raninoides hendersoni* Chopra, 1933

944. *Raninoides personatus* Henderson, 1888

References:

Alcock, A., 1893 Natural history notes from H. M. Indian Marine Survey Steamer, Investigator, Commander C.F. Oldham, R.N. commanding. Series 2. No. 9. An account of the deep-sea collection made during the season of 1892-93. *Journal of the Asiatic Society of Bengal, Calcutta*, **62**(2): 169-184.

Alcock, A., 1894. Natural history notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series. II. No. 1. On the result of the deep-sea dredging during the season 1890-91. *Annals and Magazine of Natural History, Series*, **6**, **13**(75): 225-245, 321-334, 400-411.

- Alcock, A., 1895a. Materials for a carcinological fauna of India. No. 1. The Brachyura Oxyrhyncha. *Journal of the Asiatic Society of Bengal, Calcutta*, **64**(2): 157-291.
- Alcock, A., 1895b. Description of a new species of oxyrhynch crab of the genus Parthenope. *Journal of the Asiatic Society of Bengal, Calcutta*, **64**(2): 296-297.
- Alcock, A., 1896. Materials for a carcinological fauna of India. No. 2. The Brachyura Oxystoma. *Journal of the Asiatic Society of Bengal, Calcutta*, **65**: 134-296.
- Alcock, A., 1898. Materials for a carcinological fauna of India. No. 3. The Brachyura Cyclometopa. Part 1. The family Xanthidae. *Journal of the Asiatic Society of Bengal, Calcutta*, **67**(2) 1: 67-233.
- Alcock, A., 1899a. An Account of the Deep-Sea Brachyura collected by the Royal Indian Marine Survey Ship Investigator. Vol. 4. Calcutta: Trustees of the Indian Museum, 85 pp.
- Alcock, A., 1899b. Materials for a carcinological fauna of India. No. 4. The Brachyura Cyclometopa. Part II. A revision of the Cyclometopa with an account of the families Portunidae, Cancridae and Corystidae. *Journal of the Asiatic Society of Bengal, Calcutta*, **68**: 1-104.
- Alcock, A., 1899c. Natural history notes from the Royal Indian Marine Survey Ship Investigator, Commander T.H. Heming, R.N., commanding. Series III. No. 3. On some notable new and rare species of Crustacea. *Journal of the Asiatic Society of Bengal, Calcutta*, **68**(2): 111-119.
- Alcock, A., 1900a. Materials for a carcinological fauna of India. No. 5. Brachyura Primigenia or Dromicea. *Journal of the Asiatic Society of Bengal, Calcutta*, **68**: 123-169.
- Alcock, A., 1900b. Materials for a carcinological fauna of India. No. 6. Brachyura Catometopa or Grapoidea. *Journal of the Asiatic Society of Bengal, Calcutta*, **69**(3): 279-486.
- Alcock, A., 1901. Catalogue of the Indian Decapod Crustacea in the collection of the Indian Museum. Part I. Brachyura. Fasciculus I. Introduction and Dromides or Dromiacea (Brachyura Primigenia). Indian Museum, Calcutta, pp. 1-80.
- Alcock, A. and Anderson, A.R.S., 1894a. Natural history notes from H. M. Indian Marine Survey Steamer Investigator, Commander C. F. Oldham, R.N., commanding. Series II. No. 14. An account of a recent collection of deep-sea Crustacea from the Bay of Bengal and Laccadive Sea. *Journal of the Asiatic Society of Bengal, Calcutta*, **63**(2): 141- 185.
- Alcock, A. and Anderson, A.R.S., 1894b. Natural history notes from H. M. Indian Marine Survey Steamer Investigator. Ser. II, No. 17. List of the shore and shallow-water Brachyura collected during the season 1893-1894. *Journal of the Asiatic Society of Bengal, Calcutta*, **63**(2): 197-209.
- Alcock, A. and Anderson, A.R.S., 1899. Natural history notes from H. M. Royal Indian Marine Survey Ship Investigator, Commander T.H. Heming, R.N., commanding. Series III., No. 2. An account of the deep-sea Crustacea dredged during the surveying-season of 1897-98. *Annals and Magazine of Natural History*, Series, 7, **3**: 1-27.
- Bhat, M. & Trivedi, J. 2021. New record of the sesarmid crab Episesarma versicolor (Tweedie, 1940) (Crustacea: Decapoda: Sesarmidae) from the West Coast of India. *Journal of Biological Studies*, **3** (4): 165–170. [<https://onlinejbs.com/index.php/jbs/article/view/5447/4543>]
- Cubelio, S.S., Venugopal, V.K., Sankar S., Ameri, S., Padate, V.P., Takeda, M., 2023. Morphological and molecular systematics of swimming crabs (Decapoda: Brachyura: Portunidae) from India collected on-board the FORV Sagar Sampada (cruise no. 378, 385 and 392), with notes on biogeography of the Indian portunid fauna. *Regional Studies in Marine Science* **62** (2023) 102879. <https://doi.org/10.1016/j.rsma.2023.102879>
- Dev Roy, M.K. 2008. An annotated checklist of mangrove and coral reef inhabiting Brachyuran crabs of India. *Records of Zoological Survey of India, Occasional Paper*, **289**: 1–212.
- Dev Roy, M.K. 2013. Diversity and distribution of marine brachyuran crab communities inhabiting West Coast of India. In: Venkataraman, K., Sivaperuman, C. & Raghunathan, C. (Eds.), *Ecology and Conservation of Tropical Marine Faunal Communities Part 1*. Springer, Berlin & Heidelberg, pp. 147–169.

- Dev Roy, M.K. 2017. Diversity and distribution of marine crabs of east coast of India. *Journal of Environment and Sociobiology*, **14**(2), 201–240
- Dev Roy M.K, Nandi N.C (2017) Marine Invasive Alien Crustaceans of India. *J Aquac Mar Biol Biol* **5**(2): 00115 DOI: 10.15406/jamb.2017.05.00115
- Fabricius, J.C., 1775. Systema Entomologiae, sistens insectorum Classes, Ordines, Genera, Species, Adjectis Synonymies, Locis, Descriptionibus, Observationibus. Libraria Kortii, Flensburgi and Lipsiae, 832 pp.
- Fabricius, J.C., 1787. Mantis sansectorum-sister-nseorum species nuper detectas adiectis Characteribus genericis, Differentiis specificis, Emendationibus, Observationibus. Hafniae, 1: 348 pp.
- Fabricius, J.C., 1793. Entomologia Systematica Emendata et Aucta, Secundum, Classes, Ordines, Genera, Species, Adjectis Synonimas, Locis, Observationibus, Descriptionibus. Vol. 2. impensis Christ. Gottl. Proft, Hafniae, vii + 519 pp.
- Henderson, J.R., 1893. A contribution to Indian carcinology. *Transactions of the Linnaean Society of London Zoology, Series*, **2**(5): 325–458
- Herbst, J.F.W. 1783a s.n. In: *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c. Joh. Casper Fuessly, Zürich*, 1(2-3):87–134, pls. 2–5. <https://doi.org/10.5962/bhl.title.64679>
- Herbst, J.F.W. 1783b s.n. In: *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c. Joh. Casper Fuessly, Zürich*, 1(4-5): 135–182, pls. 6–9. <https://doi.org/10.5962/bhl.title.64679>
- Herbst, J.F.W. 1788. s.n. In: *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c. Joh. Casper Fuessly, Zürich*, 1(7): 207–238, pls. 14–17. <https://doi.org/10.5962/bhl.title.64679>
- Herbst, J.F.W. 1794. s.n. In: *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c. Volume 2 (Part 5)*. Gottlieb August Lange, Berlin and Stralsund, 2(5): 147–162, pls. 37–40. <https://doi.org/10.5962/bhl.title.64679>
- Herbst, J.F.W. 1796. *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c.. Gottlieb August Lange, Berlin and Stralsund*, **2**(6): 163–225, pls. 41–46. <https://doi.org/10.5962/bhl.title.64679>
- Herbst, J.F.W. 1801. *Versuch einer Naturgeschichte der Krabben und Krebse &c. &c. Gottlieb August Lange, Berlin and Stralsund*, **3**(2): 46pp., pls. 51–54. <https://doi.org/10.5962/bhl.title.64679>
- Linnaeus, C. 1758. *Systema Naturae per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, cum Characteribus, Differentiis, Synonymis, Locis. Editio Decima, reformata. Tomus I. Laurentii Salvii, Holmiae*, 824 pp. <https://doi.org/10.5962/bhl.title.542>
- Mayura Khot and Jaiswar, 2021. Three New Records of Brachyuran Species (Crustacea: Decapoda) From Maharashtra, India, Central Eastern Arabian Sea. *Thalassas: An International Journal of Marine Sciences*. **37**: 585–591.
- Milne Edwards, H. 1853. Mémoire sur la famille des Ocypodiens. *Annales des Sciences naturelles, Zoologie, Série*, **20**(3): 163–228, pls. 6–11.
- Mitra, S.; Ng, P.K.L. 2021. A new species of *Neorhynchoplax* Holthuis, 1968 (Brachyura, Hymenosomatidae) from West Bengal, India. *Crustaceana*. **94**(11-12): 1345–1357
- Ng, N.K.; Trivedi, J.; Bhat, M. 2022. Redescription of *Pseudograpsus intermedius* Chhapgar, 1955 (Decapoda, Brachyura, Varunidae) from India. *Zootaxa*. **5209**(1): 127–138
- Padate, V.P., Cubelio, S.S. & Jayachandran, K.V. 2020c. Description of a new species of deep-water crab of the genus *Homolodromia* A. Milne-Edwards, 1880 from the northern Indian Ocean (Crustacea: Decapoda: Brachyura: Homolodromiidae). *Marine Biology Research*, **16**(4), 209–218. <https://doi.org/10.1080/17451000.2020.1735641>
- Padate, V.P., Cubelio, S.S. & Takeda, M. 2021. Rare deep-water crabs (Crustacea: Decapoda) from Indian waters, with description of one new species. *Nauplius*, **29**, e2021034. <https://doi.org/10.1590/2358-2936e2021034>

- Padate, V.P., Lee, B.Y. & Cubelio, S.S. 2020a. Description of a new species of deep-sea spider crab from the genus *Crocydocinus* Lee, Richer de Forges & Ng, 2019, from the south-eastern Arabian Sea (Crustacea: Decapoda: Majoidea: Epialtidae). *Zootaxa*, **4816** (2): 229–234. <https://doi.org/10.11646/zootaxa.4816.2.8>
- Padate, V.P., Manjebrayakath, H. & Ng, P.K.L. 2019. Kasagia sudhakari, a new species of deep- sea spider crab (Crustacea: Brachyura: Majidae) from the southeastern Arabian Sea. *Marine Biology Research*, **15** (3), 290–296. <https://doi.org/10.1080/17451000.2019.1637527>
- Patel, K., Patel, P. & Trivedi, J. 2021. First record of *Manningis arabicum* (Jones and Clayton, 1983) (Decapoda, Brachyura, Camptandriidae) from India. *Nauplius*, **29**: e2021017. <https://doi.org/10.1590/2358-2936e2021017>
- Pati, S.K., Sujila, P.S. & Sudha Devi, A.R. 2020b. Crab out of its shell: Multiple records of the sesarmid crab, *Pseudosesarma glabrum* Ng, Rani & Bijoy Nandan, 2017 (Decapoda: Brachyura: Sesarmidae), confirm species' wide distribution along the west coast of India. In: Nandan, S.B., Priyaja, P. & Jayachandran, P.R. (Eds.), Frontiers in Benthic Science. Directorate of Public Relations and Publications, Cochin University of Science and Technology, Kochi, pp. 139–146.
- Pati, S.K. , Sujila, P.S. & Ng, P. K.L. 2022. On the collection of marine crabs (Decapoda: Brachyura) in the Zoological Survey of India, Western Regional Centre, Pune, with a note on the taxonomy of *Sphaerozius scaber* (Fabricius, 1798) (Menippidae). *Zootaxa* **5094** (4): 501–552
- Prakash, S. & Marimuthu, N. 2020. Notes on some crinoid associated decapod crustaceans (Crustacea: Decapoda) of Lakshadweep Archipelago, Central Indian Ocean. *Zootaxa*, **4766** (1), 86–100.
- Prema, M; Hsu, J.-W.; Shih, H.-T.; Ravichandran, S. 2022. First record of the genus *Pseudohelice* Sakai, Türkay & Yang, 2006 from India and description of a new pseudocryptic species (Crustacea: Brachyura: Varunidae). *Zoological Studies*. **61**: e56.
- Suvarna Devi, S., Mendoza, J.C.E., Ravinesh, R., Babu, K.K.I., Kumar, A.B. & Ng, P.K.L. 2019. On a collection of brachyuran crabs from Lakshadweep, Indian Ocean (Crustacea: Decapoda: Brachyura). *Zootaxa*, **4613** (3), 477–501. <https://doi.org/10.11646/zootaxa.4613.3.4>
- Trivedi, J.N., Trivedi, D.J., Vachhrajani, K.D. and Ng, P.K.L., 2018b. An annotated checklist of the marine brachyuran crabs (Crustacea: Decapoda: Brachyura) of India. *Zootaxa*, **4502**: 1-83. <https://doi.org/10.11646/zootaxa.4502.1.1>
- Trivedi, J., Mitra, S., Patel, P., Maheta, N., Patel, K. & Ng, P.K.L. 2021b. On the Indian species of *Eurycarcinus* A. MilneEdwards, 1867, *Heteropanope* Stimpson, 1858, and *Pilumnopus* A. Milne- Edwards, 1867 (Decapoda: Brachyura: Pilumnidae). *Nauplius*, **29**: e2021004. <https://doi.org/10.1590/2358-2936e2021004>
- Trivedi, J.N., Gosavi, S., Vachhrajani, K.D. & Ng, P.K.L. 2019. Redescription of *Arcotheres pernicola* (Bürger, 1895) (Crustacea: Decapoda: Brachyura: Pinnotheridae) from the oyster *Magallana gryphoides* (Schlotheim, 1820) in India. *Zootaxa*, **4706** (4): 587–593. <https://doi.org/10.11646/zootaxa.4706.4.8>
- Trivedi, J.N., Gosavi, S., Vachhrajani, K.D., Mitra, S., Ravinesh, R. & Ng, P.K.L. 2020. On the identities of *Nepinnotheres vicajii* (Chhapgar, 1957) and *Arcotheres casta* (Antony & Kuttyamma, 1971) from western India: conspecificity and taxonomy (Decapoda, Brachyura, Pinnotheridae). *Zootaxa*, **4809** (3), 496–508. <https://doi.org/10.11646/zootaxa.4809.3.4>
- Trivedi, J.N., Mitra, S. & Ng, P.K.L. 2021a. *Tritodynamia bengalensis* n. sp., a new species of brachyuran crab from West Bengal state, India (Decapoda: Brachyura: Macrophthalmidae). *Zootaxa*, **4938** (3), 325–330. <https://doi.org/10.11646/zootaxa.4938.3.3>
- Trivedi, J.N. & Tan, S.H. 2019. First record of brachyuran crab *Rhinolambrus lippus* (Lanchester, 1901) (Crustacea: Decapoda: Parthenopidae) from India. *Nauplius*, **27**: e2019021. <https://doi.org/10.1590/2358-2936e2019021>
- Valarmathi, K., 2019. Crustacea. In: Faunal Diversity of Mangrove Ecosystem in India, 197- 256. (Published by the Director, Zool. Surv. India, Kolkata)

- Valarmathi, K., 2020. Arthropoda : Crustacea : Brachyura 419-458. In: Chandra, K., Raghunathan, C. and Mondal, T. (Eds.), Faunal Diversity of Biogeographic Zones : Coasts of India : 1- 807. (Published by the Director, Zool. Surv. India, Kolkata).
- Valarmathi, K. 2021. Crabs. In: Chandra, K., Raghunathan, C., Pillai, H.U.K., Jasmine, P. and Mondal, T. 2021. Deep Sea Faunal Diversity in India: 1-634 (Published by the Director Zool. Surv. India, Kolkata). ISBN978-81-81-71-569-2
- Wood-Mason, J., 1874. On a new genus and species (Hylaeocarcinus Humei) of Land crabs from the Nicobar Islands. *Journal of the Asiatic Society of Bengal*, 4, 1873, Part II (Natural History, &c.), Nos. I-IV: 258-262, pls. 15, 16.
- Wood-Mason, J., 1891. Report of the Superintendent for the year 1890-91. In: Indian Museum. Annual Report. April 1890 to March 1891. Vol. 22. Printed by of the Trustees, Calcutta, pp. 1-33.
- Wood-Mason, J., 1892. Illustrations of the Zoology of H.M. Indian Marine Surveying Steamer Investigator, under the command of Commander A. Carpenter, R.N., D.S.O., and of Commander R. F. Hoskyn, R.N. Part I. Crustaceans. Pls. I-V. Director of the Royal Indian Marine, Calcutta, V pls. [5 unnumbered pages of Explanation of pls.]
- Wood-Mason, J. and Alcock, A., 1891a. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. No. 21. On the Results of the last Season's Deep-sea Dredging. *Annals and Magazine of Natural History, Series*, 6, 7(37): 1-19. [January 1891]
- Wood-Mason, J. and Alcock, A., 1891b. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. No. 21. On the Results of the lastSeason's Deep-sea Dredging. *Annals and Magazine of Natural History, Series*, 6, 7(38): 186- 202. [February 1891]
- Wood-Mason, J. and Alcock, A., 1891c. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. - No. 21. On the Results of the lastSeason's Deep-sea Dredging. *Annals and Magazine of Natural History, Series*, 6, 7(39): 258- 272. [March 1891]
- Wood-Mason, J. and Alcock, A., 1891d. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series II., No. 1. On the Results of the Deep-sea Dredging during the Season 1890-91. *Annals and Magazine of Natural History, Seires*, 6, 8(43): 16-34. [July 1891].
- Wood-Mason, J. and Alcock, A., 1891e. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series II., No. 1. On the Results of the Deep-sea Dredging during the Season 1890-91. *Annals and Magazine of Natural History, Series*, 6, 8(44): 119-138. [August 1891].
- Wood-Mason, J. and Alcock, A., 1891f. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series II., No. 1. On the Results of the Deep-sea Dredging during the Season 1890-91. *Annals and Magazine of Natural History, Series*, 6, 8(46): 268-286. [October 1891].
- Wood-Mason, J. and Alcock, A., 1891g. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series II., No. 1. On the Results of the Deep-sea Dredging during the Season 1890-91. *Annals and Magazine of Natural History, Series*, 6, 8(47): 353-362. [November 1891].
- Wood-Mason, J. and Alcock, A., 1891h. Natural History Notes from H.M. Indian Marine Survey Steamer Investigator, Commander R.F. Hoskyn, R.N., commanding. Series II., No. 1. On the Results of the Deep-sea Dredging during the Season 1890-91. *Annals and Magazine of Natural History, Series*, 6, 8(47): 427-452. [November 1891].