

FAUNA OF INDIA CHECKLIST

JULY, 2024

ONLINE VERSION 1.0



PISCES

L. Kosygin¹, A. Mohapatra², Bineesh, K.K.³, I. Sharma⁴, S.S. Jadhav⁵, D. Khynriam⁶

¹Zoological Survey of India, Freshwater Fish Section, 27 J.L. Nehru Road, Kolkata-700016,

¹lkzsi5@yahoo.com; <https://orcid.org/0000-0002-9566-2247>, ²Estuarine Biology Regional Centre, Zoological Survey of India, Gopalpur-on-Sea-761002, ²anil2k7@gmail.com; <https://orcid.org/0000-0003-3547-7039>,

³Marine Biology Regional Centre, Zoological Survey of India, Chennai-600028 ³kkbineeesh@gmail.com; <https://orcid.org/0000-0001-9775-018X>, ⁴Desert Regional Centre, Zoological Survey of India, Jodhpur-342005

⁴induzsi@gmail.com; <https://orcid.org/0009-0007-5717-318X>, ⁵Freshwater Biology Regional Centre, Zoological Survey of India, Hyderabad-500048 ⁵shrikantjadhavzsi@gmail.com; <https://orcid.org/0000-0003-3799-4793>,

⁶North Eastern Regional Centre, Zoological Survey of India, Shillong-793003, ⁶dimoskhynriam@gmail.com; <https://orcid.org/0009-0000-0672-7321>, Corresponding author: lkzsi5@yahoo.com

DOI : <https://doi.org/10.26515/Fauna/1/2023/Choradata:Pisces>


Key words: Fish, checklist, biodiversity, endemic, India.

Citation: Kosygin, L., Mohapatra, A., Bineesh, K.K., Sharma, I., Jadhav, S.S., Khynriam, D. (2024). Fauna of India Checklist: Pisces. Version 1.0. Zoological Survey India. DOI: <https://doi.org/10.26515/Fauna/1/2023/Choradata:Pisces>

Comments on the checklist:

E-mail your comments
and suggestions to improve
the checklist to

zsifaunachecklists@gmail.com
and lkzsi5@yahoo.com



Ministry of Environment,
Forest & Climate Change

ZOOLOGICAL SURVEY OF INDIA
Ministry of Environment, Forest & Climate Change

PISCES

L. Kosygin¹, A. Mohapatra², Bineesh, K.K.³, I. Sharma⁴, S.S. Jadhav⁵, D. Khynriam⁶

¹Zoological Survey of India, Freshwater Fish Section, 27 J.L. Nehru Road, Kolkata-700016

¹[*lkzsi5@yahoo.com*](mailto:lkzsi5@yahoo.com); [*https://orcid.org/0000-0002-9566-2247*](https://orcid.org/0000-0002-9566-2247), ²Estuarine Biology Regional Centre, Zoological Survey of India, Gopalpur-on-Sea-761002, ²[*anil2k7@gmail.com*](mailto:anil2k7@gmail.com); [*https://orcid.org/0000-0003-3547-7039*](https://orcid.org/0000-0003-3547-7039), ³Marine Biology Regional Centre, Zoological Survey of India, Chennai-600028

³[*kkbineesh@gmail.com*](mailto:kkbineesh@gmail.com); [*https://orcid.org/0000-0001-9775-018X*](https://orcid.org/0000-0001-9775-018X), ⁴Desert Regional Centre, Zoological Survey of India, Jodhpur-342005 ⁴[*induzsi@gmail.com*](mailto:induzsi@gmail.com); [*https://orcid.org/0009-0007-5717-318X*](https://orcid.org/0009-0007-5717-318X), ⁵Freshwater Biology Regional Centre, Zoological Survey of India, Hyderabad-500048

⁵[*shrikantjadhavzsi@gmail.com*](mailto:shrikantjadhavzsi@gmail.com); [*https://orcid.org/0000-0003-3799-4793*](https://orcid.org/0000-0003-3799-4793), ⁶North Eastern Regional Centre, Zoological Survey of India, Shillong-793003, ⁶[*dimoskhynriam@gmail.com*](mailto:dimoskhynriam@gmail.com); [*https://orcid.org/0009-0000-0672-7321*](https://orcid.org/0009-0000-0672-7321), *Corresponding author: [*lkzsi5@yahoo.com*](mailto:lkzsi5@yahoo.com)

Introduction: Fishes are cold-blooded aquatic vertebrates that breathe through pharyngeal gills, propelling and balancing themselves using fins. Fishes, in simple definition, are aquatic vertebrates that have gills throughout life and limbs, if any, in the shape of fins. Among vertebrates, “fishes” constitute an amazing group that exhibits remarkable morphological diversity, inhabiting habitats and biology. Fishes have existed for more than 450 million years, during which time they have evolved repeatedly to fit into almost every conceivable type of aquatic habitat. Some fish, like lungfish, are of zoological importance because of their discontinuous distribution and anatomical features. They also play an essential role in the aquatic ecosystem and are important for aquaculture. Fishes make up over half of the world's living vertebrates. While freshwater habitats cover only a small portion of the earth's surface water, they support an inappropriately large number of fish species (Nelson *et al.*, 2016).

India is home to a diverse range of fish species in both its inland and marine waters, with a high percentage of endemic species (Gopi *et al.*, 2017). It is blessed with rich biodiversity because of its tri-junctional position with the biogeographic realms, viz., Palaearctic, Afro-Tropical and Oriental. India is endowed with diverse habitats of aquatic systems: rivers, canals, estuaries, natural and man-made lakes, backwaters, brackish-water impoundments, marshes and mangrove wetlands. As regards the marine environment, India has over 7500 km long coastline and 2.3 million sq. km of Exclusive Economic Zone (EEZ) with four major coral reef island groups, viz., Andaman and Nicobar, Gulf of Mannar, Gulf of Kutchch and Lakshadweep. The Indian Peninsula is also flanked by two large marine ecosystems, the Arabian Sea and the Bay of Bengal, which merge with the Indian Ocean around the southernmost extremity of India (Talwar & Jhingran, 1991; Mishra *et al.*, 2013).

Global diversity: A total of 36,640 fish species belonging to 5248 genera are distributed globally. Of these, 18,614 are found in freshwater (Fricke *et al.*, 2023).

Diversity in India: In India, 3523 fish species belonging to 1097 genera and 272 families of 55 orders are recorded. A systematic checklist of the fishes of India is furnished below. The classification of fishes follows Van der Laan *et al.* (2023).

Diversity in States

Sl.No.	State/Union Territory	No. Species	No. Endemic Species
1	Andhra Pradesh	1011	54
2	Arunachal Pradesh	272	100
3	Assam	245	47
4	Bihar	120	11
5	Chhattisgarh	62	7
6	Gujarat	602	39
7	Goa	42	8
8	Haryana	86	7
9	Himachal Pradesh	110	11
10	Jharkhand	91	7
11	Karnataka	793	135
12	Kerala	979	152
13	Madhya Pradesh	151	22
14	Maharashtra	818	80
15	Manipur	271	99
16	Meghalaya	179	26
17	Mizoram	203	55
18	Nagaland	159	26
19	Odisha	811	48
20	Punjab	86	2
21	Rajasthan	99	7
22	Sikkim	63	7
23	Tamil Nadu	1380	99
24	Telangana	166	53
25	Tripura	151	6
26	Uttar Pradesh	153	15
27	Uttarakhand	124	13
28	West Bengal	872	77
29	Andaman & Nicobar	1468	8
30	Chandigarh	19	0
31	Dadra Nagar Haveli, Daman & Diu	33	9
32	Delhi	82	1
33	Jammu & Kashmir	94	1
34	Ladakh	17	2
35	Lakshadweep	838	4
36	Puducherry	27	0
INDIA TOTAL		3523	664

Endemism: A total of 664 species are endemic to India. High endemism is reported from the Western Ghats, North East India. The highest number of endemic species are reported from Kerala (152 species), followed by Karnataka (135 species), Arunachal Pradesh (100 species), Tamil Nadu (99 species), Manipur (99), Maharashtra (80), West Bengal (77 species), Mizoram (55 species), Andhra Pradesh (54 species) and Telangana (53 species). The remaining states have less than 50 endemic species.

Habitat: Fish inhabit all water bodies, including marine, freshwater, and brackish. They are found in streams, rivers, lakes, ponds, and oceans. Freshwater fishes in India live in almost every conceivable type of aquatic habitat, from ponds, lakes, rivers, and streams to the Trans Himalayan areas at elevations up to 5000 meters. Fish may be seen to be distributed according to habitat and geographical area.

Ecological Significance: Fish play a crucial role in their aquatic ecosystems by contributing important nutrients and impacting the growth rates of organisms at the base of the food web. They are vital for maintaining the stability and food web of aquatic ecosystems and serve as excellent indicators of ecological quality. Fish also form an essential component of the aquatic food chain and serve as prey for wetland birds. Additionally, they are sensitive to water quality and are considered indicators of freshwater ecosystem health. Fish have a significant impact on food chain dynamics, nutrient cycling, and ecosystem resilience.

Human Significance: Fish provides a staple diet and protein supplement for people, thus making it a vital resource element in the economy of many nations. Many freshwater fish species are of immense aquaculture importance. Marine fisheries are significant to the economy and well-being of coastal communities, with the potential to transform the lives of coastal communities by providing food security, employment, income and traditional cultural identity. The economic importance of fish is greater today than ever before and is growing steadily. Statisticians predict that much of the vital protein food necessary to nourish our ever-increasing human population- perhaps half is underfed even today, will come from marine fisheries. Over the last two decades, the fisheries and aquaculture sectors have been increasingly recognized for their essential contribution to global food security and nutrition (FAO, 2022). Additionally, fish are valuable for studies in genetics, behavior, ecology, evolution, and physiology.

Threatened species: As per the IUCN (2023), a total of 291 species are in the Threatened category (38 Critically Endangered, 105 Endangered, and 148 Vulnerable). Among the states, the highest number of threatened species are reported from Kerala with 129 species, followed by Tamil Nadu with 121 species, Karnataka with 96 species, Andaman and Nicobar with 94 species, Andhra Pradesh with 83 species, Gujarat with 66 species, Odisha with 64 species, and West Bengal with 60 species. Other remaining states and union territories have less than 50 threatened species.

Protected Species as per WPA (2022): There are 63 fish species protected under the Wildlife Protection Act (2022). Fifty-three of these species are listed under Schedule I, while 10 are listed under Schedule II. The list includes two freshwater fishes - Channa barca and Aenigmachanna gollum, both of which are listed under Schedule II of the Wildlife Protection Act 2022.

Species under CITES: A total of 54 species are listed under appendices II of CITES.

Invasive alien species: A total of 14 species are reported to be invasive in Indian waters.

Gap areas: The taxonomy and biodiversity of Indian fishes have been extensively studied, but there are still many important areas, such as the Eastern Ghats, Western Himalayas, Deccan Peninsular India, many protected areas, and Ramsar wetlands, that need to be documented. Fishes are poorly documented in several states, including Chandigarh, Nagaland, Tripura, Sikkim, Goa, Haryana, Bihar, Rajasthan, Jharkhand, and especially in the western Himalayas (Uttarakhand) and northeastern regions (Mizoram, Nagaland, Tripura, etc.). Many species have only been reported based on type collections and have not been observed or collected for over fifty years. There is an urgent need to develop expertise in morpho and molecular taxonomy to better understand the systematics and phylogeny of Indian fishes.

Systematic list:

Class: MYXINI

Order: MYXINIFORMES

Family: MYXINIDAE

1. *Eptatretus wadgensis* Augustina, Sreeram, Sukumaran, Sreekumar, Jose, Joshi & Gopalakrishnan, 2022

Class: ELASMOBRANCHII

Order: HEXANCHIFORMES

Family: HEXANCHIDAE

2. *Hexanchus griseus* (Bonnaterre, 1788)
3. *Heptranchias perlo* (Bonnaterre, 1788)

Order: ORECTOLOBIFORMES

Family: RHINCODONTIDAE

4. *Rhincodon typus* Smith, 1828

Family: HEMISCYLLIIDAE

5. *Chiloscyllium arabicum* Guanov, 1980
6. *Chiloscyllium griseum* Müller & Henle, 1838
7. *Chiloscyllium indicum* (Gmelin, 1789)
8. *Chiloscyllium punctatum* Müller & Henle, 1838 *plagiosum* (Anonymous [Bennett], 1830)
9. *Chiloscyllium plagiosum* (Anonymous [Bennett], 1830)
10. *Chiloscyllium burmense* Dingerkus & DeFino, 1983
11. *Chiloscyllium hasseltii* Bleeker, 1852

Family: STEGOSTOMATIDAE

12. *Stegostoma tigrinum* (Forster, 1781)

Family: GINGLYMOSMATIDAE

13. *Nebrius ferrugineus* (Lesson, 1831)

Order: LAMNIFORMES

Family: ODONTASPIDIIDAE

14. *Carcharias taurus* Rafinesque, 1810
15. *Carcharias tricuspidatus* Day, 1878
16. *Odontaspis ferox* (Risso, 1810)
17. *Odontaspis noronhai* (Maul, 1955)

Family: PSEUDOCARCHARIIDAE

18. *Pseudocarcharias kamoharai* (Matsubara, 1936)

Family: LAMNIDAE

19. *Isurus oxyrinchus* Rafineque, 1810
20. *Isurus paucus* (Guitart, 1966)

Family: ALOPIIIDAE

21. *Alopias pelagicus* Nakamura, 1935
22. *Alopias superciliosus* (Lowe, 1841)
23. *Alopias vulpinus* (Bonaterre, 1788)

Order: CARCHARHINIFORMES

Family: PENTANCHIDAE

24. *Halaehelurus quagga* (Alcock, 1899)

Family: PSEUDOTRIAKIDAE

25. *Planonasus indicus* Ebert, Akhilesh & Weigmann, 2018

Family: SCYLIORHINIDAE

26. *Atelomycterus marmoratus* (Anonymous [Bennett], 1830)
27. *Bythaelurus hispidus* (Alcock, 1891)
28. *Cephaloscyllium silasi* (Talwar, 1974)
29. *Apristurus investigatoris* (Misra, 1962)

Family: PROSCYLLIIDAE

30. *Eridacnis radcliffei* Smith, 1913
31. *Proscyllium magnificum* Last & Vongpanich, 2004

Family: TRIAKIDAE

32. *Iago omanensis* (Norman, 1939)
33. *Iago mangalorensis* Cubelio, Remya and Kurup, 2011
34. *Hemitriakis indroyonoi* White, Compagno & Dharmadi, 2009
35. *Mustelus mosis* Hemprich & Ehrenberg, 1899

Family: HEMIGALEIDAE

36. *Chaenogaleus macrostoma* (Bleeker, 1852)
37. *Hemigaleus microstoma* Bleeker, 1852
38. *Hemipristis elongata* (Klunzinger, 1871)
39. *Paragaleus longicaudatus* (Bessednov, 1966)

Family: CARCHARHINIDAE

40. *Carcharhinus altimus* (Springer, 1950)
41. *Carcharhinus amblyrhynchoides* (Whitley, 1934)
42. *Carcharhinus amblyrhynchos* (Bleeker, 1856)
43. *Carcharhinus amboinensis* (Müller & Henle, 1839)
44. *Carcharhinus albimarginatus* (Ruppel, 1837)
45. *Carcharhinus brevipinna* (Müller & Henle, 1839)
46. *Carcharhinus dussumieri* (Müller & Henle, 1839)
47. *Carcharhinus hemiodon* (Müller & Henle, 1839)
48. *Carcharhinus falciformis* (Müller & Henle, 1839)
49. *Carcharhinus leucas* (Valenciennes, 1839)
50. *Carcharhinus limbatus* (Muller & Henle, 1839)
51. *Carcharhinus longimanus* (Poey, 1861)
52. *Carcharhinus macloti* (Müller & Henle, 1839)
53. *Carcharhinus melanopterus* (Quoy & Gaimard, 1824)
54. *Carcharhinus obscurus* (Lesueur, 1818)
55. *Carcharhinus plumbeus* (Nardo, 1827)
56. *Carcharhinus sealei* (Pietschmann, 1913)
57. *Carcharhinus sorrah* (Müller & Henle, 1839)
58. *Galeocerdo cuvier* (Peron & Le Sueur, 1822)
59. *Glyphis gangeticus* (Müller & Henle, 1839)
60. *Lamiopsis temminckii* (Müller & Henle, 1839)
61. *Loxodon macrorhinus* Müller & Henle, 1839
62. *Negaprion acutidens* (Rüppell, 1837)
63. *Prionace glauca* (Linnaeus, 1758)
64. *Rhizoprionodon acutus* (Ruppell, 1837)
65. *Rhizoprionodon oligolinx* Springer, 1964
66. *Scoliodon laticaudus* Müller & Henle, 1838

67. *Triaenodon obesus* (Ruppell, 1837)

Family: SPHYRNIDAE

- 68. *Eusphyra blochii* (Cuvier, 1816)
- 69. *Sphyrna lewini* (Griffith & Smith, 1834)
- 70. *Sphyrna mokarran* (Rüppell, 1837)
- 71. *Sphyrna zygaena* (Linnaeus, 1758)
- 72. *Eusphyra laticeps* (Cantor, 1837)

Order: SQUALIFORMES

Family: DALATIIDAE

- 73. *Centroscymnus crepidater* (Bocage & Capello, 1864)

Family: ETMOPTERIDAE

- 74. *Centroscyllium ornatum* (Alcock, 1889)

Family: SQUALIDAE

- 75. *Squalus mitsukurii* Jordan & Snyder, 1903
- 76. *Squalus megalops* (MacLeay, 1881)
- 77. *Squalus hemipinnis* White, Last & Yearsley, 2007

Family: CENTROPHORIDAE

- 78. *Centrophorus moluccensis* Bleeker, 1860
- 79. *Centrophorus granulosus* (Bloch & Schneider, 1801)
- 80. *Centrophorus squamosus* (Bonnaterre, 1788)
- 81. *Centrophorus atromarginatus* Garman, 1913
- 82. *Centrophorus zeehaani* White, Ebert & Compagno, 2008
- 83. *Deania profundorum* (Smith & Radcliffe, 1912)

Family: ETMOPTERIDAE

- 84. *Centroscyllium ornatum* (Alcock, 1889)
- 85. *Centroscyllium kamoharai* Abe, 1966
- 86. *Etomopterus pusillus* (Lowe, 1839)

Family: SOMNIOSIDAE

- 87. *Zameus squamulosus* (Günther, 1877)
- 88. *Scymnodon ichiharai* Yano and Tanaka, 1984

Order: ECHINORHINIFORMES

Family: ECHINORHINIDAE

- 89. *Echinorhinus brucus* (Bonnaterre, 1788)

Order: TORPEDINIFORMES

Family: NARKIDAE

- 90. *Narke dipterygia* (Bloch & Schneider, 1801)

Family: NARCIINIDAE

- 91. *Narcine atzi* Carvalho and Randall, 2003
- 92. *Narcine maculata* (Shaw, 1804)
- 93. *Narcine brevilabiata* Bessednov, 1966
- 94. *Narcine lingula* Richardson, 1840
- 95. *Narcine prodorsalis* Bessednov, 1966
- 96. *Narcine timlei* (Bloch & Schneidar, 1801)
- 97. *Benthobatis moresbyi* Alcock, 1898

Family: TORPEDINIDAE

98. *Torpedo panthera* Olfers, 1831
 99. *Torpedo sinuspersici* Olfers, 1831

Order: RHINOPRISTIFORMES**Family: GLAUCOSTEGIDAE**

100. *Glaucostegus granulatus* (Cuvier, 1829)
 101. *Glaucostegus obtusus* (Müller & Henle, 1841)
 102. *Glaucostegus thouin* (Anonymous [Lacepède], 1798)
 103. *Glaucostegus typus* (Anonymous [Bennett], 1830)

Family: RHINOBATIDAE

104. *Acroteriobatus variegatus* (Nair & Lal Mohan, 1973)
 105. *Rhinobatos annandalei* Norman, 1926
 106. *Rhinobatos lionotus* Norman, 1926
 107. *Rhinobatos punctifer* Compagno & Randall, 1987

Family: RHINIDAE

108. *Rhina aenocystoma* Schneider, 1801
 109. *Rhynchobatus australiae* Whitley, 1939
 110. *Rhynchobatus djiddensis* (Forsskål, 1775)
 111. *Rhynchobatus laevis* (Bloch & Schneider, 1801)

Family: PRISTIDAE

112. *Anoxypristes cuspidata* (Latham, 1794)
 113. *Pristis clavata* Garman, 1906
 114. *Pristis pristis* (Linnaeus, 1758)
 115. *Pristis zijsron* Bleeker, 1851

Order: MYLIOBATIFORMES**Family: DASYATIDAE**

116. *Brevitrygon imbricata* (Bloch & Schneider, 1801)
 117. *Brevitrygon walga* (Müller & Henle, 1841)
 118. *Hemitrygon bennettii* (Müller & Henle, 1841)
 119. *Himantura leoparda* Manjaji-Matsumoto & Last, 2008
 120. *Himantura marginata* (Blyth, 1860)
 121. *Himantura uarnak* (Forsskal, 1775)
 122. *Himantura undulata* (Bleeker, 1852)
 123. *Himantura tutul* Borsa, Durand, Shen, Alyza, Solihin & Berrebi, 2013
 124. *Maculabatis arabica* Manjaji-matsumoto & Last, 2016
 125. *Maculabatis bineeshi* Manjaji-matsumoto & Last, 2016
 126. *Maculabatis gerrardi* (Gray, 1851)
 127. *Megatrygon microps* (Annandale, 1908)
 128. *Neotrygon caeruleopunctata* Last, White & Serét, 2016
 129. *Neotrygon indica* Pavan-Kumar, Pitale, Shen, Borsa, 2018
 130. *Pastinachus ater* (Macleay, 1883)
 131. *Pastinachus sephen* (Forsskal, 1775)
 132. *Pastinachus gracilicaudus* Last & Manjaji-Matsumoto, 2010
 133. *Pateobatis bleekeri* (Blyth, 1860)
 134. *Pateobatis fai* (Jordan & Seale, 1906)
 135. *Pateobatis jenkinsii* (Annandale, 1909)
 136. *Pteroplatytrygon violacea* (Bonaparte, 1832)

137. *Taeniura lymma* (Forsskål, 1775)
138. *Taeniura meyenii* Muller & Henle, 1841
139. *Telatrygon crozieri* (Blyth, 1860)
140. *Urogymnus asperrimus* (Bloch & Schneider, 1801)
141. *Urogymnus polylepis* Bleeker, 1852
142. *Urogymnus granulatus* (Macleay, 1883)

Family: GYMNURIDAE

143. *Gymnura poecilura* (Shaw 1804)
144. *Gymnura tentaculata* (Valenciennes, 1841)
145. *Gymnura zonura* (Bleeker, 1852)

Family: PLESIOBATIDAE

146. *Plesiobatis daviesi* (Wallace, 1967)

Family: AETOBATIDAE

147. *Aetobatus flagellum* (Bloch & Schneider, 1801)
148. *Aetobatus ocellatus* (Kuhl, 1823)

Family: MYLIOBATIDAE

149. *Aetomylaeus maculatus* (Gray, 1834)
150. *Aetomylaeus milvus* (Valenciennes, 1841)
151. *Aetomylaeus nichofii* (Bloch & Schneider, 1801)
152. *Aetomylaeus vespertilio* (Bleeker, 1852)

Family: MOBULIDAE

153. *Mobula alfredi* (Krefft, 1868)
154. *Mobula birostris* (Walbaum, 1792)
155. *Mobula kuhlii* (Valenciennes, 1841)
156. *Mobula mobular* (Bonnaterre, 1788)
157. *Mobula tarapacana* (Philippi, 1892)
158. *Mobula thurstoni* (Lloyd, 1908)

Family: RHINOPTERIDAE

159. *Rhinoptera javanica* Müller & Henle, 1841
160. *Rhinoptera jayakari* Boulenger, 1895

Order: RAJIFORMES**Family: GURGESIELLIDAE**

161. *Fenestraria mamillidens* (Alcock, 1889)
162. *Cruriraja andamanica* (Lloyd, 1909)

Family: RAJIDAE

163. *Okamejei powelli* (Alcock, 1898)

Family: HEXATRYGONIDAE

164. *Hexatrygon bickelli* Heemstra & Smith, 1980

Order: SQUATINIFORMES**Family: SQUATINIDAE**

165. *Squatina leae* Weigmann, Vaz, Akhilesh, Leene y & Naylor 2023

Class: HOLOCEPHALI**Family: CHIMAERIDAE**

166. *Hydrolagus africanus* (Gilchrist, 1922)

Family: RHINOCHIMAERIDAE

167. *Neoharriotta pinnata* (Schnakenbeck, 1931)
 168. *Harriotta raleighana* Goode & Bean, 1895

Class: ACTINOPTERI**Order: ELOPIFORMES****Family: ELOPIDAE**

169. *Elops machnata* (Forsskal, 1775)

Family: MEGALOPIDAE

170. *Megalops cyprinoides* (Broussonet, 1872)

Order: ALBULIFORMES**Family: ALBULIDAE**

171. *Albula glossodonta* (Forsskål, 1775)
 172. *Albula oligolepis* Hidaka, Iwatsuki & Randall, 2008
 173. *Albula vulpes* (Linnaeus, 1758)

Order: NOTACANTHIFORMES**Family: HALOSAURIDAE**

174. *Aldrovandiaaffinis* (Günther, 1877)
 175. *Aldrovandiaphalacra* (Vaillant, 1888)
 176. *Aldrovandiamediorostris* (Günther, 1887)
 177. *Halosaurus carinicauda* (Alcock, 1889)
 178. *Halosaurus parvipennis* Alcock, 1892

Family: NOTACANTHIDAE

179. *Notacanthus laccadivensis* Konhamakkada, Kinattumkara, Raghavan & Sivanpillai, 2023

Order: ANGUILLIFORMES**Family: ANGUILLIDAE**

180. *Anguilla bengalensis* (Gray, 1844)
 181. *Anguilla bicolor* McClelland, 1844
 182. *Anguilla australis* Richardson, 1841
 183. *Anguilla marmorata* Quoy & Gaimard, 1824
 184. *Anguilla nebulosa* McClelland, 1844

Family: MORINGUIDAE

185. *Moringua abbreviata* (Bleeker, 1863)
 186. *Moringua bicolor* Kaup, 1856
 187. *Moringua arundinacea* (McClelland, 1844)
 188. *Moringua javanica* (Kaup, 1856)
 189. *Moringua macrochir* Bleeker, 1853
 190. *Moringua microchir* Bleeker, 1853
 191. *Moringua raitaborua* (Hamilton, 1822)

Family: SYNAPHOBRANCHIDAE

192. *Dysomma bucephalus* Alcock, 1889
 193. *Dysomma muciparus* Alcock, 1891
 194. *Histiobranchus bathybius* (Günther, 1877)
 195. *Synaphobranchus kaupii* Johnson, 1862
 196. *Synaphobranchus brevidorsalis* Gunther, 1887

Family: MURAENIDAE

197. *Anarchias allardicei* Jordan & Starks, 1906

198. *Anarchias cantonensis* (Schultz, 1943)
199. *Diaphenichelys dalmatian* Hibino, Satapoomin, & Kimura, 2017
200. *Echidna delicatula* (Kaup, 1856)
201. *Echidna leucotaenia* Schultz, 1943
202. *Echidna nebulosa* (Ahl, 1789)
203. *Echidna polyzona* (Richardson, 1845)
204. *Echidna xanthospilos* (Bleeker, 1859)
205. *Echidna rhodochilus* (Bleeker, 1863)
206. *Enchelycore propinqua* Mohapatra, Smith, Ray, Mishra, Mohanty, 2017
207. *Enchelynassa canina* (Quoy & Gaimard, 1824)
208. *Gymnomuraena zebra* (Shaw, 1797)
209. *Gymnothorax bueroensis* (Bleeker, 1857)
210. *Gymnothorax enigmaticus* (McCosker & Randall, 1982)
211. *Gymnothorax favagineus* Bloch & Sch., 1801
212. *Gymnothorax fimbriatus* (Bennett, 1832)
213. *Gymnothorax flavimarginatus* (Ruppell, 1830)
214. *Gymnothorax indicus* Mohapatra et al 2016
215. *Gymnothorax javanicus* (Bleeker, 1859)
216. *Gymnothorax meleagris* (Shaw, 1795)
217. *Gymnothorax mishrai* Ray, Mohapatra & Smith, 2015
218. *Gymnothorax monochrous* (Bleeker, 1856)
219. *Gymnothorax monostigma* (Regan, 1909)
220. *Gymnothorax odishi* Mohapatra, Mohanty, Smith, Mishra & Roy, 2018
221. *Gymnothorax pictus* (Ahl, 1789)
222. *Gymnothorax prolatus* Sasaki & Amaoka, 1991
223. *Gymnothorax pseudothyroideus* (Bleeker, 1853)
224. *Gymnothorax pseudotile* Mohapatra, Smith, Ray, Mishra, Mohanty, 2017
225. *Gymnothorax punctatus* Bloch & Schneider, 1801
226. *Gymnothorax punctatofasciatus* Bleeker, 1863
227. *Gymnothorax reticularis* Bloch, 1795
228. *Gymnothorax richardsonii* (Bleeker, 1852)
229. *Gymnothorax rueppelliae* (McClelland, 1844)
230. *Gymnothorax smithi* Sumod, Mohapatra, Sanjeevan, Kishor, Bineesh, 2019
231. *Gymnothorax tamilnaduensis* Kodeeswaran, Kantharajan, Mohapatra, Kumar, Sarkar, 2023
232. *Gymnothorax thyroideus* (Richardson, 1845)
233. *Gymnothorax tile* (Hamilton, 1822)
234. *Gymnothorax undulatus* (Lacepède, 1803)
235. *Rhinomuraena quaesita* Garman, 1888
236. *Gymnothorax visakhaensis* Mohapatra, Smith, Mohanty, Mishra, Tudu, 2017
237. *Gymnothorax aurocephalus* Nashad, Mohapatra, Varghese, Ramalingam, Bineesh & Mohanty, 2020
238. *Gymnothorax andamanensis* Mohapatra, Kiruba-Sankar, Praveenraj & Mohanty, 2019
239. *Scuticaria tigrina* (Lesson, 1828)
240. *Strophidon dorsalis* (Seale, 1917)
241. *Strophidon sathete* (Hamilton, 1822)
242. *Uropterygius concolor* Ruppell, 1838
243. *Uropterygius marmoratus* (Lacepede, 1803)

Family: OPHICHTHIDAE

244. *Allips concolor* McCosker, 1972
 245. *Bascanichthys deraniyagalai* Menon, 1961
 246. *Brachysomophis cirrocheilos* (Bleeker, 1857)
 247. *Caecula pterygera* Vahl, 1794
 248. *Callechelys catostoma* (Schneider & Forster, 1801)
 249. *Cirrhimuraena playfairii* (Gunther, 1870)
 250. *Cirrhimuraena indica* Mohapatra, Mohanty, Ray, Mishra, Seth, 2021
 251. *Cirrhimuraena odishaensis* Mohanty, Behera, Patro, Mohapatra, 2023
 252. *Lamnostoma orientalis* (McClelland, 1844)
 253. *Leiuramus semicinctus* (Lay & Bennett, 1839)
 254. *Muraenichthys gymnopterus* (Bleeker, 1853)
 255. *Muraenichthys hibinoi* Mohapatra, Behera, Ray, Acharya, Mohanty, Mishra, 2023
 256. *Muraenichthys schultzei* Bleeker, 1857
 257. *Myrichthys colubrinus* (Boddaert, 1781)
 258. *Myrichthys maculosus* (Cuvier, 1816)
 259. *Neenchelys buitendjiki* Weber & de Beaufort, 1916
 260. *Neenchelys cheni* (Chen & Weng, 1967)
 261. *Ophichthus altipennis* (Kaup, 1856)
 262. *Ophichthus apicalis* ([Bennett], 1830)
 263. *Ophichthus cephalozona* (Bleeker, 1864)
 264. *Ophichthus chennaiensis* Das, Mohapatra, Rajendar, Bhaskar, 2020
 265. *Ophichthus chilkensis* Chaudhuri, 1916
 266. *Ophichthus johnmccoskeri* Mohapatra, Ray, Mohanty, Mishra, 2018
 267. *Ophichthus kailashchandrai* Mohapatra, Ray, Mohanty, Mishra, 2020
 268. *Ophichthus lithinus* (Jordan & Richardson, 1908)
 269. *Ophichthus machidai* McCosker, Ide, Endo, 2012
 270. *Ophichthus mccoskeri* Sumod, Hibino, Manjabrayakath & Sanjeevan, 2019
 271. *Ophichthus microcephalus* Day, 1878
 272. *Ophichthus naevius* Kodeeswaran, Kathirvelpandian, Mohapatra, Kumar & Sarkar, 2023
 273. *Ophichthus nigroventralis* Kodeeswaran, Mohapatra & Kumar, 2023
 274. *Ophichthus sangjuensis* (Ji and Kim, 2011)
 275. *Pisodonophis boro* (Hamilton, 1822)
 276. *Pisodonophis cancrivorus* (Richardson, 1848)
 277. *Pisodonophis hijala* (Hamilton, 1822)
 278. *Pisodonophis kalinga* Mohanty, Behera, Acharya, Patnaik, Ray, Seth, Patro, Mishra, Mohapatra, 2023
 279. *Scolecenchelys macroptera* (Bleeker, 1857)
 280. *Skythrenchelys zabra* Castle & McCosker, 1999
 281. *Xestochilus nebulosus* (Smith, 1962)
 282. *Xyrias anjaalai* Augustina, Sreeram, Sukumaran, Jose & Sreekumar, 2020

Family: COLOCONGRIDAE

283. *Coloconger raniceps* Alcock, 1889

Family: MURAENESOCIDAE

284. *Congresox talabon* (Cuvier, 1829)
 285. *Congresox talabonoides* (Bleeker, 1853)
 286. *Gavialiceps taeniola* Alcock, 1889
 287. *Muraenesox bagio* (Hamilton, 1822)
 288. *Muraenesox cinereus* (Forsskal, 1775)

289. *Sauromuraenesox vorax* Alcock, 1889

Family: NEMICHTHYIDAE

- 290. *Avocettina paucipora* Nielsen & Smith, 1978
- 291. *Avocettina infans* (Gunther, 1878)
- 292. *Nemichthys scolopaceus* (Richardson, 1848)

Family: SYNAPHOBRANCHIDAE

- 293. *Synaphobranchus brevidorsalis* Gunther, 1887

Family: NETTASTOMATIDAE

- 294. *Saurenchelys petersi* Day, 1878

Family: CONGRIDAE

- 295. *Ariosoma anago* (Temminck & Schelegel, 1846)
- 296. *Ariosoma bengalense* Ray, Acharya, Khatua, Roy, Mohapatra, Mishra, 2022
- 297. *Ariosoma gnanadossi* Talwar & Mukherjii, 1977
- 298. *Ariosoma indicum* Kodeeswaran, Kathirvelpandian, Acharya, Mohanty, Mohapatra, Ajith Kumar, Lal, 2022
- 299. *Ariosoma majus* (Asano, 1958)
- 300. *Ariosoma maurostigma* Kodeeswaran, Mohapatra, Dhinakaran, Ajith Kumar, Lal, 2022
- 301. *Bathymyrus echinorhynchus* Alcock, 1889
- 302. *Bathymyrus simus* Smith, 1965
- 303. *Bathyuroconger vicinus* (Vaillant, 1888)
- 304. *Bathycongrus nasicus* (Alcock, 1894)
- 305. *Bathycongrus wallacei* (Castle, 1968)
- 306. *Conger cinereus* Rüppell, 1830
- 307. *Conger melanopterus* Kodeeswaran, Smith, Dhas, Kumar & Lal, 2023
- 308. *Diploconger polystigmatus* Kotthaus, 1968
- 309. *Gorgasia maculata* (Klausewitz & Eibleibesfeldt, 1959)
- 310. *Gavialiceps taeniola* Alcock, 1889
- 311. *Gnathophis musteliceps* (Alcock, 1894)
- 312. *Heteroconger hassi* (Klausewitz & Eibleibesfeldt, 1959)
- 313. *Heteroconger obscura* (Klausewitz & Eibleibesfeldt, 1959)
- 314. *Macrocephenchelys sumodi* Kodeeswaran, Smith, Kumar & Sarkar, 2023
- 315. *Parabathymyrus macrophthalmus* Kamohara, 1938
- 316. *Promyllantor purpureus* Alcock, 1890
- 317. *Rhynchoconger bicoloratus* Kodeeswaran, Mohapatra, Kumar & Lal, 2023
- 318. *Rhynchoconger ectenurus* (Jordan & Richardson, 1909)
- 319. *Rhynchoconger randalli* Acharya, Mohanty, Ray, Mishra, Mohapatra, 2022
- 320. *Rhynchoconger smithi* Mohapatra, Ho, Acharya, Ray, Mishra, 2022
- 321. *Rhynchoconger squaliceps* (Alcock, 1894)
- 322. *Uroconger lepturus* (Richardson, 1845)
- 323. *Xenomystaxtrucidans* Alcock, 1894

Order: CLUPEIFORMES

Family: DUSSUMIERIIDAE

- 324. *Dussumieria acuta* Valenciennes 1847
- 325. *Dussumieriaelopsoides* Bleeker, 1849

Family: CLUPEIDAE

- 326. *Amblygaster clupeoides* (Bleeker, 1849)

327. *Amblygaster leiogaster* (Valenciennes, 1847)
 328. *Amblygaster indiana* Mary, Balasubramaniam, Selvaraju, Shiny, 2017
 329. *Amblygaster sirm* (Walbaum, 1792)
 330. *Anodontostoma chacunda* (Hamilton, 1822)
 331. *Anodontostoma selangkat* (Bleeker, 1852)
 332. *Anodontostoma thailandiae* Wongratana, 1983
 333. *Corica soborna* Hamilton, 1822
 334. *Dayella malabarica* (Day, 1873)
 335. *Ehirava fluviatilis* Deraniyagala, 1929
 336. *Escualosa thoracata* (Valenciennes, 1847)
 337. *Gonialosa manmina* (Hamilton, 1822)
 338. *Gudusia chapra* (Hamilton, 1822)
 339. *Herklotichthys quadrimaculatus* (Ruppell, 1837)
 340. *Hilsa kelee* (Cuvier, 1829)
 341. *Nematalosa galatheae* Nelson & Rothman, 1973
 342. *Nematalosa nasus* (Bloch, 1795)
 343. *Sardinella albella* (Valenciennes, 1847)
 344. *Sardinella fimbriata* (Valenciennes, 1847)
 345. *Sardinella brachysoma* Bleeker, 1852
 346. *Sardinella gibbosa* (Bleeker, 1849)
 347. *Sardinella leiogaster* (Valenciennes, 1847)
 348. *Sardinella jussieu* (Lacepède, 1803) (= *Sardinella dayi* Regan, 1917)
 349. *Sardinella longiceps* Valenciennes, 1847
 350. *Sardinella melanura* (Cuvier, 1829)
 351. *Sardinella sindensis* (Day, 1878)
 352. *Tenualosa ilisha* (Hamilton, 1822)
 353. *Tenualosa toli* (Valenciennes, 1847)

Family: DOROSOMATIDAE

354. *Herklotichthys quadrimaculatus* (Ruppell, 1837)
 355. *Herklotichthys punctatus* (Ruppell, 1837)

Family: SPRATELLOOIDIDAE

356. *Spratelloides delicatulus* (Bennett, 1831)
 357. *Spratelloides gracilis* (Temminck & Schlegel, 1846)

Family: PRISTIGASTERIDAE

358. *Ilisha elongata* (Anonymous [Bennett], 1830)
 359. *Ilisha filigera* (Valenciennes, 1847)
 360. *Ilisha kampeni* (Weber & de Beaufort, 1913)
 361. *Ilisha megaloptera* (Swainson, 1838)
 362. *Ilisha melastoma* (Schneider, 1801)
 363. *Ilisha obfuscata* Wongratana, 1983
 364. *Ilisha sirishae* Seshagiri Rao, 1975
 365. *Ilisha striatula* Wongratana, 1983
 366. *Opisthopterus tardoore* (Cuvier, 1829)
 367. *Opisthopterus valenciennesi* Bleeker, 1872
 368. *Pellona dayi* Wongratana, 1983
 369. *Pellona ditchela* Valenciennes, 1847

370. *Raconda russeliana* Gray, 1831

Family: ENGRAULIDAE

- 371. *Coilia dussumieri* Valenciennes, 1848
- 372. *Coilia neglecta* Whitehead, 1968
- 373. *Coilia ramcarati* (Hamilton, 1822)
- 374. *Coilia reynaldi* Valenciennes, 1848
- 375. *Encrasicholina heteroloba* (Rüppell, 1837)
- 376. *Encrasicholina punctifer* Fowler, 1938
- 377. *Setipinna brevifilis* (Valenciennes, 1848)
- 378. *Setipinna phasa* (Hamilton, 1822)
- 379. *Setipinna taty* (Valenciennes, 1848)
- 380. *Setipinna tenuifilis* (Valenciennes, 1848)
- 381. *Stolephorus andhraensis* Babu Rao, 1966
- 382. *Stolephorus baganensis* Delsman, 1931
- 383. *Stolephorus commersonii* Lacepède, 1803
- 384. *Stolephorus dubiosus* Wongratana, 1983
- 385. *Stolephorus indicus* (van Hasselt, 1823)
- 386. *Stolephorus mercurius* Hata, Lavoué & Motomura, 2021
- 387. *Stolephorus tri* (Bleeker, 1852)
- 388. *Stolephorus tamilensis* Gangan, Pavan-Kumar, Jahageerdar & Jaiswar, 2020
- 389. *Stolephorus waitei* Jordan & Seale, 1926
- 390. *Thryssa baelama* (Forsskal, 1775)
- 391. *Thryssa cultella* (Hata & Motomura, 2019)
- 392. *Thryssa dayi* Wongratana, 1983
- 393. *Thryssa dussumieri* (Valenciennes, 1848)
- 394. *Thryssa gautamiensis* Babu Rao, 1971
- 395. *Thryssa hamiltonii* (Gray, 1835)
- 396. *Thryssa kammalensis* (Bleeker, 1849)
- 397. *Thryssa kammalenosoides* Wongratana, 1983
- 398. *Thryssa malabarica* (Bloch, 1795)
- 399. *Thryssa mystax* (Bloch & Schneider, 1801)
- 400. *Thryssa polybranchialis* Wongratana, 1983
- 401. *Thryssa purava* (Hamilton, 1822)
- 402. *Thryssa setirostris* (Broussonet, 1782)
- 403. *Thryssa stenosoma* Wongratana, 1983
- 404. *Thryssa serena* (Hata & Motomura, 2019)

Family: CHIROCENTRIDAE

- 405. *Chirocentrus dorab* (Forsskal, 1775)
- 406. *Chirocentrus nudus* Swainson, 1839

Order: ALEPOCEPHALIFORMES

Family: ALEPOCEPHALIDAE

- 407. *Alepocephalus bicolor* Alcock, 1891
- 408. *Alepocephalus blanfordii* Alcock, 1892
- 409. *Alepocephalus longiceps* Lloyd, 1909
- 410. *Aulastomatophospherops* Alcock, 1890
- 411. *Bathytroctes macrolepis* Günther, 1887
- 412. *Bathytroctessquamosus* Alcock, 1890

- 413. *Einara edentula* (Alcock, 1892)
- 414. *Narceteserimelas* Alcock, 1890
- 415. *Rouleina guentheri* (Alcock, 1892)
- 416. *Rouleina attrita* (Vaillant, 1888)
- 417. *Rouleina squamilatera* (Alcock, 1898)

Family: PLATYTROCTIDAE

- 418. *Platytroctesapus* Günther, 1878

Order: GONORHYNCHIFORMES**Family: CHANIDAE**

- 419. *Chanos chanos* (Forsskal, 1775)

Order: STOMIIFORMES**Family: STOMIIDAE**

- 420. *Astronesthes trifibulatus* Gibbs, Amaoka & Haruta, 1984
- 421. *Chauliodus pammelas* Alcock, 1892
- 422. *Chauliodus sloani* Bloch & Schneider, 1801
- 423. *Photostomias atrox* (Alcock, 1890)
- 424. *Stomias affinis* Günther, 1887
- 425. *Stomias nebulosus* Alcock, 1889
- 426. *Photostomias guernei* Collett, 1889
- 427. *Malacosteus niger* Ayres, 1848

Family: PHOSICHTHYIDAE

- 428. *Vinciguerrialucetia* (Garman, 1899)
- 429. *Vinciguerrianimbaria* (Jordan & Williams, 1895)
- 430. *Polymetme corythaeola* (Alcock, 1898)

Family: GONOSTOMATIDAE

- 431. *Cyclothona microdon* (Günther, 1878)
- 432. *Cyclothonesignata* Garman, 1899
- 433. *Sigmops elongatus* (Günther, 1878)
- 434. *Diplophos taenia* Gunther, 1873

Family: STERNOPTYCHIDAE

- 435. *Polyipnus spinosus* Günther, 1887

Order: ATELEOPODIFORMES**Family: ATELEOPODIDAE**

- 436. *Ateleopus indicus* Alcock, 1891

Order: AUROPIFORMES**Family: SYNODONTIDAE**

- 437. *Harpodon nehreus* (Hamilton, 1822)
- 438. *Harpodon squamosus* Alcock, 1891
- 439. *Saurida gracilis* (Quoy & Gaimard, 1824)
- 440. *Saurida isarankurai* Shindo & Yamada, 1972
- 441. *Saurida longimanus* Norman, 1939
- 442. *Saurida micropectoralis* Shindo & Yamada, 1972
- 443. *Saurida nebulosa* Valenciennes, 1850
- 444. *Saurida pseudotumbil* Dutt & Sagar, 1981
- 445. *Saurida tumbil* (Bloch, 1795)
- 446. *Saurida undosquamis* (Richardson, 1848)

447. *Saurida wanieso* Shindo & Yamada, 1972
 448. *Synodus binotatus* Schultz, 1953
 449. *Synodus dermatogenys* Fowler, 1912
 450. *Synodus hoshinonis* Tanaka, 1917
 451. *Synodus indicus* (Day, 1873)
 452. *Synodus jaculum* Russell & Cressey, 1979
 453. *Synodus macrops* Tanaka, 1917
 454. *Synodus oculatus* Cressey, 1981
 455. *Synodus sageneus* Waite, 1905
 456. *Synodus variegatus* Lacepede, 1803
 457. *Trachinocephalus myops* (Forster, 1801)
 458. *Trachinocephalus trachinus* (Temminck & Schlegel, 1846)

Family: CHLOROPHTHALMIDAE

459. *Chlorophthalmus agassizi* Bonaparte, 1840
 460. *Chlorophthalmus corniger* Alcock, 1894

Family: IPNOPIDAE

461. *Bathypterois atricolor* Alcock, 1896
 462. *Bathypterois guentheri* Alcock, 1889
 463. *Bathypterois insularum* Alcock, 1892
 464. *Ipnops agassizii* Garman, 1899

Family: ALEPISAURIDAE

465. *Alepisaurusferox* Lowe, 1833

Family: EVERMANNELLIDAE

466. *Coccocella atrata* (Alcock, 1894)

Family: PARALEPIDIDAE

467. *Lestidiops indopacifica* (Ege, 1953)

Order: MYCTOPHIFORMES**Family: MYCTOPHIDAE**

468. *Benthosema pterotum* (Alcock, 1890)
 469. *Benthosema fibulatum* (Gilbert & Cramer, 1897)
 470. *Benthosema suborbitale* (Gilbert, 1913)
 471. *Centrobranchus andreae* (Lütken, 1892)
 472. *Ceratoscopelus warmingii* (Lütken, 1892)
 473. *Dasyscopelus obtusirostris* (Tåning, 1928)
 474. *Diaphu aliciae* Fowler, 1934
 475. *Diaphus dumerilii* (Bleeker, 1856)
 476. *Diaphus fulgens* (Brauer, 1904)
 477. *Diaphus garmani* Gilbert, 1906
 478. *Diaphus hudsoni* Zurbrigg & Scott, 1976
 479. *Diaphus splendidus* (Brauer, 1904)
 480. *Diaphus thiollierei* Fowler, 1934
 481. *Diaphus coeruleus* (Klunzinger, 1871)
 482. *Diaphus diademophilus* Nafpaktitis, 1978
 483. *Diaphus lobatus* Nafpaktitis, 1978
 484. *Diaphus malayanus* Weber, 1913
 485. *Diaphus mollis* Tåning, 1928
 486. *Diaphus nielseni* Nafpaktitis, 1978
 487. *Diaphus suborbitalis* Weber, 1913

- 488. *Diaphus regani* Tåning, 1932
- 489. *Diaphus watasei* Jordan & Starks, 1904
- 490. *Hygophum reinhardtii* (Lütken, 1892)
- 491. *Myctophum affine* (Lütken, 1892)
- 492. *Myctophum aurolateratum* Garman, 1899
- 493. *Myctophum spinosum* (Steindachner, 1867)
- 494. *Symbolophorus evermanni* (Gilbert, 1905)

Family: NEOSCOPELIDAE

- 495. *Scopelengys tristis* Alcock, 1890
- 496. *Neoscopelus macrolepidotus* Johnson, 1863

Order: ZEIFORMES**Family: PARAZENIDAE**

- 497. *Cytopsisrosea* (Lowe, 1843)

Family: ZEIDAE

- 498. *Zenopsis conchifer* (Lowe, 1852)

Order: GADIFORMES**Family: BREGMACEROTIDAE**

- 499. *Bregmaceros mcclellandi* Thompson, 1840
- 500. *Bregmaceros pseudolanceolatus* Torii, Javonillo & Ozawa, 2004

Family: MACROURIDAE

- 501. *Bathygadus furvescens* Alcock, 1894
- 502. *Bathygadus melanobranchus* Vaillant, 1888
- 503. *Coelorinchus flabellispinis* (Alcock, 1894)
- 504. *Coelorinchus parallelus* (Gunther, 1877)
- 505. *Coelorinchus quadricristatus* (Wood Mason and Alcock, 1891)
- 506. *Coryphaenoides hexstix* (Alcock, 1890)
- 507. *Coryphaenoides hoskynii* (Alcock, 1890)
- 508. *Coryphaenoides macrolophus* (Alcock, 1889)
- 509. *Coryphaenoides nasutus* Günther, 1877
- 510. *Coryphaenoides woodmasoni* (Alcock, 1890)
- 511. *Gadomus multifilis* (Günther, 1887)
- 512. *Gadomus capensis* (Gilchrist & von Bonde, 1924)
- 513. *Hymenocephalus heterolepis* (Alcock, 1889)
- 514. *Hymenocephalus italicus* Giglioli, 1884
- 515. *Malacocephalus laevis* (Lowe, 1843)
- 516. *Nezumia brevirostris* (Alcock, 1889)
- 517. *Nezumia investigatoris* (Alcock, 1889)
- 518. *Nezumia polylepis* (Alcock, 1889)
- 519. *Nezumia propinqua* (Gilchrist & Cramer, 1897)
- 520. *Nezumia semiquincunciata* (Alcock, 1889)
- 521. *Sphagmacrurus pumiliceps* (Alcock, 1894)
- 522. *Ventrifossa petersonii* (Alcock, 1891)

Family: MORIDAE

- 523. *Physiculus roseus* Alcock, 1891

Order: POLYMXIIFORMES**Family: POLYMXIIDAE**

- 524. *Polymixia japonica* Günther, 1877

Order: BERYCIFORMES**Family: MELAMPHAIDAE**

525. *Melamphaes papavereus* Kotlyar, 2016

Family: BERYCIDAE

526. *Beryx decadactylus* Cuvier, 1829

527. *Beryx splendens* Lowe, 1834

Order: TRACHICHTHYIFORMES**Family: TRACHICHTHYIDAE**

528. *Gephyroberyx darwinii* (Johnson, 1866)

529. *Hoplostethus mediterraneus* Cuvier, 1829

Order: HOLOCENTRIFORMES**Family: HOLOCENTRIDAE**

530. *Myripristis adusta* (Bleeker, 1853)

531. *Myripristis berndti* Jordan and Evermann, 1903

532. *Myripristis botche* Cuvier, 1829

533. *Myripristis hexagona* (Lacepede, 1802)

534. *Myripristis formosa* Randall & Greenfield, 1996

535. *Myripristis greenfieldi* Randall & Yamakawa, 1996

536. *Myripristis kuntee* Valenciennes, 1831

537. *Myripristis murdjan* (Forsskål, 1775)

538. *Myripristis seychellensis* Cuvier, 1829

539. *Myripristis violacea* Bleeker, 1851

540. *Neoniphon aurolineatus* (Lienard, 1839)

541. *Neoniphon argenteus* (Valenciennes, 1831)

542. *Neoniphon opercularis* (Valenciennes, 1831)

543. *Neoniphonsammara* (Forsskål, 1775)

544. *Ostichthys acanthurhinus* Randall, Shimizu & Yamakawa, 1982

545. *Ostichthys japonicus* (Cuvier, 1829)

546. *Ostichthys kaianus* (Günther, 1880)

547. *Sargocentron caudimaculatum* (Ruppell, 1838)

548. *Sargocentron diadema* (Lacepede, 1802)

549. *Sargocentron ittodai* (Jordan & Fowler, 1903)

550. *Sargocentron melanospilos* (Bleeker, 1858)

551. *Sargocentron praslin* (Lacepède, 1802)

552. *Sargocentron punctatissimum* (Cuvier, 1829)

553. *Sargocentron rubrum* (Forsskål, 1775)

554. *Sargocentron spiniferum* (Forsskål, 1775)

555. *Sargocentron violaceum* (Bleeker, 1853)

Order: OPHIDIIFORMES**Family: CARAPIDAE**

556. *Carapus boraborensis* (Kaup, 1856)

557. *Carapus mourlani* (Petit, 1934)

558. *Encheliophis gracilis* (Bleeker, 1856)

559. *Encheliophis homei* (Richardson, 1846)

560. *Onuxodon margaritiferae* (Rendahl, 1921)

Family: BYTHIDIDAE

561. *Alionematicichthys piger* (Alcock, 1890)
562. *Barathronus diaphanus* Brauer, 1906
563. *Diplacanthopoma raniceps* Alcock, 1898
564. *Diplacanthopoma brachysoma* Gunther, 1887
565. *Dinematicichthys iluocoeteoides* Bleeker, 1855
566. *Hephthocara simum* Alcock, 1892
567. *Saccogaster maculata* Alcock, 1889

Family: OPHIDIIDAE

568. *Bassozetus glutinosus* (Alcock, 1890)
569. *Brotula multibarbata* Temminck & Schlegel, 1846
570. *Dicrolene multifilis* (Alcock, 1889)
571. *Dicrolene nigricaudis* (Wood-Mason & Alcock, 1891)
572. *Dicroleneintroniger* Goode & Bean, 1883
573. *Glyptophidium argenteum* Alcock, 1889
574. *Holcomycteronus pterotus* (Alcock, 1890)
575. *Lamprogrammus fragilis* Alcock, 1892
576. *Lamprogrammus niger* Alcock, 1891
577. *Monomitopus conjugator* (Alcock, 1896)
578. *Monomitopus nigripinnis* (Alcock, 1889)
579. *Neobythites macrops* Günther, 1887
580. *Neobythites steatiticus* Alcock, 1894
581. *Neobythites multisstriatus* Nielsen & Quéro, 1991
582. *Neobythites stefanovi* Nielsen & Uiblein, 1993
583. *Pycnocraspedum squamipinne* Alcock, 1889
584. *Porogadus trichiurus* (Alcock, 1890)
585. *Sirembo jerdoni* (Day, 1888)
586. *Spottobrotula mahodadi* Cohen & Nielsen, 1978
587. *Tauredophidium hextii* Alcock, 1890

Order: BATRACHOIDIFORMES**Family: BATRACHOIDIDAE**

588. *Allenbatrachus grunniens* (Linnaeus, 1758)
589. *Colletteichthys flavipinnis* Greenfield, Bineesh & Akhilesh, 2012
590. *Colletteichthys dussumieri* (Valenciennes, 1837)
591. *Colletteichthys occidentalis* Greenfield, 2012
592. *Perulibatrachus aquilonarius* Greenfield, 2005

Order: SCOMBRIFORMES**Family: GEMPYLIDAE**

593. *Gempylusserpens* Cuvier, 1829
594. *Nealotus triples* Johnson, 1865
595. *Lepidocybium flavobrunneum* (Smith, 1843)
596. *Neoepinnula orientalis* (Gilchrist & von Bonde, 1924)
597. *Promethichthys prometheus* (Cuvier, 1832)
598. *Rexea bengalensis* (Alcock, 1894)
599. *Rexea prometheoides* (Bleeker, 1856)
600. *Ruvettus pretiosus* Cocco, 1833
601. *Thyrsitoides marleyi* Fowler, 1929

Family: TRICHIURIDAE

- 602. *Benthodesmustenuis* (Günther, 1877)
- 603. *Eupleurogrammus glossodon* (Bleeker, 1860)
- 604. *Eupleurogrammus muticus* (Gray, 1831)
- 605. *Lepturacanthus pantului* (Gupta, 1966)
- 606. *Lepturacanthus savala* (Cuvier, 1829)
- 607. *Tentoriceps cristatus* (Klunzinger, 1884)
- 608. *Trichiurus auriga* Klunzinger, 1884
- 609. *Trichiurus gangeticus* Gupta, 1966
- 610. *Trichiurus lepturus* Linnaeus, 1758

Family: SCOMBRIDAE

- 611. *Acanthocybium solandri* (Cuvier, 1832)
- 612. *Auxis rochei* (Rasso, 1810)
- 613. *Auxis thazard* (Lacepede, 1802)
- 614. *Euthynnus affinis* (Cantor, 1849)
- 615. *Grammatocynus bicarinatus* (Quoy & Gaimard, 1824)
- 616. *Gymnosarda unicolor* (Ruppell, 1836)
- 617. *Katsuwonus pelamis* (Linnaeus, 1758)
- 618. *Rastrelliger brachysoma* (Bleeker, 1851)
- 619. *Rastrelliger faughni* Matsui, 1967
- 620. *Rastrelliger kanagurta* (Cuvier, 1816)
- 621. *Sarda orientalis* (Temminck & Schlegel, 1844)
- 622. *Scomber australasicus* Cuvier, 1832
- 623. *Scomberomorus commerson* (Lacepède, 1800)
- 624. *Scomberomorus guttatus* (Bloch & Schneider, 1801)
- 625. *Scomberomorus koreanus* (Kishinouye, 1915)
- 626. *Scomberomorus lineolatus* (Cuvier, 1829)
- 627. *Thunnus alalunga* (Bonnaterre, 1788)
- 628. *Thunnus albacares* (Bonnaterre, 1788)
- 629. *Thunnus obesus* (Lowe, 1839)
- 630. *Thunnus orientalis* (Temminck & Schlegel, 1844)
- 631. *Thunnus tonggol* (Bleeker, 1851)

Family: CENTROLOPHIDAE

- 632. *Psenopsis cyanea* (Alcock, 1890)
- 633. *Psenopsis obscura* Haedrich, 1967

Family: NOMEIDAE

- 634. *Cubiceps whiteleggi* (Waite, 1894)
- 635. *Psenes maculatus* Lutken, 1880
- 636. *Psenes cyanophrys* Valenciennes, 1833

Family: ARIOMMATIDAE

- 637. *Ariomma indica* (Day, 1871)

Family: STROMATEIDAE

- 638. *Pampus argenteus* (Euphrasen, 1788)
- 639. *Pampus candidus* (Cuvier, 1829)
- 640. *Pampus chinensis* (Euphrasen, 1788)
- 641. *Pampus cinereus* (Bloch, 1795)

Order: SYNGNATHIFORMES**Family: AULOSTOMIDAE**642. *Aulostomus chinensis*(Linnaeus, 1766)**Family: FISTULARIIDAE**643. *Fistularia commersonii* Ruppell, 1838644. *Fistularia petimba* Lacepede, 1803**Family: CENTRISCIDAE**645. *Centriscus scutatus* Linnaeus, 1758646. *Aeoliscus strigatus* (Günther, 1861)647. *Macroramphosus gracilis* (Lowe, 1839)**Family: SOLENOSTOMIDAE**648. *Solenostomus cyanopterus* Bleeker, 1854649. *Solenostomus paradoxus* (Palla, 1870)**Family: SYNGNATHIDAE**650. *Bhanotia fasciolata* (Duméril, 1870)651. *Choeroichthysbrachysoma* (Bleeker, 1855)652. *Choeroichthys sculptus* (Gunther, 1870)653. *Corythoichthys amplexus* Dawson and Randall, 1975654. *Corythoichthys benedetto* Allen & Erdmann, 2008655. *Corythoichthys haematopterus* (Bleeker, 1851)656. *Corythoichthys schultzi* Harald, 1953657. *Doryrhamphus excisus* Kaup, 1856658. *Doryrhamphus melanopleura* (Bleeker, 1858)659. *Halicampus grayi* Kaup, 1856660. *Halicampus macrorhynchus* Bamber, 1915661. *Halicampus mataafae* (Jordan & Seale, 1906)662. *Hippichthys cyanospilos* (Bleeker, 1854)663. *Hippichthys heptagonus* Bleeker, 1849664. *Hippichthys spicifer* (Rüppell, 1838)665. *Hippichthys penicillatus* (Cantor, 1849)666. *Hippocampus borboniensis* Duméril, 1870667. *Hippocampus fuscus* Rüppell, 1838668. *Hippocampus histrix* Kaup, 1856669. *Hippocampus kuda* Bleeker, 1852670. *Hippocampus mohnikei* Bleeker, 1853671. *Hippocampus trimaculatus* Leach, 1814672. *Hippocampus spinosissimus* Weber, 1913673. *Ichthyocampus carce* (Hamilton, 1822)674. *Microphis brachyurus* (Bleeker, 1854)675. *Microphis deocata* (Hamilton, 1822)676. *Microphis insularis* (Hora, 1925)677. *Phoxocampus belcheri* (Kaup, 1856)678. *Phoxocampus tetraphthalmus* (Bleeker, 1858)679. *Syngnathoides biaculeatus* (Bloch, 1785)680. *Trachyrhamphus bicoarctatus* (Bleeker, 1857)681. *Trachyrhamphus longirostris* Kaup, 1856

682. *Trachyrhamphus serratus* (Temminck & Schlegel, 1850)
 683. *Syngnathoides biaculeatus* (Bloch, 1785)

Family: PEGASIDAE

684. *Eurypegasus draconis* (Linnaeus, 1766)
 685. *Pegasus volitans* Linnaeus, 1758
 686. *Spinipegasus laternarius* (Cuvier, 1816)

Order: KURTIFORMES**Family: KURTIDAE**

687. *Kurtus indicus* Bloch, 1786

Order: GOBIIFORMES**Family: ELEOTRIDAE**

688. *Belobranchus segura* Keith, Hadiaty and Lord, 2012
 689. *Belobranchus belobranchus* (Valenciennes, 1837)
 690. *Bostrichthys sinensis* (Lacepede, 1802)
 691. *Bunaka gyrinoides* (Bleeker, 1853)
 692. *Butis amboinensis* (Bleeker, 1853)
 693. *Butis butis* (Hamilton, 1822)
 694. *Butis gymnopus* (Bleeker, 1853)
 695. *Butis humeralis* (Valenciennes, 1837)
 696. *Butis koilomatodon* (Bleeker, 1849)
 697. *Eleotris fusca* (Bloch & Schneider, 1801)
 698. *Eleotris lutea* Day, 1876
 699. *Eleotris melanosoma* Bleeker, 1853
 700. *Eleotris oxycephala* Temminck & Schlegel, 1845
 701. *Oxyeleotris urophthalmus* (Bleeker, 1851)
 702. *Ophiocara porocephala* (Valenciennes, 1837)
 703. *Giuris margaritaceus* (Valenciennes, 1837)
 704. *Hypseleotris guentheri* (Bleeker, 1875)
 705. *Hypseleotris cyprinoides* (Valenciennes, 1837)
 706. *Incara multisquamatus* Rao, 1971
 707. *Odonteleotris macrodon* (Bleeker, 1853)

Family: KRAEMERIIDAE

708. *Kraemeriasamoensis* Steindachner, 1906

Family: GOBIIDAE

709. *Acentrogobius caninus* (Valenciennes, 1837)
 710. *Acentrogobius dayi* Koumans, 1941
 711. *Acentrogobius audax* Smith, 1959
 712. *Aulopareia cyanomos* (Bleeker, 1849)
 713. *Acentrogobius griseus* (Day, 1876)
 714. *Acentrogobius ennorensis* Menon & Rema Devi, 1980
 715. *Acentrogobius gracilis* (Bleeker, 1875)
 716. *Acentrogobius horai* (Foeler, 1925)
 717. *Acentrogobius janthinopterus* (Bleeker, 1853)
 718. *Acentrogobius madraspatensis* (Day, 1868)
 719. *Acentrogobius masoni* (Day, 1873)
 720. *Acentrogobius moloanus* (Herre, 1927)
 721. *Acentrogobius nebulosus* (Forsskal, 1775)
 722. *Acentrogobius suluensis* (Herre, 1927)
 723. *Acentrogobius veliensis* (Geevarghese & John, 1982)

724. *Acentrogobius violaris* Allen, 2015
 725. *Acentrogobius viridipunctatus* (Valenciennes, 1837)
 726. *Amblygobius bynoensis* (Richardson, 1844)
 727. *Amblygobius phalaena* (Valenciennes, 1837)
 728. *Amblygobius calvatus* Allen & Erdmann, 2016
 729. *Amblygobius decussatus* (Bleeker, 1855)
 730. *Amblygobius nocturnus* (Herre, 1945)
 731. *Amblygobius semicinctus* (Bennett, 1833)
 732. *Amblyeleotris aurora* (Polunin & Lubbock, 1977)
 733. *Amblyeleotris diagonalis* Polunin & Lubbock, 1979
 734. *Amblyeleotris fontanesii* (Bleeker, 1853)
 735. *Amblyeleotris guttata* (Fowler, 1938)
 736. *Amblyeleotris gymnocephala* (Bleeker, 1853)
 737. *Amblyeleotris latifasciata* Polunin & Lubbock, 1979
 738. *Amblyeleotris periophthalmus* (Bleeker 1853)
 739. *Amblyeleotris steinitzi* (Klausewitz, 1974)
 740. *Amblyeleotris triguttata* Randall 1994
 741. *Amblyeleotris wheeleri* (Polunin & Lubbock, 1977)
 742. *Amblygobius albimaculatus* (Ruppell, 1828)
 743. *Amblygobius sphynx* (Valenciennes, 1837)
 744. *Amblyotrypauchen arctocephalus* (Alcock, 1890)
 745. *Amoya dasi* (Talwar, Chatterjee & Dev Roy 1982)
 746. *Apocryptes bato* (Hamilton, 1822)
 747. *Apocryptes caudalis* Paul & Chanda, 2015
 748. *Apocryptodon madurensis* (Bleeker, 1849)
 749. *Arcygobius baliurus* (Valenciennes, 1837)
 750. *Asterropteryx atripes* Shibukawa & Susuki, 2002
 751. *Asterropteryx bipunctata* Allen & Munday, 1995
 752. *Asterropteryx ensifera* (Bleeker, 1874)
 753. *Asterropteryx semipunctata* Ruppell, 1830
 754. *Aulopareia ocellata* (Day, 1873)
 755. *Aulopareia unicolor* (Valenciennes 1837)
 756. *Aulopareia koumansi* (Herre, 1937)
 757. *Awaous menoni* Chatterjee & Mishra, 2013
 758. *Awaous guamensis* (Valenciennes, 1837)
 759. *Awaous gutum* (Hamilton 1822)
 760. *Awaous grammepomus* (Bleeker, 1849)
 761. *Awaous fluviatilis* (Rao, 1971)
 762. *Awaous litturatus* (Steindachner, 1861)
 763. *Awaous melanocephalus* (Bleeker, 1849)
 764. *Awaous motla* Seth, Roy, Sura, Puvala, Mishra & Mohapatra 202
 765. *Awaous stamineus* (Eydoux & Souleyet, 1850)
 766. *Awaous ocellaris* (Broussonet, 1782)
 767. *Awaous personatus* (Bleeker, 1849)
 768. *Bathygobius coalitus* (Bennett, 1832)
 769. *Bathygobius cocosensis* (Bleeker, 1854)
 770. *Bathygobius laddi* (Fowler 1931)
 771. *Bathygobius niger* (Smith 1960)
 772. *Bathygobius cotticeps* (Steindachner, 1879)
 773. *Bathygobius fuscus* (Ruppell, 1830)
 774. *Bathygobius petrophilus* (Bleeker, 1853)
 775. *Boleophthalmus boddarti* (Pallas, 1770)
 776. *Boleophthalmus dussumieri* Valenciennes, 1837

777. *Bryaninops amplus* (Larson, 1985)
 778. *Bryaninops earlei* (Suzuki & Randall, 2014)
 779. *Bryaninops loki* (Larson, 1985)
 780. *Bryaninops yongei* (Davis & Cohen, 1969)
 781. *Bryaninops tigris* Larson, 1985
 782. *Brachyamblyopus brachysoma* (Bleeker, 1854)
 783. *Brachygobius numus* (Hamilton, 1822)
 784. *Callogobius andamanensis* Menon & Chatterjee, 1974
 785. *Callogobius hasselti* (Bleeker, 1851)
 786. *Callogobius mannarensis* Rangarajan , 1968
 787. *Callogobius seshaiyai* Jacob & Rangarajan, 1960
 788. *Callogobius swifti* Allen, Erdmann & Brooks 2020
 789. *Callogobius trifasciatus* Menon & Chatterjee, 1974
 790. *Caragobius urolepis* (Bleeker, 1852)
 791. *Cottogobius bilobatus* Koumans, 1941
 792. *Cryptocentrus caeruleomaculatus* (Herre, 1933)
 793. *Cryptocentrus cebuanus* Herre, 1927
 794. *Cryptocentrus cinctus* (Herre, 1936)
 795. *Cryptocentrus cryptocentrus* (Valenciennes 1837)
 796. *Cryptocentrus cyanotaenia* (Bleeker, 1853)
 797. *Cryptocentrus fasciatus* (Playfair & Gunther, 1867)
 798. *Cryptocentrus leptcephalus* Bleeker, 1876
 799. *Cryptocentrus leucostictus* (Günther, 1872)
 800. *Cryptocentrus octofasciatus* Regan, 1908
 801. *Cryptocentrus pavoninoides* (Bleeker, 1849)
 802. *Cryptocentrus sericus* (Herre, 1932)
 803. *Cryptocentrus strigilliceps* (Jordan & Seale, 1906)
 804. *Ctenogobiops crocineus* Smith, 1959
 805. *Ctenogobiops maculosus* (Fourmanoir, 1955)
 806. *Ctenogobiops mitodes* Randall, Shao & Chen 2007
 807. *Ctenogobiops pomastictus* Lubbock & Polunin, 1977
 808. *Drombus bontii* (Bleeker, 1849)
 809. *Drombus dentifer* (Hora, 1923)
 810. *Drombus globiceps* (Hora, 1923)
 811. *Drombus triangularis* (Weber, 1909)
 812. *Egglestonichthys melanoptera* (VisweswaraRao, 1971)
 813. *Exyrias puntang* (Bleeker, 1851)
 814. *Eviota cometa* Jewett and Lachner,1983
 815. *Eviota distigma* Jordan & Seale, 1906
 816. *Eviota guttata* Lachner and Karnella, 1978
 817. *Eviota mikiae* Allen, 2001
 818. *Eviota prasina* (Klunzinger, 1871)
 819. *Eviota prasites* Jordan & Seale, 1906
 820. *Eviota queenslandica* Whitley, 1932
 821. *Eviota sebreei* Jordan and Seale, 1906
 822. *Eviota sigillata* (Jewett and Karnella,1978)
 823. *Eviota storhynx* (Rofen, 1959)
 824. *Eviota zebrina* (Lachner & Seale, 1906)
 825. *Eviota zonura* Jordan & Seale, 1906
 826. *Favonigobius reichei* (Bleeker 1854)
 827. *Fusigobius duospilus* (Hoese & Reader, 1985)
 828. *Fusigobius inframaculatus* (Randall, 1994)

829. *Fusigobius melacron* (Randall, 2001)
 830. *Fusigobius neophytus* (Gunther, 1877)
 831. *Fusigobius signipinnis* (Hoese & Obika, 1988)
 832. *Glossogobius bicirrhosus* (Weber, 1894)
 833. *Glossogobius celebius* (Valenciennes, 1837)
 834. *Glossogobius kokius* (Valenciennes, 1837)
 835. *Glossogobius giuris* (Hamilton, 1822)
 836. *Glossogobius minutus* Geevarghese & John, 1983
 837. *Gnatholepis anjerensis* (Bleeker 1851)
 838. *Gnatholepis cauerensis* (Bleeker, 1853)
 839. *Gobiodon citrinus* (Ruppell, 1830)
 840. *Gobiodon erythrospilus* Bleeker, 1875
 841. *Gobiodon histrio* (Valenciennes, 1837)
 842. *Gobiodon quinquestrigatus* (Valenciennes, 1837)
 843. *Gobiodon rivulatus* (Rüppell, 1830)
 844. *Gobiopsis arenaria* (Snyder, 1908)
 845. *Gobiopsis liolepis* (Koumans, 1931)
 846. *Gobiopsis macrostomus* Steindachner, 1861
 847. *Gobiopsis quinquecincta* (Smith, 1931)
 848. *Gobiopsis canalis* Lachner & McKinney, 1978
 849. *Gobiopsis woodsi* Lachner & McKinney, 1978
 850. *Gobiopterus smithi* (Menon & Talwar, 1973)
 851. *Gobiopterus chuno* (Hamilton, 1822)
 852. *Hemigobius hoevenii* (Bleeker, 1851)
 853. *Istigobius diadema* (Steindachner, 1876)
 854. *Istigobius decoratus* (Herre, 1927)
 855. *Istigobius ornatus* (Ruppell, 1830)
 856. *Istigobius goldmanni* Bleeker, 1852
 857. *Istigobius spence* (Smith, 1947)
 858. *Koumansetta hectori* (Smith, 1957)
 859. *Lentipes andamanicus* (Mukerji, 1935)
 860. *Mahidolia mystacina* (Valenciennes, 1837)
 861. *Mangarinus waterousi* Herre, 1943
 862. *Mizogobius koladynae* Geetakumari & Vishwanath, 2012
 863. *Myersina filifer* (Valenciennes, 1837)
 864. *Myersina yangii* (Chen, 1960)
 865. *Obliquogobius cometes* (Alcock, 1890)
 866. *Odontamblyopus roseus* (Valenciennes, 1837)
 867. *Odontamblyopus rubicundus* (Hamilton, 1822)
 868. *Oligolepis acutipennis* (Valenciennes, 1837)
 869. *Oligolepis cylindriceps* (Hora, 1923)
 870. *Oligolepis formosanus* (Nichols, 1958)
 871. *Oligolepis njisseni* (Menon & Govindan, 1977)
 872. *Oligolepis talwari* Mehta, Devi and Mehta, 1989
 873. *Oplopomus caninoides* (Bleeker, 1852)
 874. *Oplopomus oplopomus* (Valenciennes, 1837)
 875. *Oxuderces dentatus* Eydoux & Souleyet, 1850
 876. *Oxuderces nexipinnis* (Cantor, 1849)
 877. *Oxyurichthys microlepis* (Bleeker, 1849)
 878. *Oxyurichthys ophthalmonema* (Bleeker, 1856)
 879. *Oxyurichthys paulae* Pezold, 1998

880. *Oxyurichthys papuensis* (Valenciennes, 1837)
 881. *Oxyurichthys tentacularis* (Valenciennes, 1837)
 882. *Parachaeturichthys polynema* (Bleeker, 1853)
 883. *Paragobiodon echocephalus* (Ruppell, 1830)
 884. *Paragobiodon melanosoma* (Bleeker, 1853)
 885. *Paragobiopsis ostreicola* (Chaudhuri, 1916)
 886. *Parapocryptes rictuosus* (Valenciennes, 1837)
 887. *Parapocryptes serperaster* (Richardson, 1846)
 888. *Paratrypauchen microcephalus* (Bleeker, 1860)
 889. *Periophthalmodon schlosseri* (Pallas, 1770)
 890. *Periophthalmodon septemradiatus* (Hamilton, 1822)
 891. *Periophthalmus argenteolineatus* Valenciennes, 1837
 892. *Periophthalmus barbarous* (Linnaeus, 1766)
 893. *Periophthalmus chrysospilos* Bleeker, 1853
 894. *Periophthalmus kalolo* Lesson, 1831
 895. *Periophthalmus kallopterus* Bleeker 1854
 896. *Periophthalmus minutus* (Eggert, 1935)
 897. *Periophthalmus waltoni* (Koumans, 1955)
 898. *Periophthalmodon schlosseri* (Pallas, 1770)
 899. *Periophthalmus malaccensis* Eggert, 1935
 900. *Periophthalmus novemradiatus* (Hamilton, 1822)
 901. *Periophthalmus variabilis* Eggert, 1935
 902. *Periophthalmus walailakae* Darumas & Tantichodok, 2002
 903. *Periophthalmus weberi* Eggert, 1935
 904. *Phyllogobius platycephalops* (Smith, 1964)
 905. *Pleurosicya annandalei* Hornell & Fowler, 1922
 906. *Pleurosicya bilobata* (Koumans, 1941)
 907. *Pleurosicya boldinghi* Weber, 1913
 908. *Pleurosicya mossambica* (Smith, 1959)
 909. *Priolepis cincta* (Regan, 1908)
 910. *Priolepis compita* Winterbottom, 1985
 911. *Priolepis eugenius* (Jordan & Evermann, 1903)
 912. *Priolepis inhaca* (Smith, 1949)
 913. *Priolepis profunda* (Weber, 1909)
 914. *Priolepis semidoliata* (Valenciennes, 1837)
 915. *Psammogobius biocellatus* (Valenciennes, 1837)
 916. *Pseudapocryptes elongatus* (Cuvier, 1816)
 917. *Pseudogobiopsis oligactis* (Bleeker, 1875)
 918. *Pseudogobius fulvicaudus* Huang, Shao & Chen, 2014
 919. *Pseudogobius melanostica* (Day, 1876)
 920. *Pseudogobius minimus* (Hora, 1923)
 921. *Pseudogobius poecilosoma* (Bleeker, 1849)
 922. *Pseudotrypauchen multiradiatus* Hardenberg, 1931
 923. *Redigobius balteatus* (Herre, 1935)
 924. *Redigobius macrostoma* (Günther 1861)
 925. *Redigobius oyensi* (de Baenforti, 1913)
 926. *Redigobius bikolanus* (Herre, 1927)
 927. *Redigobius tambujon* (Bleeker, 1854)
 928. *Scartelaos tenuis* (Day, 1876)
 929. *Scartelaos cantoris* (Day, 1871)
 930. *Scartelaos histophorus* (Valenciennes, 1837)
 931. *Sicyopterus garra* Hora, 1925
 932. *Sicyopterus griseus* (Day, 1877)

933. *Sicyopterus microcephalus* (Bleeker, 1854)
 934. *Schismatogobius deraniyagalai* Kottelat & Pethiyagoda, 1989
 935. *Stenogobius gymnopomus* (Bleeker, 1853)
 936. *Stenogobius laterisquamatus* (Weber, 1907)
 937. *Stonogobiops nematodes* Hoese & Randall, 1982
 938. *Sueviota lachneri* Winterbottom & Hoese, 1988
 939. *Silhouettia indica* Visweswara Rao, 1971
 940. *Stigmatogobius sadamundio* (Hamilton, 1822)
 941. *Taenioides anguillaris* (Linnaeus, 1758)
 942. *Taenioides buchanani* (Day, 1873)
 943. *Taenioides cirratus* (Blyth, 1860)
 944. *Taenioides gracilis* (Valenciennes, 1837)
 945. *Trimma annosum* Winterbottom, 2003
 946. *Trimma griffithsi* Winterbottom, 1984
 947. *Trimma naudei* Smith, 1957
 948. *Trimma sanguinellus* Winterbottom & Southcott, 2007
 949. *Trimma striatum* (Herre, 1945)
 950. *Trimma winterbottomi* Randall & Downing, 1994
 951. *Tomiyamichthys oni* (Tomiyama, 1936)
 952. *Trypauchen vagina* (Bloch & Schneider, 1801)
 953. *Trypauchenichthys sumatrensis* Hardenberg, 1931
 954. *Valenciennea decora* Hoese and Larson, 1994
 955. *Valenciennea helsdingenii* (Bleeker 1858)
 956. *Valenciennea limicola* Hoese and Larson, 1994
 957. *Valenciennea muralis* (Valenciennes, 1837)
 958. *Valenciennea puellaris* (Tomiyana, 1956)
 959. *Valenciennea randalli* Hoese & Larson, 1994
 960. *Valenciennea sexguttata* Valenciennes, 1837
 961. *Valenciennea strigata* (Broussonet, 1782)
 962. *Vanderhorstia ambanoro* (Fourmanoir, 1957)
 963. *Vanderhorstia phaeosticta* Randall, Shao & Chen, 2007
 964. *Vanderhorstia dorsomacula* Randall, 2007
 965. *Valenciennea wardii* (Playfair, 1867)
 966. *Yongeichthys nebulosus* (Forsskål, 1775)
 967. *Yongeichthys tuticorinensis* (Fowler, 1925)
 968. *Yongeichthys viganensis* (Steindachner 1893)

Family: MICRODESMIDAE

969. *Nemateleotris magnifica* (Fowler, 1938)
 970. *Nemateleotris decora* Randall & Allen, 1973
 971. *Gunnellichthys viridescens* Dawson, 1968
 972. *Gunnellichthys monostigma* (Smith, 1958)
 973. *Ptereleotris hanae* (Jordan & Snyder, 1901)
 974. *Ptereleotris caeruleomarginata* Allen, Erdmann & Cahyani, 2012
 975. *Ptereleotris cyanops* Kodeeswaran and Praveenraj, 2020
 976. *Parioglossus philippinus* (Herre, 1945)
 977. *Ptereleotris heteroptera* (Bleeker, 1855)
 978. *Parioglossus raoi* (Herre, 1939)
 979. *Parioglossus winterbottomi* Suzuki, Yonezawa & Sakaue, 2010
 980. *Ptereleotris evides* (Jordan & Hubbs, 1925)
 981. *Ptereleotris microlepis* (Bleeker, 1856)

Family: SCHINDLERIIDAE

982. *Schindleria pietschmanni* (Schindler, 1931)
 983. *Schindleria praematura* (Schindler, 1930)

Family: THROCHONOTIDAE

984. *Trichonotus cyclograptus* (Alcock, 1890)
 985. *Trichonotus setiger* Bloch & Schneider, 1801

Order: ISTIOPHORIFORMES**Family: XIPHIDAE**

986. *Xiphias gladius* Linnaeus, 1758

Family: ISTIOPHORIDAE

987. *Istiompax indica* (Cuvier, 1832)
 988. *Istiophorus platypterus* (Shaw 1792)
 989. *Kajikia audax* (Philippi, 1887)
 990. *Makaira mazara* (Jordan & Snyder 1901)
 991. *Makaira nigricans* Lacepède, 1802
 992. *Tetrapturus angustirostris* Tanaka 1915

Order: PLEURONECTIFORMES**Family: PSETTODIDAE**

993. *Psettodes erumei* (Bloch & Schneider, 1801)

Family: CITHARIDAE

994. *Laiopteryx novaezeelandiae* Günther, 1862

Family: BOTHIIDAE

995. *Arnoglossus tapeinosoma* (Bleeker, 1865)
 996. *Arnoglossus aspilos* (Bleeker, 1851)
 997. *Asterorhombus intermedius* (Bleeker, 1865)
 998. *Arnoglossus macrolophus* Alcock, 1889
 999. *Asterorhombus intermedius* (Bleeker, 1865)
 1000. *Bothus mancus* (Broussonet, 1782)
 1001. *Bothus myriaster* (Temminck & Schlegel, 1846)
 1002. *Bothus pantherinus* (Ruppell, 1830)
 1003. *Chascanopsetta lugubris* Alcock, 1894
 1004. *Crossorhombus azureus* (Alcock, 1889)
 1005. *Crossorhombus valderostratus* (Alcock, 1890)
 1006. *Engyprosopon filimanus* (Regan, 1908)
 1007. *Engyprosopon grandisquama* (Temminck & Schlegel, 1846)
 1008. *Engyprosopon latifrons* (Regan, 1908)
 1009. *Engyprosopon natalensis* Regan, 1920
 1010. *Engyprosopon mogkii* (Bleeker, 1854)
 1011. *Grammatobothus polyophthalmus* (Bleeker, 1865)
 1012. *Laeops guentheri* Alcock, 1890
 1013. *Laeops macrophthalmus* (Alcock, 1889)
 1014. *Laeops natalensis* Norman, 1931
 1015. *Laeops nigromaculatus* von Bonde, 1922
 1016. *Psettina brevirictis* (Alcock, 1890)

Family: PARALICHTHYIDAE

1017. *Cephalopsetta ventrocellatus* Dutt & Rao, 1965
1018. *Pseudorhombus arsius* (Hamilton, 1822)
1019. *Pseudorhombus diplospilus* Norman, 1926
1020. *Pseudorhombus duplociellatus* Regan, 1905
1021. *Pseudorhombus elevatus* Ogilby, 1912
1022. *Pseudorhombus javanicus* (Bleeker, 1853)
1023. *Pseudorhombus malayanus* Bleeker, 1865
1024. *Pseudorhombus micrognathus* Norman, 1927
1025. *Pseudorhombus triocellatus* (Bloch & Schneider 1801)

Family: POECILOPSETTIDAE

1026. *Poecilopsetta colorata* Gunther, 1880
1027. *Poecilopsetta praelonga* Alcock, 1894

Family: SAMARIDAE

1028. *Samaris cristatus* Gray, 1831

Family: SOLEIDAE

1029. *Aesopia cornuta* Kaup, 1858
1030. *Aseraggodes cyaneus* (Alcock, 1890)
1031. *Aseraggodes kobensis* (Steindachner, 1896)
1032. *Aseraggodes umbratilis* (Alcock, 1894)
1033. *Aseraggodes martine* Randall & Bogorodsky, 2013
1034. *Brachirus annularis* Fowler, 1934
1035. *Brachirus macrolepis* (Bleeker, 1858)
1036. *Brachirus orientalis* (Bloch & Schneider, 1801)
1037. *Brachirus pan* (Hamilton, 1822)
1038. *Brachirus panoides* (Bleeker, 1851)
1039. *Dagetichthys albomaculatus* (Kaup, 1858)
1040. *Dagetichthys commersonnii* (Lacepède, 1802)
1041. *Heteromycteris oculus* (Alcock, 1889)
1042. *Liachirus melanospilos* (Bleeker, 1854)
1043. *Pardachirus marmoratus* (Lacepède, 1802)
1044. *Pardachirus pavoninus* (Lacepède, 1802)
1045. *Pegusa bleeker* Boulenger, 1898
1046. *Solea elongata* Day, 1877
1047. *Solea ovata* Richardson, 1846
1048. *Soleichthys heterorhinos* (Bleeker, 1856)
1049. *Zebrias altipinnis* (Alcock, 1890)
1050. *Zebrias cochinensis* Rama-Rao, 1967
1051. *Zebrias keralensis* Joglekar, 1976
1052. *Zebrias quagga* (Kaup, 1858)
1053. *Zebrias synapturoides* (Jenkins, 1910)
1054. *Zebrias zebra* (Bloch, 1787)

Family: CYNOGLOSSIDAE

1055. *Cynoglossus arel* (Bloch & Schneider, 1801)
1056. *Cynoglossus bilineatus* (Lacepède, 1802)
1057. *Cynoglossus carpenteri* Alcock, 1889

1058. *Cynoglossus cynoglossus* (Hamilton, 1822)
 1059. *Cynoglossus dispar* Day, 1877
 1060. *Cynoglossus dubius* Day, 1873
 1061. *Cynoglossus itinus* (Snyder, 1909)
 1062. *Cynoglossus kopsii* (Bleeker, 1851)
 1063. *Cynoglossus lida* (Bleeker, 1851)
 1064. *Cynoglossus lingua* Hamilton, 1822
 1065. *Cynoglossus macrolepidotus* (Bleeker, 1851)
 1066. *Cynoglossus macrostomus* Norman, 1928
 1067. *Cynoglossus monopus* (Bleeker, 1849)
 1068. *Cynoglossus oligolepis* (Bleeker, 1855)
 1069. *Cynoglossus puncticeps* (Richardson, 1846)
 1070. *Cynoglossus quadrilineatus* (Bleeker, 1851)
 1071. *Cynoglossus semifasciatus* Day, 1877
 1072. *Cynoglossus zanzibarensis* Norman, 1939
 1073. *Paraplagusia bilineata* (Bloch, 1787)
 1074. *Paraplagusia bleekeri* Kottelat, 2013
 1075. *Syphurus gilesii* (Alcock, 1889)
 1076. *Syphurus septemstriatus* (Alcock, 1891)
 1077. *Syphurus woodmasoni* (Alcock, 1889)

Order: ATERINIFORMES**Family: ATERINIDAE**

1078. *Doboatherina duodecimalis* (Valenciennes, 1835)
 1079. *Atherinomorus endrachtensis* (Quoy & Gaimard, 1825)
 1080. *Atherinomorus lacunosus* (Forster, 1801)
 1081. *Atherion africanum* Smith, 1965
 1082. *Hypoatherina barnesi* Schultz, 1953
 1083. *Hypoatherina temminckii* (Bleeker, 1854)

Family: ISONIDAE

1084. *Iso natalensis* Regan, 1919

Order: BELONIFORMES**Family: EXOCOETIDAE**

1085. *Cheilopogon atrisignis* (Jenkins, 1903)
 1086. *Cheilopogon abei* Parin, 1996
 1087. *Cheilopogon cyanopterus* (Valenciennes, 1847)
 1088. *Cheilopogon furcatus* (Mitchill, 1815)
 1089. *Cheilopogon intermedius* Parin, 1961
 1090. *Cheilopogon nigricans* (Bennett, 1840)
 1091. *Cheilopogon pinnatibarbatus* (Bennett, 1831)
 1092. *Cheilopogon spilopterus* (Valenciennes, 1847)
 1093. *Cheilopogon Suttoni* (Whitley & Colefax, 1938)
 1094. *Cypselurus naresii* (Gunther, 1889)
 1095. *Cypselurus oligolepis* (Bleeker, 1866)
 1096. *Cypselurus poecilopterus* (Valenciennes, 1847)
 1097. *Exocoetus monocirrus* Richardson, 1846
 1098. *Exocoetus volitans* Linnaeus, 1758
 1099. *Hirundichthys coromandelensis* (Hornell, 1923)

- 1100. *Hirundichthys oxycephalus* (Bleeker, 1853)
- 1101. *Hirundichthys speculiger* (Valenciennes, 1846)
- 1102. *Parexocoetus brachypterus* (Richardson, 1846)
- 1103. *Parexocoetus mento* (Valenciennes, 1847)
- 1104. *Prognichthys brevipinnis* (Valenciennes, 1847)

Family: HEMIRAMPHIDAE

- 1105. *Euleptorhamphus viridis* (van Hasselt, 1823)
- 1106. *Hemiramphus archipelagicus* Collette & Parin, 1978
- 1107. *Hemiramphus far* (Forsskål, 1775)
- 1108. *Hemiramphus lutkei* Valenciennes, 1847
- 1109. *Hemiramphus marginatus* (Forsskål, 1775)
- 1110. *Hyporhamphus balinensis* (Bleeker, 1858)
- 1111. *Hyporhamphus dussumieri* (Valenciennes, 1846)
- 1112. *Hyporhamphus limbatus* (Valenciennes, 1847)
- 1113. *Hyporhamphus quoyi* (Valenciennes, 1847)
- 1114. *Hyporhamphus unicuspis* Collette & Parin, 1978
- 1115. *Hyporhamphus unifasciatus* (Ranzani, 1841)
- 1116. *Hyporhamphus xanthopterus* (Valenciennes, 1847)
- 1117. *Oxyporhamphus micropterus* (Valenciennes, 1847)
- 1118. *Rhynchorhamphus georgii* (Valenciennes, 1847)
- 1119. *Rhynchorhamphus malabaricus* Collette, 1976

Family: ZENARCHOPTERIDA

- 1120. *Zenarchopterus buffonis* (Valenciennes, 1847)
- 1121. *Zenarchopterus dispar* (Valenciennes, 1847)
- 1122. *Zenarchopterus pappenheimi* Mohr, 1926
- 1123. *Zenarchopterus ectuntio* (Hamilton, 1822)
- 1124. *Zenarchopterus gilli* Smith, 1945
- 1125. *Zenarchopterus striga* (Blyth, 1858)

Family: BELONIDAE

- 1126. *Ablennes hians* (Valenciennes, 1846)
- 1127. *Platybelone argalus* (Bennett, 1832)
- 1128. *Strongylura incisa* (Valenciennes, 1846)
- 1129. *Strongylura leiurus* (Bleeker, 1850)
- 1130. *Strongylura strongylura* (Van Hasselt, 1823)
- 1131. *Tylosurus choram* (Rüppell, 1837)
- 1132. *Tylosurus crocodilus* (Peron & Le Sueru, 1821)
- 1133. *Tylosurus melanotus* (Bleeker, 1850)
- 1134. *Xenentodon cancila* (Hamilton, 1822)

Family: ADRIANICHTHYIDAE

- 1135. *Oryzias andrewi* Roberts, Chakraborty, Yardi & Mukherjee, 2021
- 1136. *Oryzias carnaticus* (Jerdon, 1849)
- 1137. *Oryzias dancena* (Hamilton, 1822)
- 1138. *Oryzias setnai* (Kulkarni, 1940)
- 1139. *Oryzias javanicus* (Bleeker, 1854)

Order: MUGILIFORMES**Family: MUGILIDAE**

- 1140. *Crenimugil buchanani* (Bleeker, 1853)
- 1141. *Crenimugil crenilabis* (Forsskal, 1775)
- 1142. *Crenimugil seholi* (Forsskål, 1775)
- 1143. *Chelon parsia* (Hamilton, 1822)
- 1144. *Planiliza planiceps* (Valenciennes, 1836)
- 1145. *Minimugil casc asia* (Hamilton, 1822)
- 1146. *Ellochelon vaigiensis* (Quoy & Gaimard, 1825)
- 1147. *Mugil cephalus* Linnaeus, 1758
- 1148. *Moolgarda cunnesius* (Valenciennes, 1836)
- 1149. *Osteomugil speigleri* (Bleeker, 1858)
- 1150. *Paramugil parmatus* (Cantor, 1849)
- 1151. *Planiliza klunzingeri* (Day, 1888)
- 1152. *Chelon carinatus* (Valenciennes, 1836)
- 1153. *Planiliza macrolepis* (Smith, 1846)
- 1154. *Planiliza mandapamensis* (Thomson, 1997)
- 1155. *Chelon melinopterus* (Valenciennes, 1836)
- 1156. *Planiliza subviridis* (Valenciennes, 1836)
- 1157. *Planiliza tade* (Forsskål, 1775)
- 1158. *Plicomugil labiosus* (Valenciennes, 1836)
- 1159. *Rhinomugil corsula* (Hamilton, 1822)

Order: BLENNIIFORMES

Family: TRIPTERYGIIDAE

- 1160. *Enneapterygius fasciatus* (Weber, 1909)
- 1161. *Helcogramma gymnauchen* (Weber, 1909)
- 1162. *Helcogramma striata* Hansen, 1986
- 1163. *Helcogramma trigloides* Bleeker, 1858
- 1164. *Ucla xenogrammus* Holleman, 1993

Family: BLENNIIDAE

- 1165. *Alticus kirkii* (Günther 1868)
- 1166. *Andamia heteroptera* (Bleeker, 1857)
- 1167. *Aspidontus taeniatus* Quoy & Gaimard, 1834
- 1168. *Aspidontus tractus* Fowler, 1903
- 1169. *Atrosalarias fuscus* (Rüppell, 1838)
- 1170. *Alloblennius frondiculus* Smith Vaniz & Allen, 2012
- 1171. *Alticus saliens* (Forster, 1788)
- 1172. *Andamia reyi* (Sauvage, 1880)
- 1173. *Blenniella periophthalmus* (Valenciennes, 1836)
- 1174. *Blenniella bilitonensis* (Bleeker, 1858)
- 1175. *Blenniella cyanostigma* (Bleeker, 1849)
- 1176. *Blenniella interrupta* (Bleeker, 1857)
- 1177. *Blenniella leopardus* (Fowler, 1904)
- 1178. *Parablennius cyclops* Ruppell, 1835
- 1179. *Cirripectes castaneus* (Valenciennes, 1836)
- 1180. *Cirripectes quagga* (Fowler & Ball, 1924)
- 1181. *Cirripectes stigmaticus* Strasburg & Schultz, 1953
- 1182. *Cirripectes variolosus* (Valenciennes, 1836)
- 1183. *Cirripectes filamentosus* (Alleyne & Macleay, 1877)

1184. *Cirripectes perustus* Smith, 1959
 1185. *Cirripectes polyzona* (Bleeker, 1868)
 1186. *Enchelyurus kraussii* (Klunzinger, 1871)
 1187. *Entomacrodus striatus* (Valenciennes, 1836)
 1188. *Entomacrodus vermiculatus* (Valenciennes, 1836)
 1189. *Entomacrodus epalzeocheilos* (Bleeker, 1859)
 1190. *Ecsenius bicolor* (Day, 1888)
 1191. *Ecsenius lineatus* Klausewitz, 1962
 1192. *Ecsenius midas* Starck, 1969
 1193. *Ecsenius yaeyamaensis* (Aoyagi, 1954)
 1194. *Ecsenius paroculus* Springer, 1988
 1195. *Ecsenius trilineatus* Springer, 1972
 1196. *Ecsenius stictus* Springer, 1988
 1197. *Exallias brevis* (Kner, 1868)
 1198. *Haptogenys bipunctata* (Day, 1876)
 1199. *Istiblennius dussumieri* (Valenciennes, 1836)
 1200. *Istiblennius edentulus* (Forster & Schneider, 1801)
 1201. *Istiblennius lineatus* (Valenciennes, 1836)
 1202. *Istiblennius steindachneri* (Pfeffer, 1893)
 1203. *Meiacanthus smithi* Klausewitz, 1962
 1204. *Meiacanthus grammistes* (Valenciennes, 1836)
 1205. *Meiacanthus vicinus* Smith-Vaniz, 1987
 1206. *Omobranchus elongatus* (Peters, 1855)
 1207. *Omobranchus ferox* (Herre, 1927)
 1208. *Omobranchus punctatus* (Valenciennes, 1836)
 1209. *Omobranchus obliquus* (Garman, 1903)
 1210. *Omobranchus zebra* (Bleeker, 1868)
 1211. *Parablennius thysanius* (Jordan & Seale, 1907)
 1212. *Parenchelyurus hepburni* (Synder, 1908)
 1213. *Petroscirtes breviceps* (Valenciennes, 1836)
 1214. *Petroscirtes mitratus* Ruppell, 1830
 1215. *Petroscirtes variabilis* Cantor, 1849
 1216. *Petroscirtes xestus* Jordan & Seale, 1906
 1217. *Praealticus dayi* (Whitelay, 1929)
 1218. *Praealticus triangulus* (Chapman, 1951)
 1219. *Plagiotremus rhinorhynchos* (Bleeker, 1852)
 1220. *Plagiotremus tapeinosoma* (Bleeker, 1857)
 1221. *Plagiotremus phenax* Smith-Vaniz, 1976
 1222. *Rhabdoblennius snowi* (Fowler, 1928)
 1223. *Salarias alboguttatus* Kner, 1867
 1224. *Salarias guttatus* Valenciennes, 1836
 1225. *Salarias fasciatus* (Bloch, 1786)
 1226. *Scartella emarginata* (Gunther, 1861)
 1227. *Xiphasia setifer* Swainson, 1839

Order: ACANTHURIFORMES**Family: LOBOTIDAE**

1228. *Lobotes surinamensis* (Bloch, 1790)

1229. *Datnioides polota* (Hamilton, 1822)

Family: POMACANTHIDAE

- 1230. *Apolemichthys trimaculatus* (Cuvier, 1831)
- 1231. *Apolemichthys xanthurus* (Bennett, 1833)
- 1232. *Chaetodontoplus mesoleucus* (Bloch, 1787)
- 1233. *Centropyge bicolor* (Bloch, 1787)
- 1234. *Centropyge bispinosus* (Gunther, 1860)
- 1235. *Centropyge eibli* Klausewitz, 1963
- 1236. *Centropyge nox* (Bleeker, 1853)
- 1237. *Centropyge tibicen* (Cuvier, 1831)
- 1238. *Centropyge vrolikii* (Bleeker, 1835)
- 1239. *Centropyge flavissima* (Cuvier, 1831)
- 1240. *Centropyge flavipectoralis* Randall & Klausewitz, 1958
- 1241. *Centropyge multispinis* (Playfair, 1867)
- 1242. *Genicanthus lamarck* (Lacepede, 1802)
- 1243. *Pomacanthus annularis* (Bloch, 1787)
- 1244. *Pomacanthus sexstriatus* (Cuvier, 1831)
- 1245. *Pomacanthus xanthometopon* (Bleeker, 1853)
- 1246. *Pomacanthus navarchus* (Cuvier, 1831)
- 1247. *Pomacanthus imperator* (Bloch, 1787)
- 1248. *Pomacanthus semicirculatus* (Cuvier, 1831)
- 1249. *Pygoplites diacanthus* (Boddaert, 1772)

Family: DREPANIDAE

- 1250. *Drepane longimana* (Bloch & Schneider, 1801)
- 1251. *Drepane punctata* (Linnaeus, 1758)

Family: CHAETODONTIDAE

- 1252. *Chaetodon andamanensis* Kuiter and Debelius, 1999
- 1253. *Chaetodon auriga* Forsskål, 1775
- 1254. *Chaetodon bennetti* Cuvier, 1831
- 1255. *Chaetodon citrinellus* Cuvier, 1831
- 1256. *Chaetodon collare* Bloch, 1787
- 1257. *Chaetodon decussatus* Cuvier, 1829
- 1258. *Chaetodon ephippium* Cuvier, 1831
- 1259. *Chaetodon falcula* Bloch, 1793
- 1260. *Chaetodon fasciatus* Forsskål, 1775
- 1261. *Chaetodon gardineri* Norman, 1939
- 1262. *Chaetodon guttatissimus* Bennett, 1833
- 1263. *Chaetodon interruptus* Ahl, 1923
- 1264. *Chaetodon kleinii* Bloch, 1790
- 1265. *Chaetodon lineolatus* Cuvier, 1831
- 1266. *Chaetodon lunula* (Lacepede, 1803)
- 1267. *Chaetodon madagaskariensis* Ahl, 1923
- 1268. *Chaetodon melanotus* Bloch & Schneider, 1801
- 1269. *Chaetodon meyeri* (Bloch & Schneider, 1801)
- 1270. *Chaetodon octofasciatus* Bloch, 1787
- 1271. *Chaetodon ornatissimus* Cuvier, 1831

1272. *Chaetodon oxycephalus* Bleeker, 1853
 1273. *Chaetodon punctatofasciatus* Cuvier, 1831
 1274. *Chaetodon plebeius* Cuvier, 1831
 1275. *Chaetodon triangulum* Cuvier, 1831
 1276. *Chaetodon rafflesii* Bennett, 1830
 1277. *Chaetodon trifascialis* Quoy & Gaimard, 1825
 1278. *Chaetodon trifasciatus* Mungo Park, 1797
 1279. *Chaetodon semeion* Bleeker, 1855
 1280. *Chaetodon unimaculatus* Bloch, 1787
 1281. *Chaetodon vagabundus* Linnaeus, 1758
 1282. *Chaetodon xanthocephalus* Bennett, 1833
 1283. *Chaetodon xanthurus* Bleeker, 1857
 1284. *Chelmon rostratus* (Linnaeus, 1758)
 1285. *Coradion altivelis* (McCulloch, 1916)
 1286. *Forcipiger flavissimus* Jordan & McGregor, 1898
 1287. *Forcipiger longirostris* (Broyssonet, 1782)
 1288. *Hemitaenichthys polylepis* (Bleeker, 1857)
 1289. *Hemitaenichthys zoster* (Bennet, 1831)
 1290. *Heniochus acuminatus* (Linnaeus, 1758)
 1291. *Heniochus chrysostomus* Cuvier, 1831
 1292. *Heniochus diphreutes* Jordan, 1903
 1293. *Heniochus monoceros* Cuvier, 1831
 1294. *Heniochus pleurotaenia* Ahl, 1923
 1295. *Heniochus singularis* Smith & Redcliffe, 1911
 1296. *Heniochus varius* (Cuvier, 1829)
 1297. *Parachaetodon ocellatus* (Cuvier, 1831)
 1298. *Roa jayakari* (Norman, 1939)

Family: EPHIPPIDAE

1299. *Ephippus orbis* (Bloch, 1787)
 1300. *Platax batavianus* (Cuvier, 1831)
 1301. *Platax orbicularis* (Forsskal, 1775)
 1302. *Platax teira* (Forsskal, 1775)
 1303. *Platax pinnatus* (Linnaeus, 1758)

Family: LEIOGNATHIDAE

1304. *Aurigequula fasciata* (Lacepède, 1803)
 1305. *Aurigequula longispina* (Valenciennes, 1835)
 1306. *Equulites absconditus* Chakrabarty & Sparks, 2010
 1307. *Equulites elongatus* (Günther, 1874)
 1308. *Equulites leuciscus* (Günther, 1860)
 1309. *Equulites lineolatus* (Valenciennes, 1835)
 1310. *Eubleekeria rapsoni* (Munro, 1964)
 1311. *Eubleekeria splendens* (Cuvier, 1829)
 1312. *Deveximentum insidiator* (Bloch, 1787)
 1313. *Deveximentum interruptum* (Valenciennes, 1835)
 1314. *Gazza achlamys* Jordan & Starks, 1917
 1315. *Gazza dentex* (Valenciennes, 1835)
 1316. *Gazza minuta* (Bloch, 1797)

- 1317. *Karalla daura* (Cuvier, 1829)
- 1318. *Karalla dussumieri* (Valenciennes, 1835)
- 1319. *Leiognathus berbis* (Valenciennes, 1835)
- 1320. *Leiognathus bindus* (Valenciennes, 1835)
- 1321. *Leiognathus longispinis* (Valenciennes, 1835)
- 1322. *Leiognathus equula* (Forsskål, 1775)
- 1323. *Leiognathus striatus* James & Badrudeen, 1991
- 1324. *Nuchequula blochii* (Valenciennes, 1835)
- 1325. *Nuchequula gerreoides* (Bleeker, 1851)
- 1326. *Photopectoralis bindus* (Valenciennes, 1835)
- 1327. *Leiognathus ruconius* (Hamilton, 1822)

Family: SCATOPHAGIDAE

- 1328. *Scatophagus argus* (Linnaeus, 1766)

Family: SIGANIDAE

- 1329. *Siganus argenteus* (Quoy & Gaimard, 1825)
- 1330. *Siganus canaliculatus* (Park, 1797)
- 1331. *Siganus corallines* (Valenciennes, 1835)
- 1332. *Siganus fuscescens* (Houttuyn, 1782)
- 1333. *Siganus guttatus* (Bloch, 1787)
- 1334. *Siganus javus* (Linnaeus, 1766)
- 1335. *Siganus labyrinthodes* (Bleeker, 1853)
- 1336. *Siganus lineatus* (Valenciennes, 1835)
- 1337. *Siganus magnificus* (Burgess, 1977)
- 1338. *Siganus puelloides* Woodland & Randall, 1979
- 1339. *Siganus spinus* (Linnaeus, 1758)
- 1340. *Siganus sutor* (Valenciennes, 1835)
- 1341. *Siganus stellatus* (Forsskal, 1775)
- 1342. *Siganus vermiculatus* (Valenciennes, 1835)
- 1343. *Siganus vulpinus* (Schlegel & Müller, 1845)
- 1344. *Siganus virgatus* (Valenciennes, 1835)

Family: CAPROIDAE

- 1345. *Antigonia rubescens* (Günther, 1860)

Family: ZANCLIDAE

- 1346. *Zanclus cornutus* (Linnaeus, 1831)

Family: ACANTHURIDAE

- 1347. *Acanthurus auranticavus* Randall, 1956
- 1348. *Acanthurus bariene* Lesson, 1831
- 1349. *Acanthurus blochii* Valenciennes, 1835
- 1350. *Acanthurus dussumieri* Valenciennes, 1835
- 1351. *Acanthurus leucosternon* Bennett, 1833
- 1352. *Acanthurus leucocheilus* Herre, 1927
- 1353. *Acanthurus japonicus* (Schmidt, 1931)
- 1354. *Acanthurus lineatus* (Linnaeus, 1758)
- 1355. *Acanthurus mata* Cuvier, 1829
- 1356. *Acanthurus nigricans* (Linnaeus, 1758)
- 1357. *Acanthurus nigricauda* Dunker & Mohr 1929

1358. *Acanthurus nigrofucus* (Forsskål, 1775)
 1359. *Acanthurus pyroferus* Kittlitz, 1834
 1360. *Acanthurus tennentii* Gunther, 1861
 1361. *Acanthurus thompsoni* (Fowler, 1923)
 1362. *Acanthurus triostegus* (Linnaeus, 1758)
 1363. *Acanthurus tristis* Randall, 1993
 1364. *Acanthurus xanthopterus* Valenciennes, 1835
 1365. *Ctenochaetus cyanochelius* Randall & Clements, 2001
 1366. *Ctenochaetus striatus* (Quoy & Gaimard, 1825)
 1367. *Ctenochaetus strigosus* (Bennett, 1828)
 1368. *Ctenochaetus truncatus* Randall & Clements, 2001
 1369. *Naso annulatus* (Quoy & Gaimard, 1825)
 1370. *Naso brachycentron* (Valenciennes, 1835)
 1371. *Naso brevirostris* (Valenciennes, 1835)
 1372. *Naso elegans* (Ruppell, 1829)
 1373. *Naso hexacanthus* (Bleeker, 1855)
 1374. *Naso lopezi* Herre, 1927
 1375. *Naso reticulatus* Randall, 2001
 1376. *Naso tonganus* (Valenciennes, 1835)
 1377. *Naso tuberosus* Lacepede, 1801
 1378. *Naso unicornis* (Forsskal, 1775)
 1379. *Naso vlamingii* (Valenciennes, 1835)
 1380. *Paracanthurus hepatus* (Linnaeus, 1766)
 1381. *Zebrasoma desjardinii* (Bennett, 1836)
 1382. *Zebrasoma scopas* (Cuvier, 1829)
 1383. *Zebrasoma veliferum* (Bloch, 1797)
 1384. *Zebrasoma xanthurum* (Blyth, 1852)

Order: LOPHIIFORMES**Family: ANTENNARIIDAE**

1385. *Abantennarius coccineus* (Lesson, 1831)
 1386. *Antennarius commerson* (Lacepède, 1798)
 1387. *Antennarius hispidus* (Bloch & Schneider, 1801)
 1388. *Antennarius indicus* Schultz, 1964
 1389. *Antennarius pictus* (Shaw, 1794)
 1390. *Antennarius striatus* (Shaw, 1794)
 1391. *Abantennarius nummifer* (Cuvier, 1817)
 1392. *Antennatus tuberosus* (Cuvier, 1817)
 1393. *Histrio histrio* (Linnaeus, 1758)

Family: LOPHIIDAE

1394. *Lophiodes gracilimanus* (Alcock, 1899)
 1395. *Lophiodes lugubris* (Alcock, 1894)
 1396. *Lophiodes mutilus* (Alcock, 1894)
 1397. *Lophiomus setigerus* (Vahl, 1797)

Family: OGCOCHEPHALIDAE

1398. *Coelophryns micropa* (Alcock, 1891)
 1399. *Halieutaea coccinea* Alcock, 1889
 1400. *Halieutaea fumosa* Alcock, 1894

- 1401. *Halieutaea indica* Annandale & Jenkins, 1910
- 1402. *Halieutaea nigra* Alcock, 1891
- 1403. *Halieutaea stellata* (Vahl, 1797)
- 1404. *Halicmetus ruber* Alcock, 1891
- 1405. *Malthopsis lutea* Alcock, 1891
- 1406. *Malthopsis mitrigera* Gilbert & Cramer, 1897
- 1407. *Ogcocephalus nasutus* (Cuvier, 1829)

Family: DICERATIIDAE

- 1408. *Diceratias bispinosus* (Günther, 1887)

Family: HIMANTOLOPHIDAE

- 1409. *Himantolophus kalami* Rajeeshkumar, Pietsch & Saravanane, 2022

Order: TETRAODONTIFORMES**Family: TRIACANTHIDAE**

- 1410. *Pseudotriacanthus strigilifer* (Cantor, 1849)
- 1411. *Triacanthus biaculeatus* (Bloch, 1786)
- 1412. *Triacanthus nieuhofii* Bleeker, 1851
- 1413. *Tripodichthys oxycephalus* (Bleeker, 1851)
- 1414. *Trixiphichthys weberi* (Chaudhuri, 1910)

Family: TRIACANTHODIDAE

- 1415. *Halimochirurgus centriscoides* Alcock, 1899
- 1416. *Macrorhamphosodes platycheilus* Fowler, 1934
- 1417. *Mephisto fraserbrunnei* Tyler, 1966
- 1418. *Paratriacanthodes retrospinis* Fowler, 1934
- 1419. *Triacanthodes ethiops* Alcock, 1894

Family: BALISTIDAE

- 1420. *Abalistes stellatus* (Lacepede, 1798)
- 1421. *Balistapus undulatus* (Mungo park, 1797)
- 1422. *Balistesrotundatus* Marion de Procé, 1822
- 1423. *Balistoides conspicillum* (Bloch & Schneider, 1801)
- 1424. *Balistoides viridescens* (Bloch & Schneider, 1801)
- 1425. *Canthidermis maculata* (Bloch, 1786)
- 1426. *Melichthys niger* (Bloch, 1786)
- 1427. *Melichthys vidua* (Richardson, 1845)
- 1428. *Melichthys indicus* Randall & Klausewitz, 1973
- 1429. *Odonus niger* (Ruppell, 1836)
- 1430. *Pseudobalistes flavimarginatus* (Ruppell, 1829)
- 1431. *Pseudobalistes fuscus* (Bloch & Schneider, 1801)
- 1432. *Rhinecanthus aculeatus* (Linnaeus, 1758)
- 1433. *Rhinecanthus rectangulus* (Bloch & Schneider, 1801)
- 1434. *Sufflamen bursa* (Bloch & Schneider, 1801)
- 1435. *Sufflamen chrysopterum* (Bloch & Schn., 1801)
- 1436. *Sufflamen fraenatum* (Latreille, 1804)
- 1437. *Rhinecanthus verrucosus* (Linnaeus, 1758)
- 1438. *Xanthichthys lineopunctatus* (Hollard, 1854)

Family: MONACANTHIDAE

- 1439. *Acreichthys tomentosus* (Linnaeus, 1758)

1440. *Aluterus monoceros* (Linnaeus, 1758)
 1441. *Aluterus scriptus* (Osbeck, 1765)
 1442. *Amanses scopas* (Cuvier, 1829)
 1443. *Anacanthus barbatus* Gray, 1830
 1444. *Cantherhines dumerilii* (Hollard, 1854)
 1445. *Cantherhines pardalis* (Rüppell, 1837)
 1446. *Cantherhines verecundus* Jordan, 1925
 1447. *Cantherhines sandwichiensis* (Quoy & Gaimard, 1824)
 1448. *Lalmohania velutina* Hutchins, 1994
 1449. *Monacanthus chinensis* (Osbeck, 1765)
 1450. *Oxymonacanthus longirostris* (Bloch & Schneider, 1801)
 1451. *Paraluterespriionurus* (Bleeker, 1851)
 1452. *Paramonacanthus tricuspidis* (Hollard, 1854)
 1453. *Paramonacanthus japonicus* (Tilesius, 1809)
 1454. *Paramonacanthus choirocephalus* Bleeker, 1852
 1455. *Paramonacanthus curtorhynchus* (Bleeker, 1855)
 1456. *Paramonacanthus frenatus* (Peters, 1855) ?
 1457. *Paramonacanthus oblongus* (Temminck & Schlegel, 1850)
 1458. *Paramonacanthus nematophorus* (Gunther, 1870)
 1459. *Paramonacanthus pusillus* (Ruppell, 1829)
 1460. *Pervagor melanocephalus* (Bleeker, 1853)
 1461. *Rudarius excelsus* (Hutchins, 1977)
 1462. *Pseudalutarius nasicornis* (Temminck & Schlegel, 1850)

Family: OSTRACIIDAE

1463. *Lactoria cornuta* (Linnaeus, 1758)
 1464. *Lactoria fornasini* (Bianconi, 1846)
 1465. *Ostracion cubicum* Linnaeus, 1758
 1466. *Ostracion meleagris* Shaw, 1796
 1467. *Ostracion nasus* Bloch, 1785
 1468. *Ostracion rhinorhynchos* Bleeker, 1851
 1469. *Tetrosomus concatenatus* (Bloch, 1785)
 1470. *Tetrosomus gibbosus* (Linnaeus, 1758)

Family: TETRAODONTIDAE

1471. *Arothron hispidus* (Linnaeus, 1758)
 1472. *Arothron immaculatus* (Bloch & Schneider, 1801)
 1473. *Arothron mappa* (Lesson, 1831)
 1474. *Arothron meleagris* (Anonymous, 1798)
 1475. *Arothron nigropunctatus* (Bloch & Scheider, 1801)
 1476. *Arothron reticularis* (Bloch & Schneider, 1801)
 1477. *Arothron stellatus* (Anonymous, 1798)
 1478. *Canthigaster amboinensis* (Bleeker, 1864)
 1479. *Canthigaster bennetti* (Bleeker, 1854)
 1480. *Canthigaster coronata* (Vaillant & Sauvage, 1875)
 1481. *Canthigaster investigatoris* (Annandale and Jenkins, 1910)
 1482. *Canthigaster janthinoptera* (Bleeker, 1855)
 1483. *Canthigaster margaritata* (Rüppell, 1829)

1484. *Canthigaster papua* (Bleeker, 1848)
 1485. *Canthigaster petersii* (Bianconi, 1854)
 1486. *Canthigaster solandri* (Richardson, 1845)
 1487. *Canthigaster valentini* (Bleeker, 1853)
 1488. *Carinotetraodon imitator* Britz & Kottelat, 1999
 1489. *Carinotetraodon travancoricus* (Hora & Nair, 1941)
 1490. *Chelonodontops bengalensis* Habib, Neogi, Oh, Lee & Kim, 2018
 1491. *Chelonodontops leopardus* (Day, 1878)
 1492. *Chelonodontops patoca* (Hamilton, 1822)
 1493. *Dichotomyctere fluviatilis* (Hamilton, 1822)
 1494. *Lagocephalus suezensis* Clark & Gohar, 1953
 1495. *Lagocephalus guentheri* Miranda Ribeiro, 1915
 1496. *Lagocephalus inermis* (Temminck & Schlegel, 1850)
 1497. *Lagocephalus lagocephalus* (Linnaeus, 1758)
 1498. *Lagocephalus lunaris* (Bloch & Schneider, 1801)
 1499. *Pao palembangensis* (Bleeker, 1852)
 1500. *Lagocephalus sceleratus* (Gmelin, 1789)
 1501. *Lagocephalus spadiceus* (Richardson, 1845)
 1502. *Leiodon cutcutia* (Hamilton, 1822)
 1503. *Takifugu oblongus* (Bloch, 1786)
 1504. *Dichotomyctere nigroviridis* (Marion de Procé, 1822)
 1505. *Torquigener brevipinnis* (Regan, 1903)
 1506. *Torquigener hypselogeneion* (Bleeker, 1852)

Family: DIODONTIDAE

1507. *Cyclichthys orbicularis* (Bloch, 1785)
 1508. *Diodon holacanthus* (Linnaeus, 1758)
 1509. *Diodon hystriculus* Linnaeus, 1758
 1510. *Diodon liturosus* (Shaw, 1804)
 1511. *Lophodiodon calori* (Bianconi, 1854)
 1512. *Tragulichthys jaculiferus* (Cuvier, 1818)

Family: MOLIDAE

1513. *Masturus lanceolatus* (Liénard, 1840)
 1514. *Mola alexandrini* (Ranzani, 1839)
 1515. *Mola mola* (Linnaeus, 1758)
 1516. *Ranzania laevis* (Pennant, 1776)

Order: CENTRARCHIFORMES**Family: TERAPONTIDAE**

1517. *Pelates quadrilineatus* (Bloch, 1790)
 1518. *Terapon jarbua* (Forsskål, 1775)
 1519. *Terapon puta* Cuvier, 1829
 1520. *Terapon theraps* (Cuvier, 1829)

Family: KUHLIIDAE

1521. *Kuhlia mugil* (Forster, 1801)
 1522. *Kuhlia rupestris* (Lacepède, 1802)
 1523. *Kuhlia marginata* (Cuvier, 1829)

Family: KYPHOSIDAE

- 1524. *Kyphosus bigibbus* Lacepède, 1801
- 1525. *Kyphosus cinerascens* (Forsskal, 1775)
- 1526. *Kyphosus vaigiensis* (Quoy & Gaimard, 1825)

Family: CIRRHITIDAE

- 1527. *Cirrhitichthys aprinus* (Cuvier, 1829)
- 1528. *Cirrhitichthys aureus* (Temminck & Schlegel, 1843)
- 1529. *Cirrhitichthys bleekeri* Day, 1874
- 1530. *Cirrhitus pinnulatus* (Schneider, 1801)
- 1531. *Oxycirrhites typus* Bleeker, 1857
- 1532. *Paracirrhites arcatus* (Cuvier, 1829)
- 1533. *Paracirrhites forsteri* (Schneider, 1801)
- 1534. *Cirrhitichthys falco* Randall, 1963
- 1535. *Cirrhitichthys oxycephalus* (Bleeker, 1855)

Order: ACROPOMATIFORMES**Family: HOWELLIDAE**

- 1536. *Bathysphyraenops radhae* Rajakrishnan, Rajeshkumar, Cubelio & Prokofiev, 2022

Family: CHAMPSODONTIDAE

- 1537. *Champsodon capensis* Regan, 1908
- 1538. *Champsodon sagittus* Nemeth, 1994
- 1539. *Champsodon vorax* Günther, 1867

Family: CREEDIIDAE

- 1540. *Chalixodystestauensis* Schultz, 1943

Family: PEMPHERIDAE

- 1541. *Parapriacanthus ransonneti* Steindachner, 1870
- 1542. *Pempheris flavicycla* Randall, Satapoomin & Alpermann, 2013
- 1543. *Pempheris malabarica* Cuvier, 1831
- 1544. *Pempheris molucca* Cuvier, 1829
- 1545. *Pempheris adusta* Bleeker, 1877
- 1546. *Pempheris mangula* Cuvier, 1829
- 1547. *Pempheris oualensis* Cuvier, 1831
- 1548. *Pempheris saraya* Randall & Bineesh, 2014
- 1549. *Pempheris schwenkii* Bleeker, 1855
- 1550. *Pempheris vanicolensis* Cuvier, 1831

Family: SYNAGROPIDAE

- 1551. *Parascombrops pellucidus* (Alcock 1889)
- 1552. *Synagrops japonicus* (Döderlein, 1883)

Family: PENTACEROTIDAE

- 1553. *Histiopterus typus* Temminck & Schlegel, 1844

Family: ACROPOMATIDAE

- 1554. *Acropoma splendens* (Lloyd 1909)
- 1555. *Acropoma japonicum* Gunther, 1859

Order: PERCIFORMES**Family: AMBASSIDAE**

- 1556. *Ambassis ambassis* (Lacepede 1802)
- 1557. *Ambassis buruensis* Bleeker, 1856

1558. *Ambassis buton* Popta, 1918
 1559. *Ambassis dussumieri* Cuvier, 1828
 1560. *Ambassis gymnocephalus* (Lacepède, 1802)
 1561. *Ambassis interrupta* Bleeker, 1853
 1562. *Ambassis kopsii* Bleeker, 1858
 1563. *Ambassis miops* Günther, 1872
 1564. *Ambassis nalua* (Hamilton, 1822)
 1565. *Ambassis urotaenia* Bleeker, 1852
 1566. *Chanda nama* Hamilton, 1822
 1567. *Parambassis baculis* (Hamilton, 1822)
 1568. *Parambassis bistigmata* Geethakumari, 2012
 1569. *Parambassis dayi* (Bleeker, 1874)
 1570. *Parambassis lala* (Hamilton, 1822)
 1571. *Parambassis ranga* (Hamilton, 1822)
 1572. *Parambassis serrata* Dishma & Vishwanath, 2015
 1573. *Parambassis thomassi* (Day, 1870)
 1574. *Parambassis waikhomi* Geethakumari & Basudha, 2012

Family: CENTROGENIIDAE

1575. *Centrogenys vaigiensis* (Quoy & Gaimard, 1824)

Family: LATIDAE

1576. *Lates calcarifer* (Bloch, 1790)
 1577. *Psammoperca waigiensis* (Cuvier, 1828)

Family: EPINEPHELIDAE

1578. *Aethaloperca rogaa* (Forsskal, 1775)
 1579. *Anyperodon leucogrammicus* (Valenciennes, 1828)
 1580. *Cephalopholis argus* Schneider, 1801
 1581. *Cephalopholis aurantia* (Valenciennes, 1828)
 1582. *Cephalopholis boenak* (Bloch, 1790)
 1583. *Cephalopholis cyanostigma* (Valenciennes, 1828)
 1584. *Cephalopholis formosa* (Shaw, 1812)
 1585. *Cephalopholis leopardus* (Lacepede, 1802)
 1586. *Cephalopholis microprion* (Bleeker, 1852)
 1587. *Cephalopholis miniata* (Forsskal, 1775)
 1588. *Cephalopholis nigripinnis* (Valenciennes, 1828)
 1589. *Cephalopholis sexmaculata* (Rüppell, 1830)
 1590. *Cephalopholis sonnerati* (Valenciennes, 1828)
 1591. *Cephalopholis urodetata* (Forster, 1801)
 1592. *Chromileptes altivelis* (Valenciennes, 1828)
 1593. *Epinephelus areolatus* (Forsskal, 1775)
 1594. *Epinephelus bleekeri* (Vaillant, 1878)
 1595. *Epinephelus caeruleopunctatus* (Bloch, 1790)
 1596. *Epinephelus chabaudi* (Castelnau, 1861)
 1597. *Epinephelus chlorostigma* (Valenciennes, 1828)
 1598. *Epinephelus coioides* (Hamilton, 1822)
 1599. *Epinephelus corallicola* (Valenciennes, 1828)
 1600. *Epinephelus diacanthus* (Valenciennes, 1828)

1601. *Epinephelus epistictus* (Temminck & Schlegel, 1843)
 1602. *Epinephelus erythrurus* (Valenciennes, 1828)
 1603. *Epinephelus fasciatus* (Forsskal, 1775)
 1604. *Epinephelus faveatus* (Valenciennes, 1828)
 1605. *Epinephelus flavoceaeruleus* (Lacepede, 1802)
 1606. *Epinephelus fuscoguttatus* (Forsskal, 1775)
 1607. *Epinephelus heniochus* Fowler, 1904
 1608. *Epinephelus hexagonatus* (Forster, 1801)
 1609. *Epinephelus lanceolatus* (Bloch, 1790)
 1610. *Epinephelus latifasciatus* (Temminck & Schlegel, 1843)
 1611. *Epinephelus lebretonianus* (Hombron & Jacquinot, 1853)
 1612. *Epinephelus longispinis* (Kner, 1864)
 1613. *Epinephelus macrospilos* (Bleeker, 1855)
 1614. *Epinephelus maculatus* (Bloch, 1790)
 1615. *Epinephelus magniscutis* Postel, Fourmanoir and Gueze, 1963
 1616. *Epinephelus malabaricus* (Bloch & Schneider, 1801)
 1617. *Epinephelus marginatus* (Lowe, 1834)
 1618. *Epinephelus melanostigma* Schultz, 1953
 1619. *Epinephelus merra* Bloch, 1793
 1620. *Epinephelus miliaris* (Valenciennes, 1830)
 1621. *Epinephelus morrhua* (Valenciennes, 1833)
 1622. *Epinephelus ongus* (Bloch, 1790)
 1623. *Epinephelus polystigma* (Bleeker, 1853)
 1624. *Epinephelus polylepis* Randall & Heemstra, 1991
 1625. *Epinephelus polyphekadion* (Bleeker, 1849)
 1626. *Epinephelus quoyanus* (Valenciennes, 1830)
 1627. *Epinephelus radiatus* (Day, 1868)
 1628. *Epinephelus sexfasciatus* (Valenciennes, 1828)
 1629. *Epinephelus spilotoceps* Schultz, 1953
 1630. *Epinephelus stoliczkae* (Day, 1875)
 1631. *Epinephelus tauvina* (Fabricius, 1775)
 1632. *Epinephelus undulosus* (Quoy & Gaimard, 1824)
 1633. *Gracila albomarginata* (Fowler & Bean, 1930)
 1634. *Plectropomus areolatus* (Ruppell, 1830)
 1635. *Plectropomus laevis* (Lacepede, 1802)
 1636. *Plectropomus leopardus* (Lacepede, 1802)
 1637. *Plectropomus maculatus* (Bloch, 1790)
 1638. *Plectropomus pessuliferus* (Fowler, 1904.)
 1639. *Variola albimarginata* Baissac, 1953
 1640. *Variola louti* (Forsskal, 1775)

Family: LIOPROPOMATIDAE

1641. *Aulacocephalus temmincki* Bleeker, 1854
 1642. *Diploprion bifasciatum* Cuvier, 1828
 1643. *Liopropoma lunulatum* (Guichenot, 1863)
 1644. *Liopropoma randalli* Akhilesh, Bineesh & White, 2012

Family: GRAMMISTIDAE

1645. *Aporops bilinearis* Schultz, 1943

1646. *Grammistes sexlineatus* (Thunberg, 1792)
 1647. *Pseudogramma polyacantha* (Bleeker, 1856)
 1648. *Pogonoperca ocellata* Gunther, 1859

Family: SERRANIDAE

1649. *Chelidoperca investigatoris* (Alcock, 1890)
 1650. *Chelidoperca maculicauda* Bineesh & Akhilesh, 2013
 1651. *Chelidoperca occipitalis* Kotthaus, 1973
 1652. *Chelidoperca pleurospilus* (Günther, 1880)

Family: ANTHIADIDAE

1653. *Meganthias filiferus* Randall & Heemstra, 2008
 1654. *Plectranthias alcocki* Bineesh, Gopalakrishnan & Jena, 2014
 1655. *Pseudanthias bimaculatus* (Smith, 1955)
 1656. *Pseudanthias cichlops* (Bleeker, 1853)
 1657. *Pseudanthias cooperi* (Regan, 1902)
 1658. *Mirolabrichthys evansi* (Smith, 1954)
 1659. *Pseudanthias hypselosoma* Bleeker, 1878
 1660. *Pseudanthias fasciatus* (Kamohara, 1955)
 1661. *Nemanthias ignitus* (Randall & Lubbock, 1981)
 1662. *Pseudanthias marcia* Randall & Hoover, 1993
 1663. *Pseudanthias squamipinnis* Peters, 1855
 1664. *Sacura boulengeri* (Heemstra, 1973)

Family: PSEUDOCHROMIDAE

1665. *Halidesmus thomaseni* (Nielsen, 1961)
 1666. *Congrogadus subducens* (Richardson, 1843)
 1667. *Ogilbyina novaehollandiae* (Steindachner, 1879)
 1668. *Pseudochromis caudalis* Boulenger, 1898
 1669. *Pseudochromis cyanotaenia* Bleeker, 1857
 1670. *Pseudochromis dutoiti* Smith, 1955
 1671. *Pseudochromis fuscus* Muller & Troschel, 1849
 1672. *Pseudochromistapeinosoma* Bleeker, 1853

Family: PLESIOPIDAE

1673. *Callopleiops altivelis* (Steindachner, 1903)
 1674. *Plesiops corallicola* Bleeker, 1853
 1675. *Plesiops caeruleolineatus* Ruppell, 1835
 1676. *Plesiops oxycephalus* Bleeker, 1855

Family: OPISTOGNATHIDAE

1677. *Opistognathus macrolepis* Peters, 1866
 1678. *Opistognathus albicaudatus* Smith Vaniz, 2011
 1679. *Opistognathus annulata* (Eibl-Eibesfeldt & Klausewitz, 1961)
 1680. *Opistognathus nigromarginatus* Rüppell, 1830
 1681. *Opistognathus pardus* Smith-Vaniz, Bineesh & Akhilesh, 2012
 1682. *Opistognathus rosenbergii* Bleeker, 1856

Family: PRIACANTHIDAE

1683. *Heteropriacanthus cruentatus* (Lacepede, 1801)
 1684. *Priacanthus blochii* Bleeker, 1853
 1685. *Priacanthus hamrur* (Forsskal, 1775)

1686. *Priacanthus prolixus* Starnes, 1988
 1687. *Priacanthus tayenus* Richardson, 1846
 1688. *Priacanthus sagittarius* Starnes, 1988
 1689. *Cookeolus japonicus* (Cuvier, 1829)

Family: APOGONIDAE

1690. *Apogon coccineus* Rüppell, 1838
 1691. *Apogonichthyooides nigripinnis* (Cuvier, 1829)
 1692. *Apogonichthyooides pseudotaeniatus* (Gon, 1986).
 1693. *Apogonichthyooides sialis* (Jordan & Thompson, 1914)
 1694. *Apogonichthyooides taeniatus* (Cuvier, 1828)
 1695. *Apogonichthyooides melas* (Bleeker, 1848)
 1696. *Apogonichthys ocellatus* (Weber, 1913)
 1697. *Archamia bleekeri* (Günther, 1859)
 1698. *Cheilodipterus arabicus* (Gmelin, 1789)
 1699. *Cheilodipterus artus* Smith, 1961
 1700. *Cheilodipteruslachneri* Klausewitz, 1959
 1701. *Cheilodipterus lineatus* Lacepede, 1801
 1702. *Cheilodipterus macrodon* (Lacepède, 1802)
 1703. *Cheilodipterus quinquelineatus* Cuvier, 1828
 1704. *Fibramia lateralis* (Valenciennes, 1832)
 1705. *Fibramia thermalis* (Cuvier, 1829)
 1706. *Foabrachygramma* (Jenkins, 1903)
 1707. *Fowleria aurita* (Valenciennes, 1831)
 1708. *Fowleria marmorata* (Alleyne & Macleay, 1877)
 1709. *Fowleria variegata* (Valenciennes, 1832)
 1710. *Gymnapogonafricanus* Smith, 1954
 1711. *Jaydia ellioti* (Day, 1875)
 1712. *Jaydia poeciloptera* (Cuvier, 1828)
 1713. *Jaydia queketti* (Gilchrist, 1903)
 1714. *Jaydia smithi* Kotthaus, 1970
 1715. *Jaydia striata* (Smith & Radcliffe, 1912)
 1716. *Jaydia truncata* (Bleeker, 1855)
 1717. *Jaydia lineata* (Temminck & Schlegel, 1842)
 1718. *Lepidamia kalosoma* (Bleeker, 1852)
 1719. *Lepidamia multitaeniata* (Cuvier, 1828)
 1720. *Neamia octospina* Smith & Radcliffe, 1912
 1721. *Nectamiabandanensis* (Bleeker, 1854)
 1722. *Nectamiafusca* (Quoy & Gaimard, 1825)
 1723. *Nectamia savayensis* (Günther, 1872)
 1724. *Ostorrhinchus angustatus* (Smith & Radcliffe, 1911)
 1725. *Ostorrhinchusapogonoides* (Bleeker, 1856)
 1726. *Ostorrhinchus aureus* (Lacepède, 1802)
 1727. *Apogon ceramensis* Bleeker, 1852
 1728. *Ostorrhinchus chrysotaenia* Bleeker, 1851
 1729. *Ostorrhinchus compressus* (Smith and Radcliffe, 1911)
 1730. *Ostorrhinchus cookii* Macleay, 1881
 1731. *Ostorrhinchus cyanosoma* (Bleeker, 1853)

1732. *Ostorhinchus endekataenia* Bleeker, 1852
 1733. *Ostorhinchus fasciatus* (Shaw, 1790)
 1734. *Ostorhinchus fleurieu* Lacepède, 1802
 1735. *Ostorhinchus flagelliferus* Smith, 1961
 1736. *Ostorhinchus holotaenia* (Regan, 1905)
 1737. *Fibramia lateralis* (Valenciennes, 1832)
 1738. *Ostorhinchus moluccensis* Valenciennes, 1832
 1739. *Ostorhinchus multilineatus* (Bleeker, 1874)
 1740. *Ostorhinchus nanus* (Allen, Kuiter & Randall, 1994)
 1741. *Ostorhinchus nigripes* Cuvier, 1828
 1742. *Ostorhinchus nigrofasciatus* (Lachner, 1953)
 1743. *Ostorhinchus novemfasciatus* Cuvier, 1828
 1744. *Ostorhinchus oxina* (Fraser, 1999)
 1745. *Ostorhinchus properuptus* (Whitley, 1964)
 1746. *Ostorhinchus quadrifasciatus* Cuvier, 1828
 1747. *Ostorhinchus septemstriatus* (Günther, 1880)
 1748. *Ostorhinchus taeniophorus* (Regan, 1908)
 1749. *Pristicon trimaculatus* (Cuvier, 1828)
 1750. *Ostorhinchus wassinki* Bleeker, 1861
 1751. *Pristiapogon abrogramma* (Fraser & Lachner, 1985)
 1752. *Pristiapogonexostigma* (Jordan & Starks, 1906)
 1753. *Pristiapogon fraenatus* (Valenciennes, 1832)
 1754. *Pristiapogon kallopterus* Bleeker, 1856
 1755. *Pseudamiagelatinosa* Smith, 1956
 1756. *Rhabdamia gracilis* (Bleeker, 1856)
 1757. *Siphamia tubifer* Weber, 1909
 1758. *Sphaeramia orbicularis* (Cuvier, 1828)
 1759. *Taeniamia buruensis* (Bleeker, 1856)
 1760. *Taeniamia fucata* (Cantor, 1849)
 1761. *Taeniamia lineolata* (Cuvier, 1828)
 1762. *Taeniamia macroptera* (Cuvier, 1828)
 1763. *Verulux cypselurus* (Weber, 1909)
 1764. *Yarica hyalosoma* (Bleeker, 1852)
 1765. *Zoramia fragilis* (Smith, 1961)
 1766. *Zoramia leptacanthus* (Bleeker, 1857)
 1767. *Zoramia viridiventer* Greenfield, Langston & Randall, 2005

Family: SILLAGINIDAE

1768. *Sillago aeolus* Jordan & Evermann, 1902
 1769. *Sillaginopsis domina* (Cuvier, 1816)
 1770. *Sillaginopodus chondropus* (Bleeker, 1849)
 1771. *Sillago ingenuua* McKay, 1985
 1772. *Sillago intermedius* Wongratana, 1977
 1773. *Sillago lutea* McKay, 1985
 1774. *Sillago sihama* (Forsskal, 1775)
 1775. *Sillago soringa* Dutt & Sujatha, 1982
 1776. *Sillago vincenti* McKay, 1980
 1777. *Sillago indica* McKay, Dutt & Sujatha, 1985

Family: MALACANTHIDAE

1778. *Malacanthus brevirostris* Guichenot, 1848
 1779. *Hoplolatilus fronticinctus* (Günther, 1887)
 1780. *Malacanthus latovittatus* (Lacepede, 1801)

Family: LACTARIIDAE

1781. *Lactarius lactarius* (Bloch & Schneider, 1801)

Family: CORYPHAENIDAE

1782. *Coryphaena equiselis* Linnaeus, 1758
 1783. *Coryphaena hippurus* Linnaeus, 1758

Family: ECHENEIDAE

1784. *Echeneis naucrates* Linnaeus, 1758
 1785. *Phtheirichthyslineatus* (Menzies, 1791)
 1786. *Remoraalbescens* (Temminck & Schlegel, 1850)
 1787. *Remora brachyptera* (Lowe, 1839)
 1788. *Remoraosteochir* (Cuvier, 1829)
 1789. *Remora remora* (Linnaeus, 1758)

Family: RACHYCENTRIDAE

1790. *Rachycentron canadum* (Linnaeus, 1766)

Family: CARANGIDAE

1791. *Alectis ciliaris* (Bloch, 1788)
 1792. *Alepes djedaba* (Forsskål, 1775)
 1793. *Alepes kleinii* (Bloch, 1793)
 1794. *Alepes melanoptera* (Swainson, 1839)
 1795. *Alepes vari* (Cuvier, 1833)
 1796. *Atropus atropos* (Bloch & Schneider, 1801)
 1797. *Atule mate* (Cuvier, 1833)
 1798. *Carangichthys dinema* (Bleeker, 1851)
 1799. *Atropus armatus* (Ruppell, 1830)
 1800. *Flavocaranx bajad* (Fabricius, 1775)
 1801. *Platycaranx chrysophrys* (Cuvier, 1833)
 1802. *Turrum coeruleopinnatum* (Ruppell, 1830)
 1803. *Kaiwarinus equula* (Temminck & Schlegel, 1844)
 1804. *Ferdauia ferdau* (Forsskal, 1775)
 1805. *Turrum fulvoguttatum* (Forsskål, 1775)
 1806. *Turrum gymnostethus* (Cuvier, 1833)
 1807. *Atropus hedlandensis* (Whitley, 1934)
 1808. *Carangichthys humerosus* (Mc Culloch, 1915)
 1809. *Platycaranx malabaricus* (Bloch & Schneider, 1801)
 1810. *Carangichthys oblongus* (Cuvier, 1833)
 1811. *Ferdauia orthogrammus* (Jordan & Gilbert, 1882)
 1812. *Craterognathus plagiotaenia* Bleeker, 1857
 1813. *Carangoides praeustus* (Anonymous [Bennett], 1830)
 1814. *Platycaranx talamparoides* Bleeker, 1852
 1815. *Caranx heberi* (Bennett, 1830)
 1816. *Caranx ignobilis* (Forsskal, 1775)
 1817. *Caranx lugubris* Poey, 1860

1818. *Caranx melampygus* Cuvier, 1801
 1819. *Caranx papuensis* Alleyne & Macleay, 1877
 1820. *Caranx sexfasciatus* Quoy & Gaimard, 1824
 1821. *Caranx tille* Cuvier, 1833
 1822. *Caranx hippos* (Linnaeus, 1766)
 1823. *Decapterus kurroides* Bleeker, 1855
 1824. *Decapterus macarellus* (Cuvier, 1833)
 1825. *Decapterus macrosoma* Bleeker, 1851
 1826. *Decapterus maruadsi* (Temminck and Schlegel, 1843)
 1827. *Decapterus russelli* (Rüppell, 1830)
 1828. *Decapterus tabl* Berry, 1968
 1829. *Elagatis bipinnulata* (Quoy & Gaimard, 1824)
 1830. *Gnathanodon speciosus* (Forsskål, 1775)
 1831. *Megalaspis cordyla* (Linnaeus, 1758)
 1832. *Naucratesduktor* (Linnaeus, 1758)
 1833. *Parastromateus niger* (Bloch, 1795)
 1834. *Scyris indica* (Rüppell, 1830)
 1835. *Scomberoides commersonianus* Lacepede, 1801
 1836. *Scomberoides lysan* (Fabricius, 1775)
 1837. *Scomberoides pelagicus* Abdussamad, Rethesh & Gopalakrishnan, 2022
 1838. *Scomberoides tala* (Cuvier, 1832)
 1839. *Scomberoides tol* (Cuvier, 1832)
 1840. *Selar boops* (Cuvier, 1833)
 1841. *Selar crumenophthalmus* (Bloch, 1793)
 1842. *Selaroides leptolepis* (Cuvier, 1833)
 1843. *Seriola dumerili* (Risso, 1810)
 1844. *Seriolalalandi* Valenciennes, 1833
 1845. *Seriola rivoliana* Valenciennes, 1833
 1846. *Seriolina nigrofasciata* (Rüppell, 1829)
 1847. *Trachinotus baillonii* Lacepede, 1801
 1848. *Trachinotus blochii* (Lacepede, 1801)
 1849. *Trachinotus botla* (Shaw, 1803)
 1850. *Trachinotus mookalee* Cuvier, 1832
 1851. *Trachurus indicus* Nekrasov, 1966
 1852. *Atropus mentalis* (Cuvier, 1833)
 1853. *Uraspis helvola* (Forster, 1801)
 1854. *Uraspis uraspis* (Günther, 1860)

Family: POMATOMIDAE

1855. *Pomatomus saltatrix* (Linnaeus, 1766)

Family: MENIDAE

1856. *Mene maculata* (Bloch & Schneider, 1801)

Family: BRAMIDAE

1857. *Brama brama* (Bonnaterre, 1788)
 1858. *Brama myersi* Mead, 1972
 1859. *Taractes rubescens* (Jordan & Evermann, 1887)

Family: LUTJANIDAE

1860. *Aphareus furca* (Lacepede, 1801)
 1861. *Aphareus rutilans* Cuvier, 1830
 1862. *Aprion virescens* Valenciennes, 1830
 1863. *Etelis carbunculus* Cuvier, 1828
 1864. *Etelis coruscans* Valenciennes, 1862
 1865. *Lipocheilus carnolabrum* (Chan, 1970)
 1866. *Lutjanus argentinamaculatus* (Forsskal, 1775)
 1867. *Lutjanus bengalensis* (Bloch, 1790)
 1868. *Lutjanus biguttatus* (Valenciennes, 1830)
 1869. *Lutjanus bohar* (Forsskal, 1775)
 1870. *Lutjanus bouton* (Lacepede, 1802)
 1871. *Lutjanus decussatus* (Cuvier, 1828)
 1872. *Lutjanus ehrenbergii* Peters, 1869
 1873. *Lutjanus erythropterus* Bloch, 1790
 1874. *Lutjanus fulviflamma* (Forsskal, 1775)
 1875. *Lutjanus fulvus* (Schneider, 1801)
 1876. *Lutjanus gibbus* (Forsskal, 1775)
 1877. *Lutjanus guilcheri* Fourmanoir, 1959
 1878. *Lutjanus indicus* Allen, White & Erdmann, 2013
 1879. *Lutjanus johnii* (Bloch, 1792)
 1880. *Lutjanus kasmira* (Forsskal, 1775)
 1881. *Lutjanus lemniscatus* (Valenciennes, 1828)
 1882. *Lutjanus lunulatus* (Park, 1797)
 1883. *Lutjanus lutjanus* Bloch, 1790
 1884. *Lutjanus madras* (Valenciennes, 1831)
 1885. *Lutjanus malabaricus* (Schneider, 1801)
 1886. *Lutjanus monostigma* (Cuvier, 1828)
 1887. *Lutjanus quinquelineatus* (Bloch, 1790)
 1888. *Lutjanus rivulatus* (Cuvier, 1828)
 1889. *Lutjanus sanguineus* (Cuvier, 1828)
 1890. *Lutjanus sebae* (Cuvier, 1816)
 1891. *Lutjanus vitta* (Quoy & Gaimard, 1824)
 1892. *Lutjanus xanthopinnis* Iwatsuki, Tanaka & Allen, 2015
 1893. *Lutjanus carponotatus* (Richardson, 1842)
 1894. *Lutjanus goldiei* (Macleay, 1882)
 1895. *Lutjanus russellii* (Bleeker, 1849)
 1896. *Macolor niger* (Forsskal, 1775)
 1897. *Paracaesio sordida* Abe & Shinohare, 1962
 1898. *Pinjalo pinjalo* (Bleeker, 1850)
 1899. *Pinjalo lewisi* Randall, Allen & Anderson, 1987
 1900. *Pristipomoides filamentosus* (Valenciennes, 1830)
 1901. *Pristipomoides multidens* (Day, 1871)
 1902. *Pristipomoides typus* (Bleeker, 1852)
 1903. *Pristipomoides sieboldii* (Bleeker, 1855)
 1904. *Pristipomoides zonatus* (Valenciennes, 1830)
 1905. *Syphorus nematophorus* (Bleeker, 1860)

Family: CAESIONIDAE

- 1906. *Caesio caerulaurea* Lacepede, 1801
- 1907. *Caesio cuning* (Bloch, 1791)
- 1908. *Caesio lunaris* Cuvier, 1830
- 1909. *Caesiostriata* Rüppell, 1830
- 1910. *Caesio teres* Seale, 1906
- 1911. *Caesio varilineata* Carpenter, 1987
- 1912. *Caesio xanthonota* (Bleeker, 1845)
- 1913. *Dipterygonotus balteatus* (Valenciennes, 1830)
- 1914. *Gymnoaesio gymnoptera* (Bleeker, 1856)
- 1915. *Pterocaesio chrysazona* (Cuvier, 1830)
- 1916. *Pterocaesio marri* Schultz, 1953
- 1917. *Pterocaesio pisang* (Bleeker, 1853)
- 1918. *Pterocaesio tessellata* Carpenter, 1987
- 1919. *Pterocaesio tile* (Cuvier, 1830)
- 1920. *Pterocaesio trilineata* Carpenter, 1987

Family: HAPALOGENYIDAE

- 1921. *Hapalogensis bengalensis* Mohapatra, Ray & Kumar, 2013

Family: GERREIDAE

- 1922. *Paracaesio xanthura* (Bleeker, 1869)
- 1923. *Gerres filamentosus* Cuvier, 1829
- 1924. *Gerres infasciatus* Iwatsuki & Kimura, 1998
- 1925. *Gerres limbatus* Cuvier, 1830
- 1926. *Gerres longirostris* (Lacepède, 1801)
- 1927. *Gerres macracanthus* Bleeker, 1854
- 1928. *Gerres oblongus* Cuvier, 1830
- 1929. *Gerres oyena* (Forsskal, 1775)
- 1930. *Gerres phaiya* Iwatsuki & Heemstra, 2001
- 1931. *Gerres setifer* (Hamilton, 1822)
- 1932. *Pentaprion longimanus* (Cantor, 1849)

Family: HAEMULIDAE

- 1933. *Diagramma pictum* (Thunberg, 1792)
- 1934. *Plectorhinchus albovittatus* (Rüppell, 1838)
- 1935. *Plectorhinchus ceylonensis* (Smith, 1956)
- 1936. *Plectorhinchus chaetodonoides* Lacepède, 1801
- 1937. *Plectorhinchus cinctus* (Temminck & Schlegel, 1843)
- 1938. *Plectorhinchus flavomaculatus* (Cuvier, 1830)
- 1939. *Plectorhinchus gaterinus* (Fabricius, 1775)
- 1940. *Plectorhinchus gibbosus* (Lacepede, 1802)
- 1941. *Plectorhinchus lessonii* (Cuvier, 1830)
- 1942. *Plectorhinchus pictus* (Tortonese, 1936)
- 1943. *Plectorhinchus polytaenia* (Bleeker, 1853)
- 1944. *Plectorhinchus schotaf* (Walbaum, 1792)
- 1945. *Plectorhinchus sordidus* (Klunzinger, 1870)
- 1946. *Plectorhinchus vittatus* (Linnaeus, 1758)
- 1947. *Plectorhinchus chubbi* (Regan, 1919)
- 1948. *Plectorhinchus diagrammus* (Linnaeus, 1758)

- 1949. *Pomadasys andamanensis* McKay & Satapeomin, 1994
- 1950. *Pomadasys argenteus* (Forsskål, 1775)
- 1951. *Pomadasys argyreus* (Valenciennes, 1833)
- 1952. *Pomadasys commersonnii* (Lacepède, 1801)
- 1953. *Pomadasys furcatus* (Bloch & Schneider, 1801)
- 1954. *Pomadasys guoraca* (Cuvier, 1829)
- 1955. *Pomadasys kaakan* (Cuvier, 1830)
- 1956. *Pomadasysmaculatus* (Bloch, 1793)
- 1957. *Pomadasys multimaculatus* (Playfair, 1867)
- 1958. *Pomadasys olivaceus* (Day, 1875)

Family: SPARIDAE

- 1959. *Acanthopagrus berda* (Forsskål, 1775)
- 1960. *Acanthopagrus bifasciatus* (Forsskål, 1775)
- 1961. *Acanthopagrus latus* (Houttuyn, 1782)
- 1962. *Acanthopagrus datnia* (Hamilton, 1822)
- 1963. *Argyrops spinifer* (Forsskål 1775)
- 1964. *Cheimerius nufar* (Valenciennes, 1830)
- 1965. *Crenidens crenidens* (Forsskål, 1775)
- 1966. *Crenidens macracanthus* Günther, 1874
- 1967. *Crenidens indicus* Day, 1873
- 1968. *Diplodus kotschy* (Steindachner, 1876)
- 1969. *Rhabdosargus sarba* (Forsskal, 1775)
- 1970. *Sparidentex hasta* (Valenciennes, 1830)

Family: LETHRINIDAE

- 1971. *Lethrinus amboinensis* Bleeker, 1854
- 1972. *Gnathodentex aureolineatus* (Lacepede, 1802)
- 1973. *Gymnocranius griseus* (Temminck & Schlegel, 1843)
- 1974. *Gymnocranius elongatus* Senta, 1973
- 1975. *Gymnocranius grandoculis* (Valenciennes, 1830)
- 1976. *Lethrinus borbonicus* Valenciennes, 1830
- 1977. *Lethrinus conchyliatus* (Smith, 1959)
- 1978. *Lethrinus erythropterus* Valenciennes, 1830
- 1979. *Lethrinus harak* (Forsskal, 1775)
- 1980. *Lethrinus lentjan* (Lacepède, 1802)
- 1981. *Lethrinus rubrioperculatus* Sato, 1978
- 1982. *Lethrinus mahsena* (Fabricius, 1775)
- 1983. *Lethrinus microdon* Valenciennes, 1830
- 1984. *Lethrinus miniatus* (Forster, 1801)
- 1985. *Lethrinus nebulosus* (Forsskal, 1775)
- 1986. *Lethrinus obsoletus* (Forsskal, 1775)
- 1987. *Lethrinus olivaceus* Valenciennes, 1830
- 1988. *Lethrinus ornatus* Valenciennes, 1830
- 1989. *Lethrinus reticulatus* Valenciennes, 1830
- 1990. *Lethrinus semicinctus* Valenciennes, 1830
- 1991. *Lethrinus variegatus* Valenciennes, 1830
- 1992. *Lethrinus xanthochilus* Klunzinger, 1870
- 1993. *Monotaxis heterodon* (Bleeker, 1854)

1994. *Monotaxis grandoculis* (Forsskal, 1775)
 1995. *Wattsia mossambica* (Smith, 1957)

Family: NEMIPTERIDAE

1996. *Nemipterus andamanensis* Bineesh, Russell & Chandra, 2018
 1997. *Nemipterus bipunctatus* (Valenciennes, 1830)
 1998. *Nemipterus furcosus* (Valenciennes, 1830)
 1999. *Nemipterus hexodon* (Quoy & Gaimard, 1824)
 2000. *Nemipterus japonicus* (Bloch, 1791)
 2001. *Nemipterus mesoprion* (Bleeker, 1853)
 2002. *Nemipterus nematophorus* (Bleeker, 1854)
 2003. *Nemipterus peronii* (Valenciennes, 1830)
 2004. *Nemipterus randalli* Russell, 1986
 2005. *Nemipterus tambuloides* (Bleeker, 1853)
 2006. *Nemipterus zysron* (Bleeker, 1856)
 2007. *Parascolopsis aspinosa* (Rao & Rao, 1981)
 2008. *Parascolopsis boesemani* (Rao & Rao, 1981)
 2009. *Parascolopsis eriomma* (Jordan & Richardson, 1909)
 2010. *Parascolopsis inermis* (Temminck & Schlegel, 1843)
 2011. *Parascolopsis townsendi* Boulenger, 1901
 2012. *Scolopsis affinis* Peters, 1877
 2013. *Scolopsis auratus* (Park, 1797)
 2014. *Scolopsis bilineata* (Bloch, 1793)
 2015. *Scolopsis bimaculata* Rüppell, 1828
 2016. *Scolopsis ciliata* (Lacepede, 1802)
 2017. *Scolopsis frenata* (Cuvier, 1830)
 2018. *Scolopsis lineata* Quoy & Gaimard, 1824
 2019. *Scolopsis margaritifer* (Valenciennes, 1830)
 2020. *Scolopsis monogramma* (Cuvier, 1830)
 2021. *Scolopsis taenioptera* (Cuvier, 1830)
 2022. *Scolopsis vosmeri* (Bloch, 1792)
 2023. *Scolopsis xenochrous* Gunther, 1872
 2024. *Scolopsis ghanam* (Forsskål, 1775)
 2025. *Scolopsis taeniata* (Cuvier, 1830)

Family: POLYNEMIDAE

2026. *Eleutheronema tetradactylum* (Shaw, 1804)
 2027. *Filimanus heptadactyla* (Cuvier, 1829)
 2028. *Filimanus similis* Feltes, 1991
 2029. *Filimanus xanthonema* (Valenciennes, 1831)
 2030. *Leptomelanosoma indicum* (Shaw, 1804)
 2031. *Polydactylus microstoma* (Bleeker, 1851)
 2032. *Polydactylus mullani* (Hora, 1926)
 2033. *Polydactylus plebeius* (Broussonet, 1782)
 2034. *Polydactylus sexfilis* (Valenciennes, 1831)
 2035. *Polydactylus sextarius* (Bloch & Schneider, 1801)
 2036. *Polynemus melanochir* Linnaeus, 1758
 2037. *Polynemus paradiseus* Linnaeus, 1758

Family: SCIAENIDAE

2038. *Argyrosomus amoyensis* (Bleeker, 1863)
 2039. *Argyrosomus hololepidotus* (Lacepède, 1801)
 2040. *Atrobucca alcocki* Talwar, 1980
 2041. *Atrobucca trewavasae* Talwar & Sathiarajan, 1975
 2042. *Atrobucca nibe* (Jordan & Thompson, 1911)
 2043. *Bahaba chaptis* (Hamilton, 1822)
 2044. *Chrysichthys aurea* (Richardson, 1846)
 2045. *Daysciaena albida* (Cuvier, 1830)
 2046. *Dendrophysa russelii* (Cuvier, 1829)
 2047. *Johnius borneensis* (Bleeker, 1851)
 2048. *Johnius gangeticus* Talwar, 1991
 2049. *Johnius macrorhynus* (Lal Mohan, 1976)
 2050. *Johnius amblycephalus* (Bleeker, 1855)
 2051. *Johnius belangerii* (Cuvier, 1830)
 2052. *Johnius carouna* (Cuvier, 1830)
 2053. *Johnius carutta* Bloch, 1793
 2054. *Johnius coitor* (Hamilton, 1822)
 2055. *Johnius dussumieri* (Cuvier, 1830)
 2056. *Johnius elongatus* Lal Mohan, 1976
 2057. *Johnius gangeticus* Talwar, 1991
 2058. *Johnius macropterus* (Bleeker, 1853)
 2059. *Kathala axillaris* (Cuvier, 1830)
 2060. *Macrospinosa cuja* (Hamilton, 1822)
 2061. *Nibea chui* Trewavas, 1971
 2062. *Nibea coibor* (Hamilton, 1822)
 2063. *Nibeamaculata* (Bloch & Schneider, 1801)
 2064. *Nibea soldado* (Lacepède, 1802)
 2065. *Otolithes cuvieri* Trewavas, 1974
 2066. *Otolithes ruber* (Bloch & Schneider, 1801)
 2067. *Otolithoides biauritus* (Cantor, 1849)
 2068. *Otolithoides pama* (Hamilton, 1822)
 2069. *Panna microdon* (Bleeker, 1849)
 2070. *Paranibea semiluctuosa* (Cuvier, 1830)
 2071. *Pennahia aneus* (Bloch, 1793)
 2072. *Pennahia macrocephalus* (Tang, 1937)
 2073. *Protonibeadiacanthus* (Lacepède, 1802)
 2074. *Pterotolithus maculatus* (Cuvier, 1830)
 2075. *Umbrina canariensis* Valenciennes, 1843

Family: MULLIDAE

2076. *Mulloidichthys ayliffe* Uiblein, 2011
 2077. *Mulloidichthys flavolineatus* (Lacepede, 1801)
 2078. *Mulloidichthys vanicolensis* (Valenciennes, 1831)
 2079. *Parupeneus barberinus* (Lacepede, 1801)
 2080. *Parupeneus ciliatus* (Lacepède, 1802)
 2081. *Parupeneus cyclostomus* (Lacepede, 1801)
 2082. *Parupeneus forsskali* (Fourmanoir & Gueze, 1976)

- 2083. *Parupeneus heptacantha* (Lacepède, 1802)
- 2084. *Parupeneus indicus* (Shaw, 1803)
- 2085. *Parupeneus macronemus* (Lacepede, 1801)
- 2086. *Parupeneus multifasciatus* (Quoy & Gaimard, 1825)
- 2087. *Parupeneus pleurostigma* (Bennett, 1831)
- 2088. *Parupeneus rubescens* (Lacepède, 1801)
- 2089. *Parupeneus spilurus* (Bleeker, 1854)
- 2090. *Parupeneus trifasciatus* (Lacepede, 1801)
- 2091. *Upeneus guttatus* (Day, 1868)
- 2092. *Upeneus japonicus* (Houttuyn, 1782)
- 2093. *Upeneus luzonius* Jordan & Seale, 1907
- 2094. *Upeneus moluccensis* (Bleeker, 1855)
- 2095. *Upeneus sulphureus* Cuvier, 1829
- 2096. *Upeneus sundaicus* (Bleeker, 1855)
- 2097. *Upeneustaeniopterus* Cuvier, 1829
- 2098. *Upeneus tragula* Richardson, 1846
- 2099. *Upeneus vittatus* (Forsskal, 1775)

Family: TOXOTIDAE

- 2100. *Toxotes chatareus* (Hamilton, 1822)
- 2101. *Toxotes jaculatrix* (Pallas, 1767)

Family: MONODACTYLIDAE

- 2102. *Monodactylus argenteus* (Linnaeus, 1758)
- 2103. *Monodactylus falciformis* Lacepède, 1801
- 2104. *Monodactylus kottelati* Pethiyagoda, 1991

Family: CEPOLIDAE

- 2105. *Acanthocepola abbreviata* (Valenciennes, 1835)
- 2106. *Acanthocepola indica* (Day, 1888)
- 2107. *Acanthocepola limbata* (Valenciennes, 1835)

Family: POMACENTRIDAE

- 2108. *Abudefduf bengalensis* (Blcoch, 1787)
- 2109. *Abudefduf notatus* (Day, 1870)
- 2110. *Abudefduf septemfasciatus* (Cuvier, 1830)
- 2111. *Abudefduf sexatilis* (Linnaeus, 1758)
- 2112. *Abudefduf sexfasciatus* (Lacepède, 1801)
- 2113. *Abudefduf sordidus* (Forsskal, 1775)
- 2114. *Abudefduf vaigiensis* (Quoy & Gaimard, 1825)
- 2115. *Amblyglyphidodon aureus* (Cuvier, 1830)
- 2116. *Amblyglyphidodon batunaorum* Allen, 1995
- 2117. *Amblyglyphidodon indicus* Allen & Randall, 2002
- 2118. *Amblyglyphidodon leucogaster* (Bleeker, 1847)
- 2119. *Amblyglyphidodon silolona* Allen, Erdmann & Drew, 2012
- 2120. *Amblyglyphidodon ternatensis* (Bleeker, 1853)
- 2121. *Amblypomacentrus annulatus* (Peters, 1855)
- 2122. *Amblypomacentrus breviceps* (Schlegel & Muller, 1839)
- 2123. *Amphiprion akallopis* Bleeker, 1853
- 2124. *Amphiprion chrysogaster* Cuvier, 1830

2125. *Amphiprion clarkii* (Bennett, 1830)
 2126. *Amphiprion ephippium* (Bloch, 1790)
 2127. *Amphiprion frenatus* Brevoort, 1856
 2128. *Amphiprionnigripes* Regan, 1908
 2129. *Amphiprion ocellaris* Cuvier, 1830
 2130. *Amphiprion perideraion* Bleeker, 1855
 2131. *Amphiprion polymnus* (Linnaeus, 1758)
 2132. *Amphiprion sebae* Bleeker, 1853
 2133. *Apolemichthys xanthurus* (Bennett, 1833)
 2134. *Azurina lepidolepis* (Bleeker, 1876)
 2135. *Cheiloprion labiatus* (Day, 1877)
 2136. *Chromis atripectoralis* Welander & Schultz, 1951
 2137. *Chromischrysura* (Bliss, 1883)
 2138. *Chromis opercularis* Gunther, 1867
 2139. *Chromis ternatensis* (Bleeker, 1856)
 2140. *Chromis viridis* (Cuvier, 1830)
 2141. *Chromis weberi* Fowler & Bean, 1928
 2142. *Chromis westaustralis* Allen, 1976
 2143. *Chromis xanthochira* (Bleeker, 1851)
 2144. *Chromis flavicauda* (Gunther, 1880)
 2145. *Chrysiptera biocellata* Quoy & Gaimard, 1824
 2146. *Chrysiptera brownriggii* (Bennett, 1828)
 2147. *Chrysiptera caeruleolineata* (Allen, 1973)
 2148. *Chrysiptera cyanea* (Quoy & Gaimard, 1825)
 2149. *Chrysiptera glauca* (Cuvier, 1830)
 2150. *Chrysiptera leucopoma* (Cuvier, 1830)
 2151. *Chrysiptera rollandi* (Whitley, 1961)
 2152. *Chrysiptera talboti* (Allen, 1975)
 2153. *Chrysiptera unimaculata* (Cuvier, 1830)
 2154. *Dascyllus aruamus* (Linnaeus, 1758)
 2155. *Dascyllus carneus* Fischer, 1885 **
 2156. *Dascyllus marginatus* (Ruppell, 1828)
 2157. *Dascyllus melanurus* Bleeker, 1854
 2158. *Dascyllus reticulatus* (Richardson, 1846)
 2159. *Dascyllus trimaculatus* (Ruppell, 1829)
 2160. *Dischistodus perspicillatus* (Cuvier, 1830)
 2161. *Dischistodus prosopotaenia* (Bleeker, 1852)
 2162. *Hemiglyphidodon plagiometopon* (Bleeker, 1852)
 2163. *Lepidozygus tapeinosoma* (Bleeker, 1856)
 2164. *Neoglyphidodon bonang* (Bleeker, 1852)
 2165. *Neoglyphidodon carlsoni* (Allen, 1975)
 2166. *Neoglyphidodon melas* (Cuvier, 1830)
 2167. *Neoglyphidodon nigroris* (Cuvier, 1830)
 2168. *Neoglyphidodon oxyodon* (Bleeker, 1858)
 2169. *Neoglyphidodon thoracotaeniatus* (Fowler & Bean, 1928)
 2170. *Neopomacentrus azyron* (Bleeker, 1877)
 2171. *Neopomacentruscyanomos* (Bleeker, 1856)

2172. *Neopomacentrus filamentosus* (Macleay 1882)
 2173. *Neopomacentrus sororius* Randall & Allen, 2005
 2174. *Neopomacentrus taeniurus* (Bleeker, 1856)
 2175. *Neopomacentrus violascens* (Bleeker, 1848)
 2176. *Novaculichthys taeniourus* (Lacepède 1801)
 2177. *Novaculoides macrolepidotus* (Bloch 1791)
 2178. *Parma oligolepis* Whitley, 1929
 2179. *Plectroglyphidodon dickii* (Lienard, 1839)
 2180. *Plectroglyphidodonjohnstonianus* Fowler & Ball, 1924
 2181. *Plectroglyphidodonlacrymatus* (Quoy & Gaimard, 1825)
 2182. *Plectroglyphidodon leucozona* (Bleeker, 1859)
 2183. *Plectroglyphidodonphoenicurus* (Schultz, 1943)
 2184. *Pomacentrus allenii* Burgess, 1981
 2185. *Pomacentrus amboinensis* Bleeker, 1868
 2186. *Pomacentrus bankanensis* Bleeker, 1854
 2187. *Pomacentrusbrachialis* Cuvier, 1830
 2188. *Pomacentrus chrysurus* Cuvier 1830
 2189. *Pomacentrus indicus* Allen, 1991
 2190. *Pomacentrus lepidogenys* Fowler and Ball, 1928
 2191. *Pomacentruslittoralis* Cuvier, 1830
 2192. *Pomacentrus moluccensis* Bleeker, 1853
 2193. *Pomacentrus nagaensis* Tanaka, 1917
 2194. *Pomacentrus pavo* (Bloch, 1787)
 2195. *Pomacentrus philippinus* Evermann and Seale, 1907
 2196. *Pomacentrus reidi* Fowler & Bean, 1928
 2197. *Pomacentrus similis* Allen, 1991
 2198. *Pomacentrussulfureus* Klunzinger, 1871
 2199. *Pomacentrus trilineatus* Cuvier, 1830
 2200. *Pomacentrus tripunctatus* Cuvier, 1830
 2201. *Pomacentrus caeruleus* Quoy & Gaimard, 1825
 2202. *Premnas biaculeatus* (Bloch, 1790)
 2203. *Pristotisobtusirostris* (Günther, 1862)
 2204. *Pycnochromis dimidiatus* (Klunzinger, 1871)
 2205. *Pycnochromis margaritifer* (Fowler, 1946)
 2206. *Pycnochromis nigrurus* (Smith, 1960)
 2207. *Stegastes albifasciatus* (Schlegel & Muller, 1839)
 2208. *Stegastes lividus* (Forster, 1801)
 2209. *Stegastes nigricans* (Lacepede, 1802)
 2210. *Stegastes punctatus* (Quoy & Gaimard, 1825)

Family: LABRIDAE

2211. *Anampseseaeroleopunctatus* Ruppell, 1829
 2212. *Anampseseolineatus* Randall, 1972
 2213. *Anampseseleagrides* Valenciennes, 1840
 2214. *Bodianus axillaris* (Bennett, 1832)
 2215. *Bodianus diana* (Lacepede, 1801)
 2216. *Bodianus leucosticticus* (Bennett, 1832)
 2217. *Bodianus mesothorax* (Bloch & Schneider, 1801)

2218. *Bodianus neilli* (Day, 1867)
 2219. *Cheilinus chlorourus* (Bloch, 1791)
 2220. *Cheilinus fasciatus* (Bloch, 1791)
 2221. *Cheilinus oxycephalus* Bleeker, 1853
 2222. *Cheilinus trilobatus* Lacepede, 1801
 2223. *Cheilinus undulatus* Ruppell, 1835
 2224. *Cheilio inermis* (Forsskal, 1775)
 2225. *Choerodon anchorago* (Bloch, 1791)
 2226. *Choerodon zamboangae* (Seale & Bean, 1907)
 2227. *Choerodon robustus* (Günther, 1862)
 2228. *Choerodon typus* (Bleeker, 1856)
 2229. *Cirrhilabrus exquisitus* Smith, 1957
 2230. *Coris aygula* Lacepede, 1801
 2231. *Coris batuensis* (Bleeker, 1857)
 2232. *Coriscuvieri* (Bennett, 1831)
 2233. *Corisformosa* (Bennett, 1830)
 2234. *Corisgaimard* (Quoy & Gaimard, 1824)
 2235. *Coris aurilineata* Randall & Kuiter, 1982
 2236. *Cymolutes lecluse* (Quoy & Gaimard, 1824)
 2237. *Cymolutes praetextatus* (Quoy & Gaimard, 1834)
 2238. *Cymolutes torquatus* (Valenciennes, 1840)
 2239. *Diproctacanthus xanthurus* (Bleeker, 1856)
 2240. *Epibulus insidiator* (Pallas, 1770)
 2241. *Gomphosus caeruleus* Lacepede, 1801
 2242. *Gomphosusvariatus* Lacepède, 1801
 2243. *Halichoeres argus* (Schneider, 1801)
 2244. *Halichoeres bicolor* (Bloch & Schneider, 1801)
 2245. *Halichoeres chloropterus* (Bloch, 1791)
 2246. *Halichoeres chrysus* Randall, 1980
 2247. *Halichoeres cosmetus* Randall & Smith, 1982
 2248. *Halichoeres hortulanus* (Lacepede, 1801)
 2249. *Halichoeres leucoxanthus* Randall and Smith, 1982
 2250. *Halichoeres leucurus* Walbaum, 1792
 2251. *Halichoeres margaritaceus* (Valenciennes, 1839)
 2252. *Halichoeres marginatus* Ruppell, 1835
 2253. *Halichoeres melanurus* (Bleeker, 1851)
 2254. *Halichoeres nebulosus* (Valenciennes, 1839)
 2255. *Halichoeres nigrescens* (Bloch & Schneider 1801)
 2256. *Halichoeres scapularis* (Bennett, 1831)
 2257. *Halichoeres timorensis* (Bleeker, 1852)
 2258. *Halichoeres vrolikii* (Bleeker, 1855)
 2259. *Halichoeres zeylonicus* (Bennett 1833)
 2260. *Hemigymnus fasciatus* (Bloch, 1792)
 2261. *Hemigymnus melapterus* (Bloch, 1791)
 2262. *Hologymnosus annulatus* (Lacepede, 1801)
 2263. *Hologymnosusdoliatus* (Lacepède, 1801)
 2264. *Iniistius bimaculatus* (Rüppell, 1829)

2265. *Iniistius cyanifrons* (Valenciennes, 1840)
 2266. *Iniistius dea* (Temminck & Schlegel, 1845)
 2267. *Iniistius pavo* (Valenciennes, 1840)
 2268. *Iniistius pentadactylus* (Linnaeus, 1758)
 2269. *Labrichthys unilineatus* (Guichenot, 1847)
 2270. *Labroides bicolor* Fowler & Bean, 1928
 2271. *Labroides dimidiatus* (Valenciennes, 1839)
 2272. *Leptojulis cyanopleura* (Bleeker, 1853)
 2273. *Leptojulis lambdastigma* Randall and Ferraris, 1981
 2274. *Macropharyngodon meleagris* (Valenciennes, 1839)
 2275. *Novaculichthys taeniourus* (Lacepede, 1801)
 2276. *Oxycheilinus arenatus* (Valenciennes, 1840)
 2277. *Oxycheilinus bimaculatus* (Valenciennes, 1840)
 2278. *Oxycheilinus digramma* (Lacepède, 1801)
 2279. *Pseudocheilinus hexataenia* (Bleeker, 1857)
 2280. *Pseudodax moluccanus* (Valenciennes, 1840)
 2281. *Pteragogus flagellifer* (Valenciennes, 1839)
 2282. *Stethojulis albovittata* (Bonnaterre, 1788)
 2283. *Stethojulis balteata* (Quoy & Gaimard, 1824)
 2284. *Stethojulis interrupta* (Bleeker, 1851)
 2285. *Stethojulis strigiventer* (Bennett, 1832)
 2286. *Stethojulis trilineata* (Bloch & Scheider, 1801)
 2287. *Thalassoma amblycephalum* (Bleeker, 1856)
 2288. *Thalassoma hardwicke* (Bennett, 1830)
 2289. *Thalassoma hebraicum* (Lacepède, 1801)
 2290. *Thalassoma jansenii* (Bleeker, 1856)
 2291. *Thalassoma lunare* (Linnaeus, 1758)
 2292. *Thalassoma lutescens* (Lay & Bennett, 1839)
 2293. *Thalassoma purpureum* (Forsskal, 1775)
 2294. *Thalassoma quinquevittatum* (Lay & Bennett, 1839)
 2295. *Thalassoma trilobatum* (Lacepède, 1801)
 2296. *Xanthichthys lineopunctatus* (Hollard, 1854)

Family: SCARIDAE

2297. *Bolbometopon muricatum* (Valenciennes, 1840)
 2298. *Calotomus carolinus* (Valenciennes, 1840)
 2299. *Calotomusspinidens* (Quoy & Gaimard, 1824)
 2300. *Calotomus viridescens* (Ruppell, 1835)
 2301. *Cetoscarus bicolor* (Ruppell, 1829)
 2302. *Chlorurus atrilunula* (Randall & Bruce, 1983)
 2303. *Chlorurus bleekeri* (de Beaufort, 1940)
 2304. *Chlorurus enneacanthus* (Lacepede, 1802)
 2305. *Chlorurus gibbus* Ruppell, 1829
 2306. *Chlorurus japanensis* Bloch, 1789
 2307. *Chlorurus sordidus* (Forsskal, 1775)
 2308. *Chlorurus strongylocephalus* (Bleeker, 1855)
 2309. *Hippocarthus harid* (Forsskal, 1775)
 2310. *Leptoscarus vaigiensis* (Quoy & Gaimard, 1824)

- 2311. *Scarus cf. falcipinnis* (Playfair, 1868)
- 2312. *Scarus dimidiatus* Bleeker, 1859
- 2313. *Scarus dubius* Bennett, 1828
- 2314. *Scarus ferrugineus* Forsskål, 1775
- 2315. *Scarus festivus* Valenciennes, 1840
- 2316. *Scarus flavipectoralis* Schultz, 1958
- 2317. *Scarus frenatus* Lacepede, 1802
- 2318. *Scarus ghobban* Forsskal, 1775
- 2319. *Scarus globiceps* Valenciennes, 1840
- 2320. *Scarus niger* Forsskal, 1775
- 2321. *Scarus prasiognathos* Valenciennes, 1840
- 2322. *Scarus psittacus* Forsskal, 1775
- 2323. *Scarus quoyi* Valenciennes, 1840
- 2324. *Scarus rivulatus* Valenciennes, 1840
- 2325. *Scarus rubroviolaceus* Bleeker, 1847
- 2326. *Scarus russelii* Valenciennes, 1840
- 2327. *Scarus scaber* Valenciennes, 1840
- 2328. *Scarusschlegeli* (Bleeker, 1861)
- 2329. *Scarus taeniopterus* Lesson, 1829

Family: CHIASMODONTIDAE

- 2330. *Chiasmodon niger* Johnson, 1864
- 2331. *Champsodon capensis* Regan, 1908

Family: AMMODYTIDAE

- 2332. *Bleekeria kallolepis* Günther, 1862
- 2333. *Bleekeria murtii* Joshi, Zacharia & Kanthan, 2012

Family: URANOSCOPIDAE

- 2334. *Ichthyscopus lebeck* (Bloch & Schneider, 1801)
- 2335. *Uranoscopus affinis* Cuvier, 1829
- 2336. *Uranoscopus cognatus* Cantor, 1849
- 2337. *Uranoscopus crassiceps* Alcock, 1890
- 2338. *Uranoscopus guttatus* Cuvier, 1829
- 2339. *Uranoscopus marmoratus* Cuvier, 1829

Family: TRICHONOTIDAE

- 2340. *Pteropsaron indicum* Victor & Kumar, 2019
- 2341. *Trichonotus cyclograptus* (Alcock, 1890)
- 2342. *Trichonotus setiger* Bloch & Schneider, 1801

Family: PHOLIDICHTHYIDAE

- 2343. *Pholidichthys leucotaenia* Bleeker, 1856

Family: PERCOPHIDAE

- 2344. *Bembrops caudimacula* Steindachner, 1876
- 2345. *Bembrops platyrhynchus* (Alcock, 1894)

Family: PINGUIPEDIDAE

- 2346. *Parapercis annamalai* Yosuva, Ho, Jeyapragash & Saravanakuamr, 2020
- 2347. *Parapercis clathrata* Ogilby, 1910
- 2348. *Parapercis cylindrica* (Bloch, 1792)

- 2349. *Parapercis diplospilus* Gomon, 1981
- 2350. *Parapercis hexophthalma* (Cuvier, 1829)
- 2351. *Parapercis lineopunctata* Randall, 2003
- 2352. *Parapercis millepunctata* (Gunther, 1860)
- 2353. *Parapercis nebulosa* (Quoy & Gaimard, 1825)
- 2354. *Parapercis ommatura* Jordan & Snyder, 1902
- 2355. *Parapercis pulchella* (Temminck & Schlegel, 1843)
- 2356. *Parapercis punctulata* (Cuvier, 1829)
- 2357. *Parapercis schauinslandi* (Steindachner, 1900)
- 2358. *Parapercis snyderi* Jordan and Starks, 1905
- 2359. *Parapercis tetrica* (Lacepède, 1801)
- 2360. *Parapercis xanthozona* (Bleeker, 1849)

Family: CALLIONYMIDAE

- 2361. *Callionymus belcheri* Richardson, 1844
- 2362. *Callionymus carebarens* Alcock, 1890
- 2363. *Callionymus erythraeus* Ninni, 1934
- 2364. *Callionymus filamentosus* Valenciennes, 1837
- 2365. *Callionymus fluviatilis* Day, 1876
- 2366. *Callionymus hindsii* Richardson, 1844
- 2367. *Callionymus margaretae* Regan, 1905
- 2368. *Callionymus marleyi* Regan, 1919
- 2369. *Callionymus megastomus* Fricke, 1982
- 2370. *Callionymus recurvirostris* (Li, 1966)
- 2371. *Callionymus sagitta* Pallas, 1770
- 2372. *Callionymus japonicus* Houttuyn, 1782
- 2373. *Dactylopus kuiteri* Fricke, 1992
- 2374. *Eleutherochir opercularis* (Valenciennes, 1837)
- 2375. *Synchiropus lineolatus* (Valenciennes, 1837)
- 2376. *Synchiropus splendidus* (Herre, 1927)
- 2377. *Synchiropus stellatus* Smith, 1963

Family: SPHYRAENIDAE

- 2378. *Sphyraena forsteri* Cuvier, 1829
- 2379. *Sphyraena acutipinnis* Day, 1876
- 2380. *Sphyraena arabianus* Abdussamad & Rethesh, 2015
- 2381. *Sphyraena barracuda* (Walbaum, 1792)
- 2382. *Sphyraena pinguis* Günther, 1874
- 2383. *Sphyraena flavicauda* Rüppell, 1838
- 2384. *Sphyraena iburiensis* Doiuchi and Nakabo, 2005
- 2385. *Sphyraena jello* Cuvier, 1829
- 2386. *Sphyraena novaehollandiae* Günther, 1860
- 2387. *Sphyraena obtusata* Cuvier, 1829
- 2388. *Sphyraena putnamiae* Jordan & Seale, 1905
- 2389. *Sphyraena genie* Klunzinger, 1870

Family: SETARCHIDAE

- 2390. *Setarches guentheri* Johnson, 1862

Family: SCORPAENIDAE

2391. *Brachypterois serrulifer* (Fowler, 1936)
 2392. *Dendrochirus bellus* (Jordan et Hubbs, 1925)
 2393. *Dendrochirus biocellatus* (Fowler, 1938)
 2394. *Dendrochirus brachypterus* (Cuvier, 1829)
 2395. *Dendrochirus zebra* (Cuvier, 1829)
 2396. *Ebosia falcata* Eschmeyer & Rama-Rao, 1978
 2397. *Hoplosebastes armatus* Schmidt, 1929
 2398. *Neomerinthe megalepis* (Fowler, 1938)
 2399. *Neomerinthe erostris* (Alcock, 1896)
 2400. *Parapterois macrura* (Alcock, 1896)
 2401. *Parascorpaena mcadamsi* (Fowler, 1938)
 2402. *Parascorpaenapicta* (Cuvier, 1829)
 2403. *Pterois antennata* (Bloch, 1787)
 2404. *Pteroismiles* (Bennett, 1828)
 2405. *Pterois mombasae* (Smith, 1957)
 2406. *Pterois radiata* Cuvier, 1829
 2407. *Pterois russelii* Bennett, 1831
 2408. *Pterois volitans* (Linnaeus, 1758)
 2409. *Scorpaena neglecta* Temminck & Schlegel, 1843
 2410. *Scorpaena picta* Cuvier, 1829
 2411. *Scorpaenodes guamensis* (Cuv. & Gaimard, 1824)
 2412. *Scorpaenodes muciparus* (Alcock, 1889)
 2413. *Scorpaenodesparvipinnis* (Garrett, 1864)
 2414. *Scorpaenodes smithi* Eschmeyer & Rama-Rao, 1972
 2415. *Scorpaenopsis cirrhosa* (Thunberg, 1793)
 2416. *Scorpaenopsis gibbosa* Bloch & Schneider, 1801
 2417. *Scorpaenopsis oxycephalus* (Bleeker, 1849)
 2418. *Scorpaenopsis possi* Randall & Eschmeyer, 2001
 2419. *Scorpaenopsis ramaraoi* Randall & Eschmeyer, 2001
 2420. *Scorpaenopsis venosa* (Cuvier, 1829)
 2421. *Sebastapistes cyanostigma* (Bleeker, 1856)
 2422. *Sebastapistes strongia* (Cuvier, 1829)
 2423. *Setarches guentheri* Johnson, 1862
 2424. *Lythrichthys longimanus* (Alcock, 1894)
 2425. *Taenianotustriacanthus* Lacepède, 1802
 2426. *Vespicula depressifrons* (Richardson, 1848)

Family: SYNANCEIIDAE

2427. *Choridactylus multibarbus* Richardson, 1848
 2428. *Ablabys taenianotus* (Cuvier, 1829)
 2429. *Ablabys macracanthus* (Bleeker, 1852)
 2430. *Apistus carinatus* (Bloch & Schneider, 1801)
 2431. *Inimicus caledonicus* (Sauvage, 1878)
 2432. *Inimicus didactylus* (Pallas, 1769)
 2433. *Inimicus filamentosus* (Cuvier, 1829)
 2434. *Minous coccineus* Alcock, 1890
 2435. *Minous dempsterae* Eschmeyer, Hallacher & Rama-Rao, 1979
 2436. *Minous inermis* Alcock, 1889

- 2437. *Minous monodactylus* (Bloch & Schneider, 1801)
- 2438. *Synanceia alula* Eschmeyer & Rama-Rao, 1973
- 2439. *Synanceia verrucosa* Bloch & Schneider, 1801
- 2440. *Synanceia horrida* (Linnaeus, 1766)
- 2441. *Trachicephalus uranoscopus* (Bloch & Schneider, 1801)
- 2442. *Trichosomus trachinoides* (Cuvier, 1829)
- 2443. *Tetraroge barbata* (Cuvier, 1829)
- 2444. *Tetraroge nigra* (Cuvier, 1829)

Family: APLOACTINIDAE

- 2445. *Cocotropus echinatus* (Cantor, 1849)
- 2446. *Cocotropus roseus* Day, 1875
- 2447. *Cocotropus steinitzi* Eschmeyer & Dor, 1978
- 2448. *Xenaploactis cautes* Poss & Eschmeyer, 1980

Family: TETRAROGIDAE

- 2449. *Pseudovespicula dracaena* (Cuvier, 1829)
- 2450. *Richardsonichthys leucogaster* (Richardson, 1848)

Family: TRIGLIDAE

- 2451. *Lepidotrigla bispinosa* Steindachner, 1898
- 2452. *Lepidotrigla faurei* Gilchrist & Thompson, 1914
- 2453. *Lepidotrigla longipinnis* Alcock, 1890
- 2454. *Lepidotrigla omanensis* Regan, 1905
- 2455. *Lepidotrigla spiloptera* Günther, 1880
- 2456. *Pterygotrigla arabica* (Boulenger, 1888)
- 2457. *Pterygotrigla hemisticta* (Temminck & Schlegel, 1843)
- 2458. *Pterygotrigla intermedica* Roy, Ray, Mishra, Mishra, Mohapatra, 2023
- 2459. *Satyrichthys laticeps* (Schlegel, 1852)
- 2460. *Scalicus hians* (Gilbert & Cramer, 1897)

Family: PERISTEDIIDAE

- 2461. *Paraheminodus murrayi* (Gunther, 1880)
- 2462. *Peristedion riversandersoni* Alcock, 1894
- 2463. *Scalicus serrulatus* (Alcock, 1898)
- 2464. *Satyrichthys laticeps* (Schlegel, 1852)
- 2465. *Satyrichthys milleri* Kawai, 2013

Family: CARACANTHIDAE

- 2466. *Caracanthusmaculatus* (Gray, 1831)
- 2467. *Caracanthusunipinna* (Gray, 1831)

Family: PLATYCEPHALIDAE

- 2468. *Cociella crocodilus* (Cuvier, 1829)
- 2469. *Cymbacephalus beauforti* (Knapp, 1973)
- 2470. *Grammoplites scaber* (Linnaeus, 1758)
- 2471. *Grammoplites suppositus* (Troschel, 1840)
- 2472. *Inegocia japonica* (Cuvier, 1829)
- 2473. *Kumococius rodericensis* (Cuvier, 1829)
- 2474. *Onigocia oligolepis* (Regan, 1908)
- 2475. *Platycephalus indicus* (Linnaeus, 1758)

2476. *Rogadius pristiger* (Cuvier, 1829)
 2477. *Rogadius serratus* (Cuvier, 1829)
 2478. *Ratabulus tuberculatus* (Cuvier, 1829)
 2479. *Rogadius asper* (Cuvier, 1829)
 2480. *Ratabulus melanopterus* (Knapp & Wongratana, 1987)
 2481. *Ratabulus tuberculatus* (Cuvier, 1829)
 2482. *Insidiator macracanthus* (Bleeker, 1869)
 2483. *Sunagocia carbunculus* (Valenciennes, 1833)
 2484. *Sunagocia otaitensis* (Cuvier, 1829)
 2485. *Thysanophrys celebica* (Bleeker, 1855)
 2486. *Thysanophrys chiltonae* Schultz, 1966

Family: DACTYLOPTERIDAE

2487. *Dactyloptenamacracantha* (Bleeker, 1855)
 2488. *Dactyloptena orientalis* (Cuvier, 1829)
 2489. *Dactyloptena gilberti* Snyder, 1909
 2490. *Dactyloptena peterseni* (Nyström, 1887)

Family: ARGENTINIDAE

2491. *Glossanodon macrocephalus* Bineesh, Nashad, Kumar & Endo, 2019

Order: OSTEOGLOSSIFORMES**Family: NOTOPTERIDAE**

2492. *Chitala chitala* (Hamilton 1822)
 2493. *Notopterus synurus* (Bloch & Schneider, 1801)

Order: CYPRINIFORMES**Family: COBITIDAE**

2494. *Acantopsis spectabilis* (Blyth, 1860)
 2495. *Botia almorhae* Gray, 1831
 2496. *Botia birdi* Chaudhuri, 1909
 2497. *Botia dario* (Hamilton, 1822)
 2498. *Botia histrionica* Blyth, 1860
 2499. *Botia lohachata* Chaudhuri, 1912
 2500. *Botia rostrata* Günther, 1868
 2501. *Botia striata* Narayan Rao, 1920
 2502. *Canthophrys gongota* (Hamilton, 1822)
 2503. *Lepidocephalichthys annandalei* Chaudhuri, 1912
 2504. *Lepidocephalichthys arunachalensis* (Datta & Barman, 1984)
 2505. *Lepidocephalichthys berdmorei* (Blyth, 1860)
 2506. *Lepidocephalichthys coromandelensis* (Menon, 1992)
 2507. *Lepidocephalichthys goalparensis* (Pillai & Yazdani, 1976)
 2508. *Lepidocephalichthys guntea* (Hamilton, 1822)
 2509. *Lepidocephalichthys irrorata* Hora, 1921
 2510. *Lepidocephalichthys longipinnis* (Menon, 1992)
 2511. *Lepidocephalichthys micropogon* (Blyth, 1860)
 2512. *Lepidocephalichthys thermalis* (Valenciennes, 1846)
 2513. *Misgurnus anguillicaudatus* (Cantor, 1842)
 2514. *Neoeucirrhichthys maydelli* Banarescu & Nalbant, 1968
 2515. *Pangio ammophila* Britz, Ali & Raghavan, 2012
 2516. *Pangio apoda* Britz & Maclaine, 2007

2517. *Pangio bhujia* Anoop, Britz, Arjun, Dahanukar & Raghavan, 2019
 2518. *Pangio goaensis* (Tilak, 1972)
 2519. *Pangio oblonga* (Valenciennes, 1846)
 2520. *Pangio pangia* (Hamilton, 1822)
 2521. *Pangio pathala* Sundar, Arjun, Sidharthan, Dahanukar & Raghavan, 2022
 2522. *Syncrossus berdmorei* Blyth, 1860

Family: BALITORIDAE

2523. *Balitora arunachalensis* (Nath, Dam, Bhutia, Dey & Das, 2007)
 2524. *Balitora brucei* Gray, 1830
 2525. *Balitora burmanica* Hora, 1932
 2526. *Balitora chipkali* Kumar, Katwate, Raghavan & Dahanukar, 2016
 2527. *Balitora jalpalli* Raghavan, Tharian, Ali, Jadhav & Dahanukar, 2013
 2528. *Balitora laticauda* Bhoite, Jadhav & Dahanukar, 2012
 2529. *Balitora mysorensis* Hora, 1941
 2530. *Bhavania australis* (Jerdon, 1849)
 2531. *Ghatsa menoni* (Shaji & Easa, 1995)
 2532. *Ghatsa montana* (Herre, 1945)
 2533. *Ghatsa pillaii* (Indra & Rema Devi, 1981)
 2534. *Ghatsa santhamparaiensis* (Arunachalam, Johnson & Rema Devi, 2002)
 2535. *Ghatsa silasi* (Madhusoodana Kurup & Radhakrishnan, 2011)
 2536. *Hemimyzon indicus* Lalramliana, Solo, Lalronunga & Lalnuntluanga, 2018
 2537. *Homalopteroides manipurensis* (Arunkumar, 1999)
 2538. *Homalopteroides modestus* (Vinciguerra, 1890)
 2539. *Homalopteroides rupicola* (Prashad & Mukerji, 1929)
 2540. *Travancoria elongata* Pethiyagoda & Kottelat, 1994
 2541. *Travancoria jonesi* Hora, 1941

Family: NEMACHEILIDAE

2542. *Aborichthys bajpaii* Singh & Kosygin, 2022
 2543. *Aborichthys barapensis* Nanda & Tamang, 2021
 2544. *Aborichthys cataracta* Arunachalam, Raja, Malaiammal & Mayden, 2014
 2545. *Aborichthys elongatus* Hora, 1921
 2546. *Aborichthys garoensis* Hora, 1925
 2547. *Aborichthys iphipaniensis* Kosygin, Gurumayum, Singh & Roy Chowdhuri, 2019
 2548. *Aborichthys kailashi* Shangningam, Kosygin, Sinha & Gurumayum, 2019
 2549. *Aborichthys kempi* Chaudhuri, 1913
 2550. *Aborichthys pangensis* Shangningam, Kosygin, Sinha & Gurumayum, 2019
 2551. *Aborichthys palinensis* Nanda & Tamang, 2021
 2552. *Aborichthys tikaderi* Barman, 1985
 2553. *Aborichthys uniobarensis* Nanda, Machahary, Tamang & Das 2021
 2554. *Aborichthys verticauda* Arunachalam, Raja, Malaiammal & Mayden, 2014
 2555. *Aborichthys waikhomi* Kosygin, 2012
 2556. *Acanthocobitis pavonacea* (McClelland, 1839)
 2557. *Indoreonectes evezardi* (Day, 1872)
 2558. *Indoreonectes keralensis* (Rita & Nalbant, 1978)
 2559. *Indoreonectes neeleshi* Kumkar, Pise, Gorule, Verma & Kalous, 2021
 2560. *Indoreonectes rajeevi* Kumkar, Pise, Gorule, Verma & Kalous, 2021
 2561. *Indoreonectes telanganaensis* Prasad, Srinivasulu, Srinivasulu, Anoop & Dahanukar, 2020

2562. *Mesonoemacheilus guentheri* (Day, 1867)
 2563. *Mesonoemacheilus herrei* Nalbant & Banarescu, 1982
 2564. *Mesonoemacheilus menoni* (Zacharias & Minimol, 1999)
 2565. *Mesonoemacheilus pambarensis* (Rema Devi & Indra, 1994)
 2566. *Mesonoemacheilus periyarensis* (Madhusoodana Kurup & Radhakrishnan, 2005)
 2567. *Mesonoemacheilus petrubanarescui* (Menon, 1984)
 2568. *Mesonoemacheilus pulchellus* (Day, 1873)
 2569. *Mesonoemacheilus remadeviae* Shaji, 2002
 2570. *Mesonoemacheilus triangularis* (Day, 1865)
 2571. *Mustura chhimtuipuiensis* (Lalramliana, Lalhlimpuia, Solo & Vanramliana, 2016)
 2572. *Mustura chindwinensis* (Lokeshwor & Vishwanath, 2012)
 2573. *Mustura daral* Rameshori, Chinglemba, Darshan & Vishwanath, 2022
 2574. *Mustura harkishorei* (Das & Darshan, 2017)
 2575. *Mustura prashadi* (Hora, 1921)
 2576. *Mustura subhashi* Choudhury, Das, Bharali, Sarma, Tyagi, Lal & Sarma, 2021
 2577. *Mustura tarensis* Chinglemba, Rameshori & Vishwanath, 2021
 2578. *Mustura tigrina* (Lokeshwor & Vishwanath, 2012)
 2579. *Mustura tuivaiensis* Lokeshwar, Vishwanath & Shanta, 2012
 2580. *Mustura walongensis* Tamang & Sinha, 2016
 2581. *Neonoemacheilus assamensis* (Menon, 1987)
 2582. *Neonoemacheilus morehensis* Arunkumar, 2000
 2583. *Neonoemacheilus peguensis* (Hora, 1929)
 2584. *Nemacheilus anguilla* Annandale, 1919
 2585. *Nemacheilus corica* (Hamilton, 1822)
 2586. *Nemacheilus kaimurensis* Husain & Tilak, 1998
 2587. *Nemacheilus monilis* Hora, 1921
 2588. *Nemacheilus stigmofasciatus* Arunachalam & Muralidharan, 2009
 2589. *Nemachilichthys ruppelli* (Sykes, 1839)
 2590. *Paracanthocobitis aurea* (Day, 1872)
 2591. *Paracanthocobitis botia* (Hamilton, 1822)
 2592. *Paracanthocobitis hijumensis* Rime, Tamang & Das, 2022
 2593. *Paracanthocobitis linypha* Singer & Page, 2015
 2594. *Paracanthocobitis mackenziei* (Chaudhuri, 1910)
 2595. *Paracanthocobitis marmorata* Singer, Pfeiffer & Page, 2017
 2596. *Paracanthocobitis mooreh* (Sykes, 1839)
 2597. *Paracanthocobitis zonalternans* (Blyth, 1860)
 2598. *Paraschistura punjabensis* (Hora, 1923)
 2599. *Physoschistura elongata* Sen & Nalbant, 1982
 2600. *Physoschistura ranikhetensis* Singh & Das, 2019
 2601. *Schistura aizawlensis* Lalramiana, 2012
 2602. *Schistura altipedunculata* (Bănărescu & Nalbant, 1968)
 2603. *Schistura andrewi* Solo, Lalramiana, Lalronunda & Lalnuntuan, 2014
 2604. *Schistura beavani* (Günther, 1868)
 2605. *Schistura bhimachari* (Hora, 1937)
 2606. *Schistura carletoni* (Fowler, 1924)
 2607. *Schistura chindwinica* (Tilak & Husain, 1990)
 2608. *Schistura cincticauda* (Blyth, 1860)

2609. *Schistura dayi* (Hora, 1935)
 2610. *Schistura denisoni* (Day, 1867)
 2611. *Schistura devdevi* (Hora, 1935)
 2612. *Schistura doonensis* (Tilak & Husain, 1977)
 2613. *Schistura fasciata* Lokeshwor & Vishwanath, 2011
 2614. *Schistura ferruginea* Lokeshwor & Vishwanath, 2013
 2615. *Schistura gangeticus* (Menon, 1987)
 2616. *Schistura himachalensis* (Menon, 1987)
 2617. *Schistura hiranyakeshi* Praveenraj, Thackeray & Balasubramanian, 2020
 2618. *Schistura horai* (Menon, 1952)
 2619. *Schistura kangjupkhulensis* (Hora, 1921)
 2620. *Schistura kangrae* (Menon, 1952)
 2621. *Schistura khugae* Vishwanath & Shanta, 2004
 2622. *Schistura kodaguensis* (Menon, 1987)
 2623. *Schistura koladynensis* Lokeshwar & Vishwanath, 2012
 2624. *Schistura larketensis* Choudhury, Mukhim, Basumatary, 2017
 2625. *Schistura liyaiensis* Lokeshwor & Vishwanath, 2014
 2626. *Schistura maculosa* Lalronunga, Lalnuntluanga & Lalramliana, 2013
 2627. *Schistura manipurensis* (Chaudhuri, 1912)
 2628. *Schistura minuta* Vishwanath & Shanta Kumar, 2006
 2629. *Schistura mizoramensis* Lalramliana, Lalronunga, Vanramliana & Lalthanzara, 2014
 2630. *Schistura mukambikaensis* (Menon, 1987)
 2631. *Paraschistura montana* McClelland, 1838
 2632. *Schistura multifasciata* (Day, 1878)
 2633. *Schistura nebeshwari* Lokeshwor & Vishwanath, 2013
 2634. *Schistura nagaensis* (Menon, 1987)
 2635. *Schistura nagodiensis* Sreekantha, Gururaja, Remadevi, Indra & Ramachandra, 2006
 2636. *Schistura nilgiriensis* (Menon, 1987)
 2637. *Schistura obliquofascia* Lokeshwor, Barat, Sati, Darshan, Vishwanath & Mahanta, 2012
 2638. *Schistura papulifera* Kottelat, Harries & Proudlove, 2007
 2639. *Schistura paucireticulata* Lokeshwor, Vishwanath & Kosygin, 2013
 2640. *Schistura phamhringi* Shangningam, Lokeshwor & Vishwanath, 2014
 2641. *Schistura porocephala* Lokeshwor & Vishwanath, 2013
 2642. *Schistura rajasthanica* (Mathur & Yazdani, 1971)
 2643. *Schistura rebuw* Choudhury, Dey, Bharali, Sarma & Vishwanath, 2019
 2644. *Schistura reticulata* Vishwanath & Nebeshwar Sharma, 2004
 2645. *Schistura reticulofasciata* (Singh & Banarescu, 1982)
 2646. *Schistura rosammae* (Sen, 2009)
 2647. *Schistura rupecula* McClelland, 1838
 2648. *Schistura savona* (Hamilton, 1822)
 2649. *Schistura scaturigina* McClelland, 1839
 2650. *Schistura scyphovecteta* Lokeshwor & Vishwanath, 2013
 2651. *Schistura semiarmata* (Day, 1867)
 2652. *Schistura sharavathiensis* Sreekantha, Gururaja, Remadevi, Indra & Ramachandra, 2006
 2653. *Schistura shebbearei* (Hora, 1935)
 2654. *Schistura sijuensis* (Menon, 1987)
 2655. *Schistura sikmaiensis* (Hora, 1921)

2656. *Schistura singhi* (Menon, 1987)
 2657. *Schistura striata* (Day, 1867)
 2658. *Schistura syngkai* Choudhury, Mukhim, Dey, Warbah & Sarma, 2019
 2659. *Schistura tigrina* Vishwanath & Nebeshwar Sharma, 2005
 2660. *Schistura tirapensis* Kottelat, 1990
 2661. *Schistura vinciguerreae* (Hora, 1935)
 2662. *Schistura zonata* McClelland, 1839
 2663. *Hedinichthys yarkandensis* (Day, 1877)
 2664. *Triplophysa yasinensis* (Alcock, 1898)
 2665. *Triplophysa drassensis* (Tilak, 1990)
 2666. *Triplophysa gracilis* (Day, 1877)
 2667. *Triplophysa kashmirensis* (Hora, 1922)
 2668. *Triplophysa marmorata* (Heckel, 1838)
 2669. *Triplophysa microps* (Steindachner, 1866)
 2670. *Triplophysa shehensis* Menon, 1987
 2671. *Triplophysa stewarti* (Hora, 1922)
 2672. *Triplophysa stolickai* (Steindachner, 1866)
 2673. *Triplophysa tenuicauda* (Steindachner, 1866)

Family: PSILORHYNCHIDAE

2674. *Psilorhynchus amplicephalus* Arunachalam, Muralidharan & Sivakumar, 2007
 2675. *Psilorhynchus arunachalensis* (Nebeshwar, Bagra & Das, 2007)
 2676. *Psilorhynchus balitora* (Hamilton, 1822)
 2677. *Psilorhynchus bichomensis* Shangningam, Kosygin & Gopi, 2019
 2678. *Psilorhynchus breviminor* Conway & Mayden, 2008
 2679. *Psilorhynchus chakpiensis* Shangningam & Vishwanath, 2013
 2680. *Psilorhynchus hamiltoni* Conway, Dittmer, Jezisek & Ng, 2013
 2681. *Psilorhynchus homaloptera* Hora & Mukerji, 1935
 2682. *Psilorhynchus kaladanensis* Lalramliana, Lalnuntluanga & Lalronunga, 2015
 2683. *Psilorhynchus khopai* Lalramliana, Solo, Lalronunga & Lalnuntluanga, 2014
 2684. *Psilorhynchus konemi* Shangningam & Vishwanath, 2016
 2685. *Psilorhynchus maculatus* Shangningam & Vishwanath, 2013
 2686. *Psilorhynchus microphthalmus* Vishwanath & Manojkumar, 1995
 2687. *Psilorhynchus nahlongthai* Dey, Choudhury, Mazumder, Thaosen & Sarma, 2020
 2688. *Psilorhynchus ngathanu* Shangningam & Vishwanath, 2013
 2689. *Psilorhynchus nudithoracicus* Tilak & Husain, 1980
 2690. *Psilorhynchus rowleyi* Hora & Misra, 1941
 2691. *Psilorhynchus sucatio* (Hamilton, 1822)
 2692. *Psilorhynchus tenura* Arunachalam & Muralidharan, 2008

Family: CYPRINIDAE

2693. *Bangana almoraee* (Chaudhuri, 1912)
 2694. *Bangana dero* (Hamilton, 1822)
 2695. *Bangana devdevi* (Hora, 1936)
 2696. *Bangana diplostomus* (Heckel, 1838)
 2697. *Barbodes bovanicus* (Day, 1877)
 2698. *Hypselobarbus carnaticus* (Jerdon, 1849)
 2699. *Barbonymus gonionotus* (Bleeker, 1849)
 2700. *Carassius auratus* (Linnaeus, 1758)

2701. *Carassius carassius* (Linnaeus, 1758)
 2702. *Chagunius chagunio* (Hamilton, 1822)
 2703. *Chagunius nicholsi* (Myers, 1924)
 2704. *Cirrhinus cirrhosus* (Bloch 1795)
 2705. *Cirrhinus mrigala* (Hamilton, 1822)
 2706. *Cirrhinus reba* (Hamilton, 1822)
 2707. *Cyprinus carpio* Linnaeus, 1758
 2708. *Dawkinsia apsara* Katwate, Marcus Knight, Anoop, Raghavan & Dahanukar, 2020
 2709. *Dawkinsia arulius* (Jerdon, 1849)
 2710. *Dawkinsia assimilis* (Jerdon, 1849)
 2711. *Dawkinsia austellus* Katwate, Marcus Knight, Anoop, Raghavan & Dahanukar, 2020
 2712. *Dawkinsia chalakkudiensis* (Menon, Rema Devi & Thobias, 1999)
 2713. *Dawkinsia crassa* Katwate, Marcus Knight, Anoop, Raghavan & Dahanukar, 2020
 2714. *Dawkinsia denisonii* (Day, 1865)
 2715. *Dawkinsia exclamatio* (Pethiyagoda & Kottelat, 2005)
 2716. *Dawkinsia filamentosa* (Valenciennes, 1844)
 2717. *Dawkinsia rohani* (Rema Devi, Indra & Knight, 2010)
 2718. *Dawkinsia rubrotinctus* (Jerdon, 1849)
 2719. *Dawkinsia tambraparniei* (Silas, 1954)
 2720. *Diptychus maculatus* Steindachner, 1866
 2721. *Eechathalakenda ophicephalus* (Raj, 1941)
 2722. *Garra abhoyai* Hora, 1921
 2723. *Garra alticaputus* Arunachalam, Nandagopal & Mayden, 2013
 2724. *Garra annandalei* Hora, 1921
 2725. *Garra arunachalami* (Johnson & Soranam, 2001)
 2726. *Garra arunachalensis* Nebeshwar & Vishwanath, 2013
 2727. *Garra arupi* Nebeshwar, Vishwanath & Das, 2009
 2728. *Garra bicornuta* Narayan Rao, 1920
 2729. *Garra biloborostris* Roni and Vishwanath, 2017
 2730. *Garra birostris* Nebeshwar & Vashwanath, 2013
 2731. *Garra ceylonensis* Bleeker, 1863
 2732. *Garra chakpiensis* Nebeshwar & Vishwanath, 2015
 2733. *Garra chaudhurii* Hora, 1921
 2734. *Garra chingaiensis* Abonmai, Linthoingambi, Ngangbam, Thoidingjam & Singh 2023
 2735. *Garra chivaensis* Moyon & Arunkumar, 2020
 2736. *Garra chindwinensis* Premananda, Kosygin & Saidullah, 2017
 2737. *Garra clavirostris* Roni, Sarbojit & Vishwanath, 2017
 2738. *Garra compressa* Kosygin & Vishwanath, 1998
 2739. *Garra cornigera* Shangningam & Vishwanath, 2015
 2740. *Garra dampaensis* Lalronunga, Lalnuntluanga & Lalramliana, 2013
 2741. *Garra elongata* Vishwanath & Kosygin, 2000
 2742. *Garra emarginata* Kurup & Radhakrishnan, 2011
 2743. *Garra flavatra* Kullander & Fang, 2004
 2744. *Garra deccanensis* Jadhav, Karuthapandi, Shangningam, Jaiswal & Shankar, 2022
 2745. *Garra gotyla* (Gray, 1830)
 2746. *Garra gravelyi* (Annandale, 1919)
 2747. *Garra hughii* Silas, 1955

2748. *Garra irangensis* Premananda & Singh, 2023
 2749. *Garra jaldhakaensis* Kosygin, Shangningam, Singh & Das, 2021
 2750. *Garra jenkinsonianum* Hora, 1921
 2751. *Garra jerdoni* (Day, 1867)
 2752. *Garra joshuai* (Silas, 1954)
 2753. *Garra kalakadensis* Rema Devi, 1993
 2754. *Garra kalpangi* Nabeswar, Bagra & Das, 2012
 2755. *Garra kempfi* Hora, 1921
 2756. *Garra khawbungi* Arunachalam, Nandagopal & Mayden, 2014
 2757. *Garra kimini* Arunachalam, Nandagopal & Mayden, 2013
 2758. *Garra koladynensis* Nebeshwar & Vishwanath, 2017
 2759. *Garra laishrami* Surachita, Roy Chowdhury & Palita 2023
 2760. *Garra lamta* (Hamilton, 1822)
 2761. *Garra langlungensis* Ezung, Shangningam & Pankaj, 2021
 2762. *Garra lissorhynchus* (McClelland, 1842)
 2763. *Garra litanensis* Vishwanath, 1993
 2764. *Garra lungongza* Ngangbam & Linthoingambi, 2023
 2765. *Garra magnidiscus* Tamang, 2013
 2766. *Garra manipurensis* Vishwanath & Sarojnalini, 1988
 2767. *Garra magnacavus* Shangningam, Kosygin & Sinha, 2019
 2768. *Garra matensis* Nebeshwar & Vishwanath, 2017
 2769. *Garra mcclellandi* (Jerdon, 1849)
 2770. *Garra menoni* Rema Devi & Indra, 1984
 2771. *Garra minimus* Arunachalam, Nandagopal & Mayden, 2013
 2772. *Garra mlapparaensis* Kurup & Radhakrishnan, 2010
 2773. *Garra mullya* (Sykes, 1839)
 2774. *Garra naganensis* Hora, 1921
 2775. *Garra nambulica* Vishwanath & Joyshree, 2005
 2776. *Garra namyaensis* Shangningam & Vishwanath, 2012
 2777. *Garra nasuta* (McClelland, 1838)
 2778. *Garra nethravathiensis* Arunachalam & Nandagopal, 2014
 2779. *Garra ngatangkha* Arunkumar & Moyon, 2019
 2780. *Garra nigricauda* Arunachalam, Nandagopal & Mayden, 2013
 2781. *Garra nigricollis* Kullander & Fang, 2004
 2782. *Garra moyonkhulleni* Moyon & Arunkumar 2018
 2783. *Garra palaniensis* (Rema Devi & Menon, 1994)
 2784. *Garra palaruvica* Arunachalam, Raja, Nandagopal & Mayden, 2013
 2785. *Garra paralissorhynchus* Vishwanath & Shanta Devi, 2005
 2786. *Garra paratrilocata* Roni, Chinglemba, Rameshori & Vishwanath, 2019
 2787. *Garra periyarensis* Gopi, 2001
 2788. *Garra platycephala* Narayan Rao, 1920
 2789. *Garra prashadi* Hora, 1921
 2790. *Garra quadratirostris* Nebeshwar & Vishwanath, 2013
 2791. *Garra rakhinica* Kullander & Fang, 2004
 2792. *Garra ranganensis* Tamang, Sinha, Abujam & Kumar, 2019
 2793. *Garra rupecula* (McClelland, 1839)
 2794. *Garra simbalbaraensis* Rath, Sangingam & Kosygin, 2019
 2795. *Garra stenorhynchus* (Jerdon, 1849)

2796. *Garra substrictorostris* Roni and Vishwanath, 2018
 2797. *Garra surendranathanii* Shaji, Arun & Easa, 1996
 2798. *Garra tamangi* Gurumayum & Kosygin, 2016
 2799. *Garra tezuensis* Thoidingjam, Ngangbam, Linthoingambi & Singh 2023
 2800. *Garra triangularis* Shangningam, Rath & Kosygin, 2021
 2801. *Garra trilobata* Shangningam & Vishwanath, 2015
 2802. *Garra tyao* Arunachalam, Nandagopal & Mayden, 2014
 2803. *Garra ukhrulensis* Nebeshwar & Vishwanath, 2015
 2804. *Gymnostomus ariza* (Hamilton, 1807)
 2805. *Gymnostomus fulungee* (Sykes, 1839)
 2806. *Haludaria afasciata* (Jayaram, 1990)
 2807. *Haludaria fasciata* (Jerdon, 1849)
 2808. *Haludaria kannikattiensis* (Arunachalam & Johnson, 2003)
 2809. *Haludaria melanampyx* (Day, 1865)
 2810. *Hypselobarbus basavarajai* Arunachalam, Chinnaraja & Mayden, 2016
 2811. *Hypselobarbus bicolor* Knight, Rai, D'Souza, Philip, Dahanukar, 2016
 2812. *Hypselobarbus canarensis* (Jerdon, 1849)
 2813. *Hypselobarbus curmuca* (Hamilton, 1807)
 2814. *Hypselobarbus dobsoni* (Day, 1876)
 2815. *Hypselobarbus dubius* (Day, 1867)
 2816. *Hypselobarbus gracilis* (Jerdon, 1849)
 2817. *Hypselobarbus jerdoni* (Day, 1870)
 2818. *Hypselobarbus keralaensis* Arunachalam, Chinnaraja & Mayden, 2016
 2819. *Hypselobarbus kulos* (Sykes, 1839)
 2820. *Hypselobarbus kurali* Menon & Rema Devi, 1995
 2821. *Hypselobarbus kushavali* Arunachalam , Chinnaraja, Sivakumar & Mayden, 2016
 2822. *Hypselobarbus lithopidos* (Day, 1874)
 2823. *Hypselobarbus menoni* Arunachalam, Chinnaraja, Chandran & Mayden, 2014
 2824. *Hypselobarbus micropogon* (Valenciennes, 1842)
 2825. *Hypselobarbus mussullah* (Sykes, 1839)
 2826. *Hypselobarbus nasutus* Arunachalam, Chinnaraja & Mayden, 2016
 2827. *Hypselobarbus nilgiriensis* Arunachalam, Chinnaraja & Mayden, 2016
 2828. *Hypselobarbus nitidus* Plamoottil & Vineeth, 2022
 2829. *Hypselobarbus periyarensis* (Raj, 1941)
 2830. *Hypselobarbus pulchellus*(Day, 1870)
 2831. *Hypselobarbus tamiraparaniei* Arunachalam, Chinnaraja, Chandran & Mayden, 2014
 2832. *Hypselobarbus thomassi* (Day, 1874)
 2833. *Hypselobarbus vaigaiensis* Arunachalam, Chinnaraja, Chandran & Mayden, 2014
 2834. *Hypsibarbus myitkyinae* (Prashad & Mukerji, 1929)
 2835. *Kantaka brevidorsalis* (Day, 1873)
 2836. *Labeo angra* (Hamilton, 1822)
 2837. *Labeo bata* (Hamilton, 1822)
 2838. *Labeo boga* (Hamilton, 1822)
 2839. *Labeo boggut* (Sykes, 1839)
 2840. *Labeo caeruleus* Day, 1877
 2841. *Labeo calbasu* (Hamilton, 1822)
 2842. *Labeo catla* (Hamilton, 1822)

2843. *Labeo dussumieri* (Valenciennes, 1842)
 2844. *Labeo dyocheilus* (McClelland, 1839)
 2845. *Labeo filiferus* Plamoottil and Zupancic, 2017
 2846. *Labeo fimbriatus* (Bloch, 1795)
 2847. *Labeo gonius* (Hamilton, 1822)
 2848. *Labeo kawrus* (Sykes, 1839)
 2849. *Labeo kontius* (Jerdon, 1849)
 2850. *Labeo microphthalmus* Day, 1877
 2851. *Labeo nandina* (Hamilton, 1822)
 2852. *Labeo nigrescens* Day, 1870
 2853. *Labeo nigripinnis* Day, 1877
 2854. *Labeo pangusia* (Hamilton, 1822)
 2855. *Labeo porcellus* (Heckel, 1844)
 2856. *Labeo potail* (Sykes, 1839)
 2857. *Labeo rajasthanicus* Datta & Majumdar, 1970
 2858. *Labeo ricnorhynchus* (McClelland, 1839)
 2859. *Labeo rohita* (Hamilton, 1822)
 2860. *Labeo shivamogaensis* Arunachalam, Anusha and Sivakumar, 2018
 2861. *Lepidopygopsis typus* Raj, 1941
 2862. *Naziritor chelynooides* (McClelland, 1839)
 2863. *Neolissochilus acutirostris* Arunachalam, Sivakumar and Murugan, 2017
 2864. *Neolissochilus capudelphinus* Arunachalam, Sivakumar and Murugan, 2017
 2865. *Neolissochilus dukai* (Day, 1878)
 2866. *Neolissochilus hexagonolepis* (McClelland, 1839)
 2867. *Neolissochilus hexastichus* (McClelland, 1839)
 2868. *Neolissochilus kaladanensis* Lalramliana, Lalronunga, Kumar and Singh, 2019
 2869. *Neolissochilus microphthalmus* Arunachalam, Sivakumar and Murugan, 2017
 2870. *Neolissochilus minimus* Arunachalam, Sivakumar and Murugan, 2017
 2871. *Neolissochilus pnar* Dahanukar, Sundar, Rangad, Proudlove & Raghavan 2023
 2872. *Neolissochilus spinulosus* (McClelland, 1845)
 2873. *Neolissochilus stracheyi* (Day, 1871)
 2874. *Neolissochilus tamiraparaniensis* Arunachalam, Sivakumar and Murugan, 2017
 2875. *Neolissochilus wynaudensis* (Day, 1873)
 2876. *Oreichthys andrewi* Knight, 2014
 2877. *Oreichthys coorgensis* (Jayaram, 1982)
 2878. *Oreichthys cosuatis* (Hamilton, 1822)
 2879. *Oreichthys crenuchoides* Schäfer, 2009
 2880. *Oreichthys duospilus* Keith & Kumar, 2015
 2881. *Oreichthys incognito* Keith & Kumar, 2015
 2882. *Osteobrama alfredianus* (Valenciennes, 1844)
 2883. *Osteobrama bakeri* (Day, 1873)
 2884. *Osteobrama belangeri* (Valenciennes, 1844)
 2885. *Osteobrama cotio* (Hamilton, 1822)
 2886. *Osteobrama cumma* (Day, 1888)
 2887. *Osteobrama dayi* (Hora & Misra, 1940)
 2888. *Osteobrama feae* Vinciguerra, 1890
 2889. *Osteobrama neilli* (Day, 1873)

2890. *Osteobrama peninsularis* Silas, 1952
 2891. *Osteobrama tikarpadaensis* Shangningam, Rath, Tudu & Kosygin, 2020
 2892. *Osteobrama vigorsii* (Sykes, 1839)
 2893. *Osteochilichthys elegans* Plamoottil, 2022
 2894. *Osteochilichthys formosus* Plamoottil & Vineeth, 2022
 2895. *Osteochilichthys thomassi* (Day, 1877)
 2896. *Osteochilus longidorsalis* (Pethiyagoda & Kottelat, 1994)
 2897. *Osteochilus nashii* (Day, 1869)
 2898. *Parapsilorhynchus alluriensis* Jadhav, Karuthapandi, Chandra, Jaiswal, Dinesh & Narahari, 2020
 2899. *Parapsilorhynchus discophorus* Hora, 1921
 2900. *Parapsilorhynchus elongatus* Singh, 1994
 2901. *Parapsilorhynchus odishaensis* Baliarsingh, Kosygin and Swain, 2017
 2902. *Parapsilorhynchus prateri* Hora & Misra, 1938
 2903. *Parapsilorhynchus swaini* Baliarsingh and Kosygin, 2017
 2904. *Parapsilorhynchus tentaculatus* (Annandale, 1919)
 2905. *Pethia arunachalensis* Shangningam, Kosygin & Roy Choudhuri, 2019
 2906. *Pethia ater* (Linthoingambi & Vishwanath, 2007)
 2907. *Pethia aurea* Marcus Knight, 2013
 2908. *Pethia canius* (Hamilton, 1822)
 2909. *Pethia chakpiensis* Shangningam & Kosygin, 2023
 2910. *Pethia conchonius* (Hamilton, 1822)
 2911. *Pethia expletiforis* Dishma & Vishwanath, 2013
 2912. *Pethia dikhuensis* Praveenraj, Limaakum, Knight, Moulitharan & Imchen, 2022
 2913. *Pethia gelius* (Hamilton, 1822)
 2914. *Pethia guganio* (Hamilton, 1822)
 2915. *Pethia khugae* (Linthoingambi & Vishwanath, 2007)
 2916. *Pethia longicauda* Katwate, Paingankar, Raghavan & Dahanukar, 2014
 2917. *Pethia lutea* Katwate, Katwate, Raghavan, Paingankar & Dahanukar, 2014
 2918. *Pethia manipurensis* (Menon, Rema Devi & Viswanath, 2000)
 2919. *Pethia meingangbii* (Arunkumar & Tombi Singh, 2003)
 2920. *Pethia muvattupuzhaensis* (Jameela Beevi & Ramachandran, 2005)
 2921. *Pethia narayani* (Hora 1937)
 2922. *Pethia nigripinna* (Knight, Rema Devi, Indra & Arunachalam, 2012)
 2923. *Pethia ornata* (Vishwanath & Laisram, 2004)
 2924. *Pethia phutunio* (Hamilton, 1822)
 2925. *Pethia poiensis* Shangningam and Vishwanath, 2018
 2926. *Pethia pookodensis* (Mercy & Jacob, 2007)
 2927. *Pethia punctata* (Day, 1865)
 2928. *Pethia rutila* Lalramliana, Knight & Laltlanhlua, 2014
 2929. *Pethia sanjaymoluri* Katwate, Jadhav, Kumkar, Raghavan & Dahanukar, 2016
 2930. *Pethia setnai* (Chhapgar & Sane, 1992)
 2931. *Pethia shalynius* (Yazdani & Talukdar, 1975)
 2932. *Pethia sharmai* (Menon & Rema Devi, 1993)
 2933. *Pethia stoliczkana* (Day, 1871)
 2934. *Pethia striata* Atkore, Knight, Rema Devi & Krishnaswamy, 2015
 2935. *Pethia ticto* (Hamilton, 1822)
 2936. *Pethia yuensis* (Arunkumar & Tombi Singh, 2003)

2937. *Poropuntius burtoni* (Mukerji, 1933)
2938. *Ptychobarbus conirostris* Steindachner, 1866
2939. *Puntius ambassis* (Day, 1869)
2940. *Puntius amphibius* (Valenciennes, 1842)
2941. *Puntius arenatus* (Day, 1878)
2942. *Puntius bimaculatus* (Bleeker, 1863)
2943. *Puntius cauveriensis* (Hora, 1937)
2944. *Puntius chola* (Hamilton, 1822)
2945. *Puntius crescentus* Yazdani & Singh, 1994
2946. *Puntius deccanensis* Yazdani & Babu Rao, 1976
2947. *Puntius dolichopterus* Plamoottil, 2015
2948. *Puntius dorsalis* (Jerdon, 1849)
2949. *Puntius eusphilurus* Plamoottil, 2016
2950. *Puntius fraseri* (Hora & Misra, 1938)
2951. *Puntius khohi* Dobriyal, Singh, Uniyal, Joshi, Phurailatpam & Bisht, 2004
2952. *Puntius kyphus* Plamoottil, 2019
2953. *Puntius madhusoodani* Krishna Kumar, Pereira & Radhakrishnan, 2012
2954. *Puntius mahecola* (Valenciennes, 1844)
2955. *Puntius melanostigma* (Day, 1878)
2956. *Puntius mudumalaiensis* Menon & Rema Devi, 1992
2957. *Puntius muzaffarpurensis* Srivastava, Verma & Sharma, 1977
2958. *Puntius nangalensis* Jayaram, 1990
2959. *Puntius nelsoni* Plamoottil, 2014
2960. *Puntius nigronotus* Plamoottil, 2014
2961. *Puntius ocellus* Plamoottil & Vineeth, 2020
2962. *Puntius parrah* Day, 1865
2963. *Puntius punjabensis* (Day, 1871)
2964. *Puntius puntio* (Hamilton, 1822)
2965. *Puntius sanctus* Plamoottil, 2020
2966. *Puntius sophore* (Hamilton, 1822)
2967. *Puntius sophoroides* (Günther, 1868)
2968. *Puntius stigma* (Valenciennes, 1844)
2969. *Puntius terio* (Hamilton, 1822)
2970. *Puntius viridis* Plamoottil & Abraham, 2014
2971. *Puntius vittatus* Day, 1865
2972. *Puntius waageni* (Day, 1872)
2973. *Rohtee ogilbii* Sykes, 1839
2974. *Bangana nukta* (Sykes, 1839)
2975. *Schizothorax niger* (Heckel, 1838)
2976. *Schizopygopsis stolickai* Steindachner, 1866
2977. *Schizothorax chivae* Arunkumar & Alphonsa Moyon, 2016
2978. *Schizopyge curvifrons* Heckel, 1838
2979. *Schizothorax esocinus* Heckel, 1838
2980. *Schizothorax kumaonensis* Menon, 1971
2981. *Schizothorax labiatus* (McClelland, 1842)
2982. *Schizothorax microcephalus* Day, 1877
2983. *Schizothorax molesworthi* (Chaudhuri, 1913)

2984. *Schizothorax nasus* Heckel, 1838
 2985. *Schizothorax plagiostomus* Heckel, 1838
 2986. *Schizothorax progastus* (McClelland, 1839)
 2987. *Schizothorax richardsonii* (Gray, 1832)
 2988. *Semiplotus manipurensis* Vishwanath & Kosygin, 2000
 2989. *Semiplotus modestus* Day, 1870
 2990. *Semiplotus semiplotus*(McClelland, 1839)
 2991. *Systemus chryseus* Plamoottil, 2014
 2992. *Systemus clavatus* (McClelland, 1845)
 2993. *Systemus gracilus* Plamoottil & Maji, 2020
 2994. *Systemus immaculatus* McClelland, 1839
 2995. *Systemus jayarami* Vishwanath & Tombi Singh, 1986
 2996. *Systemus laticeps* Plamoottil, 2016
 2997. *Systemus orphoides* (Valenciennes, 1842)
 2998. *Systemus rufus* Plamoottil, 2014
 2999. *Systemus sarana* (Hamilton, 1822)
 3000. *Tariqilabeo burmanicus* (Hora, 1936)
 3001. *Tariqilabeo diplochilus* (Heckel, 1838)
 3002. *Tariqilabeo latius* (Hamilton, 1822)
 3003. *Tariqilabeo periyarensis* (Menon & Jacob, 1996)
 3004. *Thynnichthys sandkhol* (Sykes, 1839)
 3005. *Tor barakae* Arunkumar & Basudha, 2003
 3006. *Tor khudree* (Sykes, 1839)
 3007. *Tor kulkarnii* Menon, 1992
 3008. *Tor malabaricus* (Jerdon, 1849)
 3009. *Tor mosal* (Hamilton, 1822)
 3010. *Tor putitora* (Hamilton, 1822)
 3011. *Tor remadeviae* Kurup & Radhakrishnan, 2011
 3012. *Tor tor* (Hamilton, 1822)
 3013. *Tinca tinca* (Linnaeus, 1758)
 3014. *Waikhomia hira* Katwate, Kumkar, Raghavan & Dahanukar, 2020
 3015. *Waikhomia sahyadriensis* Silas, 1953

Family: DANIONIDAE

3016. *Amblypharyngodon atkinsonii* (Blyth, 1860)
 3017. *Amblypharyngodon melettinus*(Valenciennes, 1844)
 3018. *Amblypharyngodon microlepis* (Bleeker, 1853)
 3019. *Amblypharyngodon mola* (Hamilton, 1822)
 3020. *Barilius barila* (Hamilton, 1822)
 3021. *Barilius evezardi* Day, 1872
 3022. *Barilius modestus* Day, 1872
 3023. *Barilius torsai* Kumari, Munivenkatappa, Sinha, Borah & Das, 2019
 3024. *Barilius vagra* (Hamilton, 1822)
 3025. *Opsarius ardens* (Knight, Rai, d'Souza & Vijaykrishnan, 2015)
 3026. *Opsarius arunachalensis* (Nath, Dam & Kumar, 2010)
 3027. *Opsarius bakeri* (Day, 1865)
 3028. *Opsarius barna* (Hamilton, 1822)
 3029. *Opsarius bendelisis* (Hamilton, 1807)

3030. *Opsarius canarensis* Jerdon, 1849
 3031. *Opsarius chatricensis* (Selim & Vishwanath, 2002)
 3032. *Opsarius cocsa* (Hamilton, 1822)
 3033. *Opsarius cyanochlorus* (Plamoottil & Vineeth, 2020)
 3034. *Opsarius dimorphicus* (Tilak & Husain, 1990)
 3035. *Opsarius dogarsinghi* (Hora, 1921)
 3036. *Opsarius gatensis* (Valenciennes, 1844)
 3037. *Opsarius howesi* (Barman, 1986)
 3038. *Opsarius kamjongensis* (Arunkumar, Thoibi & Jajo 2023)
 3039. *Opsarius kanaensis* Arunkumar & Moyon, 2017
 3040. *Opsarius lairokensis* (Arunkumar & Tombi Singh, 2000)
 3041. *Opsarius malabaricus* Jerdon, 1849
 3042. *Opsarius ngawa* (Vishwanath & Manojkumar, 2002)
 3043. *Opsarius profundus* (Mayanglambam & Vishwanath, 2012)
 3044. *Opsarius radiolatus* (Günther, 1868)
 3045. *Opsarius sajikensis* Moyon & Arunkumar, 2019
 3046. *Opsarius shacula* (Hamilton, 1822)
 3047. *Opsarius tileo* (Hamilton, 1822)
 3048. *Bengala elanga* (Hamilton, 1822)
 3049. *Betadevario ramachandrani* Pramod, Fang, Rema Devi, Liao, Indra, Beevi & Kullander, 2010
 3050. *Cabdio crassus* Lalramliana, Lalronunga & Singh, 2019
 3051. *Cabdio jaya* (Hamilton, 1822)
 3052. *Cabdio morar* (Hamilton, 1822)
 3053. *Cabdio ukhrulensis* (Selim & Vishwanath, 2001)
 3054. *Chela cachius* (Hamilton, 1822)
 3055. *Laubuka khujairokensis* Arunkumar, 2000
 3056. *Chela macrolepis* Knight & Rema Devi, 2014
 3057. *Danio assamila* Kullander, 2015
 3058. *Danio dangila* (Hamilton, 1822)
 3059. *Danio jaintianensis* (Sen, 2007)
 3060. *Danio meghalayensis* Sen & Day, 1985
 3061. *Danio rerio* (Hamilton, 1822)
 3062. *Danionella priapus* Britz, 2009
 3063. *Devario acuticephala* (Hora, 1921)
 3064. *Devario aequipinnatus* (McClelland, 1839)
 3065. *Devario deruptotalea* Ramananda & Vishwanath, 2014
 3066. *Devario devario* (Hamilton, 1822)
 3067. *Devario fraseri* (Hora, 1935)
 3068. *Devario horai* (Barman, 1983)
 3069. *Devario malabaricus* (Jerdon, 1849)
 3070. *Devario manipurensis* (Barman, 1987)
 3071. *Devario naganensis* (Chaudhuri, 1912)
 3072. *Devario neilgherriensis* (Day, 1867)
 3073. *Devario yuensis* (Arunkumar & Tombi, 1998)
 3074. *Esomus danrica* (Hamilton, 1822)
 3075. *Esomus nimasowi* Abujam, Gogoi, Das, Das, Biswas & Bleher, 2021
 3076. *Esomus thermoicos* (Valenciennes, 1842)

3077. *Horadandia atukorali* Deraniyagala, 1943
 3078. *Horadandia brittani* Rema Devi & Menon, 1992
 3079. *Laubuka fasciata* (Silas, 1958)
 3080. *Laubuka latens* Knight, 2015
 3081. *Laubuka laubuca* (Hamilton, 1822)
 3082. *Laubuka parafasciata* Lalramliana, Vanlalhlimpuia, Denis and Singh, Mahender, 2017
 3083. *Laubuka trevori* Knight, 2015
 3084. *Neochela dadiburjori* (Menon, 1952)
 3085. *Raiamas bola* (Hamilton, 1822)
 3086. *Raiamas guttatus* (Day, 1870)
 3087. *Rasbora ataenia* Plamoottil, 2016
 3088. *Rasbora caverii* (Jerdon, 1849)
 3089. *Rasbora dandia* (Valenciennes, 1844)
 3090. *Rasbora daniconius* (Hamilton, 1822)
 3091. *Rasbora hobelmani* Kottelat, 1984
 3092. *Rasbora kobonensis* Chaudhuri, 1913
 3093. *Rasbora labiosa* Mukerji, 1935
 3094. *Rasbora microcephalus* (Jerdon, 1849)
 3095. *Rasbora ornata* Vishwanath & Laisram, 2005
 3096. *Rasbora rasbora* (Hamilton, 1822)
 3097. *Salmostoma acinaces* (Valenciennes, 1844)
 3098. *Salmostoma bacaila* (Hamilton, 1822)
 3099. *Salmostoma balookee* (Sykes, 1839)
 3100. *Salmostoma belachi* (Jayaraj, Krishna Rao, Ravichandra Reddy, Shakuntala & Devaraj, 1999)
 3101. *Salmostoma boopis* (Day, 1874)
 3102. *Salmostoma horai* (Silas, 1951)
 3103. *Salmostoma novacula* (Valenciennes, 1840)
 3104. *Salmostoma orissaense* Banarescu, 1968
 3105. *Salmostoma phulo* (Hamilton, 1822)
 3106. *Salmostoma punjabense* (Day, 1872)
 3107. *Salmostoma sladoni* (Day, 1870)
 3108. *Salmostoma sardinella* (Valenciennes, 1844)
 3109. *Salmostoma untrahi* (Day, 1869)
 3110. *Securicula gora* (Hamilton, 1822)

Family: XENOCYPRIDIDAE

3111. *Ctenopharyngodon idella* (Valenciennes, 1844)
 3112. *Hypophthalmichthys molitrix* (Valenciennes, 1844)
 3113. *Hypophthalmichthys nobilis* (Richardson, 1845)
 3114. *Mylopharyngodon piceus* (Richardson, 1846)

Order: CHARACIFORMES**Family: SERRASALMIDAE**

3115. *Piaractus brachypomus* (Cuvier, 1818)
 3116. *Pygocentrus nattereri* Kner, 1858

Order: SILURIFORMES**Family: LORICARIIDAE**

3117. *Pterygoplichthys ambrosetii* (Holmberg, 1893)
 3118. *Pterygoplichthys disjunctivus* (Weber, 1991)

3119. *Pterygoplichthys multiradiatus* (Hancock, 1828)
 3120. *Pterygoplichthys pardalis* (Castelnau, 1855)

Family: CHACIDAE

3121. *Chaca chaca* (Hamilton, 1822)

Family: AILIIDAE

3122. *Ailia coila* (Hamilton, 1822)
 3123. *Ailiichthys punctata* Day, 1872
 3124. *Clupisoma bastari* Datta & Karmakar, 1980
 3125. *Clupisoma garua* (Hamilton, 1822)
 3126. *Clupisoma montana* Hora, 1937
 3127. *Eutropiichthys cetosus* Ng, Lalramliana, Lalronunga & Lalnuntluanga, 2014
 3128. *Eutropiichthys goongwaree* (Sykes, 1839)
 3129. *Eutropiichthys murius* (Hamilton, 1822)
 3130. *Eutropiichthys vacha* (Hamilton, 1822)
 3131. *Proeutropiichthys buchanani* (Valenciennes, 1840)
 3132. *Proeutropiichthys taakree* (Sykes, 1839)
 3133. *Silonia childreni* (Sykes, 1839)
 3134. *Silonia silondia* (Hamilton, 1822)

Family: HORABAGRIDAE

3135. *Horabagrus brachysoma* (Günther, 1864)
 3136. *Horabagrus nigricollaris* Pethiyagoda & Kottelat, 1994
 3137. *Pachypterus atherinoides* (Bloch, 1794)
 3138. *Pachypterus khavalchor* Kulkarni, 1952
 3139. *Pseudeutropius mitchelli* Günther, 1864

Family: BAGRIDAЕ

3140. *Batasio affinis* Blyth, 1860
 3141. *Batasio batasio* (Hamilton, 1822)
 3142. *Batasio convexirostrum* Darshan, Anganthoibi & Vishwanath, 2011
 3143. *Batasio fasciolatus* Ng, 2006
 3144. *Batasio flavus* Plamoottil, 2015
 3145. *Batasio merianensis* (Chaudhuri, 1913)
 3146. *Batasio sharavatiensis* Bhatt & Jayaram, 2004
 3147. *Batasio spilurus* Ng, 2006
 3148. *Batasio tengana* (Hamilton, 1822)
 3149. *Batasio travancoria* Hora & Law, 1941
 3150. *Chandramara chandramara* (Hamilton, 1822)
 3151. *Hemibagrus maydelli* (Rössel, 1964)
 3152. *Hemibagrus menoda* (Hamilton, 1822)
 3153. *Hemibagrus microphthalmus* (Day, 1877)
 3154. *Hemibagrus peguensis* (Boulenger, 1894)
 3155. *Hemibagrus punctatus* (Jerdon, 1849)
 3156. *Mystus armatus* (Day, 1865)
 3157. *Mystus bleekeri* (Day, 1877)
 3158. *Mystus canarensis* Grant, 1999
 3159. *Mystus carcio* (Hamilton, 1822)
 3160. *Mystus catapogon* Plamoottil, 2016

3161. *Mystus cavasius* (Hamilton, 1822)
 3162. *Mystus dibrugarensis* (Chaudhuri, 1913)
 3163. *Mystus falcarius* Chakrabarty & Ng, 2005
 3164. *Mystus gulio* (Hamilton, 1822)
 3165. *Mystus heoki* Plamoottil & Abraham, 2013
 3166. *Mystus indicus* Plamoottil & Abraham, 2013
 3167. *Mystus irulu* Vijayakrishnan & Praveenraj, 2022
 3168. *Mystus keletius* (Valenciennes, 1840)
 3169. *Mystus keralai* Plamoottil & Abraham, 2014
 3170. *Mystus malabaricus* (Jerdon, 1849)
 3171. *Mystus menoni* Plamoottil & Abraham, 2013
 3172. *Mystus montanus* (Jerdon, 1849)
 3173. *Mystus ngasep* Darshan, Vishwanath, Mahanta & Barat, 2011
 3174. *Mystus oculatus* (Valenciennes, 1840)
 3175. *Mystus prabini* Darshan, Abujam, Kumar, Parhi, Singh, Vishwanath, Das & Pandey, 2019
 3176. *Mystus pulcher* (Chaudhuri, 1911)
 3177. *Mystus rufescens* (Vinciguerra 1890)
 3178. *Mystus seengtee* (Sykes, 1839)
 3179. *Mystus tengara* (Hamilton, 1822)
 3180. *Mystus vittatus* (Bloch, 1794)
 3181. *Rama rama* (Hamilton, 1822)
 3182. *Rita bakalu* Lal, Dwivedi & Singh, 2016
 3183. *Rita chrysea* Day, 1877
 3184. *Rita gogra* (Sykes, 1839)
 3185. *Rita kuturnee* (Sykes, 1839)
 3186. *Rita macracanthus* Ng, 2004
 3187. *Rita rita* (Hamilton, 1822)
 3188. *Sperata acicularis* Ferraris & Runge, 1999
 3189. *Sperata aor* (Hamilton, 1822)
 3190. *Sperata aorella* (Blyth, 1858)
 3191. *Sperata seenghala* (Sykes, 1839)
 3192. *Olyra astrifera* Arunachalam, Raja, Mayden & Chandran, 2013
 3193. *Olyra horae* (Prashad & Mukerji, 1929)
 3194. *Olyra longicaudata* McClelland, 1842
 3195. *Olyra parviocula* Kosygin, Shangningam and Gopi, 2018
 3196. *Olyra praestigiosa* Ng & Ferraris, 2016
 3197. *Olyra saginata* Ng, Lalramliana & Lalthanzara, 2014

Family: AKYSIDAE

3198. *Akysis manipurensis* (Arunkumar, 2000)
 3199. *Akysis prashadi* Hora, 1936

Family: AMBLYCIPITIDAE

3200. *Amblyceps accari* Dahanukar, Raghavan, Ali & Britz, 2016
 3201. *Amblyceps apangi* Nath & Dey, 1989
 3202. *Amblyceps arunachalense* Nath & Dey, 1989
 3203. *Amblyceps hmolaii* Singh, Lalronunga & Ramliana, 2022
 3204. *Amblyceps cerimum* Ng & Wright, 2010
 3205. *Amblyceps crassioris* Vijayakrishnan & Praveenraj, 2024

- 3206. *Amblyceps laticeps* (McClelland, 1842)
- 3207. *Amblyceps mangois* (Hamilton, 1822)
- 3208. *Amblyceps tenuispinis* Blyth, 1860
- 3209. *Amblyceps torrentis* Linthoingambi & Viswanath, 2008
- 3210. *Amblyceps tuberculatum* Linthoingambi & Viswanath, 2008
- 3211. *Amblyceps waikhomi* Darshan, Kachari, Dutta, Ganguly & Das, 2016

Family: SISORIDAE

- 3212. *Bagarius bagarius* (Hamilton, 1822)
- 3213. *Conta conta* (Hamilton, 1822)
- 3214. *Conta pectinata* Ng, 2005
- 3215. *Creteuchiloglanis arunachalensis* Sinha & Tamang, 2014
- 3216. *Creteuchiloglanis kamengensis* (Jayaram, 1966)
- 3217. *Creteuchiloglanis payjab* Darshan, Dutta, Kachari, Gogoi, Aran & Das, 2014
- 3218. *Creteuchiloglanis tawangensis* Darshan, Abujam, Wangchu, Kumar, Das & Kumar Imotomba, 2019
- 3219. *Erethistes hara* (Hamilton, 1822)
- 3220. *Erethistes horai* (Misra, 1976)
- 3221. *Erethistes jerdoni* Day, 1870
- 3222. *Erethistes koladynensis* (Anganthoibi & Vishwanath, 2009)
- 3223. *Erethistes nareshi* (Mahapatra & Kar, 2015)
- 3224. *Erethistes pusillus* Müller & Troschel, 1849
- 3225. *Erethistoides infuscatus* Ng, 2006
- 3226. *Erethistoides montana* Hora, 1950
- 3227. *Erethistoides pipri* Hora, 1950
- 3228. *Erethistoides senkhiensis* Tamang, Chaudhry & Choudhury, 2008
- 3229. *Erethistoides sicula* Ng, 2005
- 3230. *Exostoma barakense* Vishwanath & Joyshree, 2007
- 3231. *Exostoma dhritiae* Singh, Kosygin, Gurumayum & Rath, 2022
- 3232. *Exostoma dujangense* Shangningam & Kosygin, 2020
- 3233. *Exostoma kottelati* Darshan, Vishwanath, Abujam & Das, 2019
- 3234. *Exostoma labiatum* (McClelland, 1842)
- 3235. *Exostoma laticaudatum* Arunkumar 2020
- 3236. *Exostoma sawmteai* Lalramliana, Lalronunga, Lalnuntluanga & Ng, 2015
- 3237. *Exostoma stuarti* (Hora, 1923)
- 3238. *Exostoma tenuicaudata* Tamang, Sinha & Gurumayum, 2015
- 3239. *Gagata cenia* (Hamilton, 1822)
- 3240. *Gagata dolichonema* He, 1996
- 3241. *Gagata gagata* (Hamilton, 1822)
- 3242. *Gagata itchkeea* (Sykes, 1839)
- 3243. *Gagata rhodobarbus* Bhakat & Sinha, 2019
- 3244. *Gagata sexualis* Tilak, 1970
- 3245. *Glyptosternon maculatum* (Regan, 1905)
- 3246. *Glyptosternon reticulatum* McClelland, 1842
- 3247. *Glyptothorax alaknandi* Tilak, 1969
- 3248. *Glyptothorax anamaliensis* Silas, 1952
- 3249. *Glyptothorax annandalei* Hora, 1923
- 3250. *Glyptothorax ater* Anganthoibi & Vishwanath, 2011
- 3251. *Glyptothorax botius* (Hamilton, 1822)

3252. *Glyptothorax brevipinnis* Hora, 1923
 3253. *Glyptothorax burmanicus* Prashad & Mukerji, 1929
 3254. *Glyptothorax caudimaculatus* Anganthoibi & Vishwanath, 2011
 3255. *Glyptothorax cavia* (Hamilton, 1822)
 3256. *Glyptothorax chimituipuiensis* Anganthoibi & Vishwanath, 2010
 3257. *Glyptothorax churamanii* Rameshori & Vishwanath, 2012
 3258. *Glyptothorax clavatus* Yumnam & Vishwanath, 2014
 3259. *Glyptothorax conirostris* (Steindachner, 1867)
 3260. *Glyptothorax davissinghi* Manimekalan & Das, 1998
 3261. *Glyptothorax dikrongensis* Tamang & Chaudhry, 2011
 3262. *Glyptothorax distichus* Kosygin, Singh & Gurumayum, 2020
 3263. *Glyptothorax dorsalis* Vinciguerra, 1890
 3264. *Glyptothorax elankadensis* Plamoottil & Abraham, 2013
 3265. *Glyptothorax garhwali* Tilak, 1969.
 3266. *Glyptothorax giudikyensis* Kosygin, Singh & Gurumayum, 2020
 3267. *Glyptothorax gopii* Kosygin, Das, Singh & Roy Chowdhuri, 2019
 3268. *Glyptothorax gracilis* (Günther, 1864)
 3269. *Glyptothorax granulus* Vishwanath & Linthoingambi, 2007
 3270. *Glyptothorax heokheei* Singh, Chowdhury, Gurumayum & Kosygin, 2023
 3271. *Glyptothorax housei* Herre, 1942
 3272. *Glyptothorax igniculus* Ng & Kullander, 2013
 3273. *Glyptothorax indicus* Talwar, 1991
 3274. *Glyptothorax jayarami* Rameshori & Vishwanath, 2012
 3275. *Glyptothorax kailashi* Kosygin, Singh & Mitra, 2020
 3276. *Glyptothorax kashmirensis* Hora, 1923
 3277. *Glyptothorax kudremukhensis* Gopi, 2007
 3278. *Glyptothorax lairamkhullensis* Devi, Linthoingambi & Singh 2023
 3279. *Glyptothorax lonah* (Sykes, 1839)
 3280. *Glyptothorax maceriatus* Ng & Lalramliana, 2012
 3281. *Glyptothorax madraspatanus* (Day, 1873)
 3282. *Glyptothorax malabarensis* Gopi, 2010
 3283. *Glyptothorax manipurensis* Menon, 1955
 3284. *Glyptothorax mibangi* Darshan, Dutta, Kachari, Gogoi & Das, 2015
 3285. *Glyptothorax motbungensis* Premananda & Singh, 2023
 3286. *Glyptothorax nelsoni* Ganguly, Datta & Sen, 1972
 3287. *Glyptothorax ngapang* Vishwanath & Linthoingambi, 2007
 3288. *Glyptothorax pantherinus* Anganthoibi & Wishwanath, 2013
 3289. *Glyptothorax pasighatensis* Arunkumar, 2016
 3290. *Glyptothorax pectinopterus*(McClelland, 1842)
 3291. *Glyptothorax poonaensis* Hora, 1938
 3292. *Glyptothorax primuspliae* Shangningam & Kosygin 2023
 3293. *Glyptothorax punjabensis* Mirza & Kashmiri, 1971
 3294. *Glyptothorax radiolus* Ng & Lalramliana, 2013
 3295. *Glyptothorax rupiri* Kosygin, Singh & Rath, 2021
 3296. *Glyptothorax saisi* (Jenkins, 1910)
 3297. *Glyptothorax scrobiculus* Ng & Lalramiana, 2012
 3298. *Glyptothorax senapatiensis* Premananda, Kosygin & Saidullah, 2015
 3299. *Glyptothorax siangensis* Singh, Kosygin, Rath & Gurumayum, 2023
 3300. *Glyptothorax sinensis* (Regan, 1908)

3301. *Glyptothorax stolickae* (Steindachner, 1867)
3302. *Glyptothorax striatus* (McClelland, 1842)
3303. *Glyptothorax sykesi* (Day, 1873)
3304. *Glyptothorax telchitta* (Hamilton, 1822)
3305. *Glyptothorax waikhomi* Shangningam & Kosygin, 2022
3306. *Glyptothorax trewavasae* Hora, 1938
3307. *Glyptothorax ventrolineatus* Vishwanath & Linthoingambi, 2006
3308. *Glyptothorax verrucosus* Rameshori & Vishwanath, 2012
3309. *Glyptothorax viridis* Shangningam & Kosygin, 2023
3310. *Gogangra viridescens* (Hamilton, 1822)
3311. *Myersglanis jayarami* Vishwanath & Kosygin, 1999
3312. *Nangra assamensis* Sen & Biswas, 1994
3313. *Nangra nangra* (Hamilton, 1822)
3314. *Oreoglanis majuscula* Linthoingambi & Vishwanath, 2011
3315. *Oreoglanis pangenensis* Sinha & Tamang, 2015
3316. *Parachiloglanis hodgarti* (Hora, 1923)
3317. *Parachiloglanis paliziensis* Abujam, Mahato, Bushi, Nimasow, Nimasow and Das, 2022
3318. *Pseudecheneis koladynae* Anganthoibi & Vishwanath, 2010
3319. *Pseudecheneis nagalandensis* Shangningam & Kosygin, 2020
3320. *Pseudecheneis sirenica* Vishwanath & Darshan, 2007
3321. *Pseudecheneis sulcata* (McClelland, 1842)
3322. *Pseudecheneis suppaetula* Ng, 2006
3323. *Pseudecheneis ukhrulensis* Vishwanath & Darshan, 2007
3324. *Pseudolaguvia austrina* Radhakrishnan, Sureshkumar & Ng, 2011
3325. *Pseudolaguvia ferruginea* Ng, 2009
3326. *Pseudolaguvia ferula* Ng, 2006
3327. *Pseudolaguvia flava* Ng, 2009
3328. *Pseudolaguvia flavipinna* Bhakat, 2019
3329. *Pseudolaguvia foveolata* Ng, 2005
3330. *Pseudolaguvia fucosa* Ng, Lalramliana & Lalronunga, 2016
3331. *Pseudolaguvia inornata* Ng, 2005
3332. *Pseudolaguvia jiyaensis* Tamang & Sinha, 2014
3333. *Pseudolaguvia kapuri* (Tilak & Husain, 1975)
3334. *Pseudolaguvia lapillicola* Britz, Ali & Raghavan, 2013
3335. *Pseudolaguvia magna* Tamang & Sinha, 2014
3336. *Pseudolaguvia meghalayaensis* Lokeshwor & Marak, 2022
3337. *Pseudolaguvia muricata* Ng, 2005
3338. *Pseudolaguvia nubila* Ng, Lalramliana, Lalronunga & Lalnuntluanga, 2013
3339. *Pseudolaguvia permaris* Vijayakrishnan, Praveenraj & Mishra 2023
3340. *Pseudolaguvia ribeiroi* (Hora, 1921)
3341. *Pseudolaguvia shawi* (Hora, 1921)
3342. *Pseudolaguvia spicula* Ng & Lalramliana, 2010
3343. *Pseudolaguvia virgulata* Ng & Lalramliana, 2010
3344. *Pseudolaguvia viriosa* Ng & Tamang, 2012
3345. *Pseudolaguvia vespa* Praveenraj, Vijayakrishnan, Lima & Gurumayum, 2021
3346. *Sisor barakensis* Vishwanath & Darshan, 2005
3347. *Sisor chennuah* Ng & Lahkar, 2003

- 3348. *Sisor rhabdophorus* Hamilton, 1822
- 3349. *Sisor rheophilus* Ng, 2003
- 3350. *Sisor torosus* Ng, 2003

Family: PANGASIIDAE

- 3351. *Pangasius icaria* Ayyathurai, Kodeeswaran, Mohindra, Singh, Ravi, Kumar, Valaparambil *et al.*, 2022
- 3352. *Pangasius pangasius* (Hamilton, 1822)
- 3353. *Pangasius silasi* Dwivedi, Gupta, Singh, Mohindra, Chandra, Easawarn, Jena and Lal, 2017
- 3354. *Pangasianodon hypophthalmus* (Sauvage, 1878)

Family: SILURIDAE

- 3355. *Ompok bimaculatus* (Bloch, 1794)
- 3356. *O. canio* (Hamilton, 1822)
- 3357. *O. karunkodu* Ng, 2013
- 3358. *O. malabaricus* (Valenciennes, 1840)
- 3359. *O. pabda* (Hamilton, 1822)
- 3360. *O. pabo* (Hamilton, 1822)
- 3361. *Pinniwallago kampurensis* Gupta, Jayaram & Hajela, 1981
- 3362. *Pterocryptis barakensis* Vishwanath & Nebeshwar Sharma, 2006
- 3363. *Pterocryptis berdmorei* (Blyth, 1860)
- 3364. *Pterocryptis gangelica* Peters, 1861
- 3365. *Pterocryptis indicus* (Datta, Barman & Jayaram, 1987)
- 3366. *Pterocryptis subrisa* Ng, Lalramliana and Lalromunga, 2018
- 3367. *Pterocryptis wynaudensis* (Day, 1873)
- 3368. *Wallago attu* (Bloch & Schneider, 1801)

Family: KRYPTOGLANIDAE

- 3369. *Kryptoglanis shajii* Vincent & Thomas, 2011

Family: CLARIIDAE

- 3370. *Clarias dayi* Hora, 1936
- 3371. *Clarias dussumieri* Valenciennes, 1840
- 3372. *Clarias gariepinus* (Burchell, 1822)
- 3373. *Clarias magur* (Hamilton, 1822)
- 3374. *Horaglanis abdulkalami* Subhash Babu, 2012
- 3375. *Horaglanis alikunhii* Subhash Babu & Nayar, 2004
- 3376. *Horaglanis krishnai* Menon, 1950

Family: HETEROPNEUSTIDAE

- 3377. *Heteropneustes fossilis* (Bloch, 1794)
- 3378. *Heteropneustes fuscus* Plamoottil, 2021
- 3379. *Heteropneustes longipectoralis* Rema Devi & Raghunathan, 1999

Family: PLOTOSIDAE

- 3380. *Plotosus canius* Hamilton, 1822
- 3381. *Plotosus limbatus* Valenciennes, 1840
- 3382. *Plotosus lineatus* (Thunberg, 1787)

Family: ARIIDAE

- 3383. *Arius arius* (Hamilton, 1822)
- 3384. *Arius gagora* (Hamilton, 1822)
- 3385. *Arius maculatus* (Thunberg, 1792)

- 3386. *Arius subrostratus* Valenciennes, 1840
- 3387. *Arius sumatrana* (Anonymous[Bennett], 1830)
- 3388. *Batrachocephalus mino* (Hamilton, 1822)
- 3389. *Cephalocassis jatius* (Hamilton, 1822)
- 3390. *Hemiaricus sona* (Hamilton, 1822)
- 3391. *Hexanemichthys sagor* (Hamilton, 1822)
- 3392. *Nemapteryx macronotacantha* (Bleeker, 1846)
- 3393. *Nemapteryx nenga* (Hamilton, 1822)
- 3394. *Netuma bilineata* (Valenciennes, 1840)
- 3395. *Netuma thalassina* (Rüppell, 1837)
- 3396. *Osteogeneiosus militaris* (Linnaeus, 1758)
- 3397. *Plicofollis dussumieri* (Valenciennes, 1840)
- 3398. *Plicofollis layardi* (Günther, 1866)
- 3399. *Plicofollis nella* (Valenciennes, 1840)
- 3400. *Plicofollis platystomus* (Day, 1877)
- 3401. *Plicofollis tonggol* (Bleeker, 1846)
- 3402. *Ketengus typus* Bleeker, 1846

Family: SALMONIDAE

- 3403. *Oncorhynchus mykiss* (Walbaum, 1792)
- 3404. *O. nerka* (Walbaum, 1792)
- 3405. *Salmo trutta* Linnaeus, 1758
- 3406. *Salvelinus fontinalis* (Mitchill, 1814)

Order: SYNBRANCHIFORMES**Family: MASTACEMBELIDAE**

- 3407. *Macrognathus albus* Plamoottil & Abraham, 2014
- 3408. *Macrognathus aral* (Bloch & Schneider, 1801)
- 3409. *Macrognathus fasciatus* Plamoottil & Abraham, 2014
- 3410. *Macrognathus guentheri* (Day, 1865)
- 3411. *Macrognathus lineatomaculatus* Britz, 2010
- 3412. *Macrognathus morehensis* Arunkumar & Tombi Singh, 2000
- 3413. *Macrognathus pancalus* Hamilton, 1822
- 3414. *Macrognathus siangensis* Arunkumar, 2016
- 3415. *Mastacembelus armatus* (Lacepède, 1800)
- 3416. *Mastacembelus malabaricus* Jerdon, 1849

Family: CHAUDHURIIDAE

- 3417. *Garo khajuriai* (Talwar, Yazdani & Kundu, 1977)
- 3418. *Pillaia indica* Yazdani, 1972

Family: SYNBRANCHIDAE

- 3419. *Monopterus albus* (Zuiw, 1793)
- 3420. *Monopterus cuchia* (Hamilton, 1822)
- 3421. *Monopterus digressus* Gopi, 2002
- 3422. *Monopterus eapeni* Talwar, 1991
- 3423. *Monopterus fossorius* (Nayar, 1951)
- 3424. *Monopterus hodgarti* (Chaudhuri, 1913)
- 3425. *Monopterus ichthyophoides* Britz, Lalremsanga, Lalrotluanga & Lalramliana, 2011
- 3426. *Monopterus indicus* (Silas & Dawson, 1961)
- 3427. *Monopterus rongsaw* Britz, Sykes, Gower and Kamei, 2018

3428. *Monopterus rosei* Bailey & Gans, 1998
 3429. *Ophisternon bengalense* McClelland, 1844

Order: ANABANTIFORMES**Family: ANABANTIDAE**

3430. *Anabas coboijus* (Hamilton, 1822)
 3431. *Anabas testudineus* (Bloch, 1792)

Family: OSPHRONEMIDAE

3432. *Ctenops nobilis* McClelland, 1845
 3433. *Osphronemus goramy* Lacepède, 1801
 3434. *Macropodus opercularis* (Linnaeus, 1758)
 3435. *Pseudosphromenus cupanus* (Cuvier, 1831)
 3436. *P. dayi* (Engmann, 1909)
 3437. *Trichogaster chuna* (Hamilton, 1822)
 3438. *Trichogaster fasciata* (Bloch & Schneider, 1801)
 3439. *Trichogaster labiosa* Day, 1877
 3440. *Trichopsis vittata* (Cuvier, 1831)
 3441. *Trichopodus microlepis* (Günther, 1861)
 3442. *Trichopodus trichopterus* (Pallas, 1770)

Family: AENIGMACHANNIDAE

3443. *Aenigmachanna gollum* Britz, Anoop, Dahanukar & Raghavan, 2019

Family: CHANNIDAE

3444. *Channa amphibeus* (McClelland, 1845)
 3445. *Channa andrao* Britz, 2013
 3446. *Channa aristonei* Praveenraj, Thackeray, Singh, Uma, Moulitharan & Mukhim, 2020
 3447. *Channa aurantimaculata* Musikasinthorn, 2000
 3448. *Channa aurantipectoralis* Lalhlimpuia, Lalronunga & Lalramliana, 2016
 3449. *Channa barca* (Hamilton, 1822)
 3450. *Channa bipuli* Praveenraj, Uma, Moulitharan & Bleher, 2018
 3451. *Channa bleheri* Vierke, 1991
 3452. *Channa brunnea* Praveenraj, Uma, Moulitharan & Kannan, 2019
 3453. *Channa diplogramma* (Day, 1865)
 3454. *Channa gachua* (Hamilton, 1822)
 3455. *Channa marulius* (Hamilton, 1822)
 3456. *Channa melanostigma* Geetakumari & Vishwanath, 2010
 3457. *Channa lipor* Praveenraj, Uma, Moulitharan & Singh, 2019
 3458. *Channa pardalis* Knight, 2016
 3459. *Channa pomanensis* Gurumayum and Tamang, 2017
 3460. *Channa pseudomarulius* (Günther, 1861)
 3461. *Channa punctata* (Bloch, 1793)
 3462. *Channa quinquefasciata* Praveenraj, Uma, Knight, Moulitharan, Balasubramanian, Bineesh & Bleher, 2018
 3463. *Channa rara* Britz, Dahanukar, Anoop & Ali, 2019
 3464. *Channa royi* Praveenraj, Knight, Kiruba-Sankar, Halalludin, Raymond & Thakur, 2018
 3465. *Channa stewartii* (Playfair, 1867)
 3466. *Channa stiktos* Lalramliana, Knight, Lalhlimpuia & Singh, 2018
 3467. *Channa striata* (Bloch, 1793)
 3468. *Channa trosaensis* Dey, Nur, Chowdhury, Sarkar, Kosygin & Barat, 2019

Family: NANDIDAE

3469. *Nandus andrewi* Ng & Jaafar, 2008
 3470. *Nandus banshlaii* Kapuri, Sinha, De, Roy & Bhakat, 2021
 3471. *Nandus nandus* (Hamilton, 1822)

Family: BADIDAE

3472. *Badis andrewraoi* Valdesalici & van der Voort, 2015
 3473. *Badis assamensis* Ahl, 1937
 3474. *Badis autumnum* Valdesalici & van der Voort, 2015
 3475. *Badis badis* (Hamilton, 1822)
 3476. *Badis blosyrus* Kullander & Britz, 2002
 3477. *Badis britzi* Dahanukar, Kumkar, Katwate & Raghavan, 2015
 3478. *Badis dibruensis* Geetakumari & Vishwanath, 2010
 3479. *Badis ferraris* Kullander & Britz, 2002
 3480. *Badis kanabos* Kullander & Britz, 2002
 3481. *Badis kaladanensis* Lalramliana, Lalronunga & Singh, 2021
 3482. *Badis kyanos* Valdesalici & van der Voort, 2015
 3483. *Badis laspiophilus* Valdesalici & van der Voort, 2015
 3484. *Badis limaakumi* Praveenraj, 2023
 3485. *Badis pancharatnaensis* Basumatary, Choudhury, Baishya, Sarma & Vishwanath, 2016
 3486. *Badis singenensis* Geetakumari & Kadu, 2011
 3487. *Badis soraya* Valdesalici & van der Voort, 2015
 3488. *Badis triocellus* Khynriam & Sen, 2013
 3489. *Badis tuivaiei* Vishwanath & Shanta, 2004
 3490. *Dario dario* (Hamilton, 1822)
 3491. *Dario huli* Britz & Ali, 2015
 3492. *Dario kajal* Britz & Kullander, 2013
 3493. *Dario neela* Britz, Anoop & Dahanukar, 2018
 3494. *Dario urops* Britz, Ali & Philip, 2012

Family: PRISTOLEPIDIDAE

3495. *Pristolepis malabarica* (Günther, 1864)
 3496. *Pristolepis marginata* Jerdon, 1849
 3497. *Pristolepis pentacantha* Plamoottil, 2014
 3498. *Pristolepis procerus* Plamoottil, 2017
 3499. *Pristolepis rubripinnis* Britz, Kuman & Baby, 2012

Order: CICHLIFORMES**Family: CICHLIDAE**

3500. *Amphilophus trimaculatus* (Günther, 1867)
 3501. *Etroplus canarensis* Day, 1877
 3502. *Etroplus maculatus* (Bloch, 1795)
 3503. *Etroplus suratensis* (Bloch, 1790)
 3504. *Hemichromis bimaculatus* Gill, 1862
 3505. *Pseudetroplus maculatus* (Bloch, 1795)
 3506. *Amphilophus trimaculatus* (Günther, 1867)
 3507. *Oreochromis aureus* (Steindachner, 1864)
 3508. *Oreochromis mossambicus* (Peters, 1852)
 3509. *Oreochromis niloticus* (Linnaeus, 1758)

Order: CYPRINODONTIFORMES**Family: APLOCHEILIDAE**

- 3510. *Aplocheilus andamanicus* (Köhler, 1906)
- 3511. *Aplocheilus blockii* Arnold, 1911
- 3512. *Aplocheilus dayi* Steindachner, 1892
- 3513. *Aplocheilus kirchmayeri* Berkenkamp & Etzel, 1986
- 3514. *Aplocheilus lineatus* (Valenciennes, 1846)
- 3515. *Aplocheilus panchax* (Hamilton, 1822)
- 3516. *Aplocheilus parvus* (Sundara Raj, 1916)

Family: CYPRINODONTIDAE

- 3517. *Aphanius dispar* (Rüppell, 1829)

Family: POECILIIDAE

- 3518. *Gambusia affinis* (Baird & Girard, 1853)
- 3519. *Gambusia holbrooki* Girard, 1859
- 3520. *Poecilia mexicana* Steindachner, 1863
- 3521. *Poecilia reticulata* Peters, 1859
- 3522. *Xiphophorus hellerii* Heckel, 1848
- 3523. *Xiphophorus maculatus* (Günther, 1866)



Botia lohachata Chaudhuri, 1912



Botia striata Narayan Rao 1920



Aplocheilus panchax (Hamilton 1822)



Balitora laticauda Bhoite, Jadhav & Dahanukar 2012



Bagarius bagarius (Hamilton 1822)



Channa striata (Bloch 1793)



Cirrhinus cirrhosus (Bloch 1795)



Devario devario (Hamilton 1822)



Gagata itchkeea (Sykes 1839)



Garra bicornuta Narayan Rao 1920



Garra deccanensis Jadhav, Karuthapandi, Shangningam, Jaiswal & Shankar 2022



Glyptothorax lonah (Sykes 1839)



Labeo kontius (Jerdon 1849)



Hypselobarbus jerdoni (Day 1870)



Glyptothorax giudikyensis Kosygin, Singh & Gurumayum, 2020



Glyptothorax rupiri Kosygin, Singh & Rath, 2021



Exostoma dhritiae Singh, Kosygin, Gurumayum & Rath, 2022



Oreochromis mossambicus (Peters, 1852)




Lutjanus fulvus (Forster, 1801)




Scatophagus argus (Linnaeus, 1766)



Chelidoperca investigatoris (Alcock, 1890)




Cyttopsis rosea (Lowe, 1843)



Priacanthus blochii Bleeker, 1853



Ruvettus pretiosus Cocco 1833



Setarches guentheri Johnson, 1862



Brachirus annularis Fowler 1934

References:

- FAO. 2022. *The State of world fisheries and aquaculture. Towards Blue Transformation.* Rome, FAO.
<https://doi.org/10.4060/cc0461en>
- Fricke, R., Eschmeyer, W. N. & Fong, J. D. 2022. SPECIES BY FAMILY/ SUBFAMILY. (<http://researcharchive.calacademy.org/research/ichthyology/catalog/SpeciesByFamily.asp>). Electronic version accessed 10 Oct 2023.
- Gopi, K.C., Mishra, S.S. and Kosygin, L. 2017. *Pisces.* Pp. 527-570. In *Current Status of Freshwater Faunal Diversity in India* (ed. Kailash Chandra, KC Gopi, D.V. Rao, Valarmathi & JRB Alfred), Zoological Survey of India, Kolkata.
- IUCN 2023. The IUCN Red List of Threatened Species. Version 2022-2. <<https://www.iucnredlist.org>>.
- Mishra, S.S. Kosygin, L., Rajan, P.T. and Gopi, K.C. 2013. *Pisces.* In *Endemic Animals of India (Vertebrates)*, (eds Venkataraman, K., Chattopadhyay, A. and Subramanian, K.A.), Zoological Survey of India, Kolkata.
- Nelson, J.S., Grande, T.C. & Wilson, M.V.H. 2016. Fishes of the World. John Wiley & Sons, Inc., Hoboken, New Jersey, 707 pp.
- Talwar, P.K. and Jhingran, A.G., 1991. *Inland fishes of India and adjacent countries.* Oxford & IBH publishing Co. Pvt. Ltd., New Delhi, 1 & 2: i-xvii + 1158 pp.
- Van der Laan, R., Fricke, R. & Eschmeyer, W. N. (eds) 2020. Eschmeyer's Catalogof Fishes: Classification. (<http://www.calacademy.org/scientists/catalog-of-fishes-classification/>). Electronic version accessed dd mmm 2020.
- Van der Laan, R., Fricke, R. & Eschmeyer, W. N. (eds) 2023. Eschmeyer's Catalogof Fishes: Classification. (<http://www.calacademy.org/scientists/catalog-of-fishes-classification/>). Electronic version accessed 30 Sep 2023.