



# *Fauna of India Checklist*

## A CHECKLIST OF MAMMALS OF INDIA

M. Kamalakannan and C. Venkatraman

(Updated: October 2017)



*Elephas maximus* Linnaeus, 1758

Zoological Survey of India

Prani Vigyan Bhawan, M-Block, New Alipore, Kolkata- 700 053

# A Checklist of Mammals of India

(Updated till October 2017)

**Compiled by:**

M. Kamalakannan and C. Venkatraman


Zoological Survey of India Prani Vigyan Bhawan M-Block, New Alipore Kolkata-700053

---

The first complete systematic review of all mammals of the world was produced by Trouessart (1897-1905), followed this many taxonomical researches have been conducted on mammal species of the world (Simpson and Gaylord, 1945; Walker, 1964; Nowak, 1991, 1999; Sokolov 1973-79, Corbett and Hill, 1980; McKenna and Bell, 1997, etc.). In India, the classification of mammals was dealt by many authors such as *fauna of British India- Mammalia* (Pocock, 1939, 1941), *checklist of Indian and Palaearctic mammals* (Ellerman and Morrison-Scott, 1951), *book of Indian animals* (Prater, 1971), *Indo-malayan region mammals* (Corbet and Hill, 1992), *checklist of mammals of India* (Alfred *et al.*, 2002; Nameer, 2008; Srinivasalu and Srinivasalu, 2012; Sharma *et al.*, 2015), *mammals of South Asia* (Johnsingh and Manjrekar, 2013 & 2015), *Indian mammals* (Menon, 2003 & 2014), etc. However, the exact number of mammalian species is uncertain due to new discoveries, taxonomic revisions and molecular phylogeny studies. The present work attempts to provide the complete and updated checklist of mammalian species of India along with the distribution and current conservation status.

Global mammal accounts for more than 5,500 species placed in 154 families and 29 orders, of which India accounts for 422 species placed in 48 families and 13 orders (Wilson and Reeder, 2005). Out of 422 Indian mammalian species, 391 species are terrestrial and 31 species are marine form. A total of 422 species and 305 subspecies of mammals belonging to 13 orders and 48 families have been listed in the present checklist (Table). The nomenclature and taxonomic arrangement of the species was compiled primarily based on Wilson and Reeder (2005). The distribution of species in India and other countries, and the current conservation status of the Indian mammals as per the IUCN Red List of Threatened Species (2017-1), Indian Wildlife (Protection) Act, 1972 and CITES (2017) were also provided in the checklist. Of the 422 species, the chiropterans represent maximum number of species (121) followed by rodents (100) and these two taxa jointly constituting 52 % of the total Indian mammal species. Indian

carnivores are also diverse having 58 species followed by artiodactyls (35), eulipotyphla (33), cetaceans (31), primates (23), lagomorphs (11), perissodactyls (3), scandents (3), pholidots (2), proboscideans (1) and sirenians (1). A total of 45 species of mammals are considered as endemic to India. Of which, three genera such as *Anathana*, *Latidens* and *Nilgiritragus* are monotypic and found only in the Western Ghats of India.



**Table.** Mammals of India with their distribution and conservation status.

S. No	Name of the species and subspecies	Distribution		Conservation status		
		Within India	Outside India	IUCN	IWPA	CITES
<b>Order: PROBOSCIDEA</b>						
<b>Family: Elephantidae (Elephants)</b>						
1.	Asiatic Elephant <i>Elephas maximus</i> Linnaeus, 1758	North-eastern and southern India, Bihar, Jharkhand, Odisha, Uttarakhand, Uttar Pradesh and West Bengal	Bangladesh, China, Cambodia, Indonesia, Laos, Malaysia, Myanmar, Sri Lanka, Thailand and Viet Nam	EN	I	I
1a.	<i>Elephas maximus indicus</i> (Cuvier), 1798	North-eastern and southern India, Bihar, Jharkhand, Odisha, Uttarakhand, Uttar Pradesh and West Bengal	Sri Lanka and mainland of - Southeast Asia	-	-	-
<b>Order: SIRENIA</b>						
<b>Family: Dugongidae (Dugongs)</b>						
2.	Dugong <i>Dugong dugon</i> (Muller, 1776)	Recorded from Andaman & Nicobar Is., Gulf of Mannar, Palk Bay and Gulf of Kachchh	Tropical coastal waters of north and west Pacific Oceans and Coastal and Island waters between East Africa and Vanuatu	VU	I	I
<b>Order: SCANDENTIA</b>						
<b>Family: Tupaiidae (Tree Shrews)</b>						
3.	Madras Treeshrew <i>Anathana ellioti</i> (Waterhouse, 1850)	South of Ganges river, eastern, central, south-western and southern parts of peninsular India	<b>Endemic to India</b>	LC	-	II
4.	Northern Treeshrew <i>Tupaia belangeri</i> (Wagner, 1841)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Malaysia, Myanmar, Thailand, Viet Nam and associated coastal Is.	LC	-	II
5.	Nicobar Treeshrew <i>Tupaia nicobarica</i> (Zeilebor, 1869)	Andaman & Nicobar Is. (Great Nicobar and Little Nicobar Is.)	<b>Endemic to India</b>	EN	-	II

5a.	<i>Tupaia nicobarica nicobarica</i> (Zeblebor, 1869)	Andaman & Nicobar Is. (Great Nicobar Is.)		-	-	-
5b.	<i>Tupaia nicobarica surda</i> Miller, 1902	Andaman & Nicobar Is. (Little Nicobar Is.)		-	-	-
<b>Order: PRIMATES</b>						
<b>Family: Lorisidae (Lorises)</b>						
6.	Gray Slender Loris <i>Loris lydekkerianus</i> Cabrera, 1908	Eastern Ghats to Mangalore, Karnataka and Malabar Coast from Goa to Trivandrum, Kerala	Sri Lanka	LC	I	II
6a.	<i>Loris lydekkerianus lydekkerianus</i> Cabrera, 1908	Eastern Ghats to Mangalore		-	-	-
6b.	<i>Loris lydekkerianus malabaricus</i> Wroughton, 1917	Malabar Coast from Goa to Trivandrum		-	-	-
7.	Bengal Slow Loris <i>Nycticebus bengalensis</i> (Lacepede, 1800)	North-eastern India and West Bengal	Bangladesh, China, Malaysia, Myanmar, Philippines, Thailand and Viet Nam	VU	I	I
<b>Family: Cercopithecidae (Old World Monkeys)</b>						
8.	Stump-tailed Macaque <i>Macaca arctoides</i> (I. Geoffroy, 1831)	North-eastern India	Bangladesh east-wards to Viet Nam, North East to China and Malaysia	VU	II	II
9.	Assamese Macaque <i>Macaca assamensis</i> (Mc Clelland, 1840)	North-eastern India, Sikkim, Uttarakhand and West Bengal	Nepal to Viet Nam and China	NT	II	II
9a.	<i>Macaca assamensis assamensis</i> (Mc Clelland, 1840)	North-eastern India	China, Laos, Myanmar, Thailand and Viet Nam	-	-	-
9b.	<i>Macaca assamensis pelops</i> (Hodgson, 1840)	Western Arunachal Pradesh, Sikkim, Uttarakhand and West Bengal		-	-	-
10.	Long-tailed Macaque <i>Macaca fascicularis</i> (Raffles, 1821)	Andaman & Nicobar Is. (Katchal, Little Nicobar & Great Nicobar Is.)	Cambodia, Myanmar to Indonesia, Laos, Philippines and Vietnam	-	-	II
10a.	<i>Macaca fascicularis umbrosus</i> (Miller, 1902)	Andaman & Nicobar Is. (Katchal, Little Nicobar & Great Nicobar Is.)		VU	I	-
11.	Northern Pig-tailed Macaque <i>Macaca leonina</i> (Blyth, 1863)	North-eastern India	Bangladesh, Cambodia, China, Laos, Myanmar, Thailand and	VU	II	II

			Viet Nam			
12.	White-cheeked Macaque <i>Macaca leucogenys</i> Li <i>et al.</i> , 2015	Arunachal Pradesh	China (Southeastern Tibet)	-	-	-
13.	Rhesus Macaque <i>Macaca mulatta</i> (Zimmermann, 1780)	North and North-eastern India except Himalaya and deserts	Afghanistan, Nepal, Pakistan and Bhutan to Thailand including China	LC	II	II
14.	Arunachal Macaque <i>Macaca munzala</i> Sinha <i>et al.</i> , 2005	Arunachal Pradesh	Bhutan and China	EN		II
15.	Bonnet Macaque <i>Macaca radiata</i> (E. Geoffroy, 1812)	Southern India, Goa, Gujarat and Maharashtra	<b>Endemic to India</b>	LC	II	II
15a.	<i>Macaca radiata radiata</i> (É. Geoffroy, 1812)	Peninsular India: south of Satara also the Eastern Ghats		-	-	-
15b.	<i>Macaca radiata diluta</i> Pocock, 1931	Peninsular India in Kerala and Tamil Nadu		-	-	-
16.	Lion-tailed Macaque <i>Macaca silenus</i> (Linnaeus, 1758)	Karnataka, Kerala and Tamil Nadu	<b>Endemic to India</b>	EN	I	I
17.	Kashmir Gray Langur <i>Semnopithecus ajax</i> (Pocock, 1928)	Himachal Pradesh and Jammu & Kashmir	Nepal	EN	-	I
18.	Northern Plains Gray Langur <i>Semnopithecus entellus</i> (Dufresne, 1797)	Andhra Pradesh, Bihar, Chhattisgarh, Gujarat, Maharashtra, Madhya Pradesh, Rajasthan, Odisha, Uttar Pradesh and West Bengal	China, Nepal, Pakistan and Sri Lanka	LC	II	I
19.	Tarai Gray Langur <i>Semnopithecus hector</i> (Pocock, 1928)	Himalayan <i>terai</i> of Bihar, Uttarakhand, Uttar Pradesh and West Bengal	Bhutan and Nepal	NT	-	I
20.	Black-footed Gray Langur <i>Semnopithecus hypoleucos</i> Blyth, 1841	Southern India and Maharashtra	<b>Endemic to India</b>	VU	-	I
21.	Nilgiri Langur <i>Semnopithecus johnii</i> (J. Fischer, 1829)	Karnataka, Kerala and Tamil Nadu (restricted to Western Ghats)	<b>Endemic to India</b>	VU	I	II
22.	Tufted Gray Langur <i>Semnopithecus priam</i> Blyth, 1844	Southern India	Sri Lanka	NT	-	I
22a.	<i>Semnopithecus priam priam</i> Blyth, 1844	Andhra Pradesh, Kerala and Tamil Nadu		-	-	-

22b.	<i>Semnopithecus priam thersites</i> (Blyth, 1847)	Kerala and Tamil Nadu	Sri Lanka	-	-	-
23.	Nepal Gray Langur <i>Semnopithecus schistaceus</i> Hodgson, 1840	Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Bhutan, China, Nepal and Pakistan	LC	-	I
24.	Gee's Golden Langur <i>Trachypithecus geei</i> Khajuria, 1956	Himalayan foothills along Assam-Bhutan border between Sankosh and Manas rivers	Bhutan	EN	I	I
24a.	<i>Trachypithecus geei geei</i> Khajuria, 1956	Himalayan foothills along Assam-Bhutan border between Sankosh and Manas rivers		-	-	-
25.	Phayre's Leaf-monkey <i>Trachypithecus phayrei</i> (Blyth, 1847)	Assam, Mizoram and Tripura	Bangladesh, China, Laos, Myanmar, Thailand and Viet Nam	EN	I	II
25a.	<i>Trachypithecus phayrei phayrei</i> (Blyth, 1847)	Assam, Mizoram and Tripura		-	-	-
26.	Capped Langur <i>Trachypithecus pileatus</i> (Blyth, 1843)	North-eastern India	Bangladesh, Bhutan and Myanmar	VU	I	I
26a.	<i>Trachypithecus pileatus pileatus</i> (Blyth, 1843)	Arunachal Pradesh, Assam, Meghalaya and Nagaland above 1220 m altitude	Bangladesh and Myanmar	-	-	-
26b.	<i>Trachypithecus pileatus brahma</i> (Wroughton, 1916)	Northern Assam (Seajulia, Dafla Hills and Northern Lakhimpur)		-	-	-
26c.	<i>Trachypithecus pileatus durga</i> (Wroughton, 1916)	Parts of North-eastern India	Bangladesh and Myanmar	-	-	-
26d.	<i>Trachypithecus pileatus tenebricus</i> (Wroughton, 1915)	Assam, north of the Brahmaputra River	Bhutan	-	-	-
<b>Family: Hylobatidae (Gibbons)</b>						
27.	Western Hoolock Gibbon <i>Hoolock hoolock</i> (Harlan, 1834)	North-eastern India	Bangladesh and Myanmar	EN	I	I
28.	Eastern Hoolock Gibbon <i>Hoolock leuconedys</i> (Groves, 2005)	Arunachal Pradesh and Assam	China and Myanmar	VU		I
<b>Order: RODENTIA</b>						
<b>Family: Sciuridae (Squirrels)</b>						

29.	Black Giant Squirrel <i>Ratufa bicolor</i> (Sparrmann,1778)	Arunachal Pradesh, Assam, Meghalaya, Nagaland and West Bengal	Bangladesh, Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	NT	II	II
29a.	<i>Ratufa bicolor gigantea</i> (Mc Clelland, 1839)	Arunachal Pradesh, Assam, Meghalaya, Nagaland and West Bengal	Bangladesh, Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	-	-	-
30.	Indian Giant Squirrel <i>Ratufa indica</i> (Erxleben,1777)	Southern, eastern and central India and Gujarat and Maharashtra	<b>Endemic to India</b>	LC	II	II
30a.	<i>Ratufa indica indica</i> (Erxleben, 1777)	Southern India and Maharashtra		-	-	-
30b.	<i>Ratufa indica centralis</i> Ryley, 1913	Eastern and central India		-	-	-
30c.	<i>Ratufa indica dealbata</i> (Blanford, 1897)	Gujarat (Surat, Navsari and Dang districts)		-	-	-
30d.	<i>Ratufa indica maxima</i> (Schreber,1784)	Kerala and Tamil Nadu		-	-	-
31.	Grizzled Giant Squirrel <i>Ratufa macroura</i> Pennant,1769	Kerala and Tamil Nadu	Sri Lanka	NT	I	II
31a.	<i>Ratufa macroura dendolena</i> Thomas & Wroughton,1915	Kerala and Tamil Nadu	Sri Lanka	-	-	-
32.	Hairy-footed Flying Squirrel <i>Belomys pearsonii</i> (Gray, 1842)	Arunachal Pradesh, Manipur, Mizoram, Nagaland, Sikkim and West Bengal	Bhutan, China, Laos, Myanmar, Nepal, Taiwan, Thailand and Viet Nam	DD	II	
32a.	<i>Belomys pearsonii pearsonii</i> (Gray, 1842)	Arunachal Pradesh, Manipur, Mizoram, Nagaland, Sikkim and West Bengal		-	-	-
33.	Namdhapa Flying Squirrel <i>Biswamoyopterus biswasi</i> Saha,1981	Arunachal Pradesh (Namdhapa National Park)	<b>Endemic to India</b>	CR	-	-
34.	Kashmir Flying Squirrel <i>Eoglaucomys fimbriatus</i> (Gray,1837)	Himachal Pradesh, Jammu & Kashmir Punjab and Uttarakhand	Afghanistan and Pakistan	LC	-	-
34a.	<i>Eoglaucomys fimbriatus fimbriatus</i> (Gray, 1837)	Himachal Pradesh, Jammu & Kashmir, Punjab and Uttarakhand	Pakistan	-	-	-

34b.	<i>Eoglaucmys fimbriatus baberi</i> (Blyth, 1847)	Jammu & Kashmir (North-west)	Afghanistan	-	-	-
35.	Woolly Flying Squirrel <i>Eupetaurus cinereus</i> Thomas, 1888	Jammu & Kashmir and Sikkim	Afghanistan, China and Pakistan	EN	II	-
36.	Parti-Coloured Flying Squirrel <i>Hylopetes alboniger</i> (Hodgson, 1836)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
36a.	<i>Hylopetus alboniger alboniger</i> (Hodgson, 1836)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	-	-	-
37.	Spotted Giant Flying Squirrel <i>Petaurista elegans</i> (Muller, 1840)	Arunachal Pradesh, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	II	-
37a.	<i>Petaurista elegans caniceps</i> (Gray, 1842)	Arunachal Pradesh, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	-	-	-
38.	Hodgson's Giant Flying Squirrel <i>Petaurista magnificus</i> (Hodgson, 1836)	Arunachal Pradesh, Sikkim and West Bengal	Bhutan, China and Nepal	LC	II	-
39.	Bhutan Giant Flying Squirrel <i>Petaurista nobilis</i> (Gray, 1842)	Arunachal Pradesh, Sikkim and West Bengal	Bhutan and Nepal	NT	II	-
39a.	<i>Petaurista nobilis nobilis</i> (Gray, 1842)	Sikkim and West Bengal	Nepal	-	-	-
39b.	<i>Petaurista nobilis singhei</i> Saha, (1977)	Arunachal Pradesh	Bhutan	-	-	-
40.	Red Giant Flying Squirrel <i>Petaurista petaurista</i> (Pallas, 1766)	From Jammu & Kashmir to Arunachal Pradesh	Afghanistan, Brunei Darussalam, China, Indonesia, Malaysia, Myanmar, Nepal and Thailand	LC	II	-
40a.	<i>Petaurista petaurista albiventer</i> (Gray, 1834)	Jammu & Kashmir to Arunachal Pradesh	Afghanistan, China, Nepal	-	-	-
40b.	<i>Petaurista petaurista candidula</i> Wroughton, 1911	Arunachal Pradesh	China	-	-	-
41.	Indian Giant Flying Squirrel <i>Petaurista philippensis</i> (Elliot, 1839)	Southern India, Assam, Bihar, Chhattisgarh, Gujarat, Goa, Jharkhand, Madhya Pradesh,	China, Laos, Myanmar, Sri Lanka, Taiwan, Thailand and Viet Nam	LC	II	-

		Maharashtra, Odisha, Rajasthan and West Bengal				
41a.	<i>Petaurista philippensis philippensis</i> (Elliot, 1839)	Southern India, Assam, Bihar, Chhattisgarh, Gujarat, Goa, Jharkhand, Madhya Pradesh, Maharashtra, Odisha, Rajasthan and West Bengal	China, Laos, Myanmar, Sri Lanka, Taiwan, Thailand and Viet Nam	-	-	-
42.	Travancore Flying Squirrel <i>Petinomys fuscocapillus</i> (Jerdon, 1847)	Karnataka, Kerala and Tamil Nadu	Sri Lanka	NT	I	-
43.	Pallas's Squirrel <i>Callosciurus erythraeus</i> (Pallas, 1779)	North-eastern India	Bangladesh, Cambodia, China, Laos, Malaysia, Myanmar, Taiwan, Thailand and Viet Nam	LC	-	-
43a.	<i>Callosciurus erythraeus erythraeus</i> (Pallas, 1779)	Assam and Meghalaya		-	-	-
43b.	<i>Callosciurus erythraeus erythrogaster</i> (Blyth, 1842)	Arunachal Pradesh, Assam, Nagaland and Manipur	Myanmar and Viet Nam	-	-	-
43c.	<i>Callosciurus erythraeus intermedius</i> (Anderson, 1879)	Arunachal Pradesh and Assam	Myanmar and China	-	-	-
44.	Irrawardy Squirrel <i>Callosciurus pygerythrus</i> (I. Geoffroy Saint Hilaire, 1833)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, China, Myanmar and Nepal	LC	-	-
44a.	<i>Callosciurus pygerythrus blythii</i> (Tytler, 1854)	Assam, Meghalaya and Nagaland	Bangladesh, Myanmar and Nepal	-	-	-
44b.	<i>Callosciurus pygerythrus lokroides</i> (Hodgson, 1836)	Manipur, Sikkim and West Bengal	Bhutan, China and Nepal	-	-	-
44c.	<i>Callosciurus pygerythrus stevensi</i> (Thomas, 1908)	Arunachal Pradesh	China and Myanmar	-	-	-
45.	Orange-bellied Himalayan Squirrel <i>Dremomys lokriah</i> (Hodgson, 1836)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, China, Myanmar and Nepal	LC	-	-
45a.	<i>Dremomys lokriah lokriah</i> (Hodgson, 1836)	Arunachal Pradesh, Assam (Cachar), Meghalaya, Nagaland, Sikkim (West) and West Bengal	China, Myanmar and Nepal	-	-	-
45b.	<i>Dremomys lokriah macmillani</i> Thomas & Wroughton, 1916	Assam (Kamrup), Manipur, Meghalaya, Nagaland and Tripura	China and Myanmar	-	-	-

45c.	<i>Dremomys lokriah motuoensis</i> Cai & Zhang, 1980	Sikkim and West Bengal	China	-	-	-
45d.	<i>Dremomys lokriah pagus</i> Moore, 1956	Mizoram	Myanmar	-	-	-
46.	Perny's Long-nosed Squirrel <i>Dremomys pernyi</i> (Milne- Edwards, 1867)	Arunachal Pradesh, Assam and Manipur	China, Myanmar, Taiwan and Viet Nam	LC	-	-
46a.	<i>Dremomys pernyi howelli</i> Thomas, 1922	Arunachal Pradesh, Assam and Manipur	China	-	-	-
47.	Asian Red-cheeked Squirrel <i>Dremomys rufigenis</i> (Blanford,1878)	Arunachal Pradesh, Assam and Nagaland	China, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	-	-
47a.	<i>Dremomys rufigenis rufigenis</i> (Blanford, 1878)	Arunachal Pradesh, Assam and Nagaland	China , Myanmar, Thailand and Viet Nam	-	-	-
47b.	<i>Funambulus layardi dravidianus</i> Robinson,1917	Karnataka, Kerala and Tamil Nadu		-	-	-
48.	Indian Palm Squirrel <i>Funambulus palmarum</i> (Linnaeus, 1766)	Southern India, Bihar, Chhattisgarh, Gujarat, Jharkhand, Maharashtra, Madhya Pradesh, Odisha and Rajasthan	Sri Lanka	LC	-	-
48a.	<i>Funambulus palmarum palmarum</i> (Linnaeus, 1766)	Andhra Pradesh, Kerala and Tamil Nadu		-	-	-
48b.	<i>Funambulus palmarum bellaricus</i> Wroughton, 1916	Karnataka		-	-	-
48c.	<i>Funambulus palmarum robertsoni</i> Wroughton, 1916	Central, western and eastern India		-	-	-
49.	Dusky Striped Squirrel <i>Funambulus sublineatus</i> (Waterhouse, 1838)	Western Ghats (south of Kodagu) in Karnataka, Kerala and Tamil Nadu	Sri Lanka	VU	-	-
49a.	<i>Funambulus sublineatus sublineatus</i> (Waterhouse, 1838)	Western Ghats (south of Kodagu) in Karnataka, Kerala and Tamil Nadu		-	-	-
50.	Jungle Palm Squirrel <i>Funambulus tristriatus</i> (Waterhouse, 1837)	Western Ghats in Karnataka, Kerala, Goa, Maharashtra and Tamil Nadu	<b>Endemic to India</b>	LC	-	-

50a.	<i>Funambulus tristriatus tristriatus</i> (Waterhouse, 1837)	Karnataka (Dharwar, north Kanara), Kerala (south), Goa, Maharashtra and Tamil Nadu		-	-	-
50b.	<i>Funambulus tristriatus numarius</i> Wroughton, 1916	Maharashtra (Satara)		-	-	-
51.	Northern Palm Squirrel <i>Funambulus pennantii</i> Wroughton, 1905	Central, north and north- eastern India, Andaman & Nicobar Is., Andhra Pradesh and Karnataka	Afghanistan, Bangladesh, Iran, Nepal and Pakistan	LC	IV	-
51a.	<i>Funambulus pennantii pennantii</i> Wroughton, 1905	Central, north and north- eastern India, Andaman & Nicobar Is., Andhra Pradesh and Karnataka	Nepal and Pakistan	-	-	-
52.	Himalayan Striped Squirrel <i>Tamiops macclellandii</i> (Horsfield, 1840)	North-eastern India, Sikkim and West Bengal	Bhutan, Cambodia, China, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
52a.	<i>Tamiops macclellandii macclellandii</i> (Horsfield, 1840)	North-eastern India, Sikkim and West Bengal	Bhutan, Nepal and Myanmar	-	-	-
53.	Long-tailed Marmot <i>Marmota caudata</i> (Geoffroy, 1844)	Jammu & Kashmir, Sikkim and Uttarakhand	Nepal, China and Pakistan	LC	II	III
53a.	<i>Marmota caudata caudata</i> (Geoffroy, 1844)	Jammu & Kashmir, Sikkim and Uttarakhand	China and Pakistan	-	-	-
54.	Himalayan Marmot <i>Marmota himalayana</i> (Hodgson, 1841)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim, Uttarakhand and West Bengal	Nepal, China and Pakistan	LC	II	III
<b>Family: Dipodidae (Birch Mice)</b>						
55.	Chinese Birch Mouse <i>Sicista concolor</i> (Buchner, 1892)	Jammu & Kashmir	China and Pakistan	LC	V	-
<b>Family: Platacanthomyidae (Tree Mice)</b>						
56.	Spiny Tree Mouse <i>Platacanthomys lasiurus</i> Blyth, 1859	Karnataka, Kerala and Tamil Nadu	<b>Endemic to India</b>	VU	V	-
<b>Family: Spalacidae (Spalacids)</b>						
57.	Lesser Bamboo Rat <i>Cannomys badius</i> (Hodgson, 1841)	North-eastern India, Bihar and West Bengal	Cambodia, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	V	-

58.	Hoary Bamboo Rat <i>Rhizomys pruinosus</i> Blyth,1851	North-eastern India	Cambodia, China, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	V	-
<b>Family: Cricetidae (New World Rodents)</b>						
59.	White-tailed Mountain Vole <i>Alticola albicaudus</i> (True,1894)	Jammu & Kashmir	Pakistan	DD	V	-
60.	Silver Mountain Vole <i>Alticola argentatus</i> (Severtzov, 1879)	Jammu & Kashmir	Afghanistan, China, Kazakhstan, Kyrgyzstan, Pakistan, Tajikistan and Uzbekistan	LC	V	-
61.	Kashmir Mountain Vole <i>Alticola montosa</i> (True, 1894)	Jammu & Kashmir	Pakistan	VU	V	-
62.	Royle's Mountain Vole <i>Alticola roylei</i> (Gray,1842)	Himachal Pradesh and Uttarakhand	<b>Endemic to India</b>	NT	V	-
63.	Stoliczka's Mountain Vole <i>Alticola stoliczkanus</i> (Blanford,1875)	Jammu & Kashmir and Sikkim	China and Nepal	LC	V	-
64.	Père Davids Red-backed Vole <i>Eothenomys melanogaster</i> (Milne-Edwards,1871)	Arunachal Pradesh	China, Myanmar, Taiwan, China, Thailand and Viet Nam	LC	V	-
65.	Subalpine Kashmir Vole <i>Hyperacrius fertilis</i> (True,1894)	Jammu & Kashmir	Pakistan	NT	V	-
66.	Conifer Kashmir Vole <i>Hyperacrius wynnei</i> (Blanford,1881)	Himachal Pradesh and Jammu & Kashmir	Pakistan	LC	V	-
67.	Sikkim Mountain Vole <i>Neodon sikimensis</i> Horsfield, 1841	Sikkim and West Bengal	Bhutan, China and Nepal	LC	V	-
68.	Blyth's Mountain Vole <i>Phaiomys leucurus</i> Blyth,1863	Himachal Pradesh and Jammu & Kashmir	China and Nepal	LC	V	-
69.	Ladakh Dwarf Hamster <i>Cricetulus alticola</i> Thomas,1917	Jammu & Kashmir	China and Nepal	LC	V	-
70.	Gray Dwarf Hamster <i>Cricetulus migratorius</i> (Pallas,1773)	Jammu & Kashmir	Distributed from eastern Europe through Russia and central Asia to Mongolia and western China	LC	V	-
<b>Family: Muridae (Old World Rodents)</b>						

71.	Indian Hairy Footed Gerbil <i>Gerbillus gleadowi</i> Murray,1886	Gujarat, Rajasthan and Punjab	Pakistan	LC	V	-
72.	Baluchistan Gerbil <i>Gerbillus nanus</i> Blanford,1875	Rajasthan and Gujarat	Afghanistan, Algeria, Chad, Iran, Iraq, Mali, Mauritania, Morocco, Niger, Oman, Pakistan, Saudi Arabia, Tunisia, United Arab Emirates and Yemen	LC	V	-
73.	Indian Desert Jird <i>Meriones hurrianae</i> Jerdon,1867	Gujarat, Haryana, Punjab and Rajasthan	Iran and Pakistan	LC	V	-
74.	Indian Gerbil <i>Tatera indica</i> (Hardwicke, 1807)	Throughout India except North-eastern India, high altitudes of Himalaya and Sikkim	Afghanistan, Iran, Iraq, Kuwait, Nepal, Pakistan, Sri Lanka, Syrian Arab Republic and Turkey	LC	V	-
75.	South China Field Mouse <i>Apodemus draco</i> (Barret-Hamilton,1900)	Arunachal Pradesh	China and Myanmar	LC	V	-
76.	Large-eared Field Mouse <i>Apodemus latronum</i> Thomas, 1911	Arunachal Pradesh	China and Myanmar	LC	V	-
77.	Himalayan Field Mouse <i>Apodemus pallipes</i> (Barrett-Hamilton, 1900)	Himachal Pradesh, Jammu & Kashmir and Uttarakhand	Afghanistan, China, Kyrgyzstan, Nepal, Pakistan and Tajikistan	LC	V	-
78.	Kashmir Field Mouse <i>Apodemus rusiges</i> Miller, 1913	Himachal Pradesh, Jammu & Kashmir and Uttarakhand	Pakistan	LC	V	-
79.	Lesser Bandicoot Rat <i>Bandicota bengalensis</i> (Gray,1835)	Throughout India	Malaysia, Myanmar, Nepal, Pakistan, Sri Lanka and Thailand	LC	V	-
80.	Greater Bandicoot Rat <i>Bandicota indica</i> (Bechstein,1800)	Throughout India	Bangladesh, Cambodia, China, Hong Kong, Laos, Malaysia, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	V	-
81.	Bower's Berylmys <i>Berylmys bowersi</i> (Anderson,1879)	North-eastern India	China, Indonesia, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	V	-
82.	Mackenzie's Berylmys <i>Berylmys mackenziei</i> (Thomas,1916)	Assam, Manipur, Meghalaya and Nagaland	China, Myanmar and Viet Nam	DD	V	-

83.	Manipur Berylmys <i>Berylmys manipulus</i> (Thomas,1916)	Assam, Manipur and Nagaland	China and Myanmar	DD	V	-
84.	Indomalayan Pencil-tailed Tree Mouse <i>Chiropodomys gliroides</i> (Blyth,1856)	North-eastern India	Cambodia, China, Indonesia, Loas, Malaysia, Myanmar, Thailand and Viet Nam	LC	V	-
85.	Cutch Rock Rat <i>Cremnomys cutchicus</i> Wroughton, 1912	Andhra Pradesh, Bihar, Gujarat, Jharkhand, Karnataka, Maharashtra, Rajasthan and Tamil Nadu	<b>Endemic to India</b>	LC	V	-
86.	Large Rock Rat <i>Cremnomys elvira</i> (Ellerman,1946)	Tamil Nadu	<b>Endemic to India</b>	CR	V	-
87.	Millard's Dacnomys <i>Dacnomys millardi</i> Thomas,1916	Arunachal Pradesh, Assam, Nagaland and West Bengal	China, Loas, Nepal and Viet Nam	DD	V	-
88.	Crump's Diomys <i>Diomys crumpi</i> Thomas,1917	Assam, Bihar and Manipur	Myanmar and Nepal	DD	V	-
89.	Indian Bush Rat <i>Golunda ellioti</i> Gray,1837	Throughout the country	Iran, Nepal, Pakistan and Sri Lanka	LC	V	-
90.	Hume's Hadromys <i>Hadromys humei</i> (Thomas,1886)	Assam and Manipur	<b>Endemic to India</b>	EN	V	-
91.	Edward's Rat <i>Leopoldamys edwardsi</i> (Thomas,1882)	Arunachal Pradesh, Meghalaya, Nagaland, Sikkim and West Bengal	China, Loas, Malaysia, Myanmar, Thailand and Viet Nam	LC	V	-
92.	Blanford's Rat <i>Madromys blanfordi</i> (Thomas, 1881)	Southern India, Bihar, Chhattisgarh, Goa, Jharkhand, Madhya Pradesh, Maharashtra, Odisha and West Bengal	Bangladesh and Sri Lanka	LC	V	-
93.	Harvest Mouse <i>Micromys minutus</i> (Pallas,1771)	Assam, Meghalaya and Nagaland	Range in the Europe and Asia	LC	V	-
94.	Sand-colored Metad <i>Millardia gleadowi</i> (Murray,1885)	Gujarat and Rajasthan	Pakistan	LC	V	-
95.	Large Metad <i>Millardia kondana</i> Mishra & Dhanda, 1975	Maharashtra	<b>Endemic to India</b>	CR	V	-
96.	Common Metad <i>Millardia meltada</i> (Gray,1837)	Throughout the country except North-eastern India	Nepal, Pakistan and Sri Lanka	LC	V	-

97.	Little Indian Field Mouse <i>Mus booduga</i> (Gray,1837)	Throughout the country	Bangladesh, Myanmar, Nepal, Pakistan and Sri Lanka	LC	V	-
98.	Fawn-coloured Mouse <i>Mus cervicolor</i> Hodgson,1845	North eastern India, Andaman & Nicobar Is., Jammu & Kashmir, Sikkim, Uttarakhand, Uttar Pradesh and West Bengal	Cambodia, Laos, Myanmar, Nepal, Pakistan, Sri Lanka, Thailand and Viet Nam	LC	V	-
99.	Cook's Mouse <i>Mus cookii</i> Ryley,1914	Arunachal Pradesh, Assam, Karnataka, Maharashtra, Manipur, Meghalaya, Nagaland, Tamil Nadu and West Bengal	Bangladesh, Bhutan, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	V	-
100.	Bonhote's Mouse <i>Mus famulus</i> Bonhote,1898	Kerala and Tamil Nadu (fragmented locations of Western Ghats)	<b>Endemic to India</b>	EN	V	-
101.	House Mouse <i>Mus musculus</i> Linnaeus, 1758	Throughout the country	Spread throughout most of world association with human beings	LC	V	-
101a.	<i>Mus musculus bactrianus</i> Blyth, 1846	Jammu & Kashmir and Punjab	Yemen, Saudi Arabia, Iran, to Afghanistan and Pakistan	-	-	-
101b.	<i>Mus musculus castaneus</i> Waterhouse, 1843	Throughout the country	China, Indonesia, Nepal, Myanmar, Malaysia, New Guinea, Polynesia, South Africa and Thailand	-	-	-
102.	Sikkim Mouse <i>Mus pahari</i> Thomas,1916	Sikkim, West Bengal and North-eastern India	Bhutan, Cambodia, China, Laos, Myanmar, Thailand and Viet Nam	LC	V	-
103.	Phillips's Mouse <i>Mus phillipsi</i> Wroughton,1912	Andhra Pradesh, Gujarat, Karnataka, Madhya Pradesh, Rajasthan and Tamil Nadu	<b>Endemic to India</b>	LC	V	-
104.	Flat-haired Mouse <i>Mus platythrix</i> Bennett,1832	Southern India, Madhya Pradesh, Maharashtra, Rajasthan and West Bengal	<b>Endemic to India</b>	LC	V	-
105.	Elliot's Spiny Mouse <i>Mus saxicola</i> Elliot,1839	Andhra Pradesh, Gujarat, Himachal Pradesh, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra,	Nepal and Pakistan	LC	V	-

		Tamil Nadu, Punjab, Uttarakhand and West Bengal			
105a.	<i>Mus saxicola saxicola</i> Elliot, 1839	Andhra Pradesh, Gujarat, Himachal Pradesh, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra and Tamil Nadu		-	-
105b.	<i>Mus saxicola gurkha</i> (Thomas, 1914)	Uttarakhand and West Bengal	Nepal	-	-
105c.	<i>Mus saxicola sadhu</i> (Wroughton, 1911)	Gujarat	Pakistan	-	-
106.	Earth-colored Mouse <i>Mus terricolor</i> Blyth, 1851	Andhra Pradesh, Bihar, Gujarat, Haryana, Karnataka, Maharashtra, Odisha, Punjab and West Bengal	Bangladesh, Nepal, Pakistan and Indonesia	LC	V
107.	Short-tailed Mole Rat <i>Nesokia indica</i> (Gray,1830)	Bihar, Haryana, Punjab, Rajasthan, Uttarakhand, Uttar Pradesh and West Bengal	Distributed in North Africa, the Middle East, Central Asia, South Asia and China	LC	V
108.	Brahman Niviventer <i>Niviventer brahma</i> (Thomas,1914)	Arunachal Pradesh and Assam	China and Myanmar	LC	V
109.	Smoke-bellied Niviventer <i>Niviventer eha</i> (Wroughton, 1916)	Sikkim and West Bengal	China, Myanmar and Nepal	LC	V
110.	Chestnut Rat <i>Niviventer fulvescens</i> (Gray,1847)	Arunachal Pradesh, Assam, Himachal Pradesh, Jammu & Kashmir, Manipur, Meghalaya, Sikkim, Uttarakhand and West Bengal	China, Hong Kong, Indonesia, Loas, Macao, Malaysia, Myanmar, Nepal and Thailand	LC	V
111.	Indochinese Arboreal Niviventer <i>Niviventer langbianis</i> (Robinson & Kloss,1922)	Assam	China, Loas, Myanmar, Thailand and Viet Nam	LC	V
112.	Himalayan Niviventer <i>Niviventer niviventer</i> (Hodgson,1836)	North-eastern India, Sikkim, Uttarakhand and West Bengal	Bhutan and Nepal	LC	V
113.	Indochinese Forest Rat <i>Rattus andamanensis</i> (Blyth,1860)	Andaman & Nicobar Is., Arunachal Pradesh, Manipur, Meghalaya, Nagaland and Sikkim	Bhutan, Cambodia, China, Hong Kong, Loas, Myanmar, Nepal, Thailand and Viet Nam	LC	V

114.	Miller's Nicobar Rat <i>Rattus burrus</i> (Miller,1902)	Andaman & Nicobar Is. (Nicobar group of Is.)	<b>Endemic to India</b>	EN	V	-
115.	Himalayan Rat <i>Rattus nitidus</i> (Hodgson,1845)	North-eastern India, Sikkim, Uttarakhand and West Bengal	Bhutan, China, Myanmar, Nepal, Thailand, Viet Nam, Indonesia, Palau and Philippines	LC	V	-
116.	Norway Rat <i>Rattus norvegicus</i> (Berkenhout, 1769)	Throughout India	South-east Siberia, north-east China and parts of Japan, but it occurs worldwide as an introduced species	LC	V	-
117.	Car Nicobar Rat <i>Rattus palmarum</i> (Zelevor, 1869)	Andaman & Nicobar Is.	<b>Endemic to India</b>	VU	V	-
118.	Himalayan Rat <i>Rattus pyctoris</i> (Hodgson, 1845)	Arunachal Pradesh, Assam, Jammu & Kashmir, Himachal Pradesh and Uttarakhand	Afghanistan, Bangladesh, Bhutan, China, Iran, Kazakhstan, Kyrgyzstan, Myanmar, Nepal, Pakistan, Tajikistan and Uzbekistan	LC	V	-
119.	Ranjini's Rat <i>Rattus ranjinae</i> Agrawal, & Ghosal,1969	Kerala	<b>Endemic to India</b>	EN	V	-
120.	Common House Rat <i>Rattus rattus</i> (Linnaeus,1758)	Throughout India	Introduced worldwide in the tropics and temperate zones	LC	V	-
121.	Sahyadris Forest Rat <i>Rattus satarae</i> Hinton,1918	Western Ghats in Karnataka, Maharashtra and Tamil Nadu	<b>Endemic to India</b>	VU	V	-
122.	Andaman Archipelago Rat <i>Rattus stoicus</i> (Miller,1902)	Andaman & Nicobar Is.	<b>Endemic to India</b>	VU	V	-
123.	Oriental House Rat <i>Rattus tanezumi</i> (Temminck, 1844)	North-eastern India and Andaman & Nicobar Is.	Widespread in eastern, southern and south-eastern Asia	LC	V	-
124.	Nilgiri Vandeleuria <i>Vandeleuria nilagirica</i> Jerdon,1867	Western Ghats	<b>Endemic to India</b>	EN	V	-
125.	Indomalayan Vandeleuria <i>Vandeleuria oleracea</i> (Bennett,1832)	Throughout India except Western Ghats	Bangladesh, Bhutan, Cambodia, China, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	V	-

**Family: Hystricidae (Old World Porcupines)**

126.	Asiatic Brush-tailed Porcupine <i>Atherurus macrourus</i> (Linnaeus,1758)	Arunachal Pradesh, Assam and Meghalaya	Bangladesh, Bhutan, Cambodia, China, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	II	-
127.	Himalayan Crestless Porcupine <i>Hystrix brachyura</i> Linnaeus,1758	North-eastern India, Sikkim and West Bengal	Bangladesh, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	II	-
127a.	<i>Hystrix brachyura hodgsoni</i> (Gray, 1847)	North-eastern India, Sikkim and West Bengal	Nepal and China	-	-	-
127b.	<i>Hystrix brachyura subcristata</i> Swinhoe, 1870	Manipur, Mizoram and Nagaland	China, Laos, Myanmar, Tenasserim, Thailand and Viet Nam	-	-	-
128.	Indian Crested Porcupine <i>Hystrix indica</i> Kerr,1792	Throughout India	South and Central Asia	LC	IV	-
<b>Order: LAGOMORPHA</b>						
<b>Family: Ochotonidae (Pikas)</b>						
129.	Pleateau Pika <i>Ochotona curzoniae</i> (Hodgson, 1858)	Jammu & Kashmir and Sikkim	China and Nepal	LC	-	-
130.	Forrest's Pika <i>Ochotona forresti</i> Thomas, 1923	Arunachal Pradesh and Sikkim	Bhutan, China and Myanmar	LC	-	-
131.	Ladak Pika <i>Ochotona ladacensis</i> (Günther, 1875)	Jammu & Kashmir	China and Pakistan	LC	-	-
132.	Large-eared Pika <i>Ochotona macrotis</i> (Günther, 1875)	Arunachal Pradesh and Jammu & Kashmir	China and Pakistan	LC	-	-
132a.	<i>Ochotona macrotis macrotis</i> (Günther, 1875)	Arunachal Pradesh and Jammu & Kashmir			-	-
133.	Nubra Pika <i>Ochotona nubrica</i> Thomas, 1922	Himachal Pradesh and Jammu & Kashmir	China	LC	-	-
133a.	<i>Ochotona nubrica nubrica</i> Thomas, 1922	Himachal Pradesh and Jammu & Kashmir		-	-	-
134.	Royle's Pika <i>Ochotona roylei</i> (Ogilby, 1839)	Himachal Pradesh, Jammu & Kashmir, Sikkim, Uttarakhand and West Bengal	China and Pakistan	LC	IV	-

134a.	<i>Ochotona roylei roylei</i> (Ogilby, 1839)	Himachal Pradesh, Jammu & Kashmir, Sikkim, Uttarakhand and West Bengal	China, Nepal and Pakistan	-	-	-
135.	Moupin Pika <i>Ochotona thibetana</i> (Milne-Edwards, 1871)	Sikkim	Bhutan, China and Myanmar	LC	-	-
135a.	<i>Ochotona thibetana sikimaria</i> (Thomas, 1922)	Sikkim		-	-	-
<b>Family: Leporidae (Hares and Rabbits)</b>						
136.	Hispid Hare <i>Caprolagus hispidus</i> (Pearson, 1839)	Arunachal Pradesh, Assam, Bihar, Uttar Pradesh and West Bengal	Bangladesh and Nepal	EN	I	I
137.	Indian Hare <i>Lepus nigricollis</i> F. Cuvier, 1823	Throughout India	Bangladesh, Bhutan, Indonesia, Mauritius, Réunion, Pakistan, Nepal, Seychelles and Sri Lanka	LC	IV	-
137a.	<i>Lepus nigricollis nigricollis</i> F. Cuvier, 1823	Southern India		-	-	-
137b.	<i>Lepus nigricollis dayanus</i> Blanford, 1874	Gujarat and Rajasthan	Afghanistan and Pakistan	-	-	-
137c.	<i>Lepus nigricollis ruficaudatus</i> Geoffroy, 1826	Northern India	Bangladesh, Bhutan, Nepal and Pakistan	-	-	-
137d.	<i>Lepus nigricollis simcoxi</i> Wroughton, 1912	Maharashtra and Central India		-	-	-
138.	Desert Hare <i>Lepus tibetanus</i> Waterhouse, 1841	Jammu & Kashmir	Afghanistan, China, Mongolia and Pakistan	LC	IV	-
138a.	<i>Lepus tibetanus tibetanus</i> Waterhouse, 1841	Jammu & Kashmir	Afghanistan and Pakistan	-	-	-
139.	Woolly Hare <i>Lepus oiostolus</i> Hodgson, 1840	Jammu & Kashmir and Sikkim	China, Nepal and Pakistan	LC	-	-
139a.	<i>Lepus oiostolus hypsibius</i> Blanford, 1875	Jammu & Kashmir	Nepal	-	-	-
139b.	<i>Lepus oiostolus pallipes</i> Hodgson, 1842	Sikkim	Pakistan	-	-	-
<b>Order: EULIPOTYPHLA</b>						
<b>Family: Erinaceidae (Hedgehogs)</b>						
140.	Indian Long-eared Hedgehog <i>Hemiechinus collaris</i> (Gray, 1830)	Gujarat, Rajasthan and Uttar Pradesh	Pakistan	LC	IV	-

141.	Indian Hedgehog <i>Paraechinus micropus</i> (Blyth, 1846)	Gujarat, Haryana, Maharashtra, Punjab, Rajasthan and Uttar Pradesh	Pakistan	LC	-	-
142.	Bare-bellied Hedgehog <i>Paraechinus nudiventris</i> (Horsfield, 1851)	Andhra Pradesh, Kerala and Tamil Nadu	<b>Endemic to India</b>	LC	-	-
<b>Family: Soricidae (Shrews)</b>						
143.	Andaman Shrew <i>Crocidura andamanensis</i> Miller, 1902	Andaman & Nicobar Is.	<b>Endemic to India</b>	CR	-	-
144.	Asian Gray Shrew <i>Crocidura attenuata</i> Milne-Edwards, 1872	North-eastern India, Himachal Pradesh, Sikkim, Uttarakhand and West Bengal	Cambodia, China, Laos, Malaysia, Myanmar, Philippines, Taiwan, Thailand and Viet Nam	LC	-	-
145.	Southeast Asian Shrew <i>Crocidura fuliginosa</i> (Blyth, 1855)	North-eastern India	Cambodia, China, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	-	-
145a.	<i>Crocidura fuliginosa fuliginosa</i> (Blyth, 1855)	North-eastern India	Malaysia and Thailand	-	-	-
146.	Andaman Spiny Shrew <i>Crocidura hispida</i> Thomas, 1913	Andaman & Nicobar Is.	<b>Endemic to India</b>	VU	-	-
147.	Horsfield's Shrew <i>Crocidura horsfieldii</i> (Tomes, 1856)	Recorded from Jammu & Kashmir and Karnataka	China, Nepal and Sri Lanka	DD	-	-
148.	Jenkin's Shrew <i>Crocidura jenkinsi</i> Chakraborty, 1978	Andaman & Nicobar Is.	<b>Endemic to India</b>	CR	-	-
149.	Nicobar Shrew <i>Crocidura nicobarica</i> Miller, 1902	Andaman & Nicobar Is.	<b>Endemic to India</b>	CR	-	-
150.	Pale Grey Shrew <i>Crocidura pergrisea</i> Miller, 1913	Jammu & Kashmir	Pakistan	DD	-	-
151.	Kashmir White-toothed Shrew <i>Crocidura pullata</i> Miller, 1911	Himachal Pradesh and Jammu & Kashmir	China, Pakistan and Thailand	DD	-	-
152.	Chinese White-toothed Shrew <i>Crocidura rapax</i> G. Allen, 1923	Meghalaya	China and Taiwan	DD	-	-
153.	Voracious Shrew <i>Crocidura vorax</i> G. Allen, 1923	North-eastern India	China, Laos, Thailand and Viet Nam	LC	-	-

154.	Kelaart's Long-clawed Shrew <i>Feroculus feroculus</i> (Kelaart, 1850)	Kerala and Tamil Nadu	Sri Lanka	EN	-	-
155.	Day's Shrew <i>Suncus dayi</i> (Dobson, 1888)	Kerala and Tamil Nadu	<b>Endemic to India</b>	EN	-	-
156.	Etruscan Shrew <i>Suncus etruscus</i> (Savi, 1822)	Throughout the country except cold desert of Gujarat, Jammu & Kashmir and Rajasthan	Widespread in Southern Europe, North Africa and Asia	LC	-	-
157.	Asian Musk Shrew <i>Suncus murinus</i> (Linnaeus, 1766)	Throughout India	Widespread, mainly found in South Asia but introduced widely throughout Asia	LC	-	-
158.	Indian Highland Shrew <i>Suncus niger</i> (Horsfield, 1851)	Karnataka, Kerala and Tamil Nadu	<b>Endemic to India</b>	-	-	-
159.	Anderson's Shrew <i>Suncus stoliczkanus</i> (Anderson, 1877)	Peninsular India from Chennai (Tamil Nadu) to north to Punjab	Widespread, mainly found in South Asia but introduced widely throughout Asia	LC	-	-
160.	Assam Mole Shrew <i>Anourosorex assamensis</i> Anderson, 1875	Assam, Meghalaya, Manipur and Nagaland	<b>Endemic to India</b>	LC	-	-
161.	Giant Mole Shrew <i>Anourosorex schmidi</i> Petter, 1963	Arunachal Pradesh and Sikkim	Bhutan	DD	-	-
162.	Chinese Mole Shrew <i>Anourosorex squamipes</i> Milne-Edwards, 1872	North-eastern India	China, Laos, Myanmar, Thailand and Viet Nam	LC	-	-
163.	Himalayan Water Shrew <i>Chimarrogale himalayica</i> (Gray, 1842)	Himachal Pradesh, Sikkim, Uttarakhand and West Bengal	China, Laos, Myanmar, Nepal, Taiwan and Viet Nam	LC	-	-
164.	Hodgson's Brown-toothed Shrew <i>Episoriculus caudatus</i> (Horsfield, 1851)	Sikkim, Uttarakhand and West Bengal	China, Myanmar and Nepal	LC	-	-
164a.	<i>Episoriculus caudatus caudatus</i> (Horsfield, 1851)	Nepal		-	-	-
165.	Long-tailed Brown-toothed Shrew <i>Episoriculus leucops</i> (Horsfield, 1855)	Sikkim	China, Myanmar, Nepal, Viet Nam	LC	-	-
165a.	<i>Episoriculus leucops baileyi</i> (Thomas, 1914)	Sikkim	Nepal	-	-	-

166.	Long-tailed Mountain Shrew <i>Episoriculus macrurus</i> (Blanford, 1888)	Sikkim and West Bengal	China, Myanmar and Viet Nam	LC	-	-
167.	Elegant Water Shrew <i>Nectogale elegans</i> Milne-Edwards, 1870	Sikkim	China, Myanmar and Nepal	LC	-	-
168.	Himalayan Shrew <i>Soriculus nigrescens</i> (Gray, 1842)	Arunachal Pradesh, Assam, Sikkim, Uttarakhand and West Bengal	Bhutan, China and Nepal	LC	-	-
168a.	<i>Soriculus nigrescens nigrescens</i> (Gray, 1842)	Sikkim, Uttarakhand and West Bengal	Bhutan, China and Nepal	-	-	-
168b.	<i>Soriculus nigrescens minor</i> Dobson, 1890	Arunachal Pradesh and Assam	China	-	-	-
169.	Eurasian Pygmy Shrew <i>Sorex minutus</i> Linnaeus, 1766	Jammu & Kashmir	Europe to Yenesei river and Lake Baikal, south to Altai and Tienshan Mtns, Nepal, Pakistan and Turkey	LC	-	-
170.	Kashmir Pygmy Shrew <i>Sorex planiceps</i> Miller, 1911	Jammu & Kashmir	China and Pakistan	LC	-	-
<b>Family: Talpidae (Moles)</b>						
171.	Himalayan Mole <i>Euroscaptor micrura</i> (Hodgson, 1841)	North-eastern India, Sikkim and West Bengal	Bhutan, China, Malaysia and Nepal	LC	-	-
172.	White-tailed Mole <i>Parascaptor leucura</i> (Blyth, 1850)	North-eastern India	Bangladesh, China and Myanmar	LC	-	-
<b>Order: Chiroptera</b>						
<b>Family: Pteropodidae (Old World Fruit Bats)</b>						
173.	Lesser Short-nosed Fruit Bat <i>Cynopterus brachyotis</i> (Müller, 1838)	Southern India, Andaman & Nicobar Is., Bihar, Goa, Gujarat, Madhya Pradesh, Maharashtra, Meghalaya, Nagaland, Odisha, Uttar Pradesh and West Bengal	This widespread species ranges from South Asia, through parts of southern China to parts of Southeast Asia	LC	V	-
173a.	<i>Cynopterus brachyotis brachysoma</i> Dobson, 1871	Southern India, Andaman & Nicobar Is., Bihar, Goa, Gujarat, Madhya Pradesh, Maharashtra, Meghalaya, Nagaland, Odisha, Uttar Pradesh and West Bengal		-	-	-

174.	Greater Short-nosed Fruit Bat <i>Cynopterus sphinx</i> (Vahl, 1797)	Throughout India	This species is widely distributed from much of South Asia, through southern China, most of mainland and insular Southeast Asia	LC	V	-
174a.	<i>Cynopterus sphinx sphinx</i> (Vahl, 1797)	Southern India, Andaman & Nicobar Is., Bihar, Goa, Gujarat, Jammu & Kashmir, Jharkhand, Odisha, Rajasthan, Uttar Pradesh and West Bengal	Nepal, Bhutan, China Bangladesh, Myanmar and Thailand	-	-	-
174b.	<i>Cynopterus sphinx scherzeri</i> Zelebor, 1869	Andaman & Nicobar Is.		-	-	-
175.	Lesser Dawn Bat <i>Eonycteris spelaea</i> (Dobson, 1871)	North-eastern India, Andaman & Nicobar Is., Andhra Pradesh, Karnataka, Sikkim, Tamil Nadu and Uttarakhand	Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Philippines, Singapore, Thailand, Timor-Leste and Viet Nam	LC	V	-
175a.	<i>Eonycteris spelaea spelaea</i> (Dobson, 1871)	North-eastern India, Andaman & Nicobar Is., Andhra Pradesh, Karnataka, Sikkim, Tamil Nadu and Uttarakhand	Myanmar, Laos, China, Malaysia, Singapore, Indonesia, Thailand and Viet Nam	-	-	-
176.	Salim Ali's Fruit Bat <i>Latidens salimalii</i> Thonglongya, 1972	Kerala and Tamil Nadu	<b>Endemic to India</b>	EN	I	-
177.	Greater Long-nosed Fruit Bat <i>Macroglossus sobrinus</i> K. Andersen, 1911	North-eastern India, Sikkim and West Bengal	Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Philippines, Singapore, Thailand, Timor-Leste and Viet Nam	LC	V	-
177a.	<i>Macroglossus sobrinus sobrinus</i> K. Andersen, 1911	North-eastern India, Sikkim and West Bengal	Bangladesh, Malaysia, Thailand, Myanmar and Indonesia	-	-	-
178.	Temminck's Tailless Fruit Bat <i>Megaerops ecaudatus</i> (Temminck, 1837)	Arunachal Pradesh	Borneo, Sumatra, Malaysia and Thailand	LC	V	-

179.	Ratanaworabhan's Fruit Bat <i>Megaerops niphanae</i> Yenbutra & Felten, 1983	Arunachal Pradesh, Manipur, Mizoram, Nagaland and West Bengal	Cambodia, Laos, Thailand and Viet Nam	LC	V	-
180.	Nicobar Flying Fox <i>Pteropus faunulus</i> Miller, 1902	Andaman & Nicobar Is.	Sri Lanka	VU	V	-
181.	Indian Flying Fox <i>Pteropus giganteus</i> (Brünnich, 1782)	Throughout India	Bangladesh, Bhutan, China, Maldives, Myanmar, Nepal, Pakistan and Sri Lanka	LC	V	-
181a.	<i>Pteropus giganteus giganteus</i> (Brünnich, 1782)	Throughout the country except the Himalayan range states and North- eastern India	Bangladesh, Myanmar, Bhutan, Pakistan and Sri Lanka	-	-	-
181b.	<i>Pteropus giganteus leucocephalus</i> Hodgson, 1835	Himalayan range states and North- eastern India	Nepal and Sri Lanka	-	-	-
182.	Variable Flying Fox <i>Pteropus hypomelanus</i> Temminck, 1853	Andaman & Nicobar Is.	Indonesia, Malaysia, Maldives, Myanmar, Papua New Guinea, Philippines, Solomon Is., Thailand and Viet Nam	LC	V	II
182a.	<i>Pteropus hypomelanus satyrus</i> K. Anderson 1908	Andaman & Nicobar Is.		-	-	-
183.	Black-eared Flying Fox <i>Pteropus melanotus</i> Blyth, 1863	Andaman & Nicobar Is.	Indonesia	VU	V	II
183a.	<i>Pteropus melanotus melanotus</i> Blyth, 1863	Andaman & Nicobar Is. (Nicobar Is.)		-	-	-
183b.	<i>Pteropus melanotus tyleri</i> Mason, 1908	Andaman & Nicobar Is. (Andaman Is.)		-	-	-
184.	Egyptian Rousette <i>Rousettus aegyptiacus</i> (E. Geoffroy, 1810)	North-western India	Patchily distributed across sub- Saharan Africa and North Africa, also ranges outside of Africa through south-west Asia to Iran and Pakistan	LC	V	-
184a.	<i>Rousettus aegyptiacus arabicus</i> Anderson & de Winton, 1902	North-western India	Iran, southern Arabia and Pakistan	-	-	-

185.	Leschenault's Rousette <i>Rousettus leschenaultii</i> (Desmarest, 1820)	Throughout India	Bangladesh, Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Pakistan, Sri Lanka, Thailand and Viet Nam	LC	V	-
185a.	<i>Rousettus leschenaultii leschenaultii</i> (Desmarest, 1820)	Throughout India	Bangladesh, Myanmar, Cambodia, China, Hong Kong, Laos, Nepal, Pakistan, Thailand and Viet Nam	-	-	-
186.	Blanford's Fruit Bat <i>Sphaerias blanfordi</i> (Thomas, 1891)	Arunachal Pradesh, Mizoram, Sikkim, Uttarakhand and West Bengal	Bhutan, China, Myanmar, Nepal, Thailand and Viet Nam	LC	V	-
<b>Family: Rhinolophidae (Horseshoe Bats)</b>						
187.	Intermediate Horseshoe Bat <i>Rhinolophus affinis</i> Horsfield, 1823	Andaman & Nicobar Is., Arunachal Pradesh, Assam, Nagaland, Meghalaya, Sikkim, Himachal Pradesh, Uttarakhand and West Bengal	Bangladesh, Bhutan, Cambodia, China, Hong Kong, Indonesia, Laos, Malaysia, Myanmar, Nepal, Singapore, Thailand and Viet Nam	LC	-	-
187a.	<i>Rhinolophus affinis andamanensis</i> Dobson, 1872	Andaman & Nicobar Is.		-	-	-
187b.	<i>Rhinolophus affinis himalayanus</i> K. Andersen, 1905	Himalayas ranges from Himachal Pradesh to North-eastern India	Nepal, Thailand, Bangladesh, Myanmar and China	-	-	-
188.	Beddomme's Horseshoe Bat <i>Rhinolophus beddomei</i> Andersen, 1905	Andhra Pradesh, Karnataka, Kerala and Maharashtra	Sri Lanka	LC	-	-
188a.	<i>Rhinolophus beddomei beddomei</i> K. Andersen, 1905	Andhra Pradesh, Karnataka, Kerala and Maharashtra		-	-	-
189.	Andaman Horseshoe Bat <i>Rhinolophus cognatus</i> K. Andersen, 1906	Andaman & Nicobar Is. (North Andaman, South Andaman and Narcondom Is.)	<b>Endemic to India</b>	EN	-	-
189a.	<i>Rhinolophus cognatus cognatus</i> K. Andersen, 1906	Andaman & Nicobar Is. (Southern Andaman Is.)		-	-	-
189b.	<i>Rhinolophus cognatus famulus</i> K. Andersen, 1918	Andaman & Nicobar Is. (North-Central Andaman Is.)		-	-	-

190.	Greater Horseshoe Bat <i>Rhinolophus ferrumequinum</i> (Schreber, 1774)	Jammu & Kashmir, Sikkim, Himachal Pradesh, Uttarakhand, Nagaland and Arunachal Pradesh	This species has a wide range in Europe, Africa, South Asia, China, Korea, Japan and Australia	LC	-	-
190a.	<i>Rhinolophus ferrumequinum proximus</i> K. Andersen, 1905	Jammu & Kashmir		-	-	-
190b.	<i>Rhinolophus ferrumequinum tragatus</i> Hodgson, 1835	Arunachal Pradesh, Himachal Pradesh, Sikkim, Nagaland and Uttarakhand		-	-	-
191.	Lesser Horseshoe Bat <i>Rhinolophus hipposideros</i> (Bechstein, 1800)	Jammu & Kashmir	Widely distributed in the western and central Palaearctic	LC	-	-
191a.	<i>Rhinolophus hipposideros midas</i> K. Andersen, 1905	Jammu & Kashmir	Jask, Iran, Iraq, Kazakhstan and Transcaucasia		-	-
192.	Blyth's Horseshoe Bat <i>Rhinolophus lepidus</i> Blyth, 1844	Throughout the country except Gujarat, Jammu & Kashmir and Himachal Pradesh	Afghanistan, Bangladesh, Cambodia, China, Indonesia, Malaysia, Myanmar, Nepal, Pakistan, Thailand and Viet Nam	LC	-	-
192a.	<i>Rhinolophus lepidus lepidus</i> Blyth, 1844	Southern India, Bihar, Delhi, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal		-	-	-
192b.	<i>Rhinolophus lepidus monticola</i> K. Andersen, 1905	Assam, Himachal Pradesh, Meghalaya, Mizoram, Nagaland, Uttarakhand and West Bengal	Nepal and Afghanistan	-	-	-
193.	Woolly Horseshoe Bat <i>Rhinolophus luctus</i> Temminck, 1834	Andhra Pradesh, Assam, Himachal Pradesh, Madhya Pradesh, Meghalaya, Nagaland, Sikkim, Uttarakhand and West Bengal	Bangladesh, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Singapore, Thailand and Viet Nam	LC	-	-
193a.	<i>Rhinolophus luctus perniger</i> Hodgson, 1843	Andhra Pradesh, Assam, Himachal Pradesh, Madhya Pradesh, Meghalaya, Nagaland, Sikkim, Uttarakhand and West Bengal	Nepal, Myanmar, Viet Nam, Laos and Thailand	-	-	-

194.	Big-eared Horseshoe Bat <i>Rhinolophus macrotis</i> Blyth, 1844	Arunachal Pradesh, Meghalaya, Uttarakhand and West Bengal	Bangladesh, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Pakistan, Philippines, Thailand and Viet Nam	LC	-	-
194a.	<i>Rhinolophus macrotis macrotis</i> Blyth, 1844	Arunachal Pradesh, Meghalaya, Uttarakhand and West Bengal	Nepal	-	-	-
195.	Mitred Horseshoe Bat <i>Rhinolophus mitratus</i> Blyth, 1844	Jharkhand (Chaibassa)	<b>Endemic to India</b>	DD	-	-
196.	Pearson's Horseshoe Bat <i>Rhinolophus pearsonii</i> Horsfield, 1851	Assam, Manipur, Meghalaya, Sikkim, Uttarakhand and West Bengal	Bangladesh, Bhutan, China, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
196a.	<i>Rhinolophus pearsonii pearsonii</i> Horsfield, 1851	Assam, Manipur, Meghalaya, Sikkim, Uttarakhand and West Bengal	Nepal	-	-	-
197.	Least Horseshoe Bat <i>Rhinolophus pusillus</i> Temminck, 1834	Andhra Pradesh, Arunachal Pradesh, Assam, Karnataka, Kerala, Meghalaya, Sikkim, Uttarakhand and West Bengal	Cambodia, China, Indonesia, Japan, Laos, Malaysia, Myanmar, Nepal, Taiwan, Thailand and Viet Nam	LC	-	-
197a.	<i>Rhinolophus pusillus blythi</i> K. Andersen, 1918	Andhra Pradesh, Arunachal Pradesh, Assam, Karnataka, Meghalaya, Sikkim, Uttarakhand and West Bengal		-	-	-
197b.	<i>Rhinolophus pusillus gracilis</i> K. Andersen, 1905	Kerala		-	-	-
198.	Rufous Horseshoe Bat <i>Rhinolophus rouxii</i> Temminck, 1835	Southern and North-eastern India, Chhattisgarh, Goa, Himachal Pradesh, Maharashtra, Odisha, Sikkim, Uttarakhand and West Bengal	China, Myanmar, Nepal and Sri Lanka	LC	-	-
198a.	<i>Rhinolophus rouxii rouxii</i> Temminck, 1835	Southern and North-eastern India, Chhattisgarh, Goa, Himachal Pradesh, Maharashtra, Odisha, Sikkim, Uttarakhand and West Bengal	China, Myanmar, Nepal and Sri Lanka	-	-	-

199.	Shortridge's Horseshoe Bat <i>Rhinolophus shortridgei</i> K. Andersen, 1918	Northern India	China and Myanmar	LC	-	-
200.	Chinese Rufous Horseshoe Bat <i>Rhinolophus sinicus</i> K. Andersen, 1905	Arunachal Pradesh, Nagaland, Meghalaya, Himachal Pradesh, Uttarakhand and West Bengal	China, Myanmar, Nepal and Viet Nam	LC	-	-
200a.	<i>Rhinolophus sinicus sinicus</i> K. Andersen, 1905	Arunachal Pradesh, Nagaland, Meghalaya, Himachal Pradesh, Uttarakhand and West Bengal	China, Myanmar, Nepal and Viet Nam	-	-	-
201.	Little Nepalese Horseshoe Bat <i>Rhinolophus subbadius</i> Blyth, 1844	Arunachal Pradesh and Meghalaya	Bangladesh, China, Myanmar and Nepal	LC	-	-
202.	Trefoil Horseshoe Bat <i>Rhinolophus trifoliatus</i> Temminck, 1834	Assam and West Bengal	China, Indonesia, Malaysia, Myanmar and Thailand	LC	-	-
202a.	<i>Rhinolophus trifoliatus trifoliatus</i> Temminck, 1834	Assam and West Bengal	Myanmar, Thailand and Malaysia		-	-
203.	Dobson's Horseshoe Bat <i>Rhinolophus yunanensis</i> Dobson, 1872	Recorded from Andaman & Nicobar Is., Arunachal Pradesh and Mizoram	China, Myanmar and Thailand	LC	-	-
<b>Family: Hipposideridae (Old World Leaf-nosed Bats)</b>						
204.	East Asian Tailless Leaf-nosed Bat <i>Coelops frithii</i> Blyth, 1848	Recorded from Meghalaya and West Bengal	Bangladesh, China, Indonesia, Laos, Malaysia, Myanmar, Taiwan, Thailand and Viet Nam	LC	-	-
204a.	<i>Coelops frithii frithii</i> Blyth, 1848	Recorded from Meghalaya and West Bengal	Bangladesh	-	-	-
205.	Great Leaf-nosed Bat <i>Hipposideros armiger</i> (Hodgson, 1835)	Assam, Himachal Pradesh, Manipur, Meghalaya, Sikkim, Uttarakhand and West Bengal	Cambodia, China, Hong Kong, Laos, Malaysia, Myanmar, Nepal, Taiwan, Thailand and Viet Nam	LC	-	-
205a.	<i>Hipposideros armiger armiger</i> (Hodgson, 1835)	Assam, Himachal Pradesh, Manipur, Meghalaya, Sikkim, Uttarakhand and West Bengal	Myanmar, Nepal, Laos, Thailand, Viet Nam and China	-	-	-
206.	Dusky Leaf-nosed Bat <i>Hipposideros ater</i> Templeton, 1848	Southern India, Andaman & Nicobar Is., Madhya Pradesh, Maharashtra, Meghalaya and Odisha	Australia, Indonesia, Malaysia, Myanmar, Papua New Guinea, Philippines, Sri Lanka and Thailand	LC	-	-

206a.	<i>Hipposideros ater ater</i> Templeton, 1848	Southern India, Madhya Pradesh, Maharashtra, Meghalaya and Odisha		-	-	-
206b.	<i>Hipposideros ater nicobarulae</i> Miller, 1902	Andaman & Nicobar Is.	Sri Lanka to Malaysia and Thailand	-	-	-
207.	Ashy Leaf-nosed Bat <i>Hipposideros cineraceus</i> Blyth, 1853	Himalayan <i>terai</i> , Uttarakhand to North-eastern hills	Indonesia, Laos, Malaysia, Myanmar, Pakistan, Thailand and Viet Nam	LC	-	-
207a.	<i>Hipposideros cineraceus cineraceus</i> Blyth, 1853	Himalayan <i>terai</i> , Uttarakhand to North-eastern hills	Indonesia, Malaysia, Myanmar, Pakistan, Thailand and Viet Nam		-	-
208.	Diadem Leaf-nosed Bat <i>Hipposideros diadema</i> (E.Geoffroy, 1813)	Andaman & Nicobar Is.	Australia, Cambodia, Indonesia, Laos, Malaysia, Myanmar, Papua New Guinea, Philippines, Solomon Is., Thailand, Timor-Leste and Viet Nam	LC	-	-
208a.	<i>Hipposideros diadema nicobarensis</i> Dobson, 1871	Andaman & Nicobar Is.		-	-	-
209.	Durga Das's Leaf-nosed Bat <i>Hipposideros durgadasi</i> Khajuria, 1970	Madhya Pradesh (Katangi, Katanga and Richhai in Jabalpur district)	<b>Endemic to India</b>	VU	-	-
210.	Fulvus Leaf-nosed Bat <i>Hipposideros fulvus</i> Gray, 1838	Throughout country except high Himalaya and North-eastern India	Afghanistan, Bangladesh, China, Pakistan and Sri Lanka	LC	-	-
210a.	<i>Hipposideros fulvus fulvus</i> Gray, 1838	Southern and central India, Andaman & Nicobar Is., Bihar, Gujarat and Haryana	Bangladesh and Myanmar	-	-	-
210b.	<i>Hipposideros fulvus pallidus</i> K. Andersen, 1918	Gujarat, Rajasthan, Punjab and Uttar Pradesh	Afghanistan, Bangladesh and Pakistan	-	-	-
211.	Cantor's Leaf-nosed Bat <i>Hipposideros galeritus</i> Cantor, 1846	Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh and Maharashtra	Bangladesh, Brunei Darussalam, Cambodia, Indonesia, Laos, Malaysia, Sri Lanka, Thailand and Viet Nam	LC	-	-
211a.	<i>Hipposideros galeritus galeritus</i> Cantor, 1846	Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh and Maharashtra	Sri Lanka, Malaysia, Myanmar and Thailand	-	-	-

212.	Leafletted Leaf-nosed Bat <i>Hipposideros hypophyllus</i> Kock & Bhat, 1994	Karnataka (Manahalli and Theralli in Kolar district)	<b>Endemic to India</b>	CR	-	-
213.	Kelaart's Leaf-nosed Bat <i>Hipposideros lankadiva</i> Kelaart, 1850	Arunachal Pradesh, Assam and Meghalaya	Bangladesh, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	-	-
214.	Intermediate Leaf-nosed Bat <i>Hipposideros larvatus</i> (Horsfield, 1823)	Reported from Andaman & Nicobar Is., Arunachal Pradesh, Assam and Meghalaya	Bangladesh, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Thailand and Viet Nam	LC	-	-
214a.	<i>Hipposideros larvatus leptophyllus</i> Dobson, 1874	Reported from Andaman & Nicobar Is., Arunachal Pradesh, Assam and Meghalaya		-	-	-
215.	Pomona Leaf-nosed Bat <i>Hipposideros pomona</i> K. Andersen, 1918	Southern India, Andaman & Nicobar Is., Assam, Arunachal Pradesh, Meghalaya, Nagaland, Sikkim and West Bengal	Bangladesh, Cambodia, China, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
215a.	<i>Hipposideros pomana pomana</i> K. Andersen, 1918	Southern India, Andaman & Nicobar Is., Assam, Arunachal Pradesh, Meghalaya, Nagaland, Sikkim and West Bengal		-	-	-
216.	Schneider's Leaf-nosed Bat <i>Hipposideros speoris</i> (Schneider, 1800)	Southern India, Gujarat, Maharashtra, Odisha and Uttar Pradesh	Sri Lanka	LC	-	-
<b>Family: Megadermatidae (False-vampire Bats)</b>						
217.	Greater False Vampire Bat <i>Megaderma lyra</i> É. Geoffroy, 1810	Throughout India except high Himalaya and deserts	Afghanistan, Bangladesh, Cambodia, China, Laos, Malaysia, Myanmar, Nepal, Pakistan, Sri Lanka, Thailand and Viet Nam	LC	-	-
217a.	<i>Megaderma lyra lyra</i> E. Geoffroy, 1810	Throughout India except high Himalaya and deserts	Bhutan, Bangladesh, Myanmar and Sri Lanka	-	-	-

218.	Lesser False Vampire Bat <i>Megaderma spasma</i> (Linnaeus, 1758)	Southern India, Andaman & Nicobar Is., Assam, Goa, Maharashtra, Meghalaya Mizoram and West Bengal	Bangladesh, Brunei Darussalam, Cambodia, Indonesia, Laos, Malaysia, Myanmar, Philippines, Singapore, Sri Lanka, Thailand, Viet Nam	LC	-	-
218a.	<i>Megaderma spasma horsfieldii</i> Blyth, 1863	Southern India, Andaman & Nicobar Is., Assam, Goa, Maharashtra, Meghalaya Mizoram and West Bengal	Myanmar	-	-	-
<b>Family: Rhinopomatidae (Mouse-tailed Bats)</b>						
219.	Lesser Mouse-tailed Bat <i>Rhinopoma hardwickii</i> Gray, 1831 1916	Andhra Pradesh, Bihar, Gujarat, Jammu & Kashmir, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Uttar Pradesh and West Bengal	Widespread across central and northern Africa through Arabia and southern Asia	LC	-	-
219a.	<i>Rhinopoma hardwickii hardwickii</i> Gray, 1831	Andhra Pradesh, Bihar, Gujarat, Jammu & Kashmir, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Uttar Pradesh and West Bengal	Widespread across central and northern Africa through Arabia and southern Asia	-	-	-
220.	Greater Mouse-tailed Bat <i>Rhinopoma microphyllum</i> (Brünnich, 1792)	Bihar, Gujarat, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal	Extends from northern Africa through southwest Asia to Afghanistan and Pakistan	LC	-	-
220a.	<i>Rhinopoma microphyllum kinneari</i> Wroughton, 1912	Bihar, Gujarat, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal	Thailand	-	-	-
221.	Small Mouse-tailed Bat <i>Rhinopoma muscatellum</i> Thomas, 1903	Recorded from Rajasthan and Tamil Nadu	Afghanistan, Iran, Oman, Pakistan and Yemen	LC	-	-
221a.	<i>Rhinopoma muscatellum muscatellum</i> Thomas, 1903	Recorded from Rajasthan and Tamil Nadu	Iran, Oman and Afghanistan	-	-	-
<b>Family: Emballonuridae (Sheath-tailed Bats)</b>						
222.	Naked-rumped Pouched Bat <i>Saccolaimus saccolaimus</i>	Bihar, Gujarat, Madhya Pradesh, Maharashtra, Odisha, Rajasthan,	South and South-east Asia, and Australia	LC	-	-

	(Temminck, 1838)	Uttar Pradesh and West Bengal				
222a.	<i>Saccolaimus saccolaimus crassus</i> Blyth, 1844	Bihar, Gujarat, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal	Sri Lanka and Indonesia	-	-	-
223.	Long-winged Tomb Bat <i>Taphozous longimanus</i> Hardwicke, 1825	Southern India, Assam, Bihar, Gujarat, Jharkhand, Madhya Pradesh, Maharashtra, Nagaland, Odisha, Rajasthan, Tripura, Uttar Pradesh and West Bengal	Bangladesh, Cambodia, Indonesia, Malaysia, Myanmar, Nepal, Sri Lanka and Thailand	LC	-	-
223a.	<i>Taphozous longimanus longimanus</i> Hardwicke, 1825	Southern India, Assam, Bihar, Gujarat, Jharkhand, Madhya Pradesh, Maharashtra, Nagaland, Odisha, Rajasthan, Tripura, Uttar Pradesh and West Bengal	Nepal	-	-	-
224.	Black-bearded Tomb Bat <i>Taphozous melanopogon</i> Temminck, 1841	Southern India, Andaman & Nicobar Is., Bihar, Chhattisgarh, Goa, Gujarat, Madhya Pradesh, Maharashtra, Odisha and Rajasthan	South and Southeast Asia	LC	-	-
224a.	<i>Taphozous melanopogon melanopogon</i> Temminck, 1841	Southern India, Andaman & Nicobar Is., Bihar, Chhattisgarh, Goa, Gujarat, Madhya Pradesh, Maharashtra, Odisha and Rajasthan	Myanmar, Thailand, Malaysia, Cambodia, Indonesia and Timor-Leste	-	-	-
225.	Naked-rumped Tomb Bat <i>Taphozous nudiventris</i> Cretzschmar, 1830	Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Sikkim, Tamil Nadu, Uttar Pradesh and West Bengal	Southern desert and sub-desert belt of western and central Palaeartic	LC	-	-
225a.	<i>Taphozous nudiventris kachhensis</i> Dobson, 1872	Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Sikkim, Tamil Nadu, Uttar Pradesh and West Bengal		-	-	-

226.	Egyptian Tomb Bat <i>Taphozous perforatus</i> E. Geoffroy, 1818	Gujarat, Madhya Pradesh and Rajasthan	Throughout northern and sub-Saharan Africa, the Arabian Peninsula, and Asia, east to the Indian Subcontinent	LC	-	-
226a.	<i>Taphozous perforatus perforatus</i> E. Geoffroy, 1818	Gujarat, Madhya Pradesh and Rajasthan	Pakistan	-	-	-
227.	Theobald's Tomb Bat <i>Taphozous theobaldi</i> Dobson, 1872	Karnataka, Kerala, Madhya Pradesh and Maharashtra	Cambodia, Myanmar, Thailand and Viet Nam	LC	-	-
227a.	<i>Taphozous theobaldi secatus</i> Thomas, 1915	Karnataka, Kerala, Madhya Pradesh and Maharashtra			-	-
<b>Family: Molossidae (Free-tailed Bats)</b>						
228.	Wrinkle-lipped Free-tailed Bat <i>Chaerephon plicatus</i> (Buchanan, 1800)	Andhra Pradesh, Goa, Karnataka, Madhya Pradesh, Maharashtra, Meghalaya Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal	Cambodia, China, Hong Kong, Laos, Malaysia, Philippines, Sri Lanka, Thailand and Viet Nam	LC	-	-
228a.	<i>Chaerephon plicatus plicatus</i> (Buchanan, 1800)	Andhra Pradesh, Goa, Karnataka, Madhya Pradesh, Maharashtra, Meghalaya Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal		-	-	-
229.	Wroughton's Giant Mastiff Bat <i>Otomops wroughtoni</i> (Thomas, 1913)	Known from Karnataka and Meghalaya	Cambodia	DD	I	
230.	Egyptian Free-tailed Bat <i>Tadarida aegyptiaca</i> (E. Geoffroy, 1818)	Southern India, Gujarat, Madhya Pradesh, Maharashtra, Rajasthan and West Bengal	Throughout Africa, and in the Arabian peninsula through to India, Bangladesh and Sri Lanka	LC	-	-
230a.	<i>Tadarida aegyptiaca thomasi</i> Wroughton, 1919	Southern India, Gujarat, Madhya Pradesh, Maharashtra, Rajasthan and West Bengal		-	-	-
230b.	<i>Tadarida aegyptiaca tragatas</i> Dobson, 1874	West Bengal?	Sri Lanka	-	-	-
231.	European Free-tailed Bat <i>Tadarida teniotis</i> (Rafinesque, 1814)	West Bengal	It is mainly Palearctic species, although the south-eastern edge	LC	-	-

			of its range extends into the Indomalayan region			
231a.	<i>Tadarida teniotis teniotis</i> Rafinesque, 1814	West Bengal	Afghanistan	-	-	-
<b>Family: Vespertilionidae (Vesper Bats)</b>						
232.	Bronze Sprite <i>Arielulus circumdatus</i> (Temminck, 1840)	Assam, Meghalaya, Mizoram and Sikkim	Cambodia, China, Indonesia, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
233.	Botta's Serotine <i>Eptesicus bottae</i> (Peters, 1869)	Jammu & Kashmir	Afghanistan	LC	-	-
234.	Gobi Big Brown Bat <i>Eptesicus gobiensis</i> Bobrinskii, 1926	Jammu & Kashmir	Afghanistan, China, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russian Federation, Tajikistan, Turkmenistan and Uzbekistan	LC	-	-
234a.	<i>Eptesicus gobiensis centrasiaticus</i> Bobrinskii, 1926	Jammu & Kashmir	China		-	-
235.	Thick-eared Bat <i>Eptesicus pachyotis</i> (Dobson, 1871)	Meghalaya and Mizoram	Bangladesh, China, Myanmar and Thailand	LC	-	-
236.	Common Serotine <i>Eptesicus serotinus</i> (Schreber, 1774)	Assam, Himachal Pradesh, Jammu & Kashmir, Nagaland, Rajasthan and Uttarakhand	Widely distributed through the Palaearctic from the Atlantic to the Pacific seaboards	LC	-	-
236a.	<i>Eptesicus serotinus pachyomus</i> Tomes, 1857	Assam, Himachal Pradesh, Jammu & Kashmir, Nagaland, Rajasthan and Uttarakhand	Pakistan		-	-
237.	Sombre Bat <i>Eptesicus tatei</i> Ellerman and Morrison-Scott, 1951	West Bengal (Darjeeling)	<b>Endemic to India</b>	DD	-	-
238.	Tickell's Bat <i>Hesperoptenus tickelli</i> (Blyth, 1851)	Southern India, Andaman & Nicobar Is., Assam, Goa, Jharkhand, Madhya Pradesh, Maharashtra, Odisha, Rajasthan and West Bengal	Bangladesh, Bhutan, Cambodia, Laos, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	-	-

239.	Desert Yellow Lesser House Bat <i>Scotoecus pallidus</i> (Dobson, 1876)	Bihar, Himachal Pradesh, Jharkhand, Uttar Pradesh and West Bengal	Pakistan	LC	-	-
240.	Harlequin Bat <i>Scotomanes ornatus</i> (Blyth, 1851)	Arunachal Pradesh, Assam, Manipur, Meghalaya, Nagaland, Sikkim and West Bengal	Bangladesh, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
240a.	<i>Scotomanes ornatus ornatus</i> (Blyth, 1851)	Arunachal Pradesh, Assam, Manipur, Meghalaya, Nagaland, Sikkim and West Bengal		-	-	-
240b.	<i>Scotomanes ornatus imbreus</i> Thomas, 1921	Meghalaya		-	-	-
241.	Greater Asiatic Yellow House Bat <i>Scotophilus heathii</i> (Horsfield, 1831)	Throughout country except high Himalaya and Jammu & Kashmir	Afghanistan, Bangladesh, Cambodia, China, Indonesia, Laos, Myanmar, Nepal, Pakistan, Philippines, Sri Lanka, Thailand and Viet Nam	LC	-	-
241a.	<i>Scotophilus heathii heathii</i> (Horsfield, 1831)	Throughout country except high Himalaya and Jammu & Kashmir	Sri Lanka	-	-	-
242.	Lesser Asiatic Yellow Bat <i>Scotophilus kuhlii</i> Leach, 1821	Throughout country except high Himalaya and Jammu & Kashmir	South and South-east Asia	LC	-	-
242a.	<i>Scotophilus kuhlii kuhlii</i> Leach, 1821	Throughout country except high Himalaya and Jammu & Kashmir	Indonesia	-	-	-
243.	Leisler's Noctule <i>Nyctalus leisleri</i> (Kuhl, 1817)	Himachal Pradesh, Jammu and Kashmir and Uttarakhand	Largely a western Palaearctic species, with scattered records in the western parts of the eastern Palaearctic (Pakistan, Afghanistan, the Himalayas)	LC	-	-
243a.	<i>Nyctalus leisleri leisleri</i> (Kuhl, 1817)	Himachal Pradesh, Jammu and Kashmir and Uttarakhand	Eurasia, northwest Africa, Madeira Is. and Azores Is. (Portugal)	-	-	-
244.	Mountain Noctule <i>Nyctalus montanus</i> (Barrett-Hamilton, 1906)	Himachal Pradesh and Uttarakhand	Afghanistan and Nepal	LC	-	-

245.	Noctule <i>Nyctalus noctula</i> (Schreber, 1774)	Himachal Pradesh, Jammu & Kashmir, Nagaland, Sikkim, Uttarakhand and West Bengal	Nepal and Malaysia	LC	-	-
245a.	<i>Nyctalus noctula labiata</i> Hodgson, 1835	Himachal Pradesh, Jammu & Kashmir, Nagaland, Sikkim, Uttarakhand and West Bengal	Nepal and Malaysia	-	-	-
246.	Japanese Pipistrelle <i>Pipistrellus abramus</i> (Temminck, 1838)	Recorded from Andhra Pradesh, Arunachal Pradesh, Meghalaya and Uttar Pradesh	China, Japan, Korea, Laos, Myanmar, Taiwan and Viet Nam	LC	-	-
247.	Cadorna's Pipistrelle <i>Pipistrellus cadornae</i> (Thomas, 1916)	West Bengal	Laos, Myanmar, Thailand and Viet Nam	LC	-	-
248.	Kelaart's Pipistrelle <i>Pipistrellus ceylonicus</i> (Kelaart, 1852)	Southern India, Bihar, Goa, Gujarat, Jharkhand, Madhya Pradesh, Maharashtra, Rajasthan and West Bengal	Bangladesh, China, Indonesia, Malaysia, Myanmar, Pakistan, Sri Lanka and Viet Nam	LC	-	-
248a.	<i>Pipistrellus ceylonicus indicus</i> Dobson, 1878	Southern India, Bihar, Goa, Gujarat, Jharkhand, Madhya Pradesh, Maharashtra, Rajasthan and West Bengal		-	-	-
249.	Indian Pipistrelle <i>Pipistrellus coromandra</i> (Gray, 1838)	Throughout India except Rajasthan	Afghanistan, Bangladesh, Bhutan, Cambodia, China, Laos, Myanmar, Nepal, Pakistan, Sri Lanka and Viet Nam	LC	-	-
250.	Javan Pipistrelle <i>Pipistrellus javanicus</i> (Gray, 1838)	North-eastern India, Andaman & Nicobar Is., Himachal Pradesh, Madhya Pradesh, Maharashtra, Sikkim, Uttarakhand and West Bengal	South and Southeast Asia	LC	-	-
250a.	<i>Pipistrellus javanicus babu</i> Thomas, 1915	North-eastern India, Himachal Pradesh, Madhya Pradesh, Maharashtra, Sikkim, Uttarakhand and West Bengal	Afghanistan, China, Myanmar, Nepal and Pakistan	-	-	-

250b.	<i>Pipistrellus javanicus camortae</i> Miller, 1902	Andaman & Nicobar Is.		-	-	-
250c.	<i>Pipistrellus javanicus peguensis</i> Sinha, 1969	West Bengal				
251.	Kulh's Pipistrelle <i>Pipistrellus kuhlii</i> (Kuhl, 1817)	Jammu & Kashmir	Africa, Europe and Asia	LC	-	-
251a.	<i>Pipistrellus kuhlii lepidus</i> Blyth, 1845	Jammu & Kashmir	Afghanistan, Turkmenistan, Iraq, Iran and Pakistan	-	-	-
252.	Mount Popa Pipistrelle <i>Pipistrellus paterculus</i> Thomas, 1915	Assam, Bihar, Jammu & Kashmir, Manipur and Nagaland	China, Laos, Myanmar and Viet Nam	LC	-	-
252a.	<i>Pipistrellus paterculus paterculus</i> Thomas, 1915	Assam, Bihar, Jammu & Kashmir, Manipur and Nagaland	Myanmar, Laos and Viet Nam	-	-	-
253.	Common Pipistrelle <i>Pipistrellus pipistrellus</i> (Schreber, 1774)	North-eastern India, Jammu & Kashmir and Bihar	Range extends across most of Europe, North Africa, south-western Asia, and possibly into Korea	LC	-	-
253a.	<i>Pipistrellus pipistrellus aladdin</i> Thomas, 1905	North-eastern India, Jammu & Kashmir and Bihar	Iran, Pakistan, China, Afghanistan and Turkestan	-	-	-
254.	Savi's Pipistrelle <i>Pipistrellus savii</i> (Bonaparte, 1837)	Jammu & Kashmir	Distributed across North West Africa, the Mediterranean region and the Middle East	LC	-	-
254a.	<i>Pipistrellus savii austenianus</i> Dobson, 1871	Jammu & Kashmir	Pakistan and Myanmar	-	-	-
255.	Least Pipistrelle <i>Pipistrellus tenuis</i> (Temminck, 1840)	Throughout India	Throughout much of South Asia, south eastern China and Southeast Asia	LC	-	-
255a.	<i>Pipistrellus tenuis mimus</i> Wroughton, 1899	Throughout India	Afghanistan, Pakistan, Sri Lanka, Nepal, Bhutan, Myanmar, Viet Nam and Thailand	-	-	-
256.	Dormer's Pipistrelle <i>Scotozous dormeri</i> Dobson, 1875	Throughout India	Bangladesh and Pakistan	LC	-	-
257.	Eastern Barbastelle <i>Barbastella leucomelas</i> (Cretzschmar, 1826)	Himachal Pradesh, Jammu & Kashmir, Meghalaya Sikkim, Uttarakhand and West Bengal	The main distribution occurs from the Caucasus eastwards including Iran, Afghanistan and	LC	-	-

			onwards to China, Japan and North Africa			
257a.	<i>Barbastella leucomelas darjelingensis</i> (Hodgson, 1855)	Himachal Pradesh, Jammu & Kashmir, Meghalaya Sikkim, Uttarakhand and West Bengal	China, Indochina , Hokkaido, Honshu Is. (Japan) and Taiwan	-	-	-
258.	Hemprich's Desert Bat <i>Otonycteris hemprichii</i> Peters, 1859	Himachal Pradesh and Jammu & Kashmir	Southern desert and sub-desert belt of Western and Central Palaearctic from Morocco and Niger as far east as north-west India and North Africa	LC	-	-
259.	Brown Long-eared Bat <i>Plecotus auritus</i> (Linnaeus, 1758) 1916	Himachal Pradesh, Jammu & Kashmir, Meghalaya, Uttarakhand and West Bengal	European countries	LC	-	-
259a.	<i>Plecotus auritus homochrous</i> Hodgson, 1847	Himachal Pradesh, Jammu & Kashmir, Meghalaya, Uttarakhand and West Bengal		-	-	-
260.	Chocolate Pipistrelle <i>Falsistrellus affinis</i> (Dobson, 1871)	Throughout India (scattered population)	China, Myanmar, Nepal and Sri Lanka	LC	-	-
261.	Great Evening Bat <i>Ia io</i> Thomas, 1902	Assam and Meghalaya	China, Loas, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
262.	Lesser Bamboo Bat <i>Tylonycteris pachypus</i> (Temminck, 1840)	Andaman & Nicobar Is., Karnataka, Kerala, Manipur, Meghalaya, Mizoram, Sikkim, Tripura and West Bengal	Bangladesh, Brunei Darussalam, Cambodia, China, Hong Kong, Indonesia, Loas, Malaysia, Myanmar, Philippines, Thailand and Viet Nam	LC	-	-
262a.	<i>Tylonycteris pachypus aurex</i> Thomas, 1915	Andaman & Nicobar Is., Karnataka and Kerala		-	-	-
262b.	<i>Tylonycteris pachypus fulvidus</i> Blyth, 1859	Manipur, Meghalaya, Mizoram, Sikkim, Tripura and West Bengal		-	-	-
263.	Greater Bamboo Bat <i>Tylonycteris robustula</i> Thomas, 1915	Mizoram	Brunei Darussalam, Cambodia, China, Indonesia, Loas, Malaysia, Myanmar, Philippines, Singapore, Thailand and Viet	LC	-	-

			Nam			
263a.	<i>Tylonycteris robustula robustula</i> Thomas, 1915	Mizoram	China, Philippines, Laos, Malaysia, Myanmar, Singapore, Thailand, Viet Nam and Indonesia	-	-	-
264.	Rohu's Bat <i>Philetor brachypterus</i> Temminck, 1840	Sikkim	Nepal	LC	-	-
265.	Hairy-faced Myotis <i>Myotis annectans</i> (Dobson, 1871)	Nagaland and West Bengal	Cambodia, China, Laos and Thailand	LC	-	-
266.	Daubenton's Bat <i>Myotis daubentonii</i> (Kuhl, 1817)	Meghalaya	Distributed from Portugal, Ireland and Norway through Europe and northern Asia to the far East (Korea and Japan)	LC	-	-
267.	Lesser Mouse-eared Myotis <i>Myotis blythii</i> (Tomes, 1857)	Nagaland and West Bengal	Southern Europe, southern parts of central Europe, and non-arid parts of south-western Asia.	LC	-	-
267a.	<i>Myotis blythii blythii</i> (Tomes, 1857)	Nagaland and West Bengal	Central Asia	-	-	-
268.	Hodgson's Myotis <i>Myotis formosus</i> (Hodgson, 1835)	Assam, Bihar, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Maharashtra, Meghalaya, Mizoram, Punjab, Sikkim, Uttarakhand and West Bengal	Afghanistan, Bangladesh, China, Indonesia, Korea, Laos, Nepal, Philippines and Taiwan	LC	-	-
268a.	<i>Myotis formosus formosus</i> (Hodgson, 1835)	Assam, Bihar, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Maharashtra, Meghalaya, Mizoram, Punjab, Sikkim, Uttarakhand and West Bengal	Afghanistan, Nepal, and south eastern Asia	-	-	-
269.	Lesser Large-footed Myotis <i>Myotis hasseltii</i> (Temminck, 1840)	West Bengal	Cambodia, Indonesia, Malaysia, Myanmar, Sri Lanka, Thailand and Viet Nam	LC	-	-
269a.	<i>Myotis hasseltii hasseltii</i> Temminck, 1840	West Bengal	Indonesia and Sri Lanka	-	-	-

270.	Horsfield's Myotis <i>Myotis horsfieldii</i> (Temminck, 1840)	Andaman & Nicobar Is., Goa, Karnataka, Kerala, Madhya Pradesh, Maharashtra and Tamil Nadu	Brunei Darussalam, Cambodia, China, Hong Kong, Indonesia, Laos, Malaysia, Myanmar, Philippines, Thailand and Viet Nam	LC	-	-
270a.	<i>Myotis horsfieldii dryas</i> K. Andersen, 1907	Andaman & Nicobar Is.		-	-	-
270b.	<i>Myotis horsfieldii peshwa</i> (Thomas, 1915)	Goa, Karnataka, Kerala, Madhya Pradesh, Maharashtra and Tamil Nadu		-	-	-
271.	Chinese Water Myotis <i>Myotis laniger</i> Peters, 1871	Meghalaya	China and Viet Nam	LC	-	-
272.	Kashmir Cave Myotis <i>Myotis longipes</i> (Dobson, 1873)	Recorded from Jammu & Kashmir and Meghalaya	Afghanistan, China and Nepal	DD	-	-
273.	Burmese Whiskered Myotis <i>Myotis montivagus</i> (Dobson, 1874)	Southern India and Maharashtra	China, Laos, Malaysia, Myanmar and Viet Nam	LC	-	-
273a.	<i>Myotis montivagus montivagus</i> (Dobson, 1874)	Mizoram		-	-	-
273b.	<i>Myotis montivagus peytoni</i> Wroughton & Riley, 1913	Southern India and Maharashtra		-	-	-
274.	Nepalese Whiskered Myotis <i>Myotis muricola</i> (Gray, 1846)	Assam, Himachal Pradesh, Jammu & Kashmir, Jharkhand, Meghalaya Mizoram, Sikkim, Uttarakhand and West Bengal	South and South-east Asia	LC	-	-
274a.	<i>Myotis muricola muricola</i> (Gray, 1846)	Assam, Jharkhand, Meghalaya, Mizoram, Sikkim and West Bengal		-	-	-
274b.	<i>Myotis muricola caliginosus</i> Tomes, 1859	Himachal Pradesh, Jammu & Kashmir and Uttarakhand		-	-	-
275.	Nepal Myotis <i>Myotis nipalensis</i> (Dobson, 1871)	Himachal Pradesh, Jammu & Kashmir, Meghalaya and West Bengal	Afghanistan, Armenia, Azerbaijan, China, Georgia, Iran, Kazakhstan, Kyrgyzstan, Nepal, Tajikistan, Turkey, Turkmenistan and Uzbekistan	LC	-	-

275a.	<i>Myotis nipalensis nipalensis</i> (Dobson, 1871)	Himachal Pradesh, Jammu & Kashmir, Meghalaya and West Bengal	Nepal	-	-	-
276.	Mandelli's Mouse-eared Myotis <i>Myotis sicarius</i> Thomas, 1915	Sikkim and West Bengal	Nepal	VU	-	-
277.	Himalayan Whiskered Myotis <i>Myotis siligorensis</i> (Horsfield, 1855)	Meghalaya, Sikkim, Uttarakhand and West Bengal	Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal and Viet Nam	LC	-	-
277a.	<i>Myotis siligorensis siligorensis</i> (Horsfield, 1855)	Meghalaya, Sikkim, Uttarakhand and West Bengal		-	-	-
278.	Western Long-fingered Bat <i>Miniopterus magnater</i> Sanborn, 1931	North-eastern India	China, Indonesia, Myanmar and Papua New Guinea	LC	-	-
278a.	<i>Miniopterus magnater macrodens</i> (Maeda, 1982)	North-eastern India	China, Indonesia, Myanmar and Papua New Guinea		-	-
279.	Small Long-fingered Bat <i>Miniopterus pusillus</i> Dobson, 1876	Andaman & Nicobar Is., Karnataka and Tamil Nadu	China, Hong Kong, Indonesia, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
280.	Schreibers's Long-fingered Bat <i>Miniopterus schreibersii</i> (Kuhl, 1817)	Arunachal Pradesh, Karnataka, Maharashtra, Meghalaya, Himachal Pradesh, Uttar Pradesh and West Bengal	From south-western Europe and north and West Africa through Anatolia and the Middle East to the Caucasus	NT	-	-
280a.	<i>Miniopterus schreibersii fuliginosus</i> Hodgson, 1835	Arunachal Pradesh, Karnataka, Maharashtra, Meghalaya, Himachal Pradesh, Uttar Pradesh and West Bengal	Afghanistan, China, Japan, Myanmar, Nepal, Viet Nam and Sri Lanka	-	-	-
281.	Lesser Hairy-winged Bat <i>Harpiocephalus harpia</i> (Temminck, 1840)	Assam, Kerala, Meghalaya, Mizoram, Sikkim, Tamil Nadu and West Bengal	Bhutan, China, Indonesia, Laos, Philippines, Taiwan, Thailand and Viet Nam	LC	-	-
281a.	<i>Harpiocephalus harpia lasyurus</i> Hodgson, 1847	Assam, Kerala, Meghalaya, Mizoram, Sikkim, Tamil Nadu and West Bengal	Bhutan	-	-	-
281b.	<i>Harpiocephalus harpia madrassius</i> Thomas, 1923	Tamil Nadu		-	-	-

282.	Greater Hairy-winged Bat <i>Harpiocephalus mordax</i> Thomas, 1923	North-eastern India	Loas, Malaysia, Myanmar, Thailand and Viet Nam	-	-	-
283.	Little Tube-nosed Bat <i>Murina aurata</i> Milne-Edwards, 1872	Meghalaya and Sikkim	China, Loas, Myanmar, Nepal, Thailand and Viet Nam	LC	-	-
284.	Round-eared Tube-nosed Bat <i>Murina cyclotis</i> Dobson, 1872	Andhra Pradesh, Meghalaya, Mizoram, Andaman & Nicobar Is., Sikkim, Tamil Nadu and West Bengal	South and South-east Asia	LC	-	-
284a.	<i>Murina cyclotis cyclotis</i> Dobson, 1872	Andhra Pradesh, Meghalaya, Mizoram, Andaman & Nicobar Is., Sikkim, Tamil Nadu and West Bengal	Bangladesh to southern China, Viet Nam and Myanmar	-	-	-
285.	Hutton's Tube-nosed Bat <i>Murina huttoni</i> (Peters, 1872)	Assam, Jammu & Kashmir and West Bengal	China, Loas, Malaysia, Myanmar, Nepal, Pakistan, Thailand and Viet Nam	LC	-	-
285b.	<i>Murina huttoni huttoni</i> (Peters, 1872)	Assam, Jammu & Kashmir and West Bengal	Malaysia, Thailand and Viet Nam	-	-	-
286.	Jaintia Tube-nosed Bat <i>Murina jaintiana</i> Ruedi, Biswas & Csorba, 2012	Meghalaya (Jaintia Hills)	Myanmar	DD	-	-
287.	Greater Tube-nosed Bat <i>Murina leucogaster</i> Milne-Edwards, 1872	North-eastern India and West Bengal	Bhutan, China, Japan, Nepal and Thailand	LC	-	-
287a.	<i>Murina leucogaster rubex</i> Thomas, 1906	North-eastern India and West Bengal		-	-	-
288.	Scully's Tube-nosed Bat <i>Murina tubinaris</i> (Scully, 1881)	Himachal Pradesh and Jammu & Kashmir	Cambodia, Loas, Myanmar, Pakistan, Thailand and Viet Nam	LC	-	-
289.	Rainforest Tube-nosed Bat <i>Murina pluvialis</i> Ruedi, Biswas & Csorba, 2012	Meghalaya (Khasi hills)	<b>Endemic to India</b>	DD	-	-
290.	Peters's Tube-nosed Bat <i>Harpiola grisea</i> Peters, 1872	Mizoram and Uttarakhand	<b>Endemic to India</b>	DD	-	-
291.	Hardwicke's Woolly Bat <i>Kerivoula hardwickii</i> (Horsfield, 1824)	Assam, Jammu & Kashmir, Karnataka, Meghalaya, Mizoram,	This widespread species ranges from southern and northern	LC	-	-

		Nagaland and West Bengal	South Asia, southern China, and throughout continental and insular Southeast Asia			
292.	Lenis Woolly Bat <i>Kerivoula lenis</i> Thomas, 1916	Known from Tamil Nadu and West Bengal	Indonesia and Malaysia	LC	-	-
293.	Painted Woolly Bat <i>Kerivoula picta</i> (Pallas, 1767)	Southern India, Assam, Goa, Maharashtra, Odisha, Rajasthan, Sikkim and West Bengal	Bangladesh, Cambodia, China, Indonesia Loas, Malaysia, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	-	-
293a.	<i>Kerivoula picta picta</i> (Pallas, 1767)	Southern India, Assam, Goa, Maharashtra, Odisha, Rajasthan, Sikkim and West Bengal	Malaysia, Indonesia and Sri Lanka	-	-	-
<b>Order: PHOLIDOTA</b>						
<b>Family: Manidae (Pangolins)</b>						
294.	Indian Pangolin <i>Manis crassicaudata</i> E. Geoffroy, 1803	Widely distributed from the plains and lower hills south of the Himalayas to Southern India	Bangladesh, Pakistan and Sri Lanka	EN	I	I
295.	Chinese Pangolin <i>Manis pentadactyla</i> Linnaeus, 1758	North-eastern India and Sikkim	Bangladesh, Pakistan and Sri Lanka	CR	I	I
295a.	<i>Manis pentadactyla auritus</i> Hodgson, 1836	North-eastern India and Sikkim	Nepal, Myanmar, Tonkin, South to eastern China and Viet Nam	-	-	-
<b>Order: CARNIVORA</b>						
<b>Family: Felidae (Cats)</b>						
296.	Caracal <i>Caracal caracal</i> (Schreber, 1776)	Gujarat, Haryana, Madhya Pradesh, Rajasthan, Punjab and Uttar Pradesh	Widely distributed across Africa, Central Asia, and south-west Asia	LC	I	I
296a.	<i>Caracal caracal schmitzi</i> (Matschie, 1912)	Gujarat, Haryana, Madhya Pradesh, Rajasthan, Punjab and Uttar Pradesh	Saudi Arabia, Pakistan, Afghanistan, Iraq, Qatar, Israel, Lebanon, Syria, Qatar, Oman, Kuwait, United Arab Emirates, southern Turkey and southern Iran	-	-	-

297.	Asiatic Golden Cat <i>Catopuma temminckii</i> (Vigors & Horsfield, 1827)	North-eastern India and Sikkim	Widely distributed across Africa, Central Asia, and south-west Asia	NT	I	I
297a.	<i>Catopuma temminckii temminckii</i> (Vigors & Horsfield, 1827)	North-eastern India and Sikkim	Indonesia, Nepal to Myanmar, China, Thailand and Malaysia			
298.	Jungle Cat <i>Felis chaus</i> Schreber, 1777	Throughout India except the high Himalayas	Egypt, West and Central Asia, South and Southeast Asia	LC	II	II
298a.	<i>Felis chaus affinis</i> Gray, 1830	Himalayan states	Nepal, China, Viet Nam, Laos, Cambodia	-	-	-
298b.	<i>Felis chaus kelaarti</i> Pocock, 1939	Southern India	Sri Lanka	-	-	-
298c.	<i>Felis chaus kutas</i> Pearson, 1832	Peninsular India	Bangladesh	-	-	-
298d.	<i>Felis chaus prateri</i> Pocock, 1939	Western India	Pakistan	-	-	-
299.	Pallas's Cat <i>Otocolobus manul</i> Pallas, 1776	Jammu & Kashmir and Sikkim	Central Asia	NT	I	II
299a.	<i>Otocolobus manul nigripectus</i> Hodgson, 1842	Jammu & Kashmir and Sikkim	China	-	-	-
300.	Wild Cat <i>Felis silvestris</i> Schreber, 1777	Arid parts of Gujarat and Rajasthan	Africa, Europe, and southwest and central Asia into, China, and Mongolia	LC	I	II
300a.	<i>Felis silvestris ornata</i> Gray, 1830	Arid parts of Gujarat and Rajasthan	Eastern Caspian into western-north , and north to Kazakhstan, and into western China and southern Mongolia			
301.	Eurasian Lynx <i>Lynx lynx</i> (Linnaeus, 1758)	Jammu & Kashmir and throughout northern parts of Himalayan states	From western Europe through the boreal forests of Russia, and down into central Asia and the Tibetan plateau	LC	I	II
301a.	<i>Lynx lynx isabellinus</i> Blyth, 1847	Jammu & Kashmir and throughout northern parts of Himalayan states	Western and Central Asia	-	-	-
302.	Marbled Cat <i>Pardofelis marmorata</i> (Martin, 1837)	North-eastern India	Bangladesh, Bhutan, Cambodia, Indonesia, Laos, Myanmar,	NT	I	I

			Nepal, Sri Lanka, Thailand and Viet Nam			
302a.	<i>Pardofelis marmorata charltoni</i> Gray, 1846	North-eastern India	Nepal	-	-	-
303.	Leopard Cat <i>Prionailurus bengalensis</i> (Kerr, 1792)	Throughout India except desert parts of Gujarat and Rajasthan, and parts of Deccan Plateau	South and East Asia	LC	I	I
303a.	<i>Prionailurus bengalensis bengalensis</i> (Kerr, 1792)	Peninsular India	Viet Nam, Laos, Cambodia and China	-	-	-
303b.	<i>Prionailurus bengalensis horsfieldi</i> (Gray, 1842)	Himalaya from Himachal Pradesh to North-eastern India	Nepal and Bhutan	-	-	-
303c.	<i>Prionailurus bengalensis trevelyani</i> Pocock, 1939	Himachal Pradesh and Jammu & Kashmir	Pakistan	-	-	-
304.	Rusty-spotted Cat <i>Prionailurus rubiginosus</i> (I. Geoffroy Saint-Hilaire, 1831)	Scattered pockets in the peninsular India upto Rajasthan, and also recorded from Uttar Pradesh and Jammu & Kashmir	Sri Lanka	NT	I	I
304a.	<i>Prionailurus rubiginosus rubiginosus</i> (I. Geoffroy Saint-Hilaire, 1831)	Scattered pockets in the peninsular India upto Rajasthan, and also recorded from Uttar Pradesh and Jammu & Kashmir		-	-	-
305.	Fishing Cat <i>Prionailurus viverrinus</i> (Bennett, 1833)	Reported from North-eastern India, Western Ghats, Rajasthan (Bharatpur), parts of central India and parts of northern India, Odisha and West Bengal	Bangladesh, Bhutan, Cambodia, Indonesia, Laos, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	VU	I	II
306.	Clouded Leopard <i>Neofelis nebulosa</i> (Griffith, 1821)	North-eastern India, Sikkim and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	VU	I	I
306a.	<i>Neofelis nebulosa macrosceloides</i> (Hodgson, 1853)	North-eastern India, Sikkim and West Bengal	Nepal to Myanmar	-	-	-
307.	Lion <i>Panthera leo</i> (Linnaeus, 1758)	Gujarat (Gir forest)	sub-Saharan Africa and Asia	-	-	-

307a.	<i>Panthera leo persica</i> (Meyer, 1826)	Gujarat (Gir forest)		EN	I	I
308.	Leopard <i>Panthera pardus</i> (Linnaeus, 1758)	Throughout India except extreme high altitudes, hot and cold deserts	Spread over some parts of Africa and tropical Asia, from Siberia, South and West Asia to across most of sub-Saharan Africa	VU	I	I
308a.	<i>Panthera pardus fusca</i> (Meyer, 1794)	Throughout India except extreme high altitudes, hot and cold deserts	Sri Lanka, Southwestern China to south-eastern China, Bangladesh, eastern Pakistan and western Myanmar	-	-	-
309.	Tiger <i>Panthera tigris</i> (Linnaeus, 1758)	Throughout India in the suitable isolated pockets except Jammu & Kashmir and North-western India	Asian range states: Bangladesh, Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Russia, Thailand and Viet Nam	EN	I	I
309a.	<i>Panthera tigris tigris</i> (Linnaeus, 1758)	Throughout India in the suitable isolated pockets except Jammu & Kashmir and North-western India	Nepal Terai, southwards to South Myanmar in Tenasserim, east to Indochina	-	-	-
310.	Snow Leopard <i>Panthera uncia</i> (Schreber, 1775)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Afghanistan, Bhutan, China, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russian Federation, Tajikistan and Uzbekistan	VU	I	I
<b>Family: Viverridae (Civets and Palm Civets)</b>						
311.	Binturong <i>Arctictis binturong</i> (Raffles, 1821)	North-eastern India and Sikkim	Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Philippines, Thailand and Viet Nam	VU	I	III
311a.	<i>Arctictis binturong albifrons</i> (F. G. Cuvier, 1822)	North-eastern India and Sikkim	Nepal, Bhutan, Bangladesh, Myanmar and Indochina (Viet Nam, Laos, Cambodia)	-	-	-

312.	Small-toothed Palm Civet <i>Arctogalidia trivirgata</i> (Gray, 1832)	North-eastern India	Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Philippines, Thailand and Viet Nam	LC	II	-
312a.	<i>Arctogalidia trivirgata leucotis</i> (Horsfield, 1851)	North-eastern India	Southwest Myanmar, Tenasserim (Tanintharyi and Mon State), Kings Island, Mergui Archipelago and Thailand	-	-	-
313.	Masked Palm Civet <i>Paguma larvata</i> (C. E. H. Smith, 1827)	North-eastern India, Andaman & Nicobar Is., Himachal Pradesh, Sikkim, Uttarakhand and West Bengal	Bhutan, Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	LC	II	III
313a.	<i>Paguma larvata grayi</i> (Bennett, 1835)	North-eastern India, Himachal Pradesh, Sikkim, Uttarakhand and West Bengal	Nepal, Bangladesh and West Myanmar, Arakan and Southwest China	-	-	-
313b.	<i>Paguma larvata tyleri</i> (Tytler, 1864)	Andaman & Nicobar Is.		-	-	-
314.	Asian Palm Civet <i>Paradoxurus hermaphroditus</i> (Pallas, 1777)	Throughout India except arid parts of Rajasthan and Gujarat and Jammu & Kashmir and high Himalayas	South and South-east Asia	LC	II	III
314a.	<i>Paradoxurus hermaphroditus hermaphrodites</i> (Pallas, 1777)	Southern and northwestern India	Sri Lanka	-	-	-
314b.	<i>Paradoxurus hermaphroditus nictitans</i> Taylor, 1891	North-eastern India		-	-	-
314c.	<i>Paradoxurus hermaphroditus pallasii</i> Gray, 1832	North-eastern India	China, Nepal and Myanmar	-	-	-
314d.	<i>Paradoxurus hermaphroditus scindiae</i> Pocock, 1934	Central India		-	-	-
314e.	<i>Paradoxurus hermaphroditus vellerosus</i> Pocock, 1934	Jammu & Kashmir		-	-	-
315.	Jerdon's Palm Civet <i>Paradoxurus jerdoni</i> Blanford, 1885	Goa, Karnataka, Kerala and Tamil Nadu	<b>Endemic to India</b>	LC	II	III

315a.	<i>Paradoxurus jerdoni jerdoni</i> Blanford, 1885	Goa and Karnataka		-	-	-
315b.	<i>Paradoxurus jerdoni caniscus</i> Pocock, 1933	Kerala and Tamil Nadu		-	-	-
316.	Spotted Linsang <i>Prionodon pardicolor</i> Hodgson, 1842	Sub Himalayan region in the North-eastern India and Sikkim	Cambodia, China, Laos, Myanmar, Nepal, Thailand and Viet Nam	LC	I	I
316a.	<i>Prionodon pardicolor pardicolor</i> Hodgson, 1842	Sub Himalayan region in the North-eastern India and Sikkim	Myanmar and Nepal	-	-	-
317.	Malabar Large-spotted Civet <i>Viverra civettina</i> Blyth, 1862	Karnataka and Kerala	<b>Endemic to India</b>	CR	I	III
318.	Large Indian Civet <i>Viverra zibetha</i> Linnaeus, 1758	North-eastern India and West Bengal	Bhutan, Cambodia, China, Laos, Malaysia, Myanmar, Nepal, Singapore, Thailand and Viet Nam	NT	II	III
318a.	<i>Viverra zibetha zibetha</i> Linnaeus, 1758	North-eastern India and West Bengal	China, Nepal and Bhutan	-	-	-
319.	Small Indian Civet <i>Viverricula indica</i> (E. Geoffroy Saint-Hilaire, 1803)	Throughout India in suitable habitats except high Himalayas in Jammu & Kashmir	Bangladesh, Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Sri Lanka, Thailand and Viet Nam	LC	II	III
319a.	<i>Viverricula indica indica</i> (Desmarest, 1804)	Southern India		-	-	-
319b.	<i>Viverricula indica baptistae</i> Pocock, 1933	North-eastern India	Bhutan and Bangladesh	-	-	-
319c.	<i>Viverricula indica deserti</i> Bonhote, 1898	Western India		-	-	-
319d.	<i>Viverricula indica wellsii</i> Pocock, 1933	Central and northern India		-	-	-
<b>Family: Herpestidae (Mongooses)</b>						
320.	Grey Mongoose <i>Herpestes edwardsii</i> (É. Geoffroy Saint-Hilaire, 1818)	Throughout India in suitable habitats	Afghanistan, Bahrain, Bhutan, Indonesia, Iran, Japan, Kuwait, Malaysia, Mauritius, Nepal, Pakistan, Saudi Arabia and Sri Lanka	LC	II	III

320a.	<i>Herpestes edwardsii edwardsii</i> (E. Geoffroy Saint-Hilaire, 1818)	Southern India		-	-	-
320b.	<i>Herpestes edwardsii ferrugineus</i> Blanford, 1874	Western India	Pakistan, Iran, Iraq, Saudi Arabia and Kuwait	-	-	-
320c.	<i>Herpestes edwardsii montanus</i> (Bechthold, 1936)	North-western India		-	-	-
320d.	<i>Herpestes edwardsii nyula</i> (Hodgson, 1836)	Central to North-eastern India	Nepal	-	-	-
321.	Indian Brown Mongoose <i>Herpestes fuscus</i> Waterhouse, 1838	Karnataka, Kerala and Tamil Nadu	Sri Lanka	LC	II	III
321a.	<i>Herpestes fuscus fuscus</i> Waterhouse, 1838	Karnataka, Kerala and Tamil Nadu		-	-	-
322.	Javan Mongoose <i>Herpestes javanicus</i> (É. Geoffroy Saint-Hilaire, 1818)	Northern India, Gujarat, Punjab, Rajasthan and West Bengal	Wide range from Iran through northern and into Indochina	LC	II	-
322a.	<i>Herpestes javanicus auropunctatus</i> (Hodgson, 1836)	North-eastern India		-	-	III
322b.	<i>Herpestes javanicus javanicus</i> (E. Geoffroy Saint-Hilaire, 1818)	Northern India	Afghanistan, Cambodia, Laos, Indochina, Indonesia Iran, Malaysia, Pakistan, Thailand and Viet Nam	-	-	-
322c.	<i>Herpestes javanicus pallipes</i> Blyth, 1845	Gujarat, Punjab and Rajasthan	Afghanistan, Iraq and Pakistan	-	-	-
323.	Bengal Marsh Mongoose <i>Herpestes palustris</i> Ghose, 1965	West Bengal	<b>Endemic to India</b>	-	-	-
324.	Ruddy Mongoose <i>Herpestes smithii</i> Gray, 1837	Southern and central India, Bihar, Chhattisgarh, Gujarat, Jharkhand, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal	Sri Lanka	LC	II	III
324a.	<i>Herpestes smithii smithii</i> Gray, 1837	Southern and central India, Bihar, Chhattisgarh, Gujarat, Jharkhand, Maharashtra, Odisha, Rajasthan, Uttar Pradesh and West Bengal		-	-	-
325.	Crab-eating Mongoose	North-eastern India and West	Bangladesh, Cambodia, China,	LC	II	III

	<i>Herpestes urva</i> (Hodgson, 1836)	Bengal	Loas, Malaysia, Myanmar, Nepal, Taiwan, Thailand and Viet Nam			
325a.	<i>Herpestes urva urva</i> (Hodgson, 1836)	North-eastern India and West Bengal	Bangladesh, China, Nepal, Myanmar, Viet Nam, Laos and Thailand	-	-	-
326.	Stripe-necked Mongoose <i>Herpestes vitticollis</i> Bennett, 1835	Karnataka, Kerala and Tamil Nadu	Sri Lanka	LC	II	III
326a.	<i>Herpestes vitticollis vitticollis</i> Bennett, 1835	Karnataka (northern parts)	Sri Lanka	-	-	-
326b.	<i>Herpestes vitticollis inornatus</i> Pocock, 1941	Karnataka (southern parts)		-	-	-
<b>Family: Hyaenidae (Hyenas)</b>						
327.	Striped Hyena <i>Hyaena hyaena</i> (Linnaeus, 1758)	South to the Nilgiri hills, west to Gujarat, north to lowland of Jammu & Kashmir and Kumaon, east to West Bengal	North and East Africa, the Caucasus, the Middle East, Middle and Central Asia and the Indian Subcontinent	NT	III	III
<b>Family: Canidae (Dogs, Wolves, Jackals and Foxes)</b>						
328.	Golden Jackal <i>Canis aureus</i> Linnaeus, 1758	Throughout the country	Asia, and East Africa and South-eastern Europe	LC	II	III
328a.	<i>Canis aureus aureus</i> Linnaeus, 1758	North-western India	Iraq, Iran, Pakistan, Saudi Arabia and Western Turkestan	-	-	-
328b.	<i>Canis aureus cruesemanni</i> Matschie, 1900	North-eastern India	Myanmar and Thailand	-	-	-
328c.	<i>Canis aureus indicus</i> Hodgson, 1833	Northern India	Bhutan, Myanmar, Nepal and Thailand	-	-	-
328d.	<i>Canis aureus naria</i> Wroughton, 1916	Southern India	Sri Lanka	-	-	-
329.	Grey Wolf <i>Canis lupus</i> Linnaeus, 1758	Throughout India except east and north-eastern India	Throughout the northern hemisphere, North America south to 20 ° N. in Oaxaca (Mexico), Europe and Asia	LC	-	-
329a.	<i>Canis lupus chanco</i> Gray, 1863	Himachal Pradesh and Jammu & Kashmir	Kazakhstan, Tien Shan Mts, Mongolia, Northern and western China, Tibet and Xinjiang	-	I	-

329b.	<i>Canis lupus pallipes</i> Sykes, 1831	Scattered population through peninsular India	Middle-east and south Asia, Bangladesh, Pakistan, Afghanistan, Iran, Iraq, and westwards to Iraq and Northern Saudi Arabia, Israel, Jordan	-	I	-	-
330.	Wild Dog <i>Cuon alpinus</i> (Pallas, 1811)	South of river Ganges peninsula from Coorg and Nilgiri hills, and from northwards Jammu & Kashmir to North-eastern India	South, South-east and Central Asia	EN	II	II	
330a.	<i>Cuon alpinus alpinus</i> (Pallas, 1811)	South of river Ganges peninsula from Coorg and Nilgiri hills, and from northwards Jammu & Kashmir to North-eastern India	Asian Russia, Siberia, Mongolia, Sakhalin, Korea and China	-	-	-	
331.	Bengal Fox <i>Vulpes bengalensis</i> (Shaw, 1800)	Throughout India except high Himalayas and North-eastern India	Bangladesh, Nepal and Pakistan	LC	II	III	
332.	Tibetan Sand Fox <i>Vulpes ferrilata</i> Hodgson, 1842	Jammu & Kashmir and Sikkim	China and Nepal	LC	I	-	-
333.	Red Fox <i>Vulpes vulpes</i> (Linnaeus, 1758)	Gujarat, Himachal Pradesh, Jammu & Kashmir, Punjab, Rajasthan, Sikkim and Uttar Pradesh	Entire northern hemisphere from the Arctic Circle to North Africa, Central America, and the Asiatic steppes	LC	-	-	
333a.	<i>Vulpes vulpes montana</i> (Pearson, 1836)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim, Uttarakhand and Uttar Pradesh	China, Yunnan, Nepal and Pakistan	-	II	III	
333b.	<i>Vulpes vulpes griffithi</i> Blyth, 1854	Jammu & Kashmir	Afghanistan and Pakistan	-	II	III	
333c.	<i>Vulpes vulpes pusilla</i> Blyth, 1854	Gujarat, Haryana, Punjab and Rajasthan	Pakistan	-	I	III	
<b>Family: Ursidae (Bears)</b>							
334.	Sun Bear <i>Helarctos malayanus</i> (Raffles, 1821)	South- eastern of Brahmaputra river in North-eastern India	Bangladesh, Brunei Darussalam, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Thailand and Viet Nam	VU	I	I	

334a.	<i>Helarctos malayanus malayanus</i> (Raffles, 1821)	South- eastern of Brahmaputra river in North-eastern India	Bangladesh, Myanmar and Malaysia	-	-	-
335.	Sloth Bear <i>Melursus ursinus</i> (Shaw, 1791)	Throughout India in suitable habitats except Jammu & Kashmir, high Himalayas and arid parts of Gujarat and Rajasthan	Bhutan, Nepal and Sri Lanka	VU	I	I
335a.	<i>Melursus ursinus ursinus</i> (Shaw, 1791)	Throughout India in suitable habitats except Jammu & Kashmir, high Himalayas and arid parts of Gujarat and Rajasthan	Nepal and Bhutan	-	-	-
336.	Brown Bear <i>Ursus arctos</i> Linnaeus, 1758	Himachal Pradesh and Jammu & Kashmir and Uttarakhand	Widely distributed in the world	LC	I	I
336a.	<i>Ursus arctos isabellinus</i> Horsfield, 1826	Himachal Pradesh and Jammu & Kashmir and Uttarakhand	Nepal, Tadjikistan, S Tien Shan Mts, Pamirs Mts, Pakistan and Waziristan	-	-	-
337.	Asiatic Black Bear <i>Ursus thibetanus</i> G.[Baron] Cuvier, 1823	North-eastern India, Himachal Pradesh, Jammu & Kashmir and Uttarakhand	South, South-east and Central Asia	VU	II	I
337a.	<i>Ursus thibetanus thibetanus</i> G.[Baron] Cuvier, 1823	North-eastern India		-	-	-
337b.	<i>Ursus thibetanus laniger</i> (Pocock, 1932)	Himachal Pradesh, Jammu & Kashmir and Uttarakhand		-	-	-
<b>Family: Mustelidae (Badgers, Otters and Weasels)</b>						
338.	Oriental Small-clawed Otter <i>Aonyx cinerea</i> (Illiger, 1815)	Southern India, Himalayan terai to north-eastern states and Sundarbans in West Bengal	South and South-east Asia	VU	I	II
338a.	<i>Aonyx cinerea concolor</i> Rafinesque, 1832	Himalayan terai to north-eastern states and Sundarbans in West Bengal	Bhutan, Cambodia, China, Indonesia, Laos, Malaysia, Myanmar, Nepal, Viet Nam and Thailand	-	-	-
338b.	<i>Aonyx cinerea nirnai</i> Pocock, 1940	Southern India		-	-	-
339.	European Otter	North-eastern India and southern	Asia, Africa and Europe	NT	II	I

	<i>Lutra lutra</i> (Linnaeus, 1758)	India, Himachal Pradesh, Jammu & Kashmir, Sikkim, and Uttarakhand			
339a.	<i>Lutra lutra aurobrunneus</i> Hodgson, 1839	Himachal Pradesh and Uttarakhand		-	-
339b.	<i>Lutra lutra kutab</i> Schinz, 1844	Jammu & Kashmir	Nepal and southwest China	-	-
339c.	<i>Lutra lutra monticolus</i> Hodgson, 1839	Sikkim and North-eastern India	Nepal, and southwest China	-	-
339d.	<i>Lutra lutra nair</i> F.G. Cuvier, 1823	Southern India	Sri Lanka and Myanmar	-	-
340.	Smooth-coated Otter <i>Lutrogale perspicillata</i> (I. Geoffroy Saint-Hilaire, 1826)	Throughout India except high regions of Himalayas, and arid regions of Gujarat and Rajasthan	Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, Indonesia, Iraq, Laos, Malaysia, Myanmar, Nepal, Pakistan, Thailand and Viet Nam	VU	II
340a.	<i>Lutrogale perspicillata perspicillata</i> (I. Geoffroy Saint-Hilaire, 1826)	Throughout India except high regions of Himalayas, and arid regions of Gujarat and Rajasthan	Indonesia, Malaysia, Thailand, Viet Nam, China, Myanmar and Nepal Terai	-	-
341.	Hog-badger <i>Arctonyx collaris</i> F.G. Cuvier, 1825	North-eastern India, Sikkim and West Bengal	Bhutan, Cambodia, China, Indonesia, Laos, Mongolia, Myanmar, Thailand and Viet Nam	VU	I
341a.	<i>Arctonyx collaris collaris</i> F. G. Cuvier, 1825	Arunachal Pradesh, Assam, Sikkim and West Bengal	Bhutan	-	-
341b.	<i>Arctonyx collaris consul</i> Pocock, 1940	Meghalaya, Mizoram and Nagaland	Thailand and Viet Nam	-	-
342.	Yellow-throated Marten <i>Martes flavigula</i> (Boddaert, 1785)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	South, South-east and Central Asia	LC	II
342a.	<i>Martes flavigula flavigula</i> (Boddaert, 1785)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	China	-	-
343.	Beech Marten <i>Martes foina</i>	Along the Himalayan terai from Jammu & Kashmir to North-eastern	Europe and central Asia	LC	-

	(Erxleben, 1777)	India				
343a.	<i>Martes foina intermedia</i> (Severtzov, 1873)	Along the Himalayan terai from Jammu & Kashmir to North-eastern India	Kazakhstan and Xinjiang in Northwest China, Afghanistan, Pakistan and Western Iran	-	II	III
344.	Nilgiri Marten <i>Martes gwatkinsii</i> Horsfield, 1851	Karnataka, Kerala and Tamil Nadu	<b>Endemic to India</b>	VU	II	III
345.	Honey Badger <i>Mellivora capensis</i> (Schreber, 1776)	Throughout India except high Himalayas and North-eastern India	Most of sub-Saharan Africa and outside of Africa through Arabia, Iran and western Asia to Turkmenistan and the Indian peninsula	LC	I	-
345a.	<i>Mellivora capensis inaurita</i> (Hodgson, 1836)	Northern India	Nepal and Pakistan	-	-	-
345b.	<i>Mellivora capensis indica</i> (Kerr, 1792)	Western, Central and Southern India	Afghanistan, southern Pakistan and Western Turkestan	-	-	-
346.	Chinese Ferret-badger <i>Melogale moschata</i> (Gray, 1831)	North-eastern India	China, Laos, Myanmar, Taiwan and Viet Nam	LC	II	-
346a.	<i>Melogale moschata millsii</i> (Thomas, 1922)	North-eastern India	Myanmar	-	-	-
347.	Burmese Ferret Badger <i>Melogale personata</i> I. Geoffroy Saint-Hilaire, 1831	North-eastern India and West Bengal	China, Laos, Myanmar, Nepal, Thailand and Viet Nam	DD	II	-
347a.	<i>Melogale personata personata</i> I. Geoffroy Saint-Hilaire, 1831	North-eastern India and West Bengal	Myanmar and Nepal	-	-	-
348.	Mountain Weasel <i>Mustela altaica</i> Pallas, 1811	Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Bhutan, China, Kazakhstan, Kyrgyzstan, Mongolia, Pakistan, Russian Federation and Tajikistan	NT	II	III
348a.	<i>Mustela altaica temon</i> (Hodgson, 1857)	Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Pakistan and China	-	-	-
349.	Ermine <i>Mustela erminea</i> Linnaeus, 1758	Jammu & Kashmir	North America, Europe, and Asia, from Greenland and the Canadian and Siberian Arctic Is.	LC	I	III

			south to about 35°N			
349a.	<i>Mustela erminea ferghanae</i> Thomas, 1895	Jammu & Kashmir	Uzbekistan, Afghanistan and China, in Kashgar and Xinjiang	-	-	-
350.	Yellow-bellied Weasel <i>Mustela kathiah</i> Hodgson, 1835	Himalayas from Himachal Pradesh to Jammu & Kashmir to North-eastern India	Bhutan, China, Japan, Korea, , Korea, Laos, Mongolia, Myanmar, Nepal, Pakistan, Russian Federation, Taiwan, Thailand and Viet Nam	LC	II	III
350a.	<i>Mustela kathiah kathiah</i> Hodgson, 1835	North-eastern India, Himachal Pradesh, Sikkim, Uttarakhand and West Bengal	Nepal and Bhutan	-	-	-
350b.	<i>Mustela kathiah caporiaccoi</i> de Beaux, 1935	Jammu & Kashmir		-	-	-
351.	Siberian Weasel <i>Mustela sibirica</i> Pallas, 1773	Himalayas from Jammu & Kashmir to North-eastern India	Bhutan, China, Japan, Korea, , Korea, Republic of, Laos, Mongolia, Myanmar, Nepal, Pakistan, Russian Federation, Taiwan, Thailand and Viet Nam	LC	II	III
351a.	<i>Mustela sibirica hodgsoni</i> Gray, 1843	Uttarakhand		-	-	-
351b.	<i>Mustela sibirica canigula</i> Hodgson, 1842	Himachal Pradesh and Jammu & Kashmir		-	-	-
351c.	<i>Mustela sibirica subhemachalana</i> Hodgson, 1837	Sikkim and North-eastern India		-	-	-
352.	Back-striped Weasel <i>Mustela strigidorsa</i> Gray, 1853	Arunachal Pradesh, Assam, Nagaland, Sikkim and West Bengal	China, Laos, Myanmar, Thailand and Viet Nam	LC	-	-
<b>Family: Ailuridae (Red Pandas)</b>						
353.	Red Panda <i>Ailurus fulgens</i> F.G. Cuvier, 1825	Arunachal Pradesh, Sikkim and West Bengal	Bhutan, China, Myanmar and Nepal	EN	I	I
353a.	<i>Ailurus fulgens fulgens</i> Hodgson, 1847	Arunachal Pradesh, Sikkim and West Bengal	Bhutan, China and Nepal	-	-	-
<b>Order: PERISSODACTYLA</b>						
<b>Family: Equidae (Asses)</b>						

354.	Asiatic Wild Ass <i>Equus hemionus</i> Pallas, 1775	Rann of Kachchh (Gujarat)	Pakistan	NT	-	-
354a.	<i>Equus hemionus khur</i> Lesson, 1827	Rann of Kachchh (Gujarat)	Pakistan		I	I
355.	Kiang <i>Equus kiang</i> Moorcroft, 1841	Jammu & Kashmir and Sikkim	China, Nepal and Pakistan	LC	I	II
355a.	<i>Equus kiang kiang</i> Matschie, 1911	Jammu & Kashmir	China and Nepal	-	-	-
355b.	<i>Equus kiang polyodon</i> Hodgson, 1847	Sikkim	China	-	-	-
<b>Family: Rhinocerotidae (Rhinoceroses)</b>						
356.	Greater One-horned Rhinoceros <i>Rhinoceros unicornis</i> Linnaeus, 1758	Assam, Uttar Pradesh and West Bengal	Bangladesh, Bhutan and Nepal	VU	I	I
<b>Order: ARTIODACTYLA</b>						
<b>Family: Suidae (Pigs)</b>						
357.	Pygmy Hog <i>Porcula salvania</i> Hodgson, 1847	North-western Assam (Manas and Bornadi National Parks)	Bangladesh and Nepal	CR	I	I
358.	Wild Pig <i>Sus scrofa</i> Linnaeus, 1758	Throughout India except the high Himalayas and desert areas of Gujarat and Rajasthan	All continents except Antarctica, and on many oceanic Is.	LC	III	-
358a.	<i>Sus scrofa cristatus</i> Wagner, 1839	Throughout India excluding west and north-western parts	Nepal, Myanmar and western Thailand to Isthmus of Kra	-	-	-
358b.	<i>Sus scrofa davidi</i> Groves, 1981	West and north-western India	Iran and Pakistan	-	-	-
<b>Family: Tragulidae (Mouse Deer)</b>						
359.	Indian Chevrotain <i>Moschiola indica</i> Gray, 1852	From Tamil Nadu to Madhya Pradesh	Nepal	LC	I	-
<b>Family: Moschidae (Musk Deer)</b>						
360.	Alpine Musk Deer <i>Moschus chrysogaster</i> (Hodgson, 1839)	Arunachal Pradesh, Uttarakhand and Sikkim	Bhutan, China and Nepal	EN	I	I
360a.	<i>Moschus chrysogaster chrysogaster</i> (Hodgson, 1839)	Arunachal Pradesh, Uttarakhand and Sikkim	China	-	-	-
361.	Kashmir Musk Deer <i>Moschus cupreus</i> Grubb, 1982	Jammu & Kashmir	Afghanistan and Pakistan	EN	-	I

362.	Black Musk Deer <i>Moschus fuscus</i> Li, 1981	Arunachal Pradesh and Sikkim	Bhutan, China, Myanmar and Nepal	EN	-	I
363.	Himalayan Musk Deer <i>Moschus leucogaster</i> Hodgson, 1839	Himachal Pradesh, Jammu & Kashmir, Uttarakhand and Sikkim	Bhutan, China and Nepal	EN	-	I
<b>Family: Cervidae (Deer)</b>						
364.	Spotted Deer <i>Axis axis</i> (Erxleben, 1777)	Peninsular India, northwards Kumaon and Sikkim including Andaman & Nicobar Is. and West Bengal	Nepal, Sri Lanka, and introduced many parts of the world	LC	III	-
365.	Hog Deer <i>Axis porcinus</i> (Zimmermann, 1780)	North-eastern India, Punjab, Uttarakhand and Uttar Pradesh	Bangladesh, Bhutan, Cambodia, Nepal, Pakistan, Thailand, Australia, Sri Lanka and United States	EN	III	-
365a.	<i>Axis porcinus porcinus</i> (Zimmerman, 1780)	North-eastern India, Punjab, Uttarakhand and Uttar Pradesh		-	-	-
366.	Kashmir Stag <i>Cervus hanglu</i> Wagner, 1844	Jammu & Kashmir	Afghanistan, China, India, Kazakhstan, Tajikistan, Turkmenistan and Uzbekistan	-	-	-
366a.	<i>Cervus hanglu hanglu</i> Wagner, 1844	Jammu & Kashmir		CR	I	I
367.	Indian Muntjac <i>Muntiacus muntjak</i> (Zimmermann, 1780)	Throughout India except high Himalayas of Jammu & Kashmir and desert region of Gujarat and Rajasthan	Bangladesh, Bhutan, China, Indonesia, Malaysia, Nepal, Pakistan and Sri Lanka	LC	III	-
367a.	<i>Muntiacus muntjak aureus</i> H. Smith 1826	Northern and central India		-	-	-
367b.	<i>Muntiacus muntjak malabaricus</i> Wroughton, 1914	Southern India	Sri Lanka	-	-	-
367c.	<i>Muntiacus muntjak vaginalis</i> (Boddaert, 1875)	North-eastern India	Bhutan, Bangladesh and Myanmar to south-western China, Nepal and Viet Nam	-	-	-
368.	Swamp Deer <i>Rucervus duvaucelii</i> (G. Cuvier, 1823)	Assam, Madhya Pradesh and Uttar Pradesh	Nepal	VU	-	I

368a.	<i>Rucervus duvaucelii duvaucelii</i> (G. Cuvier, 1823)	Indo-Gangetic plain, north of the Ganges (Uttar Pradesh)	Nepal	-	I	-
368b.	<i>Rucervus duvaucelii branderi</i> Pocock, 1943	Central India, between the rivers Ganges and Godavari (Madhya Pradesh)		-	I	-
368c.	<i>Rucervus duvaucelii ranjitsinhi</i> (Groves, 1982)	Brahmaputra plains (Assam)		-	I	-
369.	Eld's Deer <i>Rucervus eldii</i> (Mc Clelland, 1842)	Manipur	Cambodia, China, Laos and Myanmar	EN	I	I
369a.	<i>Rucervus eldii eldii</i> (Mc Clelland, 1758)	Manipur	Myanmar	-	-	-
370.	Sambar <i>Rusa unicolor</i> (Kerr, 1792)	Throughout India except high Himalayas of Jammu & Kashmir and arid regions of Gujarat and Rajasthan	South and South-east Asia	VU	III	-
370a.	<i>Rusa unicolor unicolor</i> (Kerr, 1792)	Throughout India except high Himalayas of Jammu & Kashmir and arid regions of Gujarat and Rajasthan	Bangladesh, Bhutan, China, Myanmar, Nepal and Sri Lanka	-	-	-
<b>Family: Bovidae (Antelopes, Cattle, Sheep and Goats)</b>						
371.	Blackbuck <i>Antilope cervicapra</i> (Linnaeus, 1758)	Punjab south to Tamil Nadu and east to Bihar, and Gujarat and Rajasthan	Pakistan, and introduced in Argentina and United States	LC	I	-
371a.	<i>Antilope cervicapra cervicapra</i> (Linnaeus, 1758)	Punjab south to Tamil Nadu and east to Bihar	Pakistan	-	-	-
371b.	<i>Antilope cervicapra rajputanae</i> Zukowsky, 1927	Gujarat and Rajasthan		-	-	-
372.	Indian Gazelle <i>Gazella bennettii</i> (Sykes, 1831)	North-western and Central India, extending southwards to a little south of Krishna river	Iran and Pakistan	LC	I	-
372a.	<i>Gazella bennettii bennettii</i> (Sykes, 1831)	Andhra Pradesh, Bihar, Chhattisgarh, Gujarat, Jharkhand, Karnataka, Madhya Pradesh, Maharashtra, Rajasthan and Uttar Pradesh		-	-	-

372b.	<i>Gazella bennettii christii</i> Blyth, 1842	Western part of Gujarat and Rajasthan	Pakistan	-	-	-
372c.	<i>Gazella bennettii salinarum</i> Groves, 2003	Haryana, Punjab and Western Uttar Pradesh	Pakistan	-	-	-
373.	Tibetan Gazelle <i>Procapra picticaudata</i> Hodgson, 1846	Jammu & Kashmir and Sikkim	China	NT	I	-
374.	Gaur <i>Bos gaurus</i> C.H.Smith, 1827	Southern and North-eastern India, Bihar, Chhattisgarh, Goa, Madhya Pradesh, Maharashtra, Odisha, Uttar Pradesh and West Bengal	Bangladesh, Bhutan, Cambodia, China, Laos, Malaysia, Myanmar, Nepal, Thailand and Viet Nam	VU	I	I
375.	Wild Yak <i>Bos mutus</i> (Przewalski, 1883)	Jammu & Kashmir	China and Nepal	VU	I	I
376.	Nilgai <i>Boselaphus tragocamelus</i> (Pallas, 1766)	Throughout country except high Himalayas, North-eastern India, Sikkim and West Bengal	Nepal, Pakistan and introduced in United States	LC	III	-
377.	Water Wild Buffalo <i>Bubalus arnee</i> (Kerr, 1792)	Assam, Chhattisgarh and Maharashtra	Bhutan, Cambodia, Myanmar, Nepal and Thailand	EN	I	-
377a.	<i>Bubalus arnee arnee</i> (Kerr, 1872)	Chhattisgarh and Maharashtra		-	-	-
377b.	<i>Bubalus arnee fulvus</i> Blanford, 1891	Assam		-	-	-
378.	Four-horned Antelope <i>Tetracerus quadricornis</i> (de Blainville, 1816)	From the sub-Himalayan foothills to peninsular India, Gujarat, Maharashtra and North and western parts of Tamil Nadu	Nepal	VU	I	-
378a.	<i>Tetracerus quadricornis quadricornis</i> (de Blainville, 1816)	From the sub-Himalayan foothills to peninsular India, Gujarat, Maharashtra and North and western parts of Tamil Nadu		-	-	-
379.	Takin <i>Budorcas taxicolor</i> Hodgson, 1850	Arunachal Pradesh and Sikkim	Bhutan, China and Myanmar	VU	I	II
379a.	<i>Budorcas taxicolor taxicolor</i> Hodgson, 1850	Arunachal Pradesh	Bhutan, China and Myanmar			
379b.	<i>Budorcas taxicolor whitei</i> Lydekker, 1907	Sikkim	Bhutan and China			

380.	Markhor <i>Capra falconeri</i> (Wagner, 1839)	Jammu & Kashmir	Afghanistan, Pakistan, Tajikistan and Uzbekistan	NT	I	I
380a.	<i>Capra falconeri falconeri</i> (Wagner, 1839)	Jammu & Kashmir				
381.	Siberian Ibex <i>Capra sibirica</i> (Pallas, 1776)	Himachal Pradesh and Jammu & Kashmir	Pakistan	LC	I	-
382.	Himalayan Serow <i>Capricornis thar</i> (Hodgson, 1831)	North-eastern India, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Bangladesh, Bhutan, China and Nepal	NT	I	I
383.	Himalayan Tahr <i>Hemitragus jemlahicus</i> (C.H. Smith, 1826)	Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	China, Nepal introduced in New Zealand and South Africa	NT	I	-
384.	Red Goral <i>Naemorhedus baileyi</i> Pocock, 1914	Arunachal Pradesh	China and Myanmar	VU		I
385.	Himalayan Goral <i>Naemorhedus goral</i> (Hardwicke, 1825)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Bhutan, China, Nepal and Pakistan	NT	III	I
385a.	<i>Naemorhedus goral goral</i> (Hardwicke, 1825)	Arunachal Pradesh, Himachal Pradesh (south), Sikkim and Uttarakhand	Bhutan, China, Nepal and Pakistan	-	-	-
385b.	<i>Naemorhedus goral bedfordi</i> (Lydekker, 1905)	Himachal Pradesh (north) and Jammu & Kashmir	Pakistan	-	-	-
386.	Chinese Goral <i>Naemorhedus griseus</i> (Milne-Edwards, 1871)	Arunachal Pradesh, Manipur, Mizoram, Nagaland and Tripura	China, Myanmar, Thailand and Viet Nam	VU	-	I
386a.	<i>Naemorhedus griseus griseus</i> (Milne-Edwards, 1871)	Arunachal Pradesh, Manipur, Mizoram, Nagaland and Tripura	China, Myanmar, Thailand and Viet Nam	-	-	-
387.	Nilgiri Tahr <i>Nilgiritragus hylocrius</i> (Ogilby, 1838)	Kerala and Tamil Nadu	<b>Endemic to India</b>	EN	I	-
388.	Argali <i>Ovis ammon</i> (Linnaeus, 1758)	Himachal Pradesh, Jammu & Kashmir and Sikkim	Afghanistan, China, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russian Federation, Tajikistan and Uzbekistan	NT	-	-

388a.	<i>Ovis ammon hodgsonii</i> Blyth, 1941	Himachal Pradesh, Jammu & Kashmir and Sikkim	China and Nepal	-	I	I
389.	Urial <i>Ovis orientalis</i> Gmelin, 1774	Jammu & Kashmir	Armenia, Azerbaijan, Iran, Kazakhstan, Oman, Pakistan, Tajikistan, Turkey, Turkmenistan and Uzbekistan	VU	-	-
389a.	<i>Ovis orientalis vignei</i> Blyth, 1841	Jammu & Kashmir	Pakistan		I	I
390.	Tibetan Antelope <i>Pantholops hodgsonii</i> (Abel, 1826)	Jammu & Kashmir	China	NT	I	I
391.	Bharal <i>Pseudois nayaur</i> (Hodgson, 1833)	Arunachal Pradesh, Himachal Pradesh, Jammu & Kashmir, Sikkim and Uttarakhand	Bhutan, China, Myanmar, Nepal and Pakistan	LC	I	-
<b>Order: CETACEA</b>						
<b>Family: Balaenopteridae (Rorquals)</b>						
392.	Common Minke Whale <i>Balaenoptera acutorostrata</i> Lacépède, 1804	Recorded from Arabian Sea (Gujarat coast) and Bay of Bengal (Odisha and Tamil Nadu)	Worldwide: Arctic to tropical waters	LC	II	I
393.	Sei Whale <i>Balaenoptera borealis</i> Lesson, 1828	Recorded from east coast and washed ashore in west coast of India	Worldwide: Cold temperate to warm temperate waters	EN	II	I
394.	Bryde's Whale <i>Balaenoptera edeni</i> Anderson, 1879	Recorded from east and west coasts of India	Worldwide: warm temperate to tropical waters	DD	II	I
395.	Blue Whale <i>Balaenoptera musculus</i> (Linnaeus, 1758)	Recorded from east and west coasts of India	Worldwide: arctic to tropical waters	EN	II	I
395a.	<i>Balaenoptera musculus breviceauda</i> Ichihara, 1966	Recorded from east and west coasts of India	Argentina, Chile, Falklands Islands and Kerguelen and Crozet Islands in French Southern and Antarctic Lands	-	-	-
395b.	<i>Balaenoptera musculus indica</i> Blyth, 1859	Recorded from east and west coasts of India	Indo-West Pacific ocean	-	-	-
396.	Fin Whale <i>Balaenoptera physalus</i> (Linnaeus, 1758)	Recorded from east and west coasts of India	Worldwide: Worldwide: arctic to tropical waters	EN	II	I

396a.	<i>Balaenoptera physalus physalus</i> (Linnaeus, 1758)	Recorded from east and west coasts of India	Southern Hemisphere, Uruguayan Coast, Falklands (Argentina), South Georgia Is.	-	-	-
397.	Humpback Whale <i>Megaptera novaeangliae</i> (Borowski, 1781)	Recorded from Gulf of Mannar and off west coast of India	Worldwide: cold temperate to tropical waters	LC	II	I
<b>Family: Delphinidae (Marine Dolphins)</b>						
398.	Long-beaked Common Dolphin <i>Delphinus capensis</i> Gray, 1828	Recorded from Indian Ocean	Worldwide: Near-shore tropical to temperate waters	DD	II	II
398a.	<i>Delphinus capensis tropicalis</i> Jefferson & Van Waerebeek, 2002	Recorded from Indian Ocean	Coastal waters of the Arabian Sea, from the Gulf of Aden region in Yemen and the Persian Gulf to the Malabar Coast of South India, South China Sea.	-	-	-
398b.	<i>Delphinus delphis delphis</i> Linnaeus, 1758	Recorded from offshore and open water of east and west coasts and around Andaman & Nicobar Is. and Lakshadweep Is.	Western Atlantic, eastern South Atlantic, South Pacific, New Zealand and Australia	-	-	-
399.	Pygmy Killer Whale <i>Feresa attenuata</i> Gray, 1875	Indian Ocean	Worldwide: tropical to warm-temperate waters	DD	II	II
400.	Short-finned Pilot Whale <i>Globicephala macrorhynchus</i> Gray, 1846	Recorded from Bay of Bengal and Hooghly River mouth, Serampur, West Bengal also from Gulf of Mannar and off Maharashtra in the west coast	Worldwide: tropical and warm temperate waters, cold temperate waters of the north Pacific, where it appears to stray as far as north as the Gulf of Alaska	DD	II	II
401.	Risso's Dolphin <i>Grampus griseus</i> (G Cuvier, 1812)	Recorded from Indian Ocean	Worldwide: temperate to tropical waters	LC	II	II
402.	Fraser's Dolphin <i>Lagenodelphis hosei</i> Fraser, 1956	Indian Ocean	Worldwide: warm temperate to tropical waters	LC	II	II
403.	Irrawaddy Dolphin <i>Orcaella brevirostris</i> (Owen in Gray, 1866)	East coast, estuaries of Krishna and Ganga and in the Chilka Lake (Odisha)	Tropical coastal waters and large rivers, in south east Asia, Indonesia, Irrawaddy River in	VU	I	I

			Myanmar, Malaysia, northern Australia and Papua New Guinea			
404.	Killer Whale <i>Orcinus orca</i> (Linnaeus, 1758)	Recorded from east coast (off Tamil Nadu), west coast (off Gujarat) and around Andaman & Nicobar Is. and Lakshadweep Is.	Worldwide: all seas and oceans	DD	II	II
405.	Melon-headed Whale <i>Peponocephala electra</i> (Gray, 1846)	Recorded from Bay of Bengal off Andaman & Nicobar Is.	Worldwide: tropical to warm temperate waters	LC	II	II
406.	False Killer Whale <i>Pseudorca crassidens</i> (Owen, 1846)	Recorded from east and west coasts and Andaman & Nicobar Is., Andhra Pradesh and Lakshadweep	Worldwide: temperate to tropical waters	DD	II	II
407.	Indo-Pacific hump-back Dolphin <i>Sousa chinensis</i> (Osbeck, 1765)	Recorded from east and west coasts of Andaman Is.,	Coastal waters and rivers from False Bay, South Africa, east to southern China and Moreton Bay, Queensland, Australia	NT	II	I
408.	Pantropical Spotted Dolphin <i>Stenella attenuata</i> (Gray, 1846)	Recorded from Bay of Bengal off West Bengal (Sundarbans) and Tamil Nadu	Temperate to tropical waters	LC	II	II
408a.	<i>Stenella attenuata attenuata</i> (Gray, 1846)	Recorded from Bay of Bengal off West Bengal (Sundarbans) and Tamil Nadu	North-eastern Offshore Pacific and found in all oceans between about 40°N and 40°S. Red Sea, and Persian Gulf	-	-	-
409.	Striped Dolphin <i>Stenella coeruleoalba</i> (Meyen, 1833)	Indian Ocean	Worldwide: temperate to tropical waters	LC	II	II
410.	Spinner Dolphin <i>Stenella longirostris</i> (Gray, 1828)	Recorded from east and west coasts of India	Worldwide: tropical oceans, Maldives Is., Sri Lanka, Western Pacific including the Gulf of Thailand, the Moluccas and the Java Seas	DD	II	II
410a.	<i>Stenella longirostris longirostris</i> (Gray, 1828)	Recorded from east and west coasts of India	Around oceanic islands in the tropical Atlantic Ocean, and western and central Pacific Ocean east to about 145°W	-	-	-

411.	Rough-toothed Dolphin <i>Steno bredanensis</i> (G. Cuvier in Lesson, 1828)	Recorded from Bay of Bengal (Nicobar Is.)	Worldwide: tropical and subtropical waters, mainly the edges of the continental shelves, indo-Malayan sea off Indonesia, Pakistan and Sri Lanka	LC	II	II
412.	Indo-Pacific Bottlenose Dolphin <i>Tursiops aduncus</i> (Ehrenberg, 1833)	Recorded from Indian Ocean	Worldwide: Pacific Ocean, Japan, Northern China, Southern Australia and Southern Africa	DD	II	II
413.	Bottlenose Dolphin <i>Tursiops truncatus</i> (Montagu, 1821)	Arabian Sea and Bay of Bengal off Andhra Pradesh, Kerala and Tamil Nadu	Worldwide: warm and temperate seas, mainly but not exclusively in coastal waters, including the northern and eastern coasts of the ocean and around the Sunda Is. and Taiwan	LC	II	II
<b>Family: Phocoenidae (Porpoises)</b>						
414.	Finless Porpoise <i>Neophocaena phocaenoides</i> (G Cuvier, 1829)	Recorded from east and west coasts of India, Andaman & Nicobar Is. Lakshadweep and Hugli estuary in West Bengal	Indo-pacific: warm temperate to tropical waters, Persian Gulf to Malaysia, North coast of Java, China and Japan: coastal waters and some rivers	VU	I	I
414a.	<i>Neophocaena phocaenoides phocaenoides</i> (G. Cuvier, 1829)	Recorded from east and west coasts of India, Andaman & Nicobar Is. Lakshadweep and Hugli estuary in West Bengal	Southern Asia	-	-	-
<b>Family: Physeteridae (Sperm Whales)</b>						
415.	Pygmy Sperm Whale <i>Kogia breviceps</i> (Blainville, 1838)	Recorded from east coast and west coasts of India and Andaman & Nicobar Is.	Worldwide: throughout the tropical and subtropical oceans, south China seas including the coast of Sarawak	DD	II	II
416.	Dwarf Sperm Whale <i>Kogia sima</i> (Owen, 1866)	Recorded from east and west coasts	Throughout the tropical and subtropical regions including Sri Lanka, Lesser Saunda Island, Taiwan and Okainawa	DD	II	II

417.	Sperm Whale <i>Physeter macrocephalus</i> Linnaeus, 1758	Recorded from Arabian Sea, Bay of Bengal (Andaman & Nicobar Is., Lakshadweep Is., Gujarat, Kerala, Maharashtra and Tamil Nadu	Worldwide: Antarctic and cold temperate waters (Northern hemisphere) to tropical waters	VU	II	I
<b>Family: Platanistidae (River Dolphins)</b>						
418.	Ganges River Dolphin <i>Platanista gangetica</i> (Roxburgh, 1801)	Brahmaputra, Ganges, Hoogley, Karnaphuli, Meghna and their tributaries and Indian seas	Bangladesh, Bhutan and Nepal	EN	I	I
418a.	<i>Platanista gangetica gangetica</i> (Roxburgh, 1801)	Brahmaputra, Ganges, Hoogley, Karnaphuli, Meghna and their tributaries and Indian seas	Bangladesh, Bhutan and Nepal	-	-	-
418b.	<i>Platanista gangetica minor</i> Owen, 1853	Punjab	Pakistan (Indus River system)	-	-	-
<b>Family: Ziphiidae (Beaked Whales)</b>						
419.	Indo-Pacific Beaked Whale <i>Indopacetus pacificus</i> (Longman, 1926)	Indian Ocean	West south Pacific oceans: tropical waters	DD	II	II
420.	Blainville's Beaked Whale <i>Mesoplodon densirostris</i> (Blainville, 1817)	Recorded from Nicobar Is.	Worldwide: World-wide: temperate to tropical waters	DD	II	II
421.	Ginkgo-toothed Beaked Whale <i>Mesoplodon ginkgodens</i> Nishiwaki & Kamiya, 1958	Indian Ocean	North Pacific and Indian Oceans: warm-temperate to tropical waters; Japan, Taiwan, Baja California, Mexico, Sri Lanka, Indonesia and Australia	DD	II	II
422.	Cuvier's Beaked Whale <i>Ziphius cavirostris</i> G. Cuvier, 1823	Recorded from deep water off Indian coasts and Is.	North Pacific and Indian Oceans: warm-temperate to tropical waters; Japan, Taiwan, Baja California, Mexico, Sri Lanka, Indonesia and Australia	LC	II	II

**Abbreviations:**

**IUCN:** International Union for Conservation of Nature

IUCN Red list of Threatened Species: Categories (**CR:** Critically Endangered; **EN:** Endangered; **VU:** Vulnerable; **NT:** Near Threatened; **LC:** Least Concern; **DD:** Data Deficient).

**IWPA:** Indian Wildlife (Protection) Act, 1972 (Schedule I, II, III, IV and V).

**CITES:** Convention on International Trade in Endangered Species of Wild Fauna and Flora (Appendix I, II and III).

## References

- Agrawal, V.C. 2000. Taxonomic studies on Indian Muridae and Hystricidae (Mammalia: Rodentia). *Records of the Zoological survey of India* 180: 177 pp.
- Alfred, J.R.B., Sinha, N. K. and Chakraborty, S. 2002. *Checklist of Mammals of India*. Published by Director, *Zool. Surv. India*, Kolkata. *Rec. zool. Surv. India*, Occ. Paper. 199: 1-289.
- Anonymous. 2010. *The Wildlife (Protection) Act, 1972 (as amended up to 2006)*. Wildlife Trust of India, New Delhi. Published by Natraj Publishers, Dehra Dun. 236 pp.
- Bates, P. J. J. and Harrison, D. L. 1997. *Bats of the Indian Subcontinent*. Harrison Zoological Museum, Sevenoaks, Kent, U.K. 258 pp.
- Blanford, W.T. 1888–1891. *The Fauna of British India, Including Ceylon and Burma. Mammalia. Part I & II*. Taylor and Francis, Red Lion Court Fleet Street, London, 617pp.
- Brook, S.M., Donnithorne-Tait, D., Lorenzini, R., Lovari, S., Masseti, M., Pereladova, O., Ahmad, K. & Thakur, M. 2017. *Cervus hanglu*. (amended version published in 2017) The IUCN Red List of Threatened Species 2017: e.T4261A120733024. <http://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T4261A120733024.en>. Downloaded on 21 December 2017.
- Brook, S.M., Thakur, M., Ranjitsinh, M.K., Donnithorne-Tait, D. & Ahmad, K. 2017. *Cervus hanglu ssp. hanglu*. The IUCN Red List of Threatened Species 2017: e.T113259123A113281791. <http://dx.doi.org/10.2305/IUCN.UK.2017-2.RLTS.T113259123A113281791.en>. Downloaded on 21 December 2017.
- CITES. 2017. (Convention on International Trade in Endangered Species of Wild Fauna and Flora) Appendices I, II & III (valid from 4 April 2017). 21 pp.
- Corbet G. B. and Hill, J. E. 1992. *The mammals of the Indomalayan region: a systematic review*. Oxford University Press.
- Corbet, G. B. and Hill, J. E. 1980. *A world list of mammalian species*. British Museum (Natural History), London. 254 pp.
- Ellerman, J.R., and Morrison-Scot, T.C.S. 1951 (1966 2nd ed.). *Checklist of Palaearctic and Indian Mammals 1758 to 1956*. Trustees of the British Museum (Natural History), London. 810 pp.

- Gentry, A., Clutton-Brock, J. and Groves, C. P. 1996. Proposed conservation of usage of 15 mammal specific names based on wild species which are antedated by or contemporary with those based on domestic animals. *Bulletin of Zoological Nomenclature*. 53: 28-37.
- Gentry, A., Clutton-Brock, J. and Groves, C. P. 2004. The naming of wild animal species and their domestic derivatives. *Journal of Archaeological Science*. 31: 645-651.
- International Commission on Zoological Nomenclature. 2003. Usage of 17 specific names based on wild species which are pre-dated by or contemporary with those based on domestic animals (Lepidoptera, Osteichthyes, Mammalia) conserved. *Bulletin of Zoological Nomenclature*. 60: 81-84.
- IUCN (2017). *The IUCN Red List of Threatened Species. Version 2017-1*. <<http://www.iucnredlist.org>>.
- Johnsingh, A.J.T. and Manjrekar, N. 2013 & 2015. *Mammals of South Asia*, Vol.1 & 2. India, University Press (India) Pvt. Ltd.
- Karanth, P.K., Singh, L., Collura, R. and Stewart, C.B. 2008. Molecular phylogeny and biogeography of langurs and leaf monkeys of south Asia (Primates: Colobinae). *Molecular Phylogenetics and Evolution* 46: 683–694.
- Li, C., Zhao, C. and Fan, P.F. 2015. White-cheeked macaque (*Macaca leucogenys*): A new species from Medog, south Tibet. *American Journal of Primatology*. 77: 753–66.
- McKenna, Malcolm C., and Bell, S. K. 1997. *Classification of Mammals above the Species Level*. Columbia University Press, New York. 631 pp.
- Menon, V. 2003. *A Field Guide to Indian Mammals*. Dorling Kindersley (India) Pvt. Limited, 201pp.
- Menon, V. 2014. *Indian mammals- A field guide*. Hachette Book Publishing India Pvt. Ltd. 528 pp.
- Molur, S., Srinivasulu, C., Srinivasulu, B. Walker S., Nameer, P.O. and Ravikumar, L. (2005). *Status of non-volant small mammals: Conservation Assessment and Management Plan (C.A.M.P) workshop report*. Zoo Outreach Organisation / CBSG-South Asia., Coimbatore, India, 618pp.
- Nag, C.K.S., Pramod, P. and Karanth, P.K. 2011. Taxonomic Implications of a field study of morpho types of Hanuman Langurs (*Semnopithecus entellus*) in peninsular

- India. *International Journal of Primatology*; <http://dx.doi.org/10.1007/s10764-011-9504-0>
- Nameer, P. O. 2008. A note on a checklist of Indian Mammals, revised and updated, 2008. *Zoos' Print*, Vol. XXIII (8): 1-12.
- Nowak, R. M. 1999. *Walker's Mammals of the World*, 6th edition. *Johns Hopkins University Press*, 1936 pp.
- Nowak, R.M. 1991. *Walker's Mammals of the World*. 5th edition. *Johns Hopkins University Press*, Baltimore.
- Patou, M-L., Mclenachan, P. A., Morley, C. G., Couloux, A., Jennings, A. P. and Veron, V. 2009. Molecular phylogeny of the Herpestidae (Mammalia, Carnivora) with a special emphasis on the Asian Herpestes, *Molecular Phylogenetics and Evolution*. 53: 69–80.
- Pocock, R. I. 1939. *The Fauna of British India, Including Ceylon and Burma. Mammalia*-Volume I. Taylor and Francis Ltd., London.
- Pocock, R. I. 1941. *The Fauna of British India, Including Ceylon and Burma. Mammalia*-Volumes II. Taylor and Francis Ltd., London. 503 pp.
- Prater, S. H. 1971. *The Book of Indian Animals*. Bombay Natural History Society. Oxford University Press. 324pp.
- Roonwal, M.L. and Mohnot, S.M. 1977. *Primates of South Asia: ecology, sociobiology and behavior*. Harvard University Press. Cambridge, 421pp.
- Ruedi, M., Biswas, J. and Csorba, G. 2012. Bats from the wet: two new species of Tube-nosed bats (Chiroptera: Vespertilionidae) from Meghalaya, India. *Revue Suisse De Zoologie* 119 (1): 111-135.
- Simpson and Gaylord, G. 1945. *The principles of classification and a classification of mammals*. *Bulletin of the American Museum of Natural History*. 85: 1–350.
- Sinha, A., Datta, A., Madhusudan, M. D. and Mishra, C. 2005. The Arunachal macaque *Macaca munzala*: a new species from western Arunachal Pradesh, north-eastern India. *International Journal of Primatology*. 26(4): 977-989.

Sharma, G., Kamalakannan, M. and Venkataraman, K. 2015. *A checklist of mammals of India with their distribution and conservation status*. Published by the Director, Zoological Survey of India, Kolkata, India. *ZSI e-publication*, 104 pp.

Sokolov, V.E. 1973-1979. *Sistematika mlekopitayushchikh (Systematics of mammals)*. Vol. I, II and III.

Srinivasulu, C and Srinivasulu, B. 2012. *South Asian Mammals their diversity, distribution, and status*, Springer Verlag (XI). 467 pp.

Trouessart, E. L. 1885. *Catalogus mammalian tam viventium quam fossilium. Quinquennale supplementum anno 1904*. [Tomus 1-1897; Tomus 2-1898; Quinquennale supplementum, fasc.1 & 2- 1904; fasc. 3 & 4 – 1905]. R. Friedlander and Shon, Berlin, 1 & 2: 1469 pp.; Quin supp: 929 pp.

Veron G., Patou, M-L., Pothet, G., Simberloff, D. and Jennings, A. P. 2007. Systematic status and biogeography of the Javan and small Indian mongooses (Herpestidae, Carnivora). *Zoologica Scripta*. 36: 1-10.

Walker, E.P., Warnick, F., Hamlet, S. E., Lange, K.L., Davis, M.A., Uible, H.E. and Wright, P.F. 1964. *Mammals of the World*. John Hopkins Press, Baltimore. 1: 1-646; 2: 647-1500; 3: 1-769.

Wilson, D.E. and Reeder, D. M. (eds.). 2005. *Mammal Species of the World: A Taxonomic and Geographic Reference. 3<sup>rd</sup> Edition, Vol. 1 & 2*. The Johns Hopkins University Press, Baltimore, i-xxxv+1-743pp & pp.i-xvii+745-2142.

**Citation:**

Kamalakannan, M. and Venkatraman, C. 2017. A Checklist of Mammals of India. Updated till October 2017, available at <http://zsi.gov.in> (online only).